

## DAFTAR PUSTAKA

- Adnan, S.R., Kurniawan, B., and Soegijono, B., 2023, Tinjauan Pengembangan Material Berbasis Barium Titanat, Komposit PVDF/BaTiO<sub>3</sub> dan BaTiO<sub>3</sub>/HAP Untuk Aplikasi Electrostatic Dielectric Energy Storage Capacitor, *Jurnal Rekayasa Mesin*, 14, 649–676.
- Aflaha, R., Afiyanti, H., Azizah, Z.N., Khoirudin, H., Rianjanu, A., Kusumaatmaja, A., Roto, R., and Triyana, K., 2023, Improving Ammonia Sensing Performance of Quartz Crystal Microbalance (QCM) Coated With Nanofibers and Polyaniline (PANi) Overlay, *Biosens. Bioelectron.: X.*, 13, 100300.
- Akasaka, R., Higashi, Y., Yamada, Y., and Shibanuma, T., 2015, Thermodynamic Properties Of 1,1,1,2-Tetrafluoroethane (R-134a) + 2,3,3,3-Tetrafluoropropene (R-1234yf) Mixtures: Measurements of The Critical Parameters and A Mixture Model Based on The Multi-Fluid Approximation, *Int. J. Refrig.*, 58, 146–153.
- Al-Dhahebi, A.M., Saheed, M.S.M., and Mustapha, M., 2023, Effects of Solution Concentration on The Synthesis of Polyvinylidene Fluoride (PVDF) Electrospun Nanofibers, *Mater. Today Proc.*, 80, 2119–2124.
- Aria, M.M., Irajizad, A., Astaraei, F.R., Shariatpanahi, S.P., and Sarvari, R., 2016, Ethanol Sensing Properties of PVP Electrospun Membranes Studied by Quartz Crystal Microbalance, *Measurement*, 1–6.
- Barletta, B., Nissenson, P., Meinardi, S., Dabdub, D., Sherwood Rowland, F., VanCuren, R.A., Pederson, J., Diskin, G.S., and Blake, D.R., 2011, HFC-152a and HFC-134a Emission Estimates and Characterization of CFCs, CFC Replacements, and Other Halogenated Solvents Measured During the 2008 ARCTAS Campaign (CARB phase) Over the South Coast Air Basin of California, *Atmos. Chem. Phys.*, 11, 2655–2669.
- Behringer, D., Heydel, F., Gschrey, B., Osterheld, S., Schwarz, W., Warncke, K., Freeling, F., Nödler, K., Henne, S., Reimann, S., Blepp, M., Jörß, W., Liu, R., Ludig, S., Rüdener, I., and Gartscher, S., 2021, *Persistent Degradation Products of Halogenated Refrigerants and Blowing Agents in the Environment: Type, Environmental Concentrations, and Fate with Particular Regard to New Halogenated Substitutes with Low Global Warming Potential*, Umweltbundesamt, Dessau-Roßlau.
- Chen, J. and Xu, J., 2011, SnO<sub>2</sub>-based R134a Gas Sensor: Sensing Materials Preparation, Gas Response and Sensing Mechanism, *Sens. Actuators B : Chem.*, 157, 494–499.
- Chen, X., Liang, K., Li, Z., Zhao, Y., Xu, J., and Jiang, H., 2020, Experimental Assessment of Alternative Low Global Warming Potential Refrigerants for

Automotive Air Conditioners Application, *Case Stud. in Therm. Eng.*, 22, 100800.

Chinnappan, A., Baskar, C., Baskar, S., Ratheesh, G., and Ramakrishna, S., 2017, An Overview of Electrospun Nanofibers and Their Application in Energy Storage, Sensors and Wearable/Flexible Electronics, *J. Mater. Chem. C. Mater.*, 5, 12657–12673.

Ding, B., Kim, J., Miyazaki, Y., and Shiratori, S., 2004, Electrospun Nanofibrous Membranes Coated Quartz Crystal Microbalance as Gas Sensor for NH<sub>3</sub> Detection, *Sens. Actuators B : Chem.*, 101, 373–380.

Ding, S., Wu, J., Wang, J., Ma, T., Zhang, D., Hu, D., and Zhang, Y., 2023, Establishment of HFC-134a Emission Inventory in the North China Plain from 1995 to 2020, *Atmosphere (Basel)*, 14, 501.

Fernando, A.M., Bernath, P.F., and Boone, C.D., 2019, Trends in Atmospheric HFC-23 (CHF<sub>3</sub>) and HFC-134a Abundances, *J. Quant. Spectrosc. Radiat. Transf.*, 238, 106540.

Hrabovsky, J., Liberatore, C., Mirza, I., Sládek, J., Beranek, J., Bulgakov, A., and Bulgakova, N., 2019, Surface Structuring of Kapton Polyimide with Femtosecond And Picosecond IR Laser Pulses, *Interfacial Phenom.. Heat Transf.*, 7, 113–121.

Hu, J., Huang, X., Xue, S., Yesilbas, G., Knoll, A., and Schneider, O., 2020, Measurement of the Mass Sensitivity of QCM with Ring Electrodes Using Electrodeposition, *Electrochem. commun.*, 116, 106744.

Hu, R., Zhang, C., Qing, F., and Quan, H., 2016, Theoretical and Experimental Studies for Preparing 1, 1-Dibromo-1,2,2,2-Tetrafluoroethane on Gas-Phase Bromination of 1,1,1,2-Tetrafluoroethane, *J. Fluor. Chem.*, 185, 91–95.

Huang, X., Chen, Q., Pan, W., and Yao, Y., 2022, Advances in the Mass Sensitivity Distribution of Quartz Crystal Microbalances: A Review, *Sensors*, 22, 5112.

Jana, S., Garain, S., Sen, S., and Mandal, D., 2015, The influence of Hydrogen Bonding on the Dielectric Constant and the Piezoelectric Energy Harvesting Performance of Hydrated Metal Salt Mediated PVDF Films, *Phys. Chem. Chem. Phys.*, 17, 17429–17436.

Jiang, S., Hou, H., Agarwal, S., and Greiner, A., 2016, Polyimide Nanofibers by “Green” Electrospinning via Aqueous Solution for Filtration Applications, *ACS Sustain. Chem. Eng.*, 4, 4797–4804.

- Jin, J., Fan, X., Zhang, H., Wang, Y., and Zhang, Z., 2014, Solubility of 4-Aminosalicylic Acid in Supercritical Carbon Dioxide and subcritical 1, 1, 1, 2-Tetrafluoroethane, *J. Chem. Eng. Data*, 59, 2095–2100.
- Joseph, A. and Emadi, A., 2020, A High Frequency Dual Inverted Mesa QCM Sensor Array with Concentric Electrodes, *IEEE Access*, 1–1.
- Jovell, D., B. Gómez, S., Zakrzewska, M.E., Nunes, A.V.M., Araújo, J.M.M., Pereiro, A.B., and Llovel, F., 2020, Insight on the Solubility of R134a in Fluorinated Ionic Liquids and Deep Eutectic Solvents, *J. Chem. Eng. Data*, 65, 4956–4969.
- Kibria, M.T., Islam, Md.A., Saha, B.B., Nakagawa, T., and Mizuno, S., 2019, Assessment of Environmental Impact for Air-Conditioning Systems in Japan Using HFC Based Refrigerants, *Evergreen*, 6, 246–253.
- Lasprilla-Botero, J., Álvarez-Láinez, M., and Lagaron, J.M., 2018, The Influence of Electrospinning Parameters and Solvent Selection on the Morphology and Diameter of Polyimide Nanofibers, *Mater. Today. Commun.*, 14, 1–9.
- Li, C., Li, S., Lv, L., Su, B., and Hu, M.Z., 2018, High Solvent-Resistant and Integrally Crosslinked Polyimide-Based Composite Membranes for Organic Solvent Nanofiltration, *J. Memb. Sci.*, 564, 10–21.
- Lu, T.-D., Zhao, L.-L., Yong, W.F., Wang, Q., Duan, L., and Sun, S.-P., 2021, Highly Solvent-Durable Thin-Film Molecular Sieve Membranes with Insoluble Polyimide Nanofibrous Substrate, *Chem. Eng. J.*, 409, 128206.
- Luo, C., Wang, X., Wang, J., and Pan, K., 2016, One-pot Preparation of Polyimide/Fe<sub>3</sub>O<sub>4</sub> Magnetic Nanofibers With Solvent Resistant Properties, *Compos. Sci. Technol.*, 133, 97–103.
- Nagalakshmi, K. and Yadav, G.M., 2014, The Design and Performance Analysis of Refrigeration System Using R12 & R134a Refrigerants, *JERA*, 4, 638–643.
- Nugraha, A., Ardin, M.B., and Rezani, R., 2017, Karakterisasi Material Polimer PVDF dengan Polarisasi Permukaan, *Jurnal Rekayasa Mesin*, 8, 135–139.
- Puzzarini, C., Dore, L., Cludi, L., and Cazzoli, G., 2003, An Improved Determination of the Molecular Dipole Moment of HFC-134a: Microwave Stark Spectra and Ab Initio Calculations, *Phys. Chem. Chem. Phys.*, 5, 1519–1523.
- Qi, H., Xu, Y., Yang, L., Zhao, X., Li, C., Guo, M., and Chen, K., 2023, Detection of Gaseous Halocarbon Refrigerants and Extinguishing Agent Based on Photoacoustic Spectroscopy, *Sens. Actuators B : Chem.*, 394, 134337.

- Rianjanu, A., Fauzi, F., Triyana, K., and Wasisto, H.S., 2021, Electrospun Nanofibers for Quartz Crystal Microbalance Gas Sensors: A Review, *ACS Appl. Nano Mater.*, 4, 9957–9975.
- Rianjanu, A., Roto, R., Julian, T., Hidayat, S., Kusumaatmaja, A., Suyono, E., and Triyana, K., 2018, Polyacrylonitrile Nanofiber-Based Quartz Crystal Microbalance for Sensitive Detection of Safrole, *Sensors*, 18, 1150.
- Rianjanu, A., Triyana, K., Nugroho, D.B., Kusumaatmaja, A., and Roto, R., 2020, Electrospun Polyvinyl Acetate Nanofiber Modified Quartz Crystal Microbalance for Detection of Primary Alcohol Vapor, *Sens. Actuators A Phys.*, 301, 111742.
- Roto, R., Rianjanu, A., Rahmawati, A., Fatyadi, I.A., Yulianto, N., Majid, N., Syamsu, I., Wasisto, H.S., and Triyana, K., 2020, Quartz Crystal Microbalances Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing, *ACS Appl. Nano Mater.*, 3, 5687–5697.
- Saha, S., Yauvana, V., Chakraborty, S., and Sanyal, D., 2019, Synthesis and Characterization of Polyvinylidene-fluoride (PVDF) Nanofiber for Application as Piezoelectric Force Sensor, *Mater. Today Proc.*, 18, 1450–1458.
- Saxena, N., Sharma, V., Sharma, R., Sharma, K.K., and Chaudhary, S., 2020, Design and Performance Analysis of Different Structures of MEMS PVDF-Based Low-Frequency Piezoelectric Energy Harvester, *Intelligent Computing Techniques for Smart Energy Systems: Proceedings of ICTSES 2018*, 22-23 December 2018, Rajasthan.
- Saxena, P. and Shukla, P., 2021, A comprehensive review on Fundamental Properties and Applications of Poly(Vinylidene Fluoride) (PVDF), *Adv. Compos. Hybrid Mater.*, 4, 8–26.
- Sezer Hicyilmaz, A. and Celik Bedeloglu, A., 2021, Applications of Polyimide Coatings: A Review, *SN Appl Sci.*, 3, 363.
- Simmonds, P.G., Rigby, M., McCulloch, A., O’Doherty, S., Young, D., Mühle, J., Krummel, P.B., Steele, P., Fraser, P.J., Manning, A.J., Weiss, R.F., Salameh, P.K., Harth, C.M., Wang, R.H.J., and Prinn, R.G., 2017, Changing Trends and Emissions of Hydrochlorofluorocarbons (HCFCs) and Their Hydrofluorocarbon (HFCs) Replacements, *Atmos. Chem. Phys.*, 17, 4641–4655.
- Span, R. and Wagner, W., 2003, Equations of State for Technical Applications. III. Results for Polar Fluids, *Int. J. Thermophys.*, 24, 111–162.

- Su, S., Fang, X., Li, L., Wu, J., Zhang, J., Xu, W., and Hu, J., 2015, HFC-134a Emissions from Mobile Air Conditioning in China from 1995 to 2030, *Atmos. Environ.*, 102, 122–129.
- Sukowati, R., Rohman, Y.M., Agung, B.H., Hapidin, D.A., Damayanti, H., and Khairurrijal, K., 2023, An Investigation of the Influence of Nanofibers Morphology on the Performance of QCM-based Ethanol Vapor Sensor Utilizing Polyvinylpyrrolidone Nanofibers Active Layer, *Sens. Actuators B : Chem.*, 386, 133708.
- Topuz, F., Abdulhamid, M.A., Nunes, S.P., and Szekely, G., 2020, Hierarchically Porous Electrospun Nanofibrous Mats Produced from Intrinsically Microporous Fluorinated Polyimide for the Removal of Oils and Non-polar Solvents, *Environ. Sci. Nano.*, 7, 1365–1372.
- Triyana, K., Rianjanu, A., Nugroho, D.B., As' ari, A.H., Kusumaatmaja, A., Roto, R., Suryana, R., and Wasisto, H.S., 2019, A Highly Sensitive Safrrole Sensor Based on Polyvinyl Acetate (PVAc) Nanofiber-Coated QCM, *Sci. Rep.*, 9, 15407.
- Tsai, W.T., 2005, An Overview of Environmental Hazards and Exposure Risk of Hydrofluorocarbons (HFCs), *Chemosphere*, 61, 1539–1547.
- Velasco Barraza, R.D., Álvarez Suarez, A.S., Villarreal Gómez, L.J., Paz González, J.A., Iglesias, A.L., and Vera Graziano, R., 2016, Designing a low Cost Electrospinning Device for Practical Learning in a Bioengineering Biomaterials Course, *Rev. Mex. Ing. Biomed.*, 37, 7–16.
- Wang, C., Wang, J., Zeng, L., Qiao, Z., Liu, X., Liu, H., Zhang, J., and Ding, J., 2019, Fabrication of Electrospun Polymer Nanofibers with Diverse Morphologies, *Molecules*, 24, 834.
- Wang, G., Liu, T., Sun, X.-C., Li, P., Xu, Y.-S., Hua, J.-G., Yu, Y.-H., Li, S.-X., Dai, Y.-Z., and Song, X.-Y., 2018, Flexible Pressure Sensor Based on PVDF Nanofiber, *Sens. Actuators A Phys.*, 280, 319–325.
- Wang, H., Wang, Y., Mi, H., Zang, J., and Wang, S., 2021, Analysis of Carbon Emission Energy Inventory from Refrigerant Production and Recycling Carbon Compensation, *Appl. Sci.*, 12, 1.
- Wang, L., Gao, J., and Xu, J., 2019, QCM Formaldehyde Sensing Materials: Design and Sensing Mechanism, *Sens. Actuators B : Chem.*, 293, 71–82.
- Wang, L., Song, J., and Yu, C., 2024, The Utilization and Advancement of Quartz Crystal Microbalance (QCM): A Mini Review, *Microchem. J.*, 199, 109967.
- Wang, X., Ding, B., Sun, M., Yu, J., and Sun, G., 2010, Nanofibrous Polyethyleneimine Membranes as Sensitive Coatings for Quartz Crystal

Microbalance-based Formaldehyde Sensors, *Sens. Actuators B : Chem.*, 144, 11–17.

Xue, J., Wu, T., Dai, Y., and Xia, Y., 2019, Electrospinning and Electrospun Nanofibers: Methods, Materials, and Applications, *Chem. Rev.*, 119, 5298–5415.

You, X., Chong, J.Y., Goh, K.S., Tian, M., Chew, J.W., and Wang, R., 2021, Electrospun Polyimide-Based Thin-Film Composite Membranes for Organic Solvent Nanofiltration, *J. Memb. Sci.*, 640, 119825.

Yuan, Z., Ou, X., Peng, T., and Yan, X., 2018, Development and Application of a Life Cycle Greenhouse Gas Emission Analysis Model for Mobile Air Conditioning Systems, *Appl. Energy*, 221, 161–179.

Zhang, T., Zhou, Y., Li, Xinyu, Chen, Y., Zheng, D., Li, Xinxin, and Xu, P., 2023, Catalytic Decomposition Sensing Mechanism of Mesoporous Gamma Alumina for Freon R134a Detection, *Sens. Actuators B : Chem.*, 380, 133302.

Zulfikar, M.A., Afrianingsih, I., Nasir, M., and Alni, A., 2018, Effect of Processing Parameters on the Morphology of PVDF Electrospun Nanofiber, *J. Phys. Conf.*, 12011.