

REFERENCES

- Al-Khairi, Yuhan. 2021. *Pohon Bayur, Penghasil Kayu Berkualitas Pengganti Jati*.
<https://www.greeners.co/flora-fauna/pohon-bayur-penghasil-kayu-berkualitas-pengganti-jati/> (accessed December 2022).
- Anshari, B. 2006. Pengaruh variasi tekanan kempa terhadap kuat lentur kayu laminasi dari kayu meranti dan keruing. *Civil Engineering Dimension*, 8(1), 25-33.
- Cown, D. J. 2006. Wood quality in standing timber—evolution of assessment methods in plantations. In *Proceedings of the 5th IUFRO symposium “Wood Structure and Properties* 6: 11-17.
- Christie, J., & Platt, I. G. 2014. Moisture content: What is it and how can it be measured? 2014 *IEEE Sensors Applications Symposium (SAS)*, 161–165.
<https://doi.org/10.1109/SAS.2014.6798938>
- Duncan, B. C., Mera, R. D., Leatherdale, D., Taylor, M., & Musgrove, R. 2005. *Techniques for characterising the wetting, coating and spreading of adhesives on surface*. NPL Report. National Physical Laboratory. Scotland.
- Eratodi, I. G. L. B. 2010. Teknologi Bambu Laminasi Sebagai Material Ramah Lingkungan Tahan Gempa. *Konferensi Nasional Teknik Sipil* 4: 189-197.
- Firmansyah, H., Purnowidodo & A., Setyabudi, S., (2018). Pengaruh Mechanical Bonding pada Aluminium dengan Serat Karbon terhadap Kekuatan Tarik Fiber Metal Laminates. *Jurnal Rekayasa Mesin*, 9(2), 127–134.
<https://doi.org/10.21776/ub.jrm.2018.009.02.9>
- Gama, N. V., Ferreira, A., & Barros-Timmons, A. (2018). Polyurethane foams: Past, present, and future. *Materials*, 11(10), 1841.
- GIBF. 2024a. *Shorea carapae P.S.Ashton*. <https://www.gbif.org/species/4097215>. (Accessed March 2024)

- GIBF. 2024b. *Pterospermum celebicum* Miq. <https://www.gbif.org/species/7805767>. (Accessed March 2024)
- Gong, Y., Wu, G., & Ren, H. 2016. Block Shear Strength and Delamination of Cross-Laminated Timber Fabricated with Japanese Larch. *BioResources*, 11(4), 10240–10250. <https://doi.org/10.15376/biores.11.4.10240-10250>
- Hadi, Y. S., Herliyana, E. N., Sulastiningsih, I. M., *et al.* 2021. Physical and mechanical properties of impregnated polystyrene jabon (*Anthocephalus cadamba*) glulam. In *IOP Conference Series: Earth and Environmental Science* 891(1): 012007.
- Herawati, E., & Massijaya, M. Y. 2008. The Characteristics of Glued–Laminated Beams Made from Small Diameter Fast-Growing Species. In *10th World Conference on Timber Engineering* (Vol. 2, pp. 635-640).
- Hermawan, A., Mohammad Sofi, A. Z., & Roszalli, M. N. 2023. Performance of glued laminated timber (glulam) made from Rubberwood with different lamina assembly patterns and adhesive spreads rates. *IOP Conference Series: Earth and Environmental Science*, 1145(1), 012015. <https://doi.org/10.1088/1755-1315/1145/1/012015>
- Hidayat, S. 2014. Pola Sebaran dan Asosiasi Bayur (*Pterospermum javanicum* Jungh.) di Kawasan Taman Nasional Gunung Rinjani. *Jurnal Penelitian Hutan dan Konservasi Alam*, 11(3), 225-237.
- Hong, M. K., & Park, B. D. 2017. Effect of urea-formaldehyde resin adhesive viscosity on plywood adhesion. *Journal of the Korean Wood Science and Technology*, 45(2), 223-231.
- Inamuddin. 2016. *Green Polymer Composites Technology: Properties and Applications*. CRC press.
- [JAS] Japanese Agricultural Standard. 2003. *Glued laminated timber*. JAS 234:2003. Ministry of Agriculture, Forestry, and Fisheries, Tokyo, Japan

- Komariah, R. N., Hadi, Y. S., Massijaya, M. Y., *et al.* 2015. Physical-mechanical properties of glued laminated timber made from tropical small-diameter logs grown in Indonesia. *Journal of the Korean Wood Science and Technology* 43(2): 156-167.
- Kuzman, M. K., Oblak, L., & Vratuša, S. 2010. Glued laminated timber in architecture. *Drvna industrija*, 61(3), 197-204.
- Lestari, A. S. R., Hadi, Y. S., Hermawan, D., & Santoso, A. 2018. Physical and mechanical properties of glued laminated lumber of pine (*Pinus merkusii*) and jabon (*Anthocephalus cadamba*). *Journal of the Korean Wood Science and Technology* 46(2): 143-148.
- Martawijaya, A., Kartasujana, I., Kadir, K., *et al.* 2005a. *Indonesian Wood Atlas Vol. I*. Forest Products Research and Development Centre. Bogor.
- Martawijaya, A., Kartasujana, I., Kadir, K., *et al.* 2005b. *Indonesian Wood Atlas Vol. II*. Forest Products Research and Development Centre. Bogor.
- Martins, Carloz, A. M. P. G. Dias¹, & Helena Cruz. 2017. Glulam made by Poplar: delamination and shear strength tests. In Möttönen, V., & Heinonen, E. (Eds.). *6th International Scientific Conference on Hardwood Processing proceedings*. Natural Resources Institute Finland.
- Ministry of Environment and Forestry. 2022. *Infografis – Satu Data SI PHL*. <https://phl.menlhk.go.id/infografis> (accessed December 2022).
- Mohamad, W. H., Mohamad Bhkari, N., & Ahmad, Z. 2019. BENDING AND BONDING PROPERTIES OF MIXED-SPECIES GLUED LAMINATED TIMBER FROM MERPAUH, JELUTONG AND SESENDOK. *Jurnal Teknologi*, 81(4). <https://doi.org/10.11113/jt.v81.12557>
- Moody, R. C., & Liu, J. Y. 1999. Glued structural members. Wood handbook: wood as an engineering material. Madison, WI: USDA Forest Service, Forest Products Laboratory, 1999. *General technical report FPL; GTR-113*: Pages 11.1-11.24, 113.

- Muraleedharan, A., & Markus Reiterer, S. 2016. *Combined glued laminated timber using hardwood and softwood lamellas*. Master Thesis (Unpublished). Linnaeus University, Småland, Sweden.
- Muthmainnah, M., & Nurrachmania, M. 2020. Pengaruh Perekat Isosianat terhadap Sifat Kayu Lamina Akasiaa (*Accacia Mangium*). *Akar* 2(2): 90-102.
- Neto, C., Molina, J. C., Calil Junior, C., & Lahr, F. R. 2016. Specie – treatment— Adhesive combinations for glulam purpose. *Revista de Engenharia Civil IMED*, 3(2), 16–23. <https://doi.org/10.18256/2358-6508/rec-imed.v3n2p16-23>
- Nuryawan, A., & Alamsyah, E. M. 2017. A review of isocyanate wood adhesive: a case study in Indonesia. In (Ed.), *Applied Adhesive Bonding in Science and Technology*. *IntechOpen*. <https://doi.org/10.5772/intechopen.73115>.
- Obucina, M., & Gondzic, E. 2014. The influence of pressure by thickness bonding on the shear strength of glulam. In *18th International Research/Expert Conference, Budapest, Hungary*.
- Oka, G. M. 2005. Analisis perekat terlabur pada pembuatan balok laminasi bambu petung. *SMARTek*, 3(2).
- Pasaribu, R. J. 2011. *Sifat Fisis Mekanis Balok Laminasi dari Kayu Eucalyptus Grandis*. Doctoral dissertation (Unpublished). Universitas Sumatera Utara. Medan.
- Pasaribu, D. P. 2014. *Variasi Berat Labur Perekat Urea Formaldehida terhadap Kualitas Papan Lamina dari Batang Kelapa Sawit dengan Pemadatan*. Doctoral dissertation (Unpublished). Universitas Sumatera Utara. Medan.
- Polichemie. 2023. *Technical Data Sheet PRESTO PU One Component Water Resistant Wood Glue*. [Unpublished] Pt. Polichemie. Jakarta.

- Pröller, M. 2017. An investigation into the edge gluing of green *Eucalyptus grandis* lumber using a one-component polyurethane adhesive. *Stellenbosch University Sudáfrica*.
- Radabutra, S., Khemthong, P., Saengsuwan, S., & Sangya, S. 2020. Preparation and characterization of natural rubber bio-based wood adhesive: effect of total solid content, viscosity, and storage time. *Polymer Bulletin*, 77, 2737-2747.
- Rowell, R. M. 2005. *Handbook of Wood Chemistry and Wood Composites*. CRC press. Boca Raton.
- Sanni, P., & Ekundayo, O., 2022. Assessment of Bending Strength of Afara Glued Laminated Timber using Polyurethane (PUR) Adhesive. *Jurnal Kejuruteraan*, 34(1), 131–137. [https://doi.org/10.17576/jkukm-2022-34\(1\)-12](https://doi.org/10.17576/jkukm-2022-34(1)-12)
- Setiawan, Ade. 2011. *Duncan Multiple Range – Post Hoc Test*. https://www.smartstat.info/en/materi/rancangan-percobaan/perbandingan-rata-rata/uji-lanjut-duncan.html#google_vignette. (Accessed December 2023)
- Shmulsky, R., & Jones, P. D. 2011. *Forest products and wood science: An introduction* (6th ed). Wiley-Blackwell. Hoboken, USA.
- Souza, F. M., Kahol, P. K., & Gupta, R. K. 2021. Introduction to polyurethane chemistry. In *Polyurethane chemistry: Renewable polyols and isocyanates* (pp. 1-24). American Chemical Society. Pittsburg, USA.
- Sucipto, T., & Ruhendi, S. 2012. Analisis Kualitas Perekatan Kayu Laminasi Mangium dengan Perekat Polistirena. *FORESTA Indonesian Journal of Forestry*, 1(1): 19-24
- Sugiri, S., Alamsyah, E. M., & Usman, A. P., 2016. Potential of Reinforced Indonesian Glulam Beams Using Grade I (Bengkirai), Grade II (Kamper), Grade III (Nyatoh) Woods for Use in Structural Wood Design. *Journal of*

Engineering and Technological Sciences, 48(2), 150–158.
<https://doi.org/10.5614/j.eng.technol.sci.2016.48.2.2>

Sulistiyawati, I., Nugroho, N., Surjokusmo, S., & Hadi, Y. S. 2008. Kekuatan Lentur Glued Laminated (Glulam) Kayu Vertikal dan Horizontal dengan Metode” Transformed Cross Section” The Bending Strength of Vertical and Horizontal Glued Laminated Timber by” Transformed Cross Section” Method. *Jurnal Ilmu dan Teknologi Kayu Tropis*, 6(2), 49-55.

Susanto, H. 2013. *Karakteristik Balok Laminasi (Glulam) Kayu Ekaliptus (Eucalyptus urophylla ST. Blake)*. Undergraduate Thesis (Unpublished). Bogor Agricultural University. Bogor.

Sutandar, E., Juniardi, F., & Syahrudin, S. SIFAT FISIS DAN MEKANIS KAYU BENGKIRAI. *Jurnal Teknik Sipil*, 21(1).

Vick, C. B. 1999. Adhesive Bonding of Wood Materials. In Ross, R. *Wood handbook : wood as an engineering material*. USDA Forest Service, Forest Products Laboratory. Madison, USA.

Wei, P., Rao, X., Yang, J., Guo, Y., Chen, H., Zhang, Y., Chen, S., Deng, X., & Wang, Z. 2016. Hot Pressing of Wood-Based Composites: A Review. *Forest Products Journal*, 66(7–8), 419–427. <https://doi.org/10.13073/FPJ-D-15-00047>

Widjan. 2021. *Serba Serbi Kayu Bayur dari Asal Usul, Kelebihan, Hingga Penggunaannya*. <https://www.rajawaliparket.net/artikel/mengenal-kayu-bayur/> (Accessed May 2024)

Widjan. 2023. *Karakteristik Kayu Bengkirai, Unik dan Beda dari Jenis Lainnya*. <https://www.rajawaliparket.com/karakteristik-kayu-bengkirai/> (Accessed May 2024)

Zhang, S. Y. 2003. Wood quality attributes and their impacts on wood utilization. In *XII World Forestry Congress, Quebec City, Canada*.