

DAFTAR PUSTAKA

- Abd Fatah, A. Y., Mazlan, S. A., Koga, T., Zamzuri, H., & Imaduddin, F. (2016). Design of magnetorheological valve using serpentine flux path method. *International Journal of Applied Electromagnetics and Mechanics*, 50(1), 29–44. <https://doi.org/10.3233/JAE-150037>
- Abd Fatah, A. Y., Mazlan, S. A., Koga, T., Zamzuri, H., Zeinali, M., & Imaduddin, F. (2015). A review of design and modeling of magnetorheological valve. *International Journal of Modern Physics B*, 29(04), 1530004. <https://doi.org/10.1142/S0217979215300042>
- Abd Fatah, A. Y., Mazlan, S. A., Zamzuri, H., & Abdul Rahman, M. A. (2015). Application of Serpentine Flux Path Method into a Magnetorheological Valve by FEMM Simulation. *Advanced Materials Research*, 1123, 7–11. <https://doi.org/10.4028/www.scientific.net/AMR.1123.7>
- Abdul Aziz, M., Mohtasim, S. M., & Ahammed, R. (2022). State-of-the-art recent developments of large magnetorheological (MR) dampers: a review. *Korea-Australia Rheology Journal*, 34(2), 105–136. <https://doi.org/10.1007/s13367-022-00021-2>
- Ahmadian, M., & Poynor, J. C. (2003). Effective Test Procedures for Evaluating Force Characteristics of Magneto-Rheological Dampers. *Design Engineering, Volumes 1 and 2*, 177–184. <https://doi.org/10.1115/IMECE2003-43253>
- Ashfak, A., Saheed, A., Rasheed, K. K. A., & Jaleel, J. A. (2009). Design, Fabrication and Evaluation of MR Damper. *International Journal of Mechanical and Mechatronics Engineering*, 3(5), 530–535.
- Ashtiani, M., Hashemabadi, S. H., & Ghaffari, A. (2015). A review on the magnetorheological fluid preparation and stabilization. *Journal of Magnetism and Magnetic Materials*, 374, 716–730. <https://doi.org/10.1016/j.jmmm.2014.09.020>

- Baranwal, D., & Deshmukh, T. S. (2008). International Journal of Emerging Technology and Advanced Engineering. In *Certified Journal* (Vol. 9001, Issue 12). www.ijetae.com
- Carlson, J. D., & Jolly, M. R. (2000). MR fluid, foam and elastomer devices. *Mechatronics*, *10*(4–5), 555–569. [https://doi.org/10.1016/S0957-4158\(99\)00064-1](https://doi.org/10.1016/S0957-4158(99)00064-1)
- Chen, P., Bai, X. X., & Qian, L. J. (2016). Magnetorheological fluid behavior in high-frequency oscillatory squeeze mode: Experimental tests and modelling. *Journal of Applied Physics*, *119*(10). <https://doi.org/10.1063/1.4943168>
- Deng, H., Deng, J., Yue, R., Han, G., Zhang, J., Ma, M., & Zhong, X. (2019). Design and verification of a seat suspension with variable stiffness and damping. *Smart Materials and Structures*, *28*(6), 065015. <https://doi.org/10.1088/1361-665X/ab18d4>
- Desai, R. M., Jamadar, M. E. H., Kumar, H., Joladarashi, S., & Raja Sekaran, S. C. (2019). Design and experimental characterization of a twin-tube MR damper for a passenger van. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, *41*(8), 332. <https://doi.org/10.1007/s40430-019-1833-5>
- Desai, R. M., Jamadar, M. E. H., Kumar, H., Joladarashi, S., Rajasekaran, S. C., & Amarnath, G. (2019). Evaluation of a commercial MR damper for application in semi-active suspension. *SN Applied Sciences*, *1*(9), 993. <https://doi.org/10.1007/s42452-019-1026-y>
- El-Kafafy, M., El-Demerdash, S. M., & Rabeih, A.-A. M. (2012). Automotive Ride Comfort Control Using MR Fluid Damper. *Engineering*, *04*(04), 179–187. <https://doi.org/10.4236/eng.2012.44024>
- Genç, S., & Phulé, P. P. (2002). Rheological properties of magnetorheological fluids. *Smart Materials and Structures*, *11*(1), 140–146. <https://doi.org/10.1088/0964-1726/11/1/316>

- Heidarian, A., & Wang, X. (2019). Review on Seat Suspension System Technology Development. *Applied Sciences*, 9(14), 2834. <https://doi.org/10.3390/app9142834>
- Ichwan, B., Mazlan, S. A., Imaduddin, F., Ubaidillah, Koga, T., & Idris, M. H. (2016). Development of a modular MR valve using meandering flow path structure. *Smart Materials and Structures*, 25(3), 037001. <https://doi.org/10.1088/0964-1726/25/3/037001>
- Idris, M. H., Imaduddin, F., Ubaidillah, Mazlan, S. A., & Choi, S.-B. (2020). A Concentric Design of a Bypass Magnetorheological Fluid Damper with a Serpentine Flux Valve. *Actuators*, 9(1), 16. <https://doi.org/10.3390/act9010016>
- Idris, M. H., Ubaidillah, Mazlan, S. A., Imaduddin, F., Abd Fatah, A., & Tjahjana, D. D. D. P. (2018). Performance prediction of serpentine magnetorheological valves under various gap size. *IOP Conference Series: Materials Science and Engineering*, 333, 012007. <https://doi.org/10.1088/1757-899X/333/1/012007>
- Imaduddin, F., Mazlan, S. A., Zamzuri, H., & Yazid, I. I. M. (2015). Design and performance analysis of a compact magnetorheological valve with multiple annular and radial gaps. *Journal of Intelligent Material Systems and Structures*, 26(9), 1038–1049. <https://doi.org/10.1177/1045389X13508332>
- Kasi, K., ElayaPerumal, A., Mangalaramanan, S., & Arunachalam, K. (2011). Performance Analysis And Behaviour Characteristics Of CVD (Semi Active) In Quarter Car Model. *I-Manager's Journal on Future Engineering and Technology*, 5(3), 261–265. <https://doi.org/10.26634/jfet.5.4.1287>
- Maciejewski, I., Krzyżyński, T., Pecolt, S., & Chamera, S. (2019). Semi-active vibration control of horizontal seat suspension by using magneto-rheological damper. *Journal of Theoretical and Applied Mechanics*, 57(2), 411–420. <https://doi.org/10.15632/jtam-pl/104593>
- Metered, H., Bonello, P., & Oyadiji, S. O. (2009). Vibration Control of a Seat Suspension System Using Magnetorheological Damper. *Volume 6: ASME*

Power Transmission and Gearing Conference; 3rd International Conference on Micro- and Nanosystems; 11th International Conference on Advanced Vehicle and Tire Technologies, 1021–1029.
<https://doi.org/10.1115/DETC2009-86081>

Metered, H., & Sika, Z. (2014). Vibration control of a semi-active seat suspension system using magnetorheological damper. *2014 IEEE/ASME 10th International Conference on Mechatronic and Embedded Systems and Applications (MESA)*, 1–7. <https://doi.org/10.1109/MESA.2014.6935527>

Metered, S. G. H., & Ghany, A. B. A. M. A. (2015). Ride comfort enhancement of heavy vehicles using magnetorheological seat suspension. *International Journal of Heavy Vehicle Systems*, 22(2), 93.
<https://doi.org/10.1504/IJHVS.2015.070448>

Mughni, M. J., Zeinali, M., Mazlan, S. A., Zamzuri, H., & Abdul Rahman, M. A. (2015). Experiments and modeling of a new magnetorheological cell under combination of flow and shear-flow modes. *Journal of Non-Newtonian Fluid Mechanics*, 215, 70–79. <https://doi.org/10.1016/j.jnnfm.2014.11.005>

Munyaneza, O., & Sohn, J. W. (2022). Modeling and control of hybrid MR seat damper and whole body vibration evaluation for bus drivers. *Journal of Low Frequency Noise, Vibration and Active Control*, 41(2), 659–675.
<https://doi.org/10.1177/14613484211063095>

Nguyen, Q.-H., Choi, S.-B., & Wereley, N. M. (2008). Optimal design of magnetorheological valves via a finite element method considering control energy and a time constant. *Smart Materials and Structures*, 17(2), 025024.
<https://doi.org/10.1088/0964-1726/17/2/025024>

Ning, D., Sun, S., Du, H., & Li, W. (2018). Integrated active and semi-active control for seat suspension of a heavy duty vehicle. *Journal of Intelligent Material Systems and Structures*, 29(1), 91–100.
<https://doi.org/10.1177/1045389X17721032>

- Ning, D., Sun, S., Zhang, F., Du, H., Li, W., & Zhang, B. (2017). Disturbance observer based Takagi-Sugeno fuzzy control for an active seat suspension. *Mechanical Systems and Signal Processing*, 93, 515–530. <https://doi.org/10.1016/j.ymssp.2017.02.029>
- Oh, J.-S., Sohn, J. W., & Choi, S.-B. (2022). Applications of Magnetorheological Fluid Actuator to Multi-DOF Systems: State-of-the-Art from 2015 to 2021. *Actuators*, 11(2), 44. <https://doi.org/10.3390/act11020044>
- Olabi, A. G., & Grunwald, A. (2007). Design and application of magneto-rheological fluid. *Materials & Design*, 28(10), 2658–2664. <https://doi.org/10.1016/j.matdes.2006.10.009>
- Paddan, G. S., & Griffin, M. J. (2002). Effect of Seating on Exposures to Whole-body Vibration in Vehicles. *Journal of Sound and Vibration*, 253(1), 215–241. <https://doi.org/10.1006/jsvi.2001.4257>
- Park, M.-S., Fukuda, T., Kim, T., & Maeda, S. (2013). Health Risk Evaluation of Whole-body Vibration by ISO 2631-5 and ISO 2631-1 for Operators of Agricultural Tractors and Recreational Vehicles. *Industrial Health*, 51(3), 364–370. <https://doi.org/10.2486/indhealth.2012-0045>
- Parlak, Z., Engin, T., & Çallı, İ. (2012). Optimal design of MR damper via finite element analyses of fluid dynamic and magnetic field. *Mechatronics*, 22(6), 890–903. <https://doi.org/10.1016/j.mechatronics.2012.05.007>
- Rafajłowicz, W., Więckowski, J., Moczko, P., & Rafajłowicz, E. (2020). Iterative learning from suppressing vibrations in construction machinery using magnetorheological dampers. *Automation in Construction*, 119, 103326. <https://doi.org/10.1016/j.autcon.2020.103326>
- Rahman, M., Ong, Z. C., Julai, S., Ferdaus, M. M., & Ahamed, R. (2017). A review of advances in magnetorheological dampers: their design optimization and applications. *Journal of Zhejiang University-SCIENCE A*, 18(12), 991–1010. <https://doi.org/10.1631/jzus.A1600721>

- Savaresi S, Poussot-Vassal C, Spelta C, Sename C, & Dugard L. (2010). *Semi-Active Suspension Control Design for Vehicles*.
- Skalski, P., & Kalita, K. (2017). Role of Magnetorheological Fluids and Elastomers in Today's World. *Acta Mechanica et Automatica*, 11(4), 267–274. <https://doi.org/10.1515/ama-2017-0041>
- Spaggiari, A. (2012). Properties and applications of Magnetorheological fluids. *Frattura Ed Integrità Strutturale*, 7(23), 48–61. <https://doi.org/10.3221/IGF-ESIS.23.06>
- Spelta, C., Previdi, F., Savaresi, S. M., Delvecchio, D., & Tremolada, S. (2011). Semi-active control of cab suspension in an agricultural tractor via magnetorheological actuator. *2011 9th IEEE International Conference on Control and Automation (ICCA)*, 812–817. <https://doi.org/10.1109/ICCA.2011.6138074>
- Sun, S. S., Ning, D. H., Yang, J., Du, H., Zhang, S. W., & Li, W. H. (2016). A seat suspension with a rotary magnetorheological damper for heavy duty vehicles. *Smart Materials and Structures*, 25(10), 105032. <https://doi.org/10.1088/0964-1726/25/10/105032>
- Tsampardoukas, G., Stammers, C. W., & Guglielmino, E. (2008). Hybrid balance control of a magnetorheological truck suspension. *Journal of Sound and Vibration*, 317(3–5), 514–536. <https://doi.org/10.1016/j.jsv.2008.03.040>
- Vishwakarma, P. N., Mishra, P., & Sharma, S. K. (2022). Characterization of a magnetorheological fluid damper a review. *Materials Today: Proceedings*, 56, 2988–2994. <https://doi.org/10.1016/j.matpr.2021.11.143>
- Yao, H. J., Fu, J., Yu, M., & Peng, Y. X. (2013). Semi-active control of seat suspension with MR damper. *Journal of Physics: Conference Series*, 412, 012054. <https://doi.org/10.1088/1742-6596/412/1/012054>
- Yu, J., Dong, X., Wang, X., Li, J., & Li, B. (2020). Design, modeling, and control of a magnetorheological rotary damper for scissor seat suspension. *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of*

Automobile Engineering, 234(9), 2402–2416.

<https://doi.org/10.1177/0954407020903849>

Zhao, L., Zhou, C., Yu, Y., & Yang, F. (2016). A method to evaluate stiffness and damping parameters of cabin suspension system for heavy truck. *Advances in*

Mechanical Engineering, 8(7), 168781401665442.

<https://doi.org/10.1177/1687814016654429>

Zhu, X., Jing, X., & Cheng, L. (2012). Magnetorheological fluid dampers: A review on structure design and analysis. *Journal of Intelligent Material Systems and*

Structures, 23(8), 839–873. <https://doi.org/10.1177/1045389X12436735>