

## DAFTAR PUSTAKA

- Æ, Æ.E.S. *et al.* (2008) ‘Thionin Thi2 . 1 from Arabidopsis thaliana expressed in endothelial cells shows antibacterial , antifungal and cytotoxic activity’, pp. 1713–1719. Available at: <https://doi.org/10.1007/s10529-008-9756-8>.
- Ajesh, K. and Sreejith, K. (2009) ‘Peptides Peptide antibiotics : An alternative and effective antimicrobial strategy to circumvent fungal infections’, 30, pp. 999–1006. Available at: <https://doi.org/10.1016/j.peptides.2009.01.026>.
- Alanis, A.J. (2005) ‘Resistance to antibiotics: Are we in the post-antibiotic era?’, *Archives of Medical Research*, 36(6), pp. 697–705. Available at: <https://doi.org/10.1016/j.arcmed.2005.06.009>.
- Anwer, K. *et al.* (2015) ‘Role of N-terminal residues on folding and stability of C-phycoerythrin: Simulation and urea-induced denaturation studies’, *Journal of Biomolecular Structure and Dynamics*, 33(1), pp. 121–133. Available at: <https://doi.org/10.1080/07391102.2013.855144>.
- Arthur, D.E. and Uzairu, A. (2019) ‘Molecular docking studies on the interaction of NCI anticancer analogues with human Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit’, *Journal of King Saud University - Science*, 31(4), pp. 1151–1166. Available at: <https://doi.org/10.1016/j.jksus.2019.01.011>.
- Arulkumar, A., Rosemary, T. and Paramasivam, S. (2018) ‘Biocatalysis and Agricultural Biotechnology Phytochemical composition , in vitro antioxidant , antibacterial potential and GC-MS analysis of red seaweeds ( Gracilaria corticata and Gracilaria edulis ) from Palk Bay , India’, *Biocatalysis and Agricultural Biotechnology*, 15(December 2017), pp. 63–71. Available at: <https://doi.org/10.1016/j.bcab.2018.05.008>.
- Bahar, A.A. and Ren, D. (2013) ‘Antimicrobial Peptides’, pp. 1543–1575. Available at: <https://doi.org/10.3390/ph6121543>.
- Baranyi, M., Thomas, U. and Pellegrini, A. (2003) ‘Antibacterial activity of casein-derived peptides isolated from rabbit (*Oryctolagus cuniculus*) milk’, *Journal of Dairy Research*, 70(2), pp. 189–197. Available at: <https://doi.org/10.1017/S0022029903006150>.
- Beaulieu, L. *et al.* (2015) ‘Characterization of antibacterial activity from protein hydrolysates of the macroalga *Saccharina longicuris* and identification of peptides implied in bioactivity’, *Journal of Functional Foods*, 17, pp. 685–697. Available at: <https://doi.org/10.1016/j.jff.2015.06.026>.
- Benjamin, A.B. *et al.* (2023) ‘Structures of chloramphenicol acetyltransferase III and *Escherichia coli*  $\beta$ -ketoacylsynthase III co-crystallized with partially hydrolysed acetyl-oxa(dethia)CoA’, *Acta crystallographica. Section F, Structural biology communications*, 79, pp. 61–69. Available at: <https://doi.org/10.1107/S2053230X23001206>.
- Biswas, T. *et al.* (2012) ‘The structural basis for substrate versatility of chloramphenicol acetyltransferase CATI’, *Protein Science*, 21(4), pp. 520–530. Available at: <https://doi.org/10.1002/pro.2036>.
- Blair, J.M.A., Richmond, G.E. and Piddock, L.J. V (2014) ‘Multidrug efflux pumps in Gram-



- negative bacteria and their role in antibiotic resistance’, 9, pp. 1165–1177.
- Boob, S. *et al.* (2010) ‘Biochemical Characterization of Protein Isolated from Seaweed , Gracilaria edulis’, 2(1), pp. 35–37.
- Cargile, B.J. *et al.* (2008) ‘Calculation of the isoelectric point of tryptic peptides in the pH 3.5–4.5 range based on adjacent amino acid effects’, *Electrophoresis*, 29(13), pp. 2768–2778. Available at: <https://doi.org/10.1002/elps.200700701>.
- Carrasco-Castilla, J. *et al.* (2012) ‘Use of Proteomics and Peptidomics Methods in Food Bioactive Peptide Science and Engineering’, *Food Engineering Reviews*, 4(4), pp. 224–243. Available at: <https://doi.org/10.1007/s12393-012-9058-8>.
- Charlesworth, A., Meijer, H.A. and De Moor, C.H. (2013) ‘Specificity factors in cytoplasmic polyadenylation’, *Wiley Interdisciplinary Reviews: RNA*, 4(4), pp. 437–461. Available at: <https://doi.org/10.1002/wrna.1171>.
- Collaborators, A.R. (2022) ‘Articles Global burden of bacterial antimicrobial resistance in 2019 : a systematic analysis’, 6736(21). Available at: [https://doi.org/10.1016/S0140-6736\(21\)02724-0](https://doi.org/10.1016/S0140-6736(21)02724-0).
- Conde, E. *et al.* (2013) *Algal proteins, peptides and amino acids, Functional Ingredients from Algae for Foods and Nutraceuticals*. Available at: <https://doi.org/10.1533/9780857098689.1.135>.
- Crowell, A.M.J., Wall, M.J. and Doucette, A.A. (2013) ‘Analytica Chimica Acta Maximizing recovery of water-soluble proteins through acetone precipitation’, *Analytica Chimica Acta*, 796, pp. 48–54. Available at: <https://doi.org/10.1016/j.aca.2013.08.005>.
- Elgendy, A. (2016) ‘A Literature Review on Trypsin Enzyme A literature review on Trypsin Enzyme By : Ahmed Sedeek Elgendy and Mahmoud Khatib Abdelrasool’, (January).
- Fenselau, C. (2007) ‘A review of quantitative methods for proteomic studies’, *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 855(1 SPEC. ISS.), pp. 14–20. Available at: <https://doi.org/10.1016/j.jchromb.2006.10.071>.
- Fisheriesaquaculture, F. a O. and Paper, T. (2009) *Use of algae and aquatic macrophytes as feed in small-scale aquaculture, Aquaculture*. Available at: <http://www.lavoisier.fr/notice/fr286371.html>.
- Gehring, C., Davenport, M. and Jaczynski, J. (2009) ‘Functional and Nutritional Quality of Protein and Lipid Recovered from Fish Processing by-Products and Underutilized Aquatic Species Using Isoelectric Solubilization / Precipitation’, *Current Nutrition & Food Science*, 5(1), pp. 17–39. Available at: <https://doi.org/10.2174/157340109787314703>.
- Gurgel, C.F.D. and Fredericq, S. (2004) ‘Systematics of the Gracilariaceae (Gracilariales, Rhodophyta): A critical assessment based on rbcL sequence analyses’, *Journal of Phycology*, 40(1), pp. 138–159. Available at: <https://doi.org/10.1111/j.0022-3646.2003.02-129.x>.
- Hancock, R.E.W. and Sahl, H. (2006) ‘Antimicrobial and host-defense peptides as new anti-infective therapeutic strategies’, 24(12), pp. 1551–1557. Available at:



<https://doi.org/10.1038/nbt1267>.

- Holanda, M.L., Pereira, M.G. and Biologia, D. (2005) 'Differential activity of a lectin from *Solieria filiformis* against human pathogenic bacteria', 38, pp. 1769–1773.
- Honorato, R. V. *et al.* (2021) 'Structural Biology in the Clouds: The WeNMR-EOSC Ecosystem', *Frontiers in Molecular Biosciences*, 8(July), pp. 1–7. Available at: <https://doi.org/10.3389/fmolb.2021.729513>.
- Huan, Y. *et al.* (2020) 'Antimicrobial Peptides: Classification, Design, Application and Research Progress in Multiple Fields', *Frontiers in Microbiology*, 11(October), pp. 1–21. Available at: <https://doi.org/10.3389/fmicb.2020.582779>.
- Iolovitch, M. (2020) 'Chapter 19', *On a Clear April Morning*, pp. 64–69. Available at: <https://doi.org/10.1515/9781644692998-022>.
- Kasanah, N. *et al.* (2018) 'Antibacterial activity of Indonesian red algae *Gracilaria edulis* against bacterial fish pathogens and characterization of active fractions', *Natural Product Research*, 6419(May), pp. 1–5. Available at: <https://doi.org/10.1080/14786419.2018.1471079>.
- Kawsar, S.M.A. *et al.* (2011) 'Protein R-phycoerythrin from marine red alga *Amphiroa anceps*: extraction, purification and characterization', 17(3), pp. 347–354.
- Kazir, M. *et al.* (2019) 'Food Hydrocolloids Extraction of proteins from two marine macroalgae, *Ulva* sp. and *Gracilaria* sp., for food application, and evaluating digestibility, amino acid composition and antioxidant properties of the protein concentrates', *Food Hydrocolloids*, 87(July 2018), pp. 194–203. Available at: <https://doi.org/10.1016/j.foodhyd.2018.07.047>.
- Kobbi, S. *et al.* (2015) 'Antibacterial activity of novel peptides isolated from protein hydrolysates of RuBisCO purified from green juice alfalfa', *Journal of Functional Foods*, 18, pp. 703–713. Available at: <https://doi.org/10.1016/j.jff.2015.09.007>.
- Kumar, K. *et al.* (2018) 'Cation- $\pi$  interactions in protein-ligand binding: Theory and data-mining reveal different roles for lysine and arginine', *Chemical Science*, 9(10), pp. 2655–2665. Available at: <https://doi.org/10.1039/c7sc04905f>.
- Lautenbach, V., Hosseinpour, S. and Peukert, W. (2021) 'Isoelectric Point of Proteins at Hydrophobic Interfaces', *Frontiers in Chemistry*, 9(July), pp. 1–8. Available at: <https://doi.org/10.3389/fchem.2021.712978>.
- Li, S. *et al.* (2004) 'Proteomic characterization of two snake venoms: *Naja naja atra* and *Agkistrodon halys*', *Biochemical Journal*, 384(1), pp. 119–127. Available at: <https://doi.org/10.1042/BJ20040354>.
- Li, W. *et al.* (2019) 'Phycobiliproteins: Molecular structure, production, applications, and prospects', *Biotechnology Advances*, 37(2), pp. 340–353. Available at: <https://doi.org/10.1016/j.biotechadv.2019.01.008>.
- Liao, W.R. *et al.* (2003) 'Antibiotic activity of lectins from marine algae against marine vibrios', *Journal of Industrial Microbiology and Biotechnology*, 30(7), pp. 433–439. Available at:



<https://doi.org/10.1007/s10295-003-0068-7>.

- Lukman Chaubah, M.A., Wihelmina Bontes, B. and Afifah Mulachelah, N. (2019) 'Molecular Docking of Polycyclic Aromatic Hydrocarbons as Potentially Carcinogenic Molecules Through Binding with Aryl Hydrocarbon Receptor', *JSMARTech*, 1(1), pp. 12–15. Available at: <https://doi.org/10.21776/ub.jsmartech.2019.001.01.3>.
- Manirafasha, E. *et al.* (2016) 'Phycobiliprotein : Potential microalgae derived pharmaceutical and biological reagent', *Biochemical Engineering Journal*, 109, pp. 282–296. Available at: <https://doi.org/10.1016/j.bej.2016.01.025>.
- Manivannan, K. *et al.* (2009) 'Proximate composition of different group of seaweeds from Vedhai Coastal Waters (Gulf of Mannar): Southeast coast of India.', *Middle-East Journal of Scientific Research*, 4(2), pp. 72–77.
- Ng, P.K. *et al.* (2017) 'Genetic and morphological analyses of *Gracilaria firma* and *G. changii* (Gracilariaceae, Rhodophyta), the commercially important agarophytes in western Pacific', *PLoS ONE*, 12(7), pp. 1–21. Available at: <https://doi.org/10.1371/journal.pone.0182176>.
- Niu, L. *et al.* (2018) 'Modified TCA/acetone precipitation of plant proteins for proteomic analysis', *PLoS ONE*, 13(12), pp. 1–13. Available at: <https://doi.org/10.1371/journal.pone.0202238>.
- Pergande, M.R. and Cologna, S.M. (2017) 'Isoelectric point separations of peptides and proteins', *Proteomes*, 5(1). Available at: <https://doi.org/10.3390/proteomes5010004>.
- Pettigrew, D.M. *et al.* (2009) 'A structural study of the interaction between the Dr haemagglutinin DraE and derivatives of chloramphenicol', *Acta Crystallographica Section D: Biological Crystallography*, 65(6), pp. 513–522. Available at: <https://doi.org/10.1107/S0907444909005113>.
- Pizzo, E. *et al.* (2015) 'A new active antimicrobial peptide from PD-L4, a type 1 ribosome inactivating protein of *Phytolacca dioica* L.: A new function of RIPs for plant defence?', *FEBS Letters*, 589(19), pp. 2812–2818. Available at: <https://doi.org/10.1016/j.febslet.2015.08.018>.
- Pramesti, R. *et al.* (2016) 'Struktur Komunitas dan Anatomi Rumput Laut di Perairan Teluk Awur, Jepara dan Pantai Krakal, Yogyakarta', *Jurnal Kelautan Tropis*, 19(2), p. 81. Available at: <https://doi.org/10.14710/jkt.v19i2.822>.
- Raharjo, T.J. *et al.* (2021) 'Antibacterial Peptides from Tryptic Hydrolysate of *Ricinus communis* Seed Protein Fractionated Using Cation Exchange Chromatography', 32(1), pp. 74–85.
- Rajalingam, D. *et al.* (2009) 'Trichloroacetic acid-induced protein precipitation involves the reversible association of a stable partially structured intermediate', 18, pp. 980–993. Available at: <https://doi.org/10.1002/pro.108>.
- Samarakoon, K. and Jeon, Y. (2012) 'Bio-functionalities of proteins derived from marine algae — A review', *FRIN*, 48(2), pp. 948–960. Available at: <https://doi.org/10.1016/j.foodres.2012.03.013>.
- Sciences., S.C.A. of (2000) 'Bulletin of the Southern California Academy of Sciences',



v.99(2000)(September), pp. 155–158. Available at:  
<http://www.biodiversitylibrary.org/item/123200>.

- Seaweed, C. *et al.* (2013) ‘Nutritional and Chemical Composition and Antiviral Activity of’, pp. 20–32. Available at: <https://doi.org/10.3390/md11010020>.
- Sharmin, K.N. *et al.* (2022) ‘In silico analysis of Gracilaria changii proteins for potential bioactive peptides’, *IOP Conference Series: Earth and Environmental Science*, 967(1). Available at: <https://doi.org/10.1088/1755-1315/967/1/012017>.
- Sornwatana, T. *et al.* (2013) ‘Brucin , an antibacterial peptide derived from fruit protein of Fructus Bruceae , Brucea javanica ( L .) Merr .’, pp. 129–136. Available at: <https://doi.org/10.1111/lam.12085>.
- Steen, H. and Mann, M. (2004) ‘The ABC’s (and XYZ’s) of peptide sequencing’, *Nature Reviews Molecular Cell Biology*, 5(9), pp. 699–711. Available at: <https://doi.org/10.1038/nrm1468>.
- Sudhakar, M.P. *et al.* (2015) ‘Methods of phycobiliprotein extraction from Gracilaria crassa and its applications in food colourants’, *ALGAL*, 8, pp. 115–120. Available at: <https://doi.org/10.1016/j.algal.2015.01.011>.
- Syroegin, E.A. *et al.* (2022) ‘Structural basis for the context-specific action of the classic peptidyl transferase inhibitor chloramphenicol’, *Nature Structural and Molecular Biology*, 29(2), pp. 152–161. Available at: <https://doi.org/10.1038/s41594-022-00720-y>.
- Takebe, Y. *et al.* (2013) ‘Antiviral Lectins from Red and Blue-Green Algae Show Potent In Vitro and In Vivo Activity against Hepatitis C Virus’, *PLoS ONE*, 8(5), pp. 1–10. Available at: <https://doi.org/10.1371/journal.pone.0064449>.
- Tang, S. *et al.* (2018) ‘Phytochemistry Antimicrobial peptides from different plant sources : Isolation , characterisation , and purification’, 154(July), pp. 94–105. Available at: <https://doi.org/10.1016/j.phytochem.2018.07.002>.
- Teixeira, E.H. *et al.* (2007) ‘In vitro inhibition of oral streptococci binding to the acquired pellicle by algal lectins’, 103, pp. 1001–1006. Available at: <https://doi.org/10.1111/j.1365-2672.2007.03326.x>.
- Tillman, P.B. (2019) ‘Determination of Nutrient Values for Commercial Amino Acids’, *Journal of Applied Poultry Research*, 28(3), pp. 526–530. Available at: <https://doi.org/10.3382/japr/pfz010>.
- Ujimura, M.F. *et al.* (2003) ‘Purification , Characterization , and Sequencing of a Novel Type of Antimicrobial Peptides , Fa -AMP1 and Fa -AMP2 , from Seeds of Buckwheat ( Fagopyrum esculentum Moench .)’, 67(8), pp. 1636–1642.
- De Vries, S.J., Van Dijk, M. and Bonvin, A.M.J.J. (2010) ‘The HADDOCK web server for data-driven biomolecular docking’, *Nature Protocols*, 5(5), pp. 883–897. Available at: <https://doi.org/10.1038/nprot.2010.32>.
- Weitzel, K. *et al.* (2011) ‘Bond-Dissociation Energies of Cations — Pushing the’, *WHO Library Cataloguing-in-Publication Data*, (i), pp. 221–235. Available at: <https://doi.org/10.1002/mas>.



- Wijesekara, I. *et al.* (2017) ‘Different extraction procedures and analysis of protein from *Ulva* sp . in Brittany , France’, pp. 2503–2511. Available at: <https://doi.org/10.1007/s10811-017-1239-7>.
- Wong, P. and Abubakar, S. (2006) ‘PROTEOMICS OF THE RED ALGA , GRACILARIA CHANGII ( GRACILARIALES , Li-Jing Tan Hannah Nawi and’, 120, pp. 113–120. Available at: <https://doi.org/10.1111/j.1529-8817.2006.00182.x>.