

## BIBLIOGRAPHY

- Abhayaratna, W. P., Seward, J. B., Appleton, C. P., Douglas, P. S., Oh, J. K., Tajik, A. J., & Tsang, T. S. M. (2006). Left Atrial Size. Physiologic Determinants and Clinical Applications. *Journal of the American College of Cardiology*, 47(12), 2357–2363. <https://doi.org/10.1016/j.jacc.2006.02.048>
- Aiad, N. N., Hearon, C., Hieda, M., Dias, K., Levine, B. D., & Sarma, S. (2019). Mechanisms of Left Atrial Enlargement in Obesity. *American Journal of Cardiology*, 124(3), 442–447. <https://doi.org/10.1016/j.amjcard.2019.04.043>
- Ancona, R., Comenale Pinto, S., Caso, P., Di Salvo, G., Severino, S., D'Andrea, A., & Calabrò, R. (2013). Two-dimensional atrial systolic strain imaging predicts atrial fibrillation at 4-year follow-up in asymptomatic rheumatic mitral stenosis. *Journal of the American Society of Echocardiography*, 26(3), 270–277. <https://doi.org/10.1016/j.echo.2012.11.016>
- Arnăutu, S. F., Morariu, V. I., Arnăutu, D. A., Tomescu, M. C., Dan, T. F., & Jianu, C. D. (2022). *Left Atrial Strain Helps Identifying the Cardioembolic Risk in Transient Ischemic Attacks Patients with Silent Paroxysmal Atrial Fibrillation. March*, 213–222.
- Atas, H., Kepez, A., Atas, D. B., Kanar, B. G., Dervisova, R., Kivrak, T., & Tigen, M. K. (2014). Effects of diabetes mellitus on left atrial volume and functions in normotensive patients without symptomatic cardiovascular disease. *Journal of diabetes and its complications*, 28(6), 858–862. <https://doi.org/10.1016/j.jdiacomp.2014.07.010>
- Aune, E., Baekkevar, M., Roislien, J., Rodevand, O., & Otterstad, J. E. (2009). Normal reference ranges for left and right atrial volume indexes and ejection fractions obtained with real-time three-dimensional echocardiography. *European Journal of Echocardiography*, 10(6), 738–744. <https://doi.org/10.1093/ejechocard/jep054>
- Baker, M. G., Gurney, J., Oliver, J., Moreland, N. J., Williamson, D. A., Pierse, N., Wilson, N., Merriman, T. R., Percival, T., Murray, C., Jackson, C., Edwards, R., Page, L. F., Mow, F. C., Chong, A., Gribben, B., & Lennon, D. (2019). Risk factors for acute rheumatic fever: Literature review and protocol for a case-control study in New Zealand. *International Journal of Environmental Research and Public Health*, 16(22). <https://doi.org/10.3390/ijerph16224515>
- Baumgartner, H., Hung, J., Bermejo, J., Chambers, J. B., Evangelista, A., Griffin, B. P., Iung, B., Otto, C. M., Pellikka, P. A., Quiñones, M., American Society of Echocardiography, & European Association of Echocardiography (2009). Echocardiographic assessment of valve stenosis: EAE/ASE recommendations for clinical practice. *Journal of the American Society of Echocardiography: official publication of the American Society of Echocardiography*, 22(1), 1–102. <https://doi.org/10.1016/j.echo.2008.11.029>
- Baumgartner, H., Falk, V., Bax, J. J., De Bonis, M., Hamm, C., Holm, P. J., Iung, B., Lancellotti, P., Lansac, E., Muñoz, D. R., Rosenhek, R., Sjögren, J., Tornos Mas, P., Vahanian, A., Walther, T., Wendler, O., Windecker, S., Zamorano, J. L., Roffi, M., ... Brecker, S. J. D. (2017). 2017 ESC/EACTS Guidelines for the

- management of valvular heart disease. In *European Heart Journal* (Vol. 38, Issue 36). <https://doi.org/10.1093/eurheartj/ehx391>
- Blume, G. G., McLeod, C. J., Barnes, M. E., Seward, J. B., Pellikka, P. A., Bastiansen, P. M., & Tsang, T. S. M. (2011). Left atrial function: Physiology, assessment, and clinical implications. *European Journal of Echocardiography*, 12(6), 421–430. <https://doi.org/10.1093/ejehocard/jeq175>
- Bouchahda, N., Kallala, Y., Hasnaoui, T., Ibn Haj Amor, H., Sassi, G., Jarraya, M., Boussaada, M., Dhouibi, A., Memmi, K., Ben Messaoud, M., Mahjoub, M., Hassine, M., & Gamra, H. (2021). Role of left atrial reservoir function in rheumatic mitral stenosis tolerance. *European Heart Journal*, 42(Supplement\_1), 2021. <https://doi.org/10.1093/eurheartj/ehab724.1693>
- Bouzas-Mosquera, A., Broullón, F.J., Álvarez-García, N., Méndez, E., Peteiro, J., Gándara-Sambade, T., Prada, O., Mosquera, V.X., Castro-Beiras, A., 2011. Left atrial size and risk for all-cause mortality and ischemic stroke. *CMAJ* 183. <https://doi.org/10.1503/cmaj.091688>
- Carluccio, E., Biagioli, P., Mengoni, A., Francesca Cerasa, M., Lauciello, R., Zuchi, C., Bardelli, G., Alunni, G., Coiro, S., Gronda, E. G., & Ambrosio, G. (2018). Left Atrial Reservoir Function and Outcome in Heart Failure With Reduced Ejection Fraction. *Circulation. Cardiovascular Imaging*, 11(11), e007696. <https://doi.org/10.1161/CIRCIMAGING.118.007696>
- Caso, P., Ancona, R., Di Salvo, G., Comenale Pinto, S., Macrino, M., Di Palma, V., D'Andrea, A., Martiniello, A. R., Severino, S., & Calabrò, R. (2009). Atrial reservoir function by strain rate imaging in asymptomatic mitral stenosis: Prognostic value at 3 year follow-up. *European Journal of Echocardiography*, 10(6), 753–759. <https://doi.org/10.1093/ejehocard/jep058>
- Chandrashekhar, Y., Westaby, S., & Narula, J. (2009). Mitral stenosis. *Lancet (London, England)*, 374(9697), 1271–1283. [https://doi.org/10.1016/S0140-6736\(09\)60994-6](https://doi.org/10.1016/S0140-6736(09)60994-6)
- Cho, I. J., Jeong, H., & Chang, H. J. (2021). Prognostic value of left atrial volume index in patients with rheumatic mitral stenosis. *Clinical cardiology*, 44(3), 364–370. <https://doi.org/10.1002/clc.23544>
- Curtis, J. P., Sokol, S. I., Wang, Y., Rathore, S. S., Ko, D. T., Jadbabaie, F., Portnay, E. L., Marshalko, S. J., Radford, M. J., & Krumholz, H. M. (2003). The association of left ventricular ejection fraction, mortality, and cause of death in stable outpatients with heart failure. *Journal of the American College of Cardiology*, 42(4), 736–742. [https://doi.org/10.1016/s0735-1097\(03\)00789-7](https://doi.org/10.1016/s0735-1097(03)00789-7)
- Dass C, Kanmanthareddy A. Rheumatic Heart Disease. [Updated 2023 Jul 25]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK538286/>
- Dawood, A. A. E., Sultan, G. M., Al-Noamany, M. F., Moustafa, M. L. H., & Sebaeia, N. F. (2020). Assessment of left atrial function in patients with heart failure: correlation with brain natriuretic peptide levels. *Menoufia Medical Journal*. 33(3). [https://doi.org/10.4103/mmj.mmj\\_348\\_18](https://doi.org/10.4103/mmj.mmj_348_18)

- Demirkol, S., Kucuk, U., Baysan, O., Balta, S., Celik, T., Kurt, I. H., Kucuk, H. O., Yuksel, U. C., Unlu, M., & Yokusoglu, M. (2012). The impact of mitral stenosis on left atrial function assessed by two-dimensional speckle tracking echocardiography. *Echocardiography (Mount Kisco, N.Y.)*, 29(9), 1064–1070. <https://doi.org/10.1111/j.1540-8175.2012.01751.x>
- Desai A. N. (2020). High Blood Pressure. *JAMA*, 324(12), 1254–1255. <https://doi.org/10.1001/jama.2020.11289>
- Faletta, F., Pezzano, A., Jr, Fusco, R., Mantero, A., Corno, R., Crivellaro, W., De Chiara, F., Vitali, E., Gordini, V., Magnani, P., & Pezzano, A., Sr (1996). Measurement of mitral valve area in mitral stenosis: four echocardiographic methods compared with direct measurement of anatomic orifices. *Journal of the American College of Cardiology*, 28(5), 1190–1197. [https://doi.org/10.1016/S0735-1097\(96\)00326-9](https://doi.org/10.1016/S0735-1097(96)00326-9)
- Farzam K, Jan A. Beta Blockers. [Updated 2023 Aug 22]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK532906/>
- Figueiredo, F. A., Costa Filho, A. L., Figueiredo, F. A., Chavez, L. M. T., Teixeira, M. F. A., Barbosa, W. S., Bronzatto, P. H., Cintra, P. R., & Nunes, M. C. P. (2024). Left Atrial Strain: Clinical Applications and Prognostic Implications. *Arq Bras Cardiol: Imagem cardiovasc.*, 37(1), e20240003.
- Ferreira, J., Gonçalves, V., Marques-Alves, P., Martins, R., Monteiro, S., Teixeira, R., & Gonçalves, L. 2021. Left atrial functional assessment and mortality in patients with severe aortic stenosis with sinus rhythm. *Cardiovascular Ultrasound*, 19(1), 1–12. <https://doi.org/10.1186/s12947-020-00231-0>
- Gan, G. C. H., Ferkh, A., Boyd, A., & Thomas, L. 2018. Left atrial function: Evaluation by strain analysis. *Cardiovascular Diagnosis and Therapy*, 8(1), 29–46. <https://doi.org/10.21037/cdt.2017.06.08>
- Gan, G. C. H., Bhat, A., Chen, H. H. L., Gu, K. H., Fernandez, F., Kadappu, K. K., Byth, K., Eshoo, S., & Thomas, L. (2021). Left Atrial Reservoir Strain by Speckle Tracking Echocardiography: Association With Exercise Capacity in Chronic Kidney Disease. *Journal of the American Heart Association*, 10(1), e017840. <https://doi.org/10.1161/JAHA.120.017840>
- Guilherme, L., Kalil, J., Cunningham, M., 2006. Molecular mimicry in the autoimmune pathogenesis of rheumatic heart disease. *Autoimmunity*. <https://doi.org/10.1080/08916930500484674>
- Gupta, S., Matulevicius, S. A., Ayers, C. R., Berry, J. D., Patel, P. C., Markham, D. W., Levine, B. D., Chin, K. M., de Lemos, J. A., Peshock, R. M., & Drazner, M. H. (2013). Left atrial structure and function and clinical outcomes in the general population. *European heart journal*, 34(4), 278–285. <https://doi.org/10.1093/eurheartj/ehs188>
- Généreux P. (2022). Staging of Valve Disease Based on the Extent of Cardiac Damage: Ready for the Guidelines? *JACC. Cardiovascular imaging*, 15(6), 971–973. <https://doi.org/10.1016/j.jcmg.2022.04.012>

- Gorre, F., & Vandekerckhove, H. (2010). Beta-blockers: focus on mechanism of action. Which beta-blocker, when and why?. *Acta cardiologica*, 65(5), 565–570. <https://doi.org/10.1080/ac.65.5.2056244>
- Haldar S, Khan HR, Boyalla V, et al. Thoracoscopic surgical ablation versus catheter ablation as first-line treatment for long-standing persistent atrial fibrillation: the CASA-AF RCT. Southampton (UK): NIHR Journals Library; 2021 Oct. (Efficacy and Mechanism Evaluation, No. 8.18.) Chapter 6, Left atrial structure and function assessed by advanced echocardiography. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK574890/>
- Hatle, L., Angelsen, B., & Tromsdal, A. (1979). Noninvasive assessment of atrioventricular pressure half-time by Doppler ultrasound. *Circulation*, 60(5), 1096–1104. <https://doi.org/10.1161/01.cir.60.5.1096>
- Hadjadj, S., Freitas-Ferraz, A. B., Paquin, A., Rouleau, Z., Simard, S., Bernier, M., O'Connor, K., Salaun, E., Pibarot, P., Clavel, M. A., Rodés-Cabau, J., Paradis, J. M., & Beaudoin, J. (2022). Echocardiographic Variables Associated with Transvalvular Gradient After a Transcatheter Edge-To-Edge Mitral Valve Repair. *Journal of the American Society of Echocardiography : official publication of the American Society of Echocardiography*, 35(1), 86–95. <https://doi.org/10.1016/j.echo.2021.09.015>
- Hoit, B. D., Shao, Y., Gabel, M., Pawloski-Dahm, C., & Walsh, R. A. (1997.) Left atrial systolic and diastolic function after cessation of pacing in tachycardia-induced heart failure. *The American journal of physiology*, 273(2 Pt 2), H921–H927. <https://doi.org/10.1152/ajpheart.1997.273.2.H921>
- Hoit B. D. (2014.) Left atrial size and function: role in prognosis. *Journal of the American College of Cardiology*, 63(6), 493–505. <https://doi.org/10.1016/j.jacc.2013.10.055>
- Hoit B. D. (2018). Assessment of Left Atrial Function by Echocardiography: Novel Insights. *Current cardiology reports*, 20(10), 96. <https://doi.org/10.1007/s11886-018-1044-1>
- Horstkotte, D., Niehues, R., & Strauer, B. E. (1991). Pathomorphological aspects, aetiology and natural history of acquired mitral valve stenosis. *European Heart Journal*, 12(SUPPL. B), 55–60. [https://doi.org/10.1093/eurheartj/12.suppl\\_b.55](https://doi.org/10.1093/eurheartj/12.suppl_b.55)
- Ikejder, Y., Sebbani, M., Hendy, I., Khramz, M., Khatouri, A., & Bendriss, L. (2020). Impact of Arterial Hypertension on Left Atrial Size and Function. *BioMed Research International*, 2020. <https://doi.org/10.1155/2020/2587530>
- Inciardi, R. M., Giugliano, R. P., Claggett, B., Gupta, D. K., Chandra, A., Ruff, C. T., Antman, E. M., Mercuri, M. F., Grosso, M. A., Braunwald, E., Solomon, S. D., & ENGAGE AF-TIMI 48 Investigators (2019). Left atrial structure and function and the risk of death or heart failure in atrial fibrillation. *European journal of heart failure*, 21(12), 1571–1579. <https://doi.org/10.1002/ehf.1606>
- Institute of Medicine (US) Committee on Social Security Cardiovascular Disability Criteria. (2010). Cardiovascular Disability: Updating the Social Security Listings. *National Academies Press (US)*.

- Iqbal AM, Jamal SF. Essential Hypertension. [Updated 2023 Jul 20]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK539859/>
- Lung, B., & Vahanian, A. (2014). Epidemiology of acquired valvular heart disease. *The Canadian journal of cardiology*, 30(9), 962–970. <https://doi.org/10.1016/j.cjca.2014.03.022>
- Kanagala, P., Arnold, J. R., Cheng, A. S. H., Singh, A., Khan, J. N., Gulsin, G. S., Yang, J., Zhao, L., Gupta, P., Squire, I. B., Ng, L. L., & McCann, G. P. (2020). Left atrial ejection fraction and outcomes in heart failure with preserved ejection fraction. *International Journal of Cardiovascular Imaging*, 36(1), 101–110. <https://doi.org/10.1007/s10554-019-01684-9>
- Kim, H. J., Cho, G. Y., Kim, Y. J., Kim, H. K., Lee, S. P., Kim, H. L., Park, J. J., Yoon, Y. E., Zo, J. H., & Sohn, D. W. (2015). Development of atrial fibrillation in patients with rheumatic mitral valve disease in sinus rhythm. *The international journal of cardiovascular imaging*, 31(4), 735–742. <https://doi.org/10.1007/s10554-015-0613-2>
- Kumar, R. K., Antunes, M. J., Beaton, A., Mirabel, M., Nkomo, V. T., Okello, E., Regmi, P. R., Reményi, B., Sliwa-Hähnle, K., Zühlke, L. J., & Sable, C. (2020). Contemporary Diagnosis and Management of Rheumatic Heart Disease: Implications for Closing the Gap: A Scientific Statement From the American Heart Association. *Circulation*, 142(20), e337–e357. <https://doi.org/10.1161/CIR.0000000000000921>
- Lang, R. M., Badano, L. P., Victor, M. A., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F. A., Foster, E., Goldstein, S. A., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M. H., Retzschel, E. R., Rudski, L., Spencer, K. T., Tsang, W., & Voigt, J. U. (2015). Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Journal of the American Society of Echocardiography*, 28(1), 1–39.e14. <https://doi.org/10.1016/j.echo.2014.10.003>
- Lawrence, J. G., Carapetis, J. R., Griffiths, K., Edwards, K., & Condon, J. R. (2013). Acute rheumatic fever and rheumatic heart disease: Incidence and progression in the Northern Territory of Australia, 1997 to 2010. *Circulation*, 128(5), 492–501. <https://doi.org/10.1161/CIRCULATIONAHA.113.001477>
- Liguori, G., Trombetta, C., Garaffa, G., Bucci, S., Gattuccio, I., Salamè, L., & Belgrano, E. (2004). Color Doppler ultrasound investigation of varicocele. *World Journal of Urology*, 22(5), 378–381. <https://doi.org/10.1007/s00345-004-0421-0>
- Luo T, Han J, Meng X. (2017). Features of rheumatic mitral valves and a grading system to identify suitable repair cases in China. *J Thorac Dis*. 9:3138–47. [10.21037/jtd.2017.08.121](https://doi.org/10.21037/jtd.2017.08.121)
- Lorenc, T., Krupniewski, L., Palczewski, P., & Gołębiowski, M. (2016). Wartość ultrasonografii w diagnostyce żylaków powrózka nasiennego. *Journal of Ultrasonography*, 16(67), 359–370. <https://doi.org/10.15557/jou.2016.0036>



- Maceira, A. M., Cosin-Sales, J., Prasad, S. K., & Pennell, D. J. (2016). Characterization of left and right atrial function in healthy volunteers by cardiovascular magnetic resonance. *Journal of Cardiovascular Magnetic Resonance*, 18(1), 1–16. <https://doi.org/10.1186/s12968-016-0284-8>
- Maharani, E., Mumpuni, H., Hidayati F., 2020. Risk Stratification and Mortality in Mitral Stenosis Patients. *Acta Cardiologia Indonesiana* 7, 13–18.
- Messika-Zeitoun, D., Bellamy, M., Avierinos, J. F., Breen, J., Eusemann, C., Rossi, A., Behrenbeck, T., Scott, C., Tajik, J. A., & Enriquez-Sarano, M. (2007). Left atrial remodelling in mitral regurgitation--methodologic approach, physiological determinants, and outcome implications: a prospective quantitative Doppler-echocardiographic and electron beam-computed tomographic study. *European heart journal*, 28(14), 1773–1781. <https://doi.org/10.1093/eurheartj/ehm199>
- Marijon, E., Mirabel, M., Celermajer, D. S., & Jouven, X. (2012). Rheumatic heart disease. *Lancet (London, England)*, 379(9819), 953–964. [https://doi.org/10.1016/S0140-6736\(11\)61171-9](https://doi.org/10.1016/S0140-6736(11)61171-9)
- Movahed, M. R., & Saito, Y. (2008). Obesity is associated with left atrial enlargement, E/A reversal and left ventricular hypertrophy. *Experimental and clinical cardiology*, 13(2), 89–91.
- Nakatani, S., Masuyama, T., Kodama, K., Kitabatake, A., Fujii, K., & Kamada, T. (1988). Value and limitations of Doppler echocardiography in the quantification of stenotic mitral valve area: comparison of the pressure half-time and the continuity equation methods. *Circulation*, 77(1), 78–85. <https://doi.org/10.1161/01.cir.77.1.78>
- Ojaghi-Haghighi, Z., Mostafavi, A., Moladoust, H., Noohi, F., Maleki, M., Esmaeilzadeh, M., & Samiei, N. (2014). Assessment of left atrial reservoir function in mitral valve disease by tissue doppler, strain and strain rate imaging. *Journal of Medical Imaging and Health Informatics*, 4(5), 705–711. <https://doi.org/10.1166/jmih.2014.1309>
- Omran, A.S., Arifi, A.A., Mohamed, A.A., 2011. Echocardiography in mitral stenosis. *J Saudi Heart Assoc* 23, 51–58. <https://doi.org/10.1016/j.jsha.2010.07.007>
- Orsinelli, D. A., Armour, A., De Cara, J., Fey, B., Frommelt, P., Lopez-Mattei, J., Marshall, J., Poppas, A., Sachdev, V., Sanchez, L., & Woods, T. (2015). the American Society of Echocardiography Recommendations for Cardiac Chamber Quantification in Adults. *J Am Soc Echocardiogr*, 28(July), 1–39.
- Palacios, I. F., Sanchez, P. L., Harrell, L. C., Weyman, A. E., & Block, P. C. (2002). Which patients benefit from percutaneous mitral balloon valvuloplasty? Prevalvuloplasty and postvalvuloplasty variables that predict long-term outcome. *Circulation*, 105(12), 1465–1471. <https://doi.org/10.1161/01.cir.0000012143.27196.f4>
- Passos, L. S. A., Nunes, M. C. P., & Aikawa, E. (2021). Rheumatic Heart Valve Disease Pathophysiology and Underlying Mechanisms. *Frontiers in cardiovascular medicine*, 7, 612716.

<https://doi.org/10.3389/fcvm.2020.612716>

- Patel, R. B., Lam, C. S. P., Svedlund, S., Saraste, A., Hage, C., Tan, R. S., Beussink-Nelson, L., Tromp, J., Sanchez, C., Njoroge, J., Swat, S. A., Faxén, U. L., Fermer, M. L., Venkateshvaran, A., Gan, L. M., Lund, L. H., & Shah, S. J. (2021). Disproportionate left atrial myopathy in heart failure with preserved ejection fraction among participants of the PROMIS-HFpEF study. *Scientific Reports*, 11(1), 1–11. <https://doi.org/10.1038/s41598-021-84133-9>
- Purnell J. Q. (2023). What is Obesity?: Definition as a Disease, with Implications for Care. *Gastroenterology clinics of North America*, 52(2), 261–275. <https://doi.org/10.1016/j.gtc.2023.03.001>
- Peters, F., Karthikeyan, G., Abrams, J., Muhwava, L., & Zühlke, L. (2020). Rheumatic heart disease: Current status of diagnosis and therapy. *Cardiovascular Diagnosis and Therapy*, 10(2), 305–315. <https://doi.org/10.21037/CDT.2019.10.07>
- Popescu, B. A., & Rosca, M. (2012). *Assessment of left atrial function : does it offer added value ? April*.
- Rajesh, G. N., Sajeer, K., Sajeev, C. G., Bastian, C., Vinayakumar, D., Muneer, K., Haridasan, V., Mathew, D., George, B., & Krishnan, M. N. (2016). A comparative study of ivabradine and atenolol in patients with moderate mitral stenosis in sinus rhythm. *Indian heart journal*, 68(3), 311–315. <https://doi.org/10.1016/j.ihj.2015.09.028>
- Rusinaru, D., Tribouilloy, C., Grigioni, F., Avierinos, J. F., Suri, R. M., Barbieri, A., Szymanski, C., Ferlito, M., Michelena, H., Tafanelli, L., Bursi, F., Mezghani, S., Branzi, A., Habib, G., Modena, M. G., Enriquez-Sarano, M., & Mitral Regurgitation International DAtabase (MIDA) Investigators (2011). Left atrial size is a potent predictor of mortality in mitral regurgitation due to flail leaflets: results from a large international multicenter study. *Circulation. Cardiovascular imaging*, 4(5), 473–481. <https://doi.org/10.1161/CIRCIMAGING.110.961011>
- Reed, D., Abbott, R. D., Smucker, M. L., & Kaul, S. (1991). Prediction of outcome after mitral valve replacement in patients with symptomatic chronic mitral regurgitation. The importance of left atrial size. *Circulation*, 84(1), 23–34. <https://doi.org/10.1161/01.cir.84.1.23>
- Rodriguez, L., Thomas, J. D., Monterroso, V., Weyman, A. E., Harrigan, P., Mueller, L. N., & Levine, R. A. (1993). Validation of the proximal flow convergence method. Calculation of orifice area in patients with mitral stenosis. *Circulation*, 88(3), 1157–1165. <https://doi.org/10.1161/01.cir.88.3.1157>
- Rodriguez-Fernandez, R., Amiya, R., Wyber, R., Widdodow, W., & Carapetis, J. (2015). Rheumatic heart disease among adults in a mining community of Papua, Indonesia: Findings from an occupational cohort. *Heart Asia*, 7(2), 1–5. <https://doi.org/10.1136/heartasia-2015-010641>
- Rowe, J. C., Bland, E. F., Sprague, H. B., & White, P. D. (1960). The course of mitral stenosis without surgery: ten- and twenty-year perspectives. *Annals of internal medicine*, 52, 741–749. <https://doi.org/10.7326/0003-4819-52-4-741>

- Salustri, A. Almaghrebi, A. (2018). Mitral valve disease: correlation between the most important echocardiographic parameters and haemodynamics. *E-Journal of Cardiology Practice*, 16, 24.
- Sardana, M., Syed, A. A., Hashmath, Z., Phan, T. S., Koppula, M. R., Kewan, U., Ahmed, Z., Chandamuri, R., Varakantam, S., Shah, E., Gorz, R., Akers, S. R., & Chirinos, J. A. (2017). Beta-blocker use is associated with impaired left atrial function in hypertension. *Journal of the American Heart Association*, 6(2), 1–10. <https://doi.org/10.1161/JAHA.116.005163>
- Serbia, C., Germany, S. B., Germany, J. B., Germany, L. C., Freemantle, N., Ju, P., France, C. T., Poland, W. W., & Eacts, E. S. C. (2022). Corrigendum to: 2021 ESC/EACTS Guidelines for the management of valvular heart disease: Developed by the Task Force for the management of valvular heart disease of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) . *European Heart Journal*, 561–632. <https://doi.org/10.1093/eurheartj/ehac051>
- Shah SN, Sharma S. Mitral Stenosis. [Updated 2023 Aug 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430742/>
- Shatzkes, J., Salomon, J., Zolty, R. (2014). Left Ventricular Diameter as a Predictor of Outcomes in Ischemic Cardiomyopathy. *The Journal of Heart and Lung Transplantation*, 33(4).
- Shiau, J. W., Hsiao, C. S., & Hsiao, S. H. (2024). Left Atrial Expansion Index for Ischemic Stroke Prediction in Patients with Atrial Fibrillation. *Acta Cardiologica Sinica*, 40(1), 60–69. [https://doi.org/10.6515/ACS.202401\\_40\(1\).20230628A](https://doi.org/10.6515/ACS.202401_40(1).20230628A)
- Sika-Paotonu, D., Beaton, A., Raghu, A., Steer, A., & Carapetis, J. (2017). Acute Rheumatic Fever and Rheumatic Heart Disease. In J. J. Ferretti (Eds.) et. al., *Streptococcus pyogenes: Basic Biology to Clinical Manifestations*. University of Oklahoma Health Sciences Center.
- Smith, M. D., Handshoe, R., Handshoe, S., Kwan, O. L., & DeMaria, A. N. (1986). Comparative accuracy of two-dimensional echocardiography and Doppler pressure half-time methods in assessing severity of mitral stenosis in patients with and without prior commissurotomy. *Circulation*, 73(1), 100–107. <https://doi.org/10.1161/01.cir.73.1.100>
- Soliman, O. I. I., Anwar, A. M., Metawei, A. K., McGhie, J. S., Geleijnse, M. L., & Ten Cate, F. J. (2011). New Scores for the Assessment of Mitral Stenosis Using Real-Time Three-Dimensional Echocardiography. *Current Cardiovascular Imaging Reports*, 4(5), 370–377. <https://doi.org/10.1007/s12410-011-9099-z>
- Sugimoto, T., Robinet, S., Dulgheru, R., Bernard, A., Ilardi, F., Contu, L., Addetia, K., Caballero, L., Kacharava, G., Athanassopoulos, G. D., Barone, D., Baroni, M., Cardim, N., Hagendorff, A., Hristova, K., Lopez, T., De La Morena, G., Popescu, B. A., Penicka, M., ... Lancellotti, P. (2018). Echocardiographic reference ranges for normal left atrial function parameters: Results from the EACVI NORRE study. *European Heart Journal Cardiovascular Imaging*, 19(6), 630–638. <https://doi.org/10.1093/ehjci/jey018>



- Tadic, M., & Cuspidi, C. (2015). The influence of type 2 diabetes on left atrial remodeling. *Clinical Cardiology*, 38(1), 48–55. <https://doi.org/10.1002/clc.22334>
- Thomas, L., Hoy, M., Byth, K., & Schiller, N. B. (2008). The left atrial function index: A rhythm independent marker of atrial function. *European Journal of Echocardiography*, 9(3), 356–362. <https://doi.org/10.1016/j.euje.2007.06.002>
- Utsunomiya, T., Ogawa, T., Tang, H. A., Doshi, R., Patel, D., Quan, M., Henry, W. L., & Gardin, J. M. (1991). Doppler color flow mapping of the proximal isovelocity surface area: a new method for measuring volume flow rate across a narrowed orifice. *Journal of the American Society of Echocardiography: official publication of the American Society of Echocardiography*, 4(4), 338–348. [https://doi.org/10.1016/s0894-7317\(14\)80444-6](https://doi.org/10.1016/s0894-7317(14)80444-6)
- de Waal, K. and Phad, N. (2018) “Speckle tracking echocardiography in newborns,” *Hemodynamics and Cardiology: Neonatology Questions and Controversies*, pp. 219–233. Available at: <https://doi.org/10.1016/B978-0-323-53366-9.00013-2>.
- Vaziri, S.M., Larson, M.G., Lauer, M.S., Benjamin, E.J., Levy, D., 1995. Influence of blood pressure on left atrial size: The Framingham Heart Study. *Hypertension* 25, 1155–1160. <https://doi.org/10.1161/01.HYP.25.6.1155>
- Watkins, D. A., Johnson, C. O., Colquhoun, S. M., Karthikeyan, G., Beaton, A., Bukhman, G., Forouzanfar, M. H., Longenecker, C. T., Mayosi, B. M., Mensah, G. A., Nascimento, B. R., Ribeiro, A. L. P., Sable, C. A., Steer, A. C., Naghavi, M., Mokdad, A. H., Murray, C. J. L., Vos, T., Carapetis, J. R., & Roth, G. A. (2017). Global, Regional, and National Burden of Rheumatic Heart Disease, 1990–2015. *New England Journal of Medicine*, 377(8), 713–722. <https://doi.org/10.1056/nejmoa1603693>
- Weir M. R. (2009). Beta-blockers in the treatment of hypertension: are there clinically relevant differences?. *Postgraduate medicine*, 121(3), 90–98. <https://doi.org/10.3810/pgm.2009.05.2007>
- Wood, P. (1954). An appreciation of mitral stenosis. I. Clinical features. *British medical journal*, 1(4870), 1051–1063. <https://doi.org/10.1136/bmj.1.4870.1051>
- Wong, G. C., Marcotte, F., & Rudski, L. G. (2006). Impact of chronic lisinopril therapy on left atrial volume versus dimension in chronic organic mitral regurgitation. *Canadian Journal of Cardiology*, 22(2), 125–129. [https://doi.org/10.1016/S0828-282X\(06\)70251-3](https://doi.org/10.1016/S0828-282X(06)70251-3)
- Zamorano, J., Perez de Isla, L., Sugeng, L., Cordeiro, P., Rodrigo, J. L., Almeria, C., Weinert, L., Feldman, T., Macaya, C., Lang, R. M., & Hernandez Antolin, R. (2004). Non-invasive assessment of mitral valve area during percutaneous balloon mitral valvuloplasty: role of real-time 3D echocardiography. *European heart journal*, 25(23), 2086–2091. <https://doi.org/10.1016/j.ehj.2004.09.041>
- Zareian, M., Ciuffo, L., Habibi, M., Opdahl, A., Chamera, E. H., Wu, C. O., Bluemke, D. A., Lima, J. A. C., & Venkatesh, B. A. (2015). Left atrial structure and functional quantitation using cardiovascular magnetic resonance and multimodality tissue tracking: Validation and reproducibility assessment. *Journal of Cardiovascular Magnetic Resonance*, 17(1), 1–13.



UNIVERSITAS  
GADJAH MADA

**The Role of Left Atrial Reservoir Function Assessment in Uncorrected Mitral Stenosis Patients**  
Sheva Aulia Athala, dr. Hasanah Mumpuni, Sp.PD, Sp.JP(K); dr. Erika Maharani, SP.JP(K)  
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.1186/s12968-015-0152-y>

Zilberszac, R., Gleiss, A., Massetti, M., Wisser, W., Binder, T., Gabriel, H., & Rosenhek, R. (2023). Left atrial size predicts outcome in severe but asymptomatic mitral regurgitation. *Scientific reports*, 13(1), 3892. <https://doi.org/10.1038/s41598-023-31163-0>