

DAFTAR PUSTAKA

- Ahmad, M. I., Farooq, S., Alhamoud, Y., Li, C., & Zhang, H. (2022). A review on mycoprotein: History, nutritional composition, production methods, and health benefits. *Trends in Food Science & Technology*, *121*, 14–29. <https://doi.org/10.1016/j.tifs.2022.01.027>
- Bakar, J., Saeed, M., Abbas, K., Abdul Rahman, R., Karim, R., & Hashim, D. (2009). Protein-starch interaction and their effect on thermal and rheological characteristics of a food system: A review. *J. Food Agric. Environ.*, *7*.
- Bhale, S. D. (2004). *Effect of ohmic heating on color ect of ohmic heating on color, rehydration and textur ation and textural characteristics of fresh carrot cubes* [Thesis]. Louisiana State University and Agricultural and Mechanical College.
- Bhumkar, D. R., & Pokharkar, V. B. (2006). Studies on effect of pH on cross-linking of chitosan with sodium tripolyphosphate: A technical note. *AAPS PharmSciTech*, *7*(2), E138–E143. <https://doi.org/10.1208/pt070250>
- Chandra, M. V., & Shamasundar, B. A. (2015). Texture Profile Analysis and Functional Properties of Gelatin from the Skin of Three Species of Fresh Water Fish. *International Journal of Food Properties*, *18*(3), 572–584. <https://doi.org/10.1080/10942912.2013.845787>
- Day, L., & Golding, M. (2016). Food Structure, Rheology, and Texture. In *Encyclopedia of Food Chemistry* (pp. 125–129). Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.03412-0>
- Dunlop, M. V., Kilroe, S. P., Bowtell, J. L., Finnigan, T. J. A., Salmon, D. L., & Wall, B. T. (2017). Mycoprotein represents a bioavailable and insulinotropic non-animal-derived dietary protein source: a dose–response study. *British Journal of Nutrition*, *118*(9), 673–685. <https://doi.org/10.1017/S0007114517002409>
- Eshag Osman, M. F., Mohamed, A. A., Alamri, M. S., Ahmed, I. A. M., Hussain, S., Ibraheem, M. I., & Qasem, A. A. (2021). Quality Characteristics of Beef Patties Prepared with Octenyl-Succinylated (Osan) Starch. *Foods*, *10*(6), 1157. <https://doi.org/10.3390/foods10061157>
- Fekete, T., & Borsa, J. (2018). *Polysaccharide-Based Polymer Gels* (pp. 147–229). https://doi.org/10.1007/978-981-10-6086-1_5
- Finnigan, T. J., Wall, B. T., Wilde, P. J., Stephens, F. B., Taylor, S. L., & Freedman, M. R. (2019). Mycoprotein: The Future of Nutritious Nonmeat

Protein, a Symposium Review. *Current Developments in Nutrition*, 3(6), nzz021. <https://doi.org/10.1093/cdn/nzz021>

- Fraeye, I., Duvetter, T., Doungla, E., Van Loey, A., & Hendrickx, M. (2010). Fine-tuning the properties of pectin–calcium gels by control of pectin fine structure, gel composition and environmental conditions. *Trends in Food Science & Technology*, 21(5), 219–228. <https://doi.org/10.1016/j.tifs.2010.02.001>
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Pretty, J., Robinson, S., Thomas, S. M., & Toulmin, C. (2010). Food Security: The Challenge of Feeding 9 Billion People. *Science*, 327(5967), 812–818. <https://doi.org/10.1126/science.1185383>
- Godschalk-Broers, L., Sala, G., & Scholten, E. (2022). Meat Analogues: Relating Structure to Texture and Sensory Perception. *Foods*, 11(15), 2227. <https://doi.org/10.3390/foods11152227>
- Gómez, I., Ibañez, F. C., & Beriain, M. J. (2019). Physicochemical and sensory properties of *sous vide* meat and meat analog products marinated and cooked at different temperature-time combinations. *International Journal of Food Properties*, 22(1), 1693–1708. <https://doi.org/10.1080/10942912.2019.1666869>
- Han, M., & Bertram, H. C. (2017). Designing healthier comminuted meat products: Effect of dietary fibers on water distribution and texture of a fat-reduced meat model system. *Meat Science*, 133, 159–165. <https://doi.org/10.1016/j.meatsci.2017.07.001>
- I.Pitt, J., & Hocking, A. D. (2009). Zygomycetes. In *Fungi and Food Spoilage* (pp. 145–168). Springer US. https://doi.org/10.1007/978-0-387-92207-2_6
- Józwiak, T., Filipkowska, U., Szymczyk, P., Rodziewicz, J., & Mielcarek, A. (2017). Effect of ionic and covalent crosslinking agents on properties of chitosan beads and sorption effectiveness of Reactive Black 5 dye. *Reactive and Functional Polymers*, 114, 58–74. <https://doi.org/10.1016/j.reactfunctpolym.2017.03.007>
- Kalač, P. (2013). A review of chemical composition and nutritional value of wild-growing and cultivated mushrooms. *Journal of the Science of Food and Agriculture*, 93(2), 209–218. <https://doi.org/10.1002/jsfa.5960>
- Karina Wijono, W., & Estiasih, T. (2021). The effect of lesser yam tuber flour (*Dioscorea esculenta*) and cooking methods on meat analogue chemical and textural properties. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 4(2), 162–170. <https://doi.org/10.21776/ub.afssaae.2021.004.02.10>

- Kieliszek, M., & Błażej, S. (2017). Microbial Transglutaminase and Applications in Food Industry. In *Microbial Enzyme Technology in Food Applications* (pp. 180–198). CRC Press.
<https://doi.org/10.1201/9781315368405-12>
- Kyriakopoulou, K., Dekkers, B., & van der Goot, A. J. (2019). Plant-Based Meat Analogues. In *Sustainable Meat Production and Processing* (pp. 103–126). Elsevier. <https://doi.org/10.1016/B978-0-12-814874-7.00006-7>
- Mabrouki, S., Abid, K., Kaihara, H., Patrucco, S. G., Tassone, S., & Barbera, S. (2024). Assessing texture profile analysis in natural state versus texture profile analysis with back extrusion post-homogenization of cooked pea protein-based and meat patties: A comparative study. *Future Foods*, 9, 100345. <https://doi.org/10.1016/j.fufo.2024.100345>
- Mandliya, S., & Mishra, H. N. (2021). Effect of Different Drying Methods on Quality Attributes and Microstructure of Mycelium (*Pleurotus eryngii*). *The 2nd International Electronic Conference on Foods - "Future Foods and Food Technologies for a Sustainable World,"* 10. <https://doi.org/10.3390/Foods2021-10950>
- Mandliya, S., Pratap-Singh, A., Vishwakarma, S., Dalbhagat, C. G., & Mishra, H. N. (2022). Incorporation of Mycelium (*Pleurotus eryngii*) in Pea Protein Based Low Moisture Meat Analogue: Effect on Its Physicochemical, Rehydration and Structural Properties. *Foods*, 11(16), 2476. <https://doi.org/10.3390/foods11162476>
- Meyer, V., Basenko, E. Y., Benz, J. P., Braus, G. H., Caddick, M. X., Csukai, M., de Vries, R. P., Endy, D., Frisvad, J. C., Gunde-Cimerman, N., Haarmann, T., Hadar, Y., Hansen, K., Johnson, R. I., Keller, N. P., Kraševac, N., Mortensen, U. H., Perez, R., Ram, A. F. J., ... Wösten, H. A. B. (2020). Growing a circular economy with fungal biotechnology: a white paper. *Fungal Biology and Biotechnology*, 7(1), 5. <https://doi.org/10.1186/s40694-020-00095-z>
- Nishinari, K., & Fang, Y. (2018). Perception and measurement of food texture: Solid foods. *Journal of Texture Studies*, 49(2), 160–201. <https://doi.org/10.1111/jtxs.12327>
- Pematilleke, N., Kaur, M., Adhikari, B., & Torley, P. J. (2022). Investigation of the effects of addition of carboxy methyl cellulose (CMC) and tapioca starch (TS) on the beef patties targeted to the needs of people with dysphagia: A mixture design approach. *Meat Science*, 191, 108868. <https://doi.org/10.1016/j.meatsci.2022.108868>

- Pietrasik, Z., & Soladoye, O. P. (2021). Use of native pea starches as an alternative to modified corn starch in low-fat bologna. *Meat Science*, 171, 108283. <https://doi.org/10.1016/j.meatsci.2020.108283>
- Pitt, J. I., & Hocking, A. D. (2009). Primary Keys and Miscellaneous Fungi. In *Fungi and Food Spoilage* (pp. 53–143). Springer US. https://doi.org/10.1007/978-0-387-92207-2_5
- Poore, J., & Nemecek, T. (2018). Reducing food's environmental impacts through producers and consumers. *Science*, 360(6392), 987–992. <https://doi.org/10.1126/science.aag0216>
- Radocaj, O., Dimic, E., & Vujasinovic, V. (2011). Optimization of the texture of fat-based spread containing hull-less pumpkin (*Cucurbita pepo* L.) seed press-cake. *Acta Periodica Technologica*, 42, 131–143. <https://doi.org/10.2298/APT1142131R>
- Rousta, N., Hellwig, C., Wainaina, S., Lukitawesa, L., Agnihotri, S., Rousta, K., & Taherzadeh, M. J. (2021). Filamentous Fungus *Aspergillus oryzae* for Food: From Submerged Cultivation to Fungal Burgers and Their Sensory Evaluation—A Pilot Study. *Foods*, 10(11), 2774. <https://doi.org/10.3390/foods10112774>
- Sar, T., Larsson, K., Fristedt, R., Undeland, I., & Taherzadeh, M. J. (2022). Demo-scale production of protein-rich fungal biomass from potato protein liquor for use as innovative food and feed products. *Food Bioscience*, 47, 101637. <https://doi.org/10.1016/j.fbio.2022.101637>
- Sha, L., & Xiong, Y. L. (2020). Plant protein-based alternatives of reconstructed meat: Science, technology, and challenges. *Trends in Food Science & Technology*, 102, 51–61. <https://doi.org/10.1016/j.tifs.2020.05.022>
- Souza Filho, P. F., Andersson, D., Ferreira, J. A., & Taherzadeh, M. J. (2019). Mycoprotein: environmental impact and health aspects. *World Journal of Microbiology and Biotechnology*, 35(10), 147. <https://doi.org/10.1007/s11274-019-2723-9>
- Szczesniak, A. S. (2002). Texture is a sensory property. *Food Quality and Preference*, 13(4), 215–225. [https://doi.org/10.1016/S0950-3293\(01\)00039-8](https://doi.org/10.1016/S0950-3293(01)00039-8)
- United Nations. (2024). *World Population Prospects 2024: Summary of Results*.
- Wainaina, S., Kisworini, A. D., Fanani, M., Wikandari, R., Millati, R., Niklasson, C., & Taherzadeh, M. J. (2020). Utilization of food waste-derived volatile fatty acids for production of edible *Rhizopus oligosporus* fungal biomass. *Bioresource Technology*, 310, 123444. <https://doi.org/10.1016/j.biortech.2020.123444>

- Wan, T., Jiao, Z., Guo, M., Wang, Z., Wan, Y., Lin, K., Liu, Q., & Zhang, P. (2020). Gaseous sulfur trioxide induced controllable sulfonation promoting biomineralization and osseointegration of polyetheretherketone implants. *Bioactive Materials*, 5(4), 1004–1017. <https://doi.org/10.1016/j.bioactmat.2020.06.011>
- Wiebe, M. (2002). Myco-protein from *Fusarium venenatum* : a well-established product for human consumption. *Applied Microbiology and Biotechnology*, 58(4), 421–427. <https://doi.org/10.1007/s00253-002-0931-x>
- WIEBE, M. G. (2004). Quorn™ Myco-protein - Overview of a successful fungal product. *Mycologist*, 18(1), 17–20. <https://doi.org/10.1017/S0269915X04001089>
- Wikandari, R., Tanugraha, D. R., Yastanto, A. J., Manikharda, Gmoser, R., & Teixeira, J. A. (2023). Development of Meat Substitutes from Filamentous Fungi Cultivated on Residual Water of Tempeh Factories. *Molecules*, 28(3), 997. <https://doi.org/10.3390/molecules28030997>
- Woo Choi, H., Choi, M., Hahn, J., & Jin Choi, Y. (2024). The technical potential of a sous-vide processing method for developing high-moisture textured soy protein. *Food Chemistry*, 430, 136978. <https://doi.org/10.1016/j.foodchem.2023.136978>
- Wu, M., Wang, J., Hu, J., Li, Z., Liu, R., Liu, Y., Cao, Y., Ge, Q., & Yu, H. (2020). Effect of typical starch on the rheological properties and NMR characterization of myofibrillar protein gel. *Journal of the Science of Food and Agriculture*, 100(1), 258–267. <https://doi.org/10.1002/jsfa.10033>
- Xie, Y., Cai, L., Zhao, D., Liu, H., Xu, X., Zhou, G., & Li, C. (2022). Real meat and plant-based meat analogues have different in vitro protein digestibility properties. *Food Chemistry*, 387, 132917. <https://doi.org/10.1016/j.foodchem.2022.132917>
- Zhang, Z., Yang, Y., Zhou, P., Zhang, X., & Wang, J. (2017). Effects of high pressure modification on conformation and gelation properties of myofibrillar protein. *Food Chemistry*, 217, 678–686. <https://doi.org/10.1016/j.foodchem.2016.09.040>