

## DAFTAR PUSTAKA

- Anton, H. 2000. Dasar-dasar Aljabar Linier Jilid 2, Batam: Interaksara
- Avenda Putri K., E., Tirta Rohmatin S., Indah F., N., R., W., & Ningsih, Y. (2023). ANALISIS FREKUENSI GELOMBANG SUARA PADA PIPA ORGANA BERBASIS AUDACITY. *Jurnal Ilmiah Multidisiplin*, 1(2).
- Bain, L. J., & Engelhardt, M. (n.d.). *Introduction to Probability and Mathematical Statistics*. Brooks/Cole.
- De Jong, P., & Heller, G. Z. (2008). *Generalized Linear Models for Insurance Data*. Cambridge University Press.
- Ehlers, R. (2002). *Maximum Likelihood Estimation Procedures for Categorical Data*. University of Pretoria, South Africa.
- Farebrother, R. W. (1976). Further results on the mean square error of ridge regression. *Journal of the Royal Statistical Society Series B (Methodological)*, **38**(3), 248–250. <https://doi.org/10.1111/j.2517-6161.1976.tb01588.x>.
- Herawati, N., Nisa, K., & Nusyirwan. (2020). Selecting the method to overcome partial and full multicollinearity in binary logistic model. *International Journal of Statistics and Applications*, **10**(3), 55–59. <http://www.sapub.org/global/showpaperpdf.aspx?doi=10.5923/j.statistics.20201003.01>
- Hilbe, J. M. (2011). *Negative binomial regression*. <https://doi.org/10.1017/cbo9780511973420>
- Hoerl, A. E., & Kennard, R. W. (1970). Ridge regression: biased estimation for non-orthogonal problems. *Technometrics*, 12(1), 55-67. DOI: 10.1080/00401706.1970.10488634
- Jawaharlalnehru, G., & Jothilakshmi, S. (2018). Music Genre Classification using Deep Neural Networks. *International Journal of Scientific Research in Science, Engineering and Technology*, 4(4), 935–940. <https://ijsrset.com/IJSRSET1844158>
- Johnson, R. A., & Wichern, D. W. (2007). *Applied Multivariate Statistical analysis*. Prentice Hall.



- Kejian, L. (1993b). A new class of biased estimate in linear regression. *Communications in Statistics. Theory and Methods/Communications in Statistics, Theory and Methods*, 22(2), 393–402. <https://doi.org/10.1080/03610929308831027>
- Khalaf, G., & Shukur, G. (2005). Choosing ridge parameter for regression problems. *Communications in Statistics - Theory and Methods*, 34(5), 1177-1182. <https://doi.org/10.1081/sta-200056836>
- Kibria, B. M. G. (2003). Performance of some new ridge regression estimators. *Communications in Statistics - Simulation and Computation*, 32(2), 419-435. <https://doi.org/10.1081/sac-120017499>
- Kibria, B. M. G., & Lukman, A. F. (2020). A new Ridge-Type estimator for the linear Regression Model: Simulations and Applications. *Scientifica*, 2020, 1-16. <https://doi.org/10.1155/2020/9758378>
- Kibria, B. M. G., Månsson, K., & Shukur, G. (2011). Performance of some logistic ridge regression estimators. *Computational Economics*, 40(4), 401–414. <https://doi.org/10.1007/s10614-011-9275-x>
- Liu, D., Li, T., & Liang, D. (2014). Incorporating logistic regression to decision-theoretic rough sets for classifications. *International Journal of Approximate Reasoning*, 55(1), 197–210.
- Lukman, A. F., Kibria, B. M. G., Nziku, C. K., Amin, M., Adewuyi, E. T., & Farghali, R. (2023). K-L Estimator: Dealing with Multicollinearity in the Logistic Regression Model. *Mathematics*, 11(2), 340.
- Maulana, P. I., Aranta, A., Bimantoro, F., & Andika, I. G. (2022). KLASIFIKASI MOOD MUSIK BERDASARKAN MEL FREQUENCY CEPSTRAL COEFFICIENTS DENGAN BACKPROPAGATION NEURAL NETWORK. *Jurnal Resistor (Rekayasa Sistem Komputer)*, 5(1), 72–85. <https://doi.org/10.31598/jurnalresistor.v5i1.1089>
- McCullagh, P., Nelder, J.A. (1989). *Generalized Linear Models* 2nd Edition, London: Chapman and Hall.
- McFee, B., Raffel, C., Liang, D., Ellis, D., McVicar, M., Battenberg, E., & Nieto, O. (2015). librosa: Audio and Music Signal Analysis in Python. *Proceedings of the Python in Science Conferences*. <https://doi.org/10.25080/majora-7b98e3ed-003>



Molau, S., Pitz, M., Schluter, R., & Ney, H. (2002). Computing Mel-frequency cepstral coefficients on the power spectrum. <https://doi.org/10.1109/icassp.2001.940770>

Montgomery, D.C., Peck, E.A., and Vining, G.G. (2006). *Introduction to Linear Regression Analysis*, 4th Edition, Hoboken: John Wiley & Sons, Inc.

Nelder, J. A., Wedderburn, R. W. M. (1972). Generalized linear models, *Journal of the Royal Statistical Society Series A (General)*, Vol. 135, No. 3, 370-384.

Permana, TG. (2014). Identifikasi Akor Gitar Menggunakan Algoritma Harmonic Product Spectrum e-Proceeding of Engineering. Vol 1(1)

Prasetyo, E. (2012). *Data Mining Konsep dan Aplikasi Menggunakan MATLAB*. ANDI.2012

Ryan, T. P. (2008). *Modern regression methods*. John Wiley & Sons.

Schaefer, R., Roi, L., & Wolfe, R. (1984). A ridge logistic estimator. *Communications in Statistics. Theory and Methods/Communications in Statistics, Theory and Methods*, 13(1), 99–113. <https://doi.org/10.1080/03610928408828664>

Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society Series B (Methodological)*, 58(1), 267–288. <https://doi.org/10.1111/j.2517-6161.1996.tb02080.x>

Trenkler, G., & Toutenburg, H. (1990). Mean squared error matrix comparisons between biased estimators — An overview of recent results. *Statistical Papers*, 31(1), 165–179. <https://doi.org/10.1007/bf02924687>.

Wrede, R. C., & Spiegel, M. R. (2002). *Schaums Outline of Advanced Calculus*, Second Edition. McGraw Hill Professional.