



DAFTAR PUSTAKA

- Ahmed, W., Feyissa, T. & Disasa, T. (2013). Somatic embryogenesis of a coffee (*Coffea arabica* L.) hybrid using leaf explants. *The Journal of Horticultural Science and Biotechnology*, 88(4): 469-475.
- Alves, L. C., Magalhães, D. M. D., Labate, M. T. V., Guidetti-Gonzalez, S., Labate, C. A., Domingues, D. S., Sera, T., Vieira, L. G. E. & Pereira, L. F. P. (2016). Differentially accumulated proteins in *Coffea arabica* seeds during perisperm tissue development and their relationship to coffee grain size. *Journal of agricultural and food chemistry*, 64(7): 1635-1647.
- Avila-Victor, C. M., Arjona-Suárez, E. D., Iracheta-Donjuan, L., Valdez-Carrasco, J. M., Gómez-Merino, F. C., Robledo-Paz, A. (2023). Callus Type, Growth Regulators, and Phytagel on Indirect Somatic Embryogenesis of Coffee (*Coffea arabica* L. var. Colombia). *Plants*.12(20):3570.
- Azizi-Dargahlou, S. & Pouresmaeil, M. (2023). *Agrobacterium tumefaciens*-mediated plant Transformation: a review. *Molecular Biotechnology*, 66:1563-1580.
- Bartos, P. M. C., Gomes, H. T., Gomes, S. M., Vasconcelos Filho, S. C., Teixeira, J. B. & Scherwinski-Pereira, J. E. (2018). Histology of somatic embryogenesis in *Coffea arabica* L. *Biologia*, 73(12): 1255-1265.
- Campos, N. A., Panis, B. & Carpentier, S. C. (2017). Somatic embryogenesis in coffee: the evolution of biotechnology and the integration of omics technologies offer great opportunities. *Frontiers in plant science*, 8:1460.
- Chardin, C., Girin, T., Roudler, F., Meyer, C. & Krapp, A. (2014). The plant RWPRK transcription factors: key regulators of nitrogen responses and of gametophyte development. *Journal of Experimental Botany*, 65:5577-5587.
- Chumakov, M. I. (2013). Protein apparatus for horizontal transfer of agrobacterial T-DNA to eukaryotic cells. *Biochemistry*, 78:1321–1332.
- da Luz Costa, J., da Silva, A. L., Bier, M. C., Brondani, G. E., Gollo, A. L., Letti, L. A., Erasmo, E. A., Soccol, C. R. (2015). Callus growth kinetics of physic nut (*Jatropha curcas* L.) and content of fatty acids from crude oil obtained in vitro. *Applied biochemistry and biotechnology*, 176:892-902.
- de Kochko, A., Hamon, S., Guyot, R., Couturon, E., Poncet, V., Dubreuil-Tranchant, C., Crouzillat, D., Rigoreau, M. & Hamon, P. (2017). *Biotechnology of Plantation Crops*. USA: Days Publishing House, pp. 591-608.
- Dwiyani, R. (2013). Induksi kalus pada Tanaman anggrek *Vanda tricolor* Lindl. var. suavis, upaya penyediaan target transformasi melalui *Agrobacterium tumefaciens*. *Jurnal Agrotropika*, 18(2): 73-76.
- Efferth, T. (2019). Biotechnology applications of plant callus cultures. *Engineering*, 5(1): 50-59.
- Elhiti, M. & Stasolla, C. (2022). transduction of signals during Somatic embryogenesis. *Plants*, 11(2):178.
- Fehér, A. (2019). Callus, dedifferentiation, totipotency, somatic embryogenesis: what these terms mean in the era of molecular plant biology?. *Frontiers in plant*



science, 10:536.

- Ferrari, I. F., Marques, G. A., Junior, W. L. S., Biazotti, B. B., Pena Passos, M., de Almeida, J. A. S., Mondego, J. M. C. & Mayer, J. L. S. (2021). Comparative ontogenesis of *Coffea arabica* L. somatic embryos reveals the efficiency of regeneration modulated by the explant source and the embryogenesis pathway. *In Vitro Cellular & Developmental Biology-Plant*, 57:796-810.
- GBIF.org (2024), *Coffea arabica* L. Available from: <https://www.gbif.org> [7 August 2024].
- Gelvin, S. B. (2010). Plant proteins involved in *Agrobacterium*-mediated genetic transformation. *Annu Rev Phytopathol*, 48: 45–68.
- Gordon-Kamm, B., Sardesai, N., Arling, M., Lowe, K., Hoerster, G., Betts, S. & Jones, T. (2019). Using morphogenic genes to improve recovery and regeneration of transgenic plants. *Plants*, 8(2): 38.
- Guan, Y., Li, S.G., Fan, X.F. & Su, Z.H. (2016). Application of somatic embryogenesis in woody plants. *Frontiers in Plant Science*, 7:938.
- Hafif, B., Prastowo, B., & Prawiradiputra, B. R. (2014). Pengembangan perkebunan kopi berbasis inovasi di lahan kering masam. *Pengembangan Inovasi Pertanian* 7(4):199-206.
- Hapsoro, D. & Yusnita. (2018). *Kultur Jaringan: Teori dan Praktik*. Yogyakarta: Penerbit ANDI, pp. 24-25, 135.
- Hapsoro, D., Setiawan, D., Hamiranti, R. & Yusnita, Y. (2019). Pengaruh 2-iP, BA, 2, 4-D, dan TDZ pada embriogenesis somatik *in vitro* kopi robusta unggul Lampung. *Jurnal Agrotek Tropika*, 7(3): 527-537.
- Hatanaka, T., Choi, Y. E., Kusano, T. & Sano, H. (1999). Transgenic plants of coffee *Coffea canephora* from embryogenic callus via *Agrobacterium tumefaciens*-mediated transformation. *Plant Cell Reports*, 19: 106-110.
- Hu, B., Zhang, G., Liu, W., Shi, J., Wang, H., Qi, M., Li, J., Qin, P., Ruan, Y., Huang, H. & Zhang, Y. (2017). Divergent regeneration-competent cells adopt a common mechanism for callus initiation in angiosperms. *Regeneration*, 4(3): 132-139.
- Izzah, N.K., Randriani, E. and Dani, D. (2015). Analisis kekerabatan genetik kultivar kopi arabika berbuah kuning dan berbuah merah berdasarkan marka ssr. *Jurnal Tanaman Industri dan Penyegar (Journal of Industrial and Beverage Crops)*, 2(3): 113-122.
- Kakiuchi, Y., Gàlis, I., Tamogami, S. and Wabiko, H. (2006). Reduction of polar auxin transport in tobacco by the tumorigenic *Agrobacterium tumefaciens* AK-6b gene. *Planta*, 223:237-247.
- Kong, J., Martin-Ortigosa, S., Finer, J., Orchard, N., Gunadi, A., Batts, L.A., Thakare, D., Rush, B., Schmitz, O., Stuiver, M. & Olhoft, P. (2020). Overexpression of the transcription factor GROWTH-REGULATING FACTOR5 improves transformation of dicot and monocot species. *Frontiers in plant science* :1389.
- Kőszegi, D., Johnston, A. J., Rutten, T., Czihal, A., Altschmied, L., Kumlehn, J., Wüst, S. E., Kirioukhova, O., Gheyselinck, J., Grossniklaus, U. & Bäumlein, H. (2011). Members of the RKD transcription factor family induce an egg cell-like gene expression program. *The Plant Journal*, 67(2): 280-291.
- Listanto, E., Riyanti, E. I., Sustiprijatno, S. (2016). *Agrobacterium Tumefaciens*-mediated In-planta Transformation of Indonesian Maize Using Pig121hm-cs



- Plasmid Containing NptII and Hpt Genes. *Indonesian Journal of Agricultural Science*, 17(2):49-56.
- Liu, L., Aleksandrowicz, E., Schönsiegel, F., Gröner, D., Bauer, N., Nwaeburu, C.C., Zhao, Z., Gladkich, J., Hoppe-Tichy, T., Yefenof, E. and Hackert, T., 2017. Dexamethasone mediates pancreatic cancer progression by glucocorticoid receptor, TGF β and JNK/AP-1. *Cell death & disease*, 8(10): e3064-e3064.
- Marie, L., Abdallah, C., Campa, C., Courtel, P., Bordeaux, M., Navarini, L., Lonzarich, V., Bosselmann, A.S., Turreira-García, N., Alpizar, E. and Georget, F. (2020). G \times E interactions on yield and quality in *Coffea arabica*: new F1 hybrids outperform American cultivars. *Euphytica*, 216:1-17.
- Muljana, W. (2010). *Bercocok Tanam Kopi*. Semarang: CV. Aneka Ilmu, pp. 7-10.
- Mulyaningsih, E. S. (2009). Pemanfaatan *Agrobacterium* untuk transformasi genetik tanaman dan jamur. *Bio Trends*, 4(1): 26-30.
- Murdiyanti, R., Soendjoto, M. A. & Zaini, M. (2022). Kajian etnobotani famili Rubiaceae di Kebun Raya Bogor Banua Banjarbaru, Kalimantan Selatan, Indonesia. *Agro Bali: Agricultural Journal*, 5(2): 274-288.
- Mursyanti, E., Purwantoro, A., Moeljopawiro, S. & Semiarti, E. (2015). Induction of somatic embryogenesis through overexpression of *AtRKD4* genes in *Phalaenopsis* "Sogo Vivien". *Indonesian Journal of Biotechnology*, 20(1): 42-53.
- Ningsih, P. S. H., Restanto, D.P. & Slameto. (2015). Induksi embriogenesia secara langsung dengan modifikasi BAP dan IAA pada tanaman tembakau (*Nicotiana tabaccum* L.) varietas H-382. *Berkala Ilmiah Pertanian*: 1-5.
- Nurawan, A., Sulaeman, Y., & Hamdani, K. (2022). *Teknologi Pemberian dan Budidaya Kopi Arabika*. Bogor: PT Penerbit IPB Press, pp. 1, 11, 12.
- Park, C. J., Canlas, P. E. & Ronald, P. C. (2012). Establishment of glucocorticoid-mediated transcriptional induction of the rice XA21 pattern recognition receptor. *Journal of Plant Biology*, 55:43-49.
- Prameswari, M. A., Karno, K. & Anwar, S., 2019. The Effect of BAP and Kinetin Concentrations for shoot induction on Teak (*Tectona grandis* L.) with In Vitro method. *Journal of Tropical Crop Science and Technology*, 1(2): 93-107.
- Prudente, D. D. O., de Souza, L. B. & Paiva, R. (2020). Plant somatic embryogenesis: Modulatory role of oxidative stress. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 90(3): 483-487.
- Purwestri, Y. A., Lee, Y. S., Meehan, C., Mose, W., Susanto, F. A., Wijayanti, P., Fauzia, A. N., Nuringtyas, T. R., Hussain, N., Putra, H. L. & Gutierrez-Marcos, J. (2023). RWP-RK Domain 3 (*OsRKD3*) induces somatic embryogenesis in black rice. *BMC Plant Biology*, 23(1):202.
- Pusat Penelitian Kopi dan Kakao Indonesia. (2019). *Katalog Produk dan Jasa Unggulan*. 1st Ed. Jember: Pusat Penelitian Kopi dan Kakao Indonesia. pp. 3-4.
- Puspitasari, F., Sutra, C.L., Sundari, D., Wirajagat, G.C., Setiari, N., Gutierrez-Marcos, J. & Semiarti, E. (2020). Stability of *AtRKD4* gene integration in the genome of *Dendrobium phalaenopsis* fitzg. Transformants induces somatic embryogenesis. *Propagation of Ornamental Plants*, 20(4):129-138.
- Rahardjo, P. (2012). *Kopi: Panduan Budidaya dan Pengolahan Kopi Arabika dan Kopi Robusta*. Bogor: Penebar Swadaya, pp. 8-10.



- Ribas, A. F., Dechamp, E., Champion, A., Bertrand, B., Combes, M. C., Verdeil, J. L., Lapeyre, F., Lashermes, P. & Etienne, H. (2011). *Agrobacterium*-mediated genetic transformation of *Coffea arabica* (L.) is greatly enhanced by using established embryogenic callus cultures. *BMC Plant Biology*, 11(92):1-15.
- Rismayanti, A.Y. & Nafi'ah, H.H. (2021). Modifikasi media pada induksi kalus kopi arabika (*Coffea arabica* L.) berbuah kuning. *Agro Wiralodra*, 4(2): 42-49.
- Rizal, S., Murdiono, W. E. & Nihayati, E. (2017). Pengaruh pemberian beberapa konsentrasi kinetin terhadap induksi tunas aksilar tanaman kakao (*Theobroma cacao* L.) secara in vitro. *Jurnal Produksi Tanaman*, 5 (9): 1512 – 1517.
- Rose, R. J., Sheahan, M. B., Tiew, T. W. Y., Aslam, J., Srivastava, P. S. & Sharma, M. P. (2013). Connecting stress to development in the induction of somatic embryogenesis. *Somatic embryogenesis and gene expression*:146-165.
- Salaün, C., Lepiniec, L. & Dubreucq, B. (2021). Genetic and molecular control of somatic embryogenesis. *Plants*, 10(7):1467.
- Scalabrin, S., Toniutti, L., Di Gaspero, G., Scaglione, D., Magris, G., Vidotto, M., Pinosio, S., Cattonaro, F., Magni, F., Jurman, I. and Cerutti, M. (2020). A single polyploidization event at the origin of the tetraploid genome of *Coffea arabica* is responsible for the extremely low genetic variation in wild and cultivated germplasm. *Scientific reports*, 10(1): 4642.
- Schaller, G. E., Bishopp, A. & Kieber, J. J. (2015). The yin-yang of hormones: cytokinin and auxin interactions in plant development. *The Plant Cell*, 27(1):44-63.
- Sternes, T., Tonheim, T.C., Myhr, A.I. and Dalmo, R.A., 2016. A plant 35S CaMV promoter induces long-term expression of luciferase in Atlantic salmon. *Scientific reports*, 6(1): 25096.
- Setiari, N., Purwantoro, A., Moeljopawiro, S. & Semiarti, E. (2018). Micropropagation of *Dendrobium phalaenopsis* orchid through overexpression of embryo gene AtRKD4. *AGRIVITA, Journal of Agricultural Science*, 40(2): 284-294.
- Shara, P. N., Thomy, Z., Anhar, A., Harnelly, E. & Ramlan, R.R. (2021). Morphological characterization of some *Coffea arabica* L. varieties in Gayo Experimental Garden Bener Meriah. In *Journal of Physics: Conference Series* 1882(1):012092.
- Silalahi, D., Wirawan, I. G. P. & Sritamin, M. (2021). Transformasi genetik tanaman kentang (*Solanum tuberosum* L.) dengan gen *acvB* menggunakan vektor *Agrobacterium tumefaciens*. *Journal on Agriculture Science*, 11(1): 63-75.
- Silveira, V., de Vita, A. M., Macedo, A. F., Dias, M. F. R., Floh, E. I. S. & Santa-Catarina, C. (2013). Morphological and polyamine content changes in embryogenic and non-emбриogenic callus of sugarcane. *Plant Cell, Tissue and Organ Culture*, 114: 351-364.
- Sivanandhan, G., Kapil Dev, G., Theboral, J., Selvaraj, N., Ganapathi, A. & Manickavasagam, M. (2015). Sonication, vacuum infiltration and thiol compounds enhance the *Agrobacterium*-mediated transformation frequency of *Withania somnifera* (L.) Dunal. *PLoS One*, 10(4):e0124693.
- Šlajcherová, K., Fišerová, J., Fischer, L. & Schwarzerová, K. (2012). Multiple ACTIN isotypes in plants: diverse genes for diverse roles?. *Frontiers in plant science*, 3:226.



- Song, G. Q., Walworth, A. & Hancock, J. F. (2012). Factors influencing *Agrobacterium*-mediated transformation of switchgrass cultivars. *Plant Cell, Tissue and Organ Culture*, 108:445-453.
- Su, Y. H., Liu, Y. B., Bai, B. & Zhang, X. S. (2015). Establishment of embryonic shoot–root axis is involved in auxin and cytokinin response during *Arabidopsis* somatic embryogenesis. *Frontiers in plant science*, 5: 792.
- Tan, L. W., Rahman, Z. A., Goh, H. H., Hwang, D. J., Ismail, I. & Zainal, Z. (2017). Production of transgenic rice (indica cv. MR219) overexpressing ABP57 gene through *Agrobacterium*-mediated transformation. *Sains Malaysiana*, 46(5):703-711.
- United State Department of Agriculture, Natural Resources Conservation Service. (2024). Classification for Kingdom Plantae Down to Species *Coffea arabica* L. Available from:
<https://plants.usda.gov/home/plantProfile?symbol=COAR2>
- Valencia-Lozano, E., Cabrera-Ponce, J. L., Gómez-Lim, M.A. & Ibarra, J.E. (2019). Development of an efficient protocol to obtain transgenic coffee, *Coffea arabica* L., expressing the Cry10Aa toxin of *Bacillus thuringiensis*. *International Journal of Molecular Sciences*, 20(21): 5334.
- Vega, R., Vásquez, N., Espinoza, A. M., Gatica, A.M. & Valdez-Melara, M. (2009). Histology of somatic embryogenesis in rice (*Oryza sativa* cv. 5272). *Revista de Biología Tropical*, 57: 141-150.
- Wani, S. J., Kagdi, I. A., Tamboli, P. S., Nirmalkar, V. S., Patil, S. N. & Sidhu, A. K. (2014). Optimization of MS media for callus and suspension culture of *Costus pictus*. *International Journal of Scientific & Engineering Research*, 5(2): 390-394.
- Xi, J., Patel, M., Dong, S., Que, Q. & Qu, R. (2018). Acetosyringone treatment duration affects large T-DNA molecule transfer to rice callus. *BMC biotechnology*, 18:48.
- Yu, Q., Guyot, R., De Kochko, A., Byers, A., Navajas-Pérez, R., Langston, B.J., Dubreuil-Tranchant, C., Paterson, A.H., Poncet, V., Nagai, C. and Ming, R. (2011). Micro-collinearity and genome evolution in the vicinity of an ethylene receptor gene of cultivated diploid and allotetraploid *Coffee* species (*Coffea*). *The Plant Journal*, 67(2): 305-317.
- Yuan, H.Y., Kagale, S., Ferrie, A. M. R. (2024). Multifaceted roles of transcription factors during plant embryogenesis. *Front Plant Sci*: 3(14):1322728.