

## DAFTAR PUSTAKA

- Abbas, A. W., Minallh, N., Ahmad, N., Abid, S. A. R., & Khan, M. A. A. (2016). K-Means and ISODATA Clustering Algorithms for Landcover Classification Using Remote Sensing. *Sindh University Research Journal-SURJ (Science Series)*, 48(2), 315–318.
- Adi, W., Nugraha, A. H., Dasmasea, Y. H., Ramli, A., Sondak, C. F. A., & Sjafrie, N. D. M. (2019). Struktur Komunitas Lamun di Malang Rapat, Bintan. *Jurnal Enggano*, 4(2), 148–159. <https://doi.org/10.31186/jenggano.4.2.148-159>
- Alam, M. I. F., Nuarsa, I. W., & Puspitha, N. L. P. R. (2020). Uji Akurasi Beberapa Indeks Vegetasi dalam Mengestimasi Kerapatan Hutan Mangrove dengan Citra Sentinel-2A di Taman Nasional Bali Barat. *Jornal of Marine Research and Technology*, 3(2), 59–67.
- Alie, K. (2010). Pertumbuhan dan Biomassa Lamun *Thalassia hemprichii* di Perairan Pulau Bone Batang, Kepulauan Spermonde, Sulawesi Selatan. *J. Sains MIPA*, 16(2), 105–110. <https://jurnal.fmipa.unila.ac.id/sains/article/view/252/pdf>
- Amrullah, M. Y., & Roza, S. Y. (2018). Analisa Status dan Kondisi Padang Lamun di Kawasan Pantai-Pantai Wisata Kota Padang. *UNES Journal of Science Research*, 3(2), 110–118.
- Ariasari, A., Hartono, ., & Wicaksono, P. (2019). Random forest classification and regression for seagrass mapping using PlanetScope image in Labuan Bajo, East Nusa Tenggara. Dalam T. D. Pham, K. D. Kanniah, K. Arai, G. J. P. Perez, Y. Setiawan, L. B. Prasetyo, & Y. Murayama (Ed.), *Sixth International Symposium on LAPAN-IPB Satellite* (hlm. 77). SPIE. <https://doi.org/10.1117/12.2541718>
- Arkham, M. N., Adrianto, L., & Wardiatno, Y. (2015). Studi Keterkaitan Ekosistem Lamun dan Perikanan Skala Kecil (Studi Kasus: Desa Malang Rapat dan Berakit, Kabupaten Bintan, Kepulauan Riau). *Jurnal Sosial Ekonomi Kelautan dan Perikanan*, 10(2), 137–148.

- Armstrong, R. A. (1993). Remote sensing of submerged vegetation canopies for biomass estimation. *International Journal of Remote Sensing*, 14(3), 621–627. <https://doi.org/10.1080/01431169308904363>
- Bell, S. S., Fonseca, M. S., & Stafford, N. B. (2006). Seagrass Ecology: New Contributions from a Landscape Perspective. Dalam *Seagrasses: Biology, Ecology and Conservation* (hlm. 625–645). Springer Netherlands. [https://doi.org/10.1007/978-1-4020-2983-7\\_26](https://doi.org/10.1007/978-1-4020-2983-7_26)
- Benfield, S. L., Guzman, H. M., Mair, J. M., & Young, J. A. T. (2007). Mapping the distribution of coral reefs and associated sublittoral habitats in Pacific Panama: a comparison of optical satellite sensors and classification methodologies. *International Journal of Remote Sensing*, 28(22), 5047–5070. <https://doi.org/10.1080/01431160701258062>
- Binarti, F., & Santoso, A. J. (2022). Identifying Climate Change Vulnerability Based On Land Cover Indicators: A Case Study in Surabaya, Indonesia. *Geographia Technica*, 18(1), 71–84. [https://doi.org/10.21163/GT\\_2023.181.06](https://doi.org/10.21163/GT_2023.181.06)
- Björk, M., Short, F., Mcleod, E., & Beer, S. (2008). *Managing Seagrasses for Resilience to Climate Change* (3). <https://www.researchgate.net/publication/225304293>
- BMKG. (2023). *Ekstrem Perubahan Iklim*. <https://www.bmkg.go.id/iklim/?p=ekstrem-perubahan-iklim>
- Boateng, E. Y., Otoo, J., & Abaye, D. A. (2020). Basic Tenets of Classification Algorithms K-Nearest-Neighbor, Support Vector Machine, Random Forest and Neural Network: A Review. *Journal of Data Analysis and Information Processing*, 08(04), 341–357. <https://doi.org/10.4236/jdaip.2020.84020>
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>

- Bresciani, M., Sotgia, C., Fila, G. L., Musanti, M., & Bolpagni, R. (2011). Assessing common reed bed health and management strategies in Lake Garda (Italy) by means of Leaf Area Index measurements. *Italian Journal of Remote Sensing*, 9–22. <https://doi.org/10.5721/ItJRS20114321>
- Brodersen, K. E., Kühl, M., Nielsen, D. A., Pedersen, O., & Larkum, A. W. D. (2018). Rhizome, Root/Sediment Interactions, Aerenchyma and Internal Pressure Changes in Seagrasses. Dalam *Seagrasses of Australia* (hlm. 393–418). Springer International Publishing. [https://doi.org/10.1007/978-3-319-71354-0\\_13](https://doi.org/10.1007/978-3-319-71354-0_13)
- Brouns, J. J. W. M. (1987). Aspects of production and biomass of four seagrass species (Cymodoceoideae) from Papua New Guinea. *Aquatic Botany*, 27(4), 333–362. [https://doi.org/10.1016/0304-3770\(87\)90073-8](https://doi.org/10.1016/0304-3770(87)90073-8)
- Bukata, R. P., Jerome, J. H., Kondratyev, K. Y., & Pozdnyakov, D. V. (1995). *Optical Properties and Remote Sensing of Inland and Coastal Waters*. CRC.
- Bulmer, R. H., Townsend, M., Drylie, T., & Lohrer, A. M. (2018). Elevated Turbidity and the Nutrient Removal Capacity of Seagrass. *Frontiers in Marine Science*, 5. <https://doi.org/10.3389/fmars.2018.00462>
- Call, K. A., Hardy, J. T., & Wallin, D. O. (2003). Coral reef habitat discrimination using multivariate spectral analysis and satellite remote sensing. *International Journal of Remote Sensing*, 24(13), 2627–2639. <https://doi.org/10.1080/0143116031000066990>
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (5 ed.). The Guilford Press.
- Chang, N.-B., & Bai, K. (2018). *Multisensor Data Fusion and Machine Learning for Environmental Remote Sensing*. CRC Press.
- Chen, X., & Yu, J. Z. (2007). Measurement of organic mass to organic carbon ratio in ambient aerosol samples using a gravimetric technique in combination with

- chemical analysis. *Atmospheric Environment*, 41(39), 8857–8864.  
<https://doi.org/10.1016/j.atmosenv.2007.08.023>
- Clark, P. E., & Rilee, M. L. (2010). *Remote Sensing Tools for Exploration*. Springer New York. <https://doi.org/10.1007/978-1-4419-6830-2>
- Congalton, R. G., & Green, K. (2009). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices* (2nd Edition). CRC Press/Taylor & Francis.
- Costanza, R., d'Arge, R., de Groot, R., Farber, S., Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R. V., Paruelo, J., Raskin, R. G., Sutton, P., & van den Belt, M. (1997). The value of the world's ecosystem services and natural capital. *Nature*, 387(6630), 253–260. <https://doi.org/10.1038/387253a0>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. ANDI.
- Danoedoro, P., Kristian, G., & Rahmi, K. N. I. (2015). Pengaruh Metode Koreksi Radiometrik Citra ALOS AVNIR-2 Terhadap Akurasi Hasil Estimasi Karbon Vegetasi Tegakan di Wilayah Kota Semarang Bagian Timur. *Prosiding Pertemuan Ilmiah Tahunan MAPIN ke-20*.
- Datla, M. V. (2015). Bench marking of classification algorithms: Decision Trees and Random Forests - a case study using R. *2015 International Conference on Trends in Automation, Communications and Computing Technology (I-TACT-15)*, 1–7. <https://doi.org/10.1109/ITACT.2015.7492647>
- Datta, D., Dey, M., Ghosh, P. K., & Pal, A. P. (2024). Development of a spatially explicit model of blue carbon storages in tropical mudflat environment through integrated radar-optical approach and ground-based measurements. *Ecological Informatics*, 80, 102509. <https://doi.org/10.1016/j.ecoinf.2024.102509>
- Dennison, W. C. (1987). Effects of light on seagrass photosynthesis, growth and depth distribution. *Aquatic Botany*, 27(1), 15–26. [https://doi.org/10.1016/0304-3770\(87\)90083-0](https://doi.org/10.1016/0304-3770(87)90083-0)

- Dewi, S. P. (2012). Pengaruh Pengendalian Internal dan Gaya Kepemimpinan terhadap Kinerja Karyawan SPBU Yogyakarta (Studi Kasus pada SPBU Anak Cabang Perusahaan Rb.Group). *Nominal, Barometer Riset Akuntansi dan Manajemen*, 1(1). <https://doi.org/10.21831/nominal.v1i1.993>
- Drusch, M., Del Bello, U., Carlier, S., Colin, O., Fernandez, V., Gascon, F., Hoersch, B., Isola, C., Laberinti, P., Martimort, P., Meygret, A., Spoto, F., Sy, O., Marchese, F., & Bargellini, P. (2012). Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services. *Remote Sensing of Environment*, 120, 25–36. <https://doi.org/10.1016/j.rse.2011.11.026>
- Drylie, T. P., Lohrer, A. M., Needham, H. R., Bulmer, R. H., & Pilditch, C. A. (2018). Benthic primary production in emerged intertidal habitats provides resilience to high water column turbidity. *Journal of Sea Research*, 142, 101–112. <https://doi.org/10.1016/j.seares.2018.09.015>
- Duarte, C. M. (2002). The future of seagrass meadows. *Environmental Conservation*, 29(2), 192–206. <https://doi.org/10.1017/S0376892902000127>
- Duarte, C. M., Marbà, N., & Santos, R. (2004). What may cause loss of seagrass? Dalam *European seagrasses : an introduction to monitoring and management* 24 (hlm. 24–32). M & MS Project.
- Duarte, C. M., Middelburg, J. J., & Caraco, N. (2005). Major role of marine vegetation on the oceanic carbon cycle. *Biogeosciences*, 2(1), 1–8. <https://doi.org/10.5194/bg-2-1-2005>
- ESA. (t.t.). *Spatial Resolution*. Diambil 13 Oktober 2023, dari <https://sentinels.copernicus.eu/web/sentinel/user-guides/sentinel-2-msi/resolutions/spatial>
- ESA. (2015). *Sentinel-2 User Handbook*. ESA.

ESA. (2023). *MultiSpectral Instrument (MSI)*.

<https://sentinels.copernicus.eu/web/sentinel/missions/sentinel-2/instrument-payload>

Fadilah, U., Waluyo, J., & Subchan, W. (2017). Efektivitas Cacing Tanah (*Lumbricus rubellus* Hoff.) dalam Degradasi Karbon Organik Sampah Sayur Pasar Tanjung Jember. *BERKALA SAINSTEK*, 5(1), 1. <https://doi.org/10.19184/bst.v5i1.5367>

Fauzan, M. A., Wicaksono, P., & Hartono. (2021). Characterizing Derawan seagrass cover change with time-series Sentinel-2 images. *Regional Studies in Marine Science*, 48, 102048. <https://doi.org/10.1016/j.rsma.2021.102048>

Fonseca, M. S., Fourqurean, J. W., & Koehl, M. A. R. (2019). Effect of Seagrass on Current Speed: Importance of Flexibility vs. Shoot Density. *Frontiers in Marine Science*, 6. <https://doi.org/10.3389/fmars.2019.00376>

Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7), 505–509. <https://doi.org/10.1038/ngeo1477>

Ginting, D. N. Br. (2023). *Kajian Prosedur Pemetaan Persentase Tutupan dan Biomassa Lamun dengan Menggunakan Citra Worldvie-3 di Nusa Lembongan*. Universitas Gadjah Mada.

Greve, T. M., & Binzer, T. (2004). Which factors regulate seagrass growth and distribution? Dalam J. Borum, C. M. Duarte, D. Krause-Jensen, & T. M. Greve (Ed.), *European seagrasses: an introduction to monitoring and management* (hlm. 19–23). The M&MS project.

Guinotte, J. M., & Fabry, V. J. (2008). Ocean Acidification and Its Potential Effects on Marine Ecosystems. *Annals of the New York Academy of Sciences*, 1134(1), 320–342. <https://doi.org/10.1196/annals.1439.013>

- Ha, N. T., Manley-Harris, M., Pham, T. D., & Hawes, I. (2020). A Comparative Assessment of Ensemble-Based Machine Learning and Maximum Likelihood Methods for Mapping Seagrass Using Sentinel-2 Imagery in Tauranga Harbor, New Zealand. *Remote Sensing*, 12(3), 355. <https://doi.org/10.3390/rs12030355>
- Hafizt, M., & Danoedoro, P. (2015). Kajian pengaruh koreksi kolom air pada citra multispektral worldview-2 untuk pemetaan habitat bentik di Pulau Kemujan Kepulauan Karimunjawa Kabupaten Jepara. Dalam C. Ita, M. Setyardi, M. P. Ahmad, S. Ahmad, Y. Dipo, & Y. Fajar (Ed.), *Pertemuan Ilmiah Tahunan XX 2015* (hlm. 566–575). MAPIN.
- Harahap, S. D., Firdausman, F., Wijaya, J., Wicaksono, P., & Ardiyanto, R. (2023). *Panduan Teknis Survei dan Pemetaan Habitat Perairan Laut Dangkal Menggunakan Citra Penginderaan Jauh dan Klasifikasi Machine Learning* (1 ed.). Blue Carbon Research Group, Fakultas Geografi, Universitas Gadjah Mada.
- Harinaldi. (2005). *Prinsip-Prinsip Statistik untuk Teknik dan Sains*. Penerbit Erlangga.
- Harmel, T., Chami, M., Tormos, T., Reynaud, N., & Danis, P.-A. (2018). Sunlint correction of the Multi-Spectral Instrument (MSI)-SENTINEL-2 imagery over inland and sea waters from SWIR bands. *Remote Sensing of Environment*, 204, 308–321. <https://doi.org/10.1016/j.rse.2017.10.022>
- Hartati, R., Pratikto, I., & Pratiwi, T. N. (2017). Biomassa dan Estimasi Simpanan Karbon pada Ekosistem Padang Lamun di Pulau Menjangan Kecil dan Pulau Sintok, Kepulauan Karimunjawa. *BULETIN OSEANOGRAFI MARINA*, 6(1), 74. <https://doi.org/10.14710/buloma.v6i1.15746>
- Haryati, R. N., Zulfikar, A., & Melani, W. R. (2022). Laju Pertumbuhan dan Biomassa Daun Lamun *Thalassia hemprichii* di Perairan Tanjung Pisau Desa Penaga Kabupaten Bintan. *Jurnal Akuatiklestari*, 5(2), 108–118. <https://doi.org/10.31629/akuatiklestari.v5i2.4060>



- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Technical note: Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>
- Holmes, K. W., Van Niel, K. P., Kendrick, G. A., & Radford, B. (2007). Probabilistic large-area mapping of seagrass species distributions. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 17(4), 385–407. <https://doi.org/10.1002/aqc.772>
- Hori, M., Bayne, C. J., & Kuwae, T. (2019). Blue Carbon: Characteristics of the Ocean's Sequestration and Storage Ability of Carbon Dioxide. Dalam *Blue Carbon in Shallow Coastal Ecosystems* (hlm. 1–31). Springer Singapore. [https://doi.org/10.1007/978-981-13-1295-3\\_1](https://doi.org/10.1007/978-981-13-1295-3_1)
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). Application of Landsat images to seagrass areal cover change analysis for Lawas, Terengganu and Kelantan of Malaysia. *Continental Shelf Research*, 110, 124–148. <https://doi.org/10.1016/j.csr.2015.10.009>
- Houghton, J. (2005). Global warming. *Reports on Progress in Physics*, 68(6), 1343–1403. <https://doi.org/10.1088/0034-4885/68/6/R02>
- Howard, J., Hoyt, S., Isensee, K., Telszewski, M., & Pidgeon, E. (2014). *Coastal Blue Carbon: Methods for assessing carbon stocks and emissions factors in mangroves, tidal salt marshes, and seagrasses*. Conservation International, Intergovernmental Oceanographic Commission of UNESCO, International Union for Conservation of Nature.
- Howard, J. L., Creed, J. C., Aguiar, M. V. P., & Fourqurean, J. W. (2018). CO<sub>2</sub> released by carbonate sediment production in some coastal areas may offset the benefits of seagrass “Blue Carbon” storage. *Limnology and Oceanography*, 63(1), 160–172. <https://doi.org/10.1002/lno.10621>



- Hu, W., Zhang, D., Chen, B., Liu, X., Ye, X., Jiang, Q., Zheng, X., Du, J., & Chen, S. (2021). Mapping the seagrass conservation and restoration priorities: Coupling habitat suitability and anthropogenic pressures. *Ecological Indicators*, 129. <https://doi.org/10.1016/j.ecolind.2021.107960>
- Ibnu Graha, Y., Arthana, I. W., & Astawa Karang, I. W. G. (2016). Simpanan Karbon Padang Lamun di Kawasan Pantai Sanur, Kota Denpasar. *ECOTROPHIC : Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 10(1), 46. <https://doi.org/10.24843/EJES.2016.v10.i01.p08>
- IPCC. (2006). *Volume 4: Agriculture, Forestry and Other Land Use 2.2 2006 IPCC Guidelines for National Greenhouse Gas Inventories*.
- IPCC. (2023). Summary for Policymakers. Dalam *Climate Change 2021 – The Physical Science Basis* (hlm. 3–32). Cambridge University Press. <https://doi.org/10.1017/9781009157896.001>
- Irawan, A. (2017). Potensi Cadangan dan Serapan Karbon oleh Padang Lamun di bagian Utara dan Timur Pulau Bintan. *Oseanologi dan Limnologi di Indonesia*, 2(3), 35. <https://doi.org/10.14203/oldi.2017.v2i3.158>
- Japitana, M., & Bermoy, M. (2015). Mapping of shallow water seagrasses in the coast of Surigao Del Sur, Philippines using remote sensing techniques. *Proceedings of the 36th Asian Conference on Remote Sensing*.
- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4th Edition). Prentice Hall Press.
- Jolliffe, I. T. (2002). *Principal Component Analysis* (2 ed.). Springer.
- Jompa, J., & Murdiyarso, D. (2022). Rehabilitasi Kawasan Pesisir untuk Adaptasi Perubahan Iklim: Peran kunci mangrove dalam Nationally Determined Contributions. Dalam *Rehabilitasi Kawasan Pesisir untuk Adaptasi Perubahan Iklim: Peran kunci mangrove dalam Nationally Determined Contributions* (12;

- Working Paper ). Center for International Forestry Research (CIFOR).  
<https://doi.org/10.17528/cifor-icraf/008792>
- Kay, S., Hedley, J., & Lavender, S. (2009). Sun Glint Correction of High and Low Spatial Resolution Images of Aquatic Scenes: a Review of Methods for Visible and Near-Infrared Wavelengths. *Remote Sensing*, 1(4), 697–730.  
<https://doi.org/10.3390/rs1040697>
- Kennedy, K., & Björk, M. (2012). Seagrass meadows. *The Management of Natural Coastal Carbon Sinks*, 23–29.
- Kenworthy, W. J., Wyllie-Echeverria, S., Coles, R. G., Pergent, G., & Pergent-Martini, C. (2006). Seagrass Conservation Biology: An Interdisciplinary Science for Protection of the Seagrass Biome. Dalam *Seagrasses: Biology, Ecology and Conservation* (hlm. 595–623). Springer Netherlands. [https://doi.org/10.1007/978-1-4020-2983-7\\_25](https://doi.org/10.1007/978-1-4020-2983-7_25)
- Kim, Y. K., Kim, S. H., & Lee, K.-S. (2015). Seasonal Growth Responses of the Seagrass *Zostera marina* under Severely Diminished Light Conditions. *Estuaries and Coasts*, 38(2), 558–568. <https://doi.org/10.1007/s12237-014-9833-2>
- Kiswara, W., & Hutomo, M. (1985). Habitat dan Sebaran Geografik Lamun. *Oseana*, X(1), 21–30.
- Koedsin, W., Intararuang, W., Ritchie, R., & Huete, A. (2016). An Integrated Field and Remote Sensing Method for Mapping Seagrass Species, Cover, and Biomass in Southern Thailand. *Remote Sensing*, 8(4), 292. <https://doi.org/10.3390/rs8040292>
- Kohler, K. E., & Gill, S. M. (2006). Coral Point Count with Excel extensions (CPCe): A Visual Basic program for the determination of coral and substrate coverage using random point count methodology. *Computers & Geosciences*, 32(9), 1259–1269. <https://doi.org/10.1016/j.cageo.2005.11.009>

- Kuo, J. (2007). New monoecious seagrass of *Halophila sulawesii* (Hydrocharitaceae) from Indonesia. *Aquatic Botany*, 87(2), 171–175. <https://doi.org/10.1016/j.aquabot.2007.04.006>
- Laffoley, D. D. ., & Grimsditch, G. D. . (2009). *The management of natural coastal carbon sinks*. IUCN.
- Lazuardi, W., Wicaksono, P., & Marfai, M. A. (2021). Remote sensing for coral reef and seagrass cover mapping to support coastal management of small islands. *IOP Conference Series: Earth and Environmental Science*, 686(1), 012031. <https://doi.org/10.1088/1755-1315/686/1/012031>
- Lee, C., Huang, Y., Chung, C., Hsiao, S., & Lin, H. (2015). Herbivory in multi-species, tropical seagrass beds. *Marine Ecology Progress Series*, 525, 65–80. <https://doi.org/10.3354/meps11220>
- Lee, O., Lester, B. T., Ma, L., Lambert, J., & Jean-Baptiste, M. (2007). Conceptions of the Greenhouse Effect and Global Warming among Elementary Students from Diverse Languages and Cultures. *Journal of Geoscience Education*, 55(2), 117–125. <https://doi.org/10.5408/1089-9995-55.2.117>
- Liaw, A., & Wiener, M. (2002). *Classification and Regression by randomForest* (Vol. 2, Nomor 3). <http://www.stat.berkeley.edu/>
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote Sensing and Image Interpretation* (7 ed.). Wiley.
- Louppe, G. (2014). *Understanding Random Forests*. Cornell University.
- Lyons, M., Phinn, S., & Roelfsema, C. (2011). Integrating Quickbird Multi-Spectral Satellite and Field Data: Mapping Bathymetry, Seagrass Cover, Seagrass Species and Change in Moreton Bay, Australia in 2004 and 2007. *Remote Sensing*, 3(1), 42–64. <https://doi.org/10.3390/rs3010042>

- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*, 17(3), 379. <https://doi.org/10.1364/AO.17.000379>
- Lyzenga, D. R., Malinas, N. P., & Tanis, F. J. (2006). Multispectral bathymetry using a simple physically based algorithm. *IEEE Transactions on Geoscience and Remote Sensing*, 44(8), 2251–2259. <https://doi.org/10.1109/TGRS.2006.872909>
- Macreadie, P. I., Anton, A., Raven, J. A., Beaumont, N., Connolly, R. M., Friess, D. A., Kelleway, J. J., Kennedy, H., Kuwae, T., Lavery, P. S., Lovelock, C. E., Smale, D. A., Apostolaki, E. T., Atwood, T. B., Baldock, J., Bianchi, T. S., Chmura, G. L., Eyre, B. D., Fourqurean, J. W., ... Duarte, C. M. (2019). The future of Blue Carbon science. *Nature Communications*, 10(1), 3998. <https://doi.org/10.1038/s41467-019-11693-w>
- Mahakar, A. L., Hartati, R., & Suryono, S. (2019). Ekologi Lamun di Pulau Sintok, Pulau Kemujan dan Pulau Menjangan Besar Kepulauan Karimunjawa, Jawa Tengah. *Journal of Marine Research*, 8(3), 277–284. <https://doi.org/10.14710/jmr.v8i3.25270>
- Mallombasi, A., Mashoreng, S., & La Nafie, Y. A. (2020). The Relationship Between Seagrass *Thalassia hemprichii* Percentage Cover and Their Biomass. *Jurnal Ilmu Kelautan SPERMONDE*, 6(1), 7. <https://doi.org/10.20956/jiks.v6i1.9922>
- McKenzie, L., Finkbeiner, M., & Kirkman, H. (2001). Seagrass mapping methods. *Global Seagrass Research Methods*, 101–122.
- McKenzie, L. J. (2003). *Guidelines for the rapid assessment and mapping of tropical seagrass habitats*. Seagrass-Watch HQ.
- Mckenzie, L., & Yoshida, R. (2009). *Seagrass-Watch Proceedings of a Workshop for Monitoring Seagrass Habitats in Indonesia*.

- McRoy, C. P. (1974). Seagrass productivity: Carbon uptake experiments in eelgrass, *Zostera marina*. *Aquaculture*, 4, 131–137. [https://doi.org/10.1016/0044-8486\(74\)90028-3](https://doi.org/10.1016/0044-8486(74)90028-3)
- Memarsadeghi, N., Mount, D. M., Netanyahu, N. S., & Moigne, J. Le. (2007). A Fast Implementation of The ISODATA Clustering Algorithm. *International Journal of Computational Geometry & Applications*, 17(1), 71–103.
- Minerva, A., Purwanti, F., & Suryanto, A. (2014). Analisis Hubungan Keberadaan dan Kelimpahan Lamun dengan Kualitas Air di Pulau Karimunjawa, Jepara. *Diponegoro Journal of Maquares Management of Aquatic Resources*, 3(4), 88–94.
- Mishra, D., Narumalani, S., Rundquist, D., & Lawson, M. (2006). Benthic Habitat Mapping in Tropical Marine Environments Using QuickBird Multispectral Data. *Photogrammetric Engineering & Remote Sensing*, 72(9), 1307–1048.
- Morris, L. J., Hall, L. M., Jacoby, C. A., Chamberlain, R. H., Hanisak, M. D., Miller, J. D., & Virnstein, R. W. (2022). Seagrass in a Changing Estuary, the Indian River Lagoon, Florida, United States. *Frontiers in Marine Science*, 8. <https://doi.org/10.3389/fmars.2021.789818>
- Munawaroh, Rudiastuti, A., Dewi, R., Ramadhani, Y., Rahadiati, A., Sutrisno, D., Ambarwulan, W., Pujawati, I., Suryanegara, E., Wijaya, S., & Hartini, S. (2021). Benthic Habitat Mapping using Sentinel 2A: A preliminary Study in Image Classification Approach in An Absence of Training Data. *IOP Conference Series: Earth and Environmental Science*, 750(1), 012029. <https://doi.org/10.1088/1755-1315/750/1/012029>
- Munir, M., & Wicaksono, P. (2019). Support vector machine for seagrass percent cover mapping using PlanetScope image in Labuan Bajo, East Nusa Tenggara. Dalam T. D. Pham, K. D. Kanniah, K. Arai, G. J. P. Perez, Y. Setiawan, L. B. Prasetyo, & Y. Murayama (Ed.), *Sixth International Symposium on LAPAN-IPB Satellite* (hlm. 112). SPIE. <https://doi.org/10.1117/12.2541849>

- Nababan, M. G., Munasik, Yulianto, I., Kartawijaya, T., Prasetya, R., Ardiwijaya, R. L., Pardede, S. T., Sulisyati, R., Mulyadi, & Syaifudin, Y. (2010). *Status Ekosistem di Taman Nasional Karimunjawa: 2010*. Wildlife Conservation Society-Indonesia Program.
- Noor, Y., Trinuraini, R. A., & Riniatsih, I. (2023). Struktur Komunitas Lamun di Pulau Sintok, Menjangan Besar dan Kemujan, Karimunjawa. *Journal of Marine Research*, 12(3), 374–381. <https://doi.org/10.14710/jmr.v12i3.34101>
- Nurdin, N., Amri, K., Mashoreng, S., & Komatsu, T. (2022). Estimation of Seagrass Biomass by In Situ Measurement and Remote Sensing Technology on Small Islands, Indonesia. *Ocean Science Journal*, 57(1), 118–129. <https://doi.org/10.1007/s12601-022-00054-2>
- Ooi, J. L. S., Van Niel, K. P., Kendrick, G. A., & Holmes, K. W. (2014). Spatial Structure of Seagrass Suggests That Size-Dependent Plant Traits Have a Strong Influence on the Distribution and Maintenance of Tropical Multispecies Meadows. *PLoS ONE*, 9(1), e86782. <https://doi.org/10.1371/journal.pone.0086782>
- Patriquin, D., Scheibling, R. E., & Filbee-Dexter, K. (2024). Shifts in biodiversity and physical structure of seagrass beds across 5 decades at Carriacou, Grenadines. *PLOS ONE*, 19(8), e0306897. <https://doi.org/10.1371/journal.pone.0306897>
- Pfündel, E. E., Agati, G., & Cerovic, Z. G. (2006). Optical Properties of Plant Surfaces. Dalam *Annual Plant Reviews, Biology of the Plant Cuticle* (Vol. 23, hlm. 216–249). Blackwell Publishing.
- Phinn, S., Roelfsema, C., Dekker, A., Brando, V., & Anstee, J. (2008). Mapping seagrass species, cover and biomass in shallow waters: An assessment of satellite multi-spectral and airborne hyper-spectral imaging systems in Moreton Bay (Australia). *Remote Sensing of Environment*, 112(8), 3413–3425. <https://doi.org/10.1016/j.rse.2007.09.017>

- Phinn, S., Roelfsema, C., Kovacs, E., Canto, R., Lyons, M., Saunders, M., & Maxwell, P. (2018). Mapping, Monitoring and Modelling Seagrass Using Remote Sensing Techniques. Dalam *Seagrasses of Australia* (hlm. 445–487). Springer International Publishing. [https://doi.org/10.1007/978-3-319-71354-0\\_15](https://doi.org/10.1007/978-3-319-71354-0_15)
- Prathep, A., Rattanachot, E., & Tuntiprapas, P. (2010). Seasonal variations in seagrass percentage cover and biomass at Koh Tha Rai, Nakhon Si Thammarat Province, Gulf of Thailand. *Songklanakarin Journal of Science and Technology*, 32(5), 497–504.
- Price, D. M., Felgate, S. L., Huvenne, V. A. I., Strong, J., Carpenter, S., Barry, C., Lichtschlag, A., Sanders, R., Carrias, A., Young, A., Andrade, V., Cobb, E., Le Bas, T., Brittain, H., & Evans, C. (2022). Quantifying the Intra-Habitat Variation of Seagrass Beds with Unoccupied Aerial Vehicles (UAVs). *Remote Sensing*, 14(3), 480. <https://doi.org/10.3390/rs14030480>
- Prihadi, D. J., Agung, M. U. K., Wahyuniar, P., & Iftinaan, K. J. A. (2023). Seagrass resources as supporting the potential of ecotourism in Menjangan Besar Island, Karimun Islands, Java, Indonesia. *World News of Natural Sciences*, 50, 206–221. [www.worldnewsnaturalsciences.com](http://www.worldnewsnaturalsciences.com)
- Probst, P., Wright, M. N., & Boulesteix, A. (2019). Hyperparameters and tuning strategies for random forest. *WIREs Data Mining and Knowledge Discovery*, 9(3). <https://doi.org/10.1002/widm.1301>
- Pu, R., Bell, S., Baggett, L., Meyer, C., & Zhao, Y. (2012). Discrimination of Seagrass Species and Cover Classes with in situ Hyperspectral Data. *Journal of Coastal Research*, 285, 1330–1344. <https://doi.org/10.2112/JCOASTRES-D-11-00229.1>
- Purnamasari, E., Kamal, M., & Wicaksono, P. (2020). Relationship analysis of vegetation structural properties and the aboveground carbon stock of mangrove forest. *E3S Web of Conferences*, 200, 02020. <https://doi.org/10.1051/e3sconf/202020002020>



Pusat Hidro-Oceanografi TNI Angkatan Laut. (2024). *Tabel Pasang Surut Kepulauan Indonesia 2024*. Pushidros TNI AL.

Putra, I. G. P. B. A., Putra, I. D. N. N., & Putra, I. N. G. (2023). Pemetaan Sebaran Habitat Dasar Perairan Laut Dangkal Menggunakan Citra Sentinel-2A di Teluk Gilimanuk. *Journal of Marine and Aquatic Sciences*, 9(1), 18. <https://doi.org/10.24843/jmas.2023.v09.i01.p03>

Putra, R. D., Handayani, R. P., Idris, F., Suhana, M. P., & Nugraha, A. H. (2023). Pemetaan Luasan Ekosistem Lamun Menggunakan Citra Sentinel-2A Tahun 2018 dan Tahun 2020 di Perairan Desa Pengudang, Pulau Bintan. *Buletin Oseanografi Marina*, 12(3), 403–412.

Qiu, Chen, Croft, Li, Zhang, Zhang, & Ju. (2019). Retrieving Leaf Chlorophyll Content by Incorporating Variable Leaf Surface Reflectance in the PROSPECT Model. *Remote Sensing*, 11(13), 1572. <https://doi.org/10.3390/rs11131572>

Rahman, A. A., Nur, A. I., & Ramli, M. (2016). Studi Laju Pertumbuhan Lamun (*Enhalus acoroides*) di Perairan Pantai Desa Tanjung Tiram Kabupaten Konawe Selatan (*Enhalus acoroides*) at Tanjung Tiram Waters North Moramo Subdistrict South Konawe Regency. *Sapa Laut*, 1(1), 10–16. <http://ojs.uho.ac.id/index.php/jsl>

Rahmawati, S., Hernawan, U. E., McMahon, K., Prayudha, B., Prayitno, H. B., Wahyudi, A. J., & Vanderklift, M. (2019). *Blue Carbon in Seagrass Ecosystem*. UGM Press.

Ralph, P. J., Durako, M. J., Enríquez, S., Collier, C. J., & Doblin, M. A. (2007). Impact of light limitation on seagrasses. *Journal of Experimental Marine Biology and Ecology*, 350(1–2), 176–193. <https://doi.org/10.1016/j.jembe.2007.06.017>

Rasheed, M. A., Dew, K. R., McKenzie, L. J., Coles, R. G., Kerville, S. P., & Campbell, S. J. (2008). Productivity, carbon assimilation and intra-annual change in tropical reef platform seagrass communities of the Torres Strait, north-eastern Australia.

*Continental Shelf Research*, 28(16), 2292–2303.  
<https://doi.org/10.1016/j.csr.2008.03.026>

Razali, N. M., & Wah, Y. B. (2011). Power Comparisons of Saphiro-Wilk, Kolmogorov-Smirnov, Lilliefors and Anderson-Darling Tests. *Journal of Statistical Modeling and Analytics*, 2(1), 21–33.

Riniatsih, I., Hartati, R., Endrawati, H., Mahendrajaya, R., Redjeki, S., & Widianingsih, W. (2018). The application of Environmental Friendly Technique For Seagrass Transplantation. *IOP Conference Series: Earth and Environmental Science*, 116, 012103. <https://doi.org/10.1088/1755-1315/116/1/012103>

Roelfsema, C., Kovacs, E. M., Saunders, M. I., Phinn, S., Lyons, M., & Maxwell, P. (2013). Challenges of remote sensing for quantifying changes in large complex seagrass environments. *Estuarine, Coastal and Shelf Science*, 133, 161–171. <https://doi.org/10.1016/j.ecss.2013.08.026>

Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-Villarreal, J., & Phinn, S. R. (2014). Multi-temporal mapping of seagrass cover, species and biomass: A semi-automated object based image analysis approach. *Remote Sensing of Environment*, 150, 172–187. <https://doi.org/10.1016/j.rse.2014.05.001>

Roelfsema, C. M., Phinn, S. R., Udy, N., & Maxwell, P. (2009). An integrated field and remote sensing approach for mapping Seagrass Cover, Moreton Bay, Australia. *Journal of Spatial Science*, 54(1), 45–62. <https://doi.org/10.1080/14498596.2009.9635166>

Rogelj, J., Shindell, D., Jiang, K., Fifita, S., Forster, P., Ginzburg, V., Handa, C., Khesghi, H., Kobayashi, S., Kriegler, E., Mundaca, L., Séférian, R., & Vilariño, M. V. (2018). Mitigation Pathways Compatible with 1.5°C in the Context of Sustainable Development. Dalam *Global Warming of 1.5°C* (hlm. 93–174). Pallav Purohit.

- Rustam, A., Adi, N. S., Daulat, A., Kiswara, W., Yusup, D. S., & Rappe, R. A. (2019). *Pedoman Pengukuran Karbon pada Ekosistem Padang Lamun*. ITB Press.
- Rustam, A., Kepel, T. L., Afiati, R. N., Salim, H. L., Astrid, M., Daulat, A., Mangindaan, P., Sudirman, N., Puspitaningsih, Y. R., Dwiyantri, D. S., & Hutahaean, A. (2014). Peran Lamun Ekosistem Sebagai Blue Carbon dalam Mitigasi Perubahan Iklim, Studi Kasus Tanjung Lesung, Banten. *Jurnal Segara*, 10(2), 107–117.
- Salsabila, H. N. (2024). *Analisis Multitemporal Aboveground Carbon Stock dan Carbon Sequestration Lamun pada Citra PlanetScope Superdove*. Universitas Gadjah Mada.
- Sari, C. A., Syah, A. F., Prayudha, B., & Salatalohi, A. (2020). Pemetaan Habitat Bentik Menggunakan Citra Satelit Sentinel-2A di Pulau Liki, Papua. *Jurnal Penginderaan Jauh dan Pengolahan Data Citra Digital*, 17(1), 33–42.
- Sarwono, J. (2006). *Metode Penelitian Kuantitatif & Kualitatif*. Graha Ilmu.
- Seagrass-Watch. (2023). *Identifying Tropical Seagrass*.  
<https://www.seagrasswatch.org/idseagrass/>
- Semedi, B., Syukron, A. R., & Lutfi, O. M. (2019). Pemanfaatan Data Citra Sateilt Sentinel-2 untuk Asesmen Habitat Dasar Perairan Pantai Selatan Sempu Kabupaten Malang. *Journal of Fisheries and Marine Research*, 3(2), 281–287.
- Septiani, R., Citra, I. P. A., & Nugraha, A. S. A. (2019). Perbandingan Metode Supervised Classification dan Unsupervised Classification terhadap Penutup Lahan di Kabupaten Buleleng. *Jurnal Geografi*, 16(2), 90–96.
- Shao, Z., Bryan, K. R., Lehmann, M. K., Flowers, G. J. L., & Pilditch, C. A. (2024). Scaling up benthic primary productivity estimates in a large intertidal estuary using remote sensing. *Science of The Total Environment*, 906, 167389.  
<https://doi.org/10.1016/j.scitotenv.2023.167389>

- Short, F., Carruthers, T., Dennison, W., & Waycott, M. (2007). Global seagrass distribution and diversity: A bioregional model. *Journal of Experimental Marine Biology and Ecology*, 350(1–2), 3–20. <https://doi.org/10.1016/j.jembe.2007.06.012>
- Short, F. T., & Duarte, C. M. (2001). Methods for the measurement of seagrass growth and production. Dalam *Global Seagrass Research Methods* (hlm. 155–182). Elsevier. <https://doi.org/10.1016/B978-044450891-1/50009-8>
- Speiser, J. L., Miller, M. E., Tooze, J., & Ip, E. (2019). A comparison of random forest variable selection methods for classification prediction modeling. *Expert Systems with Applications*, 134, 93–101. <https://doi.org/10.1016/j.eswa.2019.05.028>
- Subandriyo, B. S. (2020). *Analisis Korelasi dan Regresi*. Badan Pusat Statistik.
- Sukojo, B. M., & Arindi, Y. N. (2019). Analisa Perubahan Kerapatan Mangrove Berdasarkan Nilai Normalized Difference Vegetation Index Menggunakan Citra Landsat 8 (Studi Kasus: Pesisir Utara Surabaya). *Geoid*, 14(2), 1. <https://doi.org/10.12962/j24423998.v14i2.3874>
- Sulistyono. (2012). Pemanasan Global (Global Warming) dan Hubungannya dengan Penggunaan Bahan Bakar Fosil. *Forum Teknologi*, 2(2), 47–56.
- Supriadi, Kaswadi, R. F., Bengen, D. G., & Hutomo, M. (2012). Produktivitas Komunitas Lamun di Pulau Barranglompo Makassar. *Jurnal Akuatika*, 3(2), 159–168.
- Tang, K. H. D., & Hadibarata, T. (2022). Seagrass Meadows under the Changing Climate: A Review of the Impacts of Climate Stressors. *Research in Ecology*, 4(1), 27–36. <https://doi.org/10.30564/re.v4i1.4363>
- Thorhaug, A., Richardson, A. D., & Berlyn, G. P. (2006). Spectral reflectance of *Thalassia testudinum* (Hydrocharitaceae) seagrass: low salinity effects. *American Journal of Botany*, 93(1), 110–117. <https://doi.org/10.3732/ajb.93.1.110>

- Traganos, D., & Reinartz, P. (2018). Mapping Mediterranean seagrasses with Sentinel-2 imagery. *Marine Pollution Bulletin*, 134, 197–209.  
<https://doi.org/10.1016/j.marpolbul.2017.06.075>
- Tupan, C. I., Sangur, F., & Lailossa, G. W. (2021). Potensi Karbon pada Lamun *Thalassia hemprichii* dan *Enhalus acoroides* di Perairan Pantai Waai Pulau Ambon. *JURNAL SUMBERDAYA AKUATIK INDOPASIFIK*, 5(3), 293.  
<https://doi.org/10.46252/jsai-fpik-unipa.2021.Vol.5.No.3.169>
- Tyastirin, E., & Hidayati, I. (2017). *Statistik Parametrik untuk Penelitian Kesehatan* (E. T. Pribadi, Ed.). Program Studi Arsitektur UIN Sunan Ampel.
- Udy, J. W., & Dennison, W. C. (1997). Growth and physiological responses of three seagrass species to elevated sediment nutrients in Moreton Bay, Australia. *Journal of Experimental Marine Biology and Ecology*, 217(2), 253–277.  
[https://doi.org/10.1016/S0022-0981\(97\)00060-9](https://doi.org/10.1016/S0022-0981(97)00060-9)
- UNEP. (2006). *Marine and Coastal Ecosystem and Human Well-Being: A synthesis report based on the finding of the Millennium Ecosystem Assessment*.
- UNEP. (2020). *Out of the Blue: The Value of Seagrasses to the Environment and to People* (Nia). UNEP. [www.un.org/Depts/Cartographic/english/htmain.htm](http://www.un.org/Depts/Cartographic/english/htmain.htm)
- Unsworth, R. K. F., Taylor, J. D., Powell, A., Bell, J. J., & Smith, D. J. (2007). The contribution of scarid herbivory to seagrass ecosystem dynamics in the Indo-Pacific. *Estuarine, Coastal and Shelf Science*, 74(1–2), 53–62.  
<https://doi.org/10.1016/j.ecss.2007.04.001>
- Veettil, B. K., Ward, R. D., Lima, M. D. A. C., Stankovic, M., Hoai, P. N., & Quang, N. X. (2020). Opportunities for seagrass research derived from remote sensing: A review of current methods. *Ecological Indicators*, 117, 106560.  
<https://doi.org/10.1016/j.ecolind.2020.106560>
- Wahyudi, A. J., Rahmawati, S., Irawan, A., Hadiyanto, H., Prayudha, B., Hafizt, M., Afdal, A., Adi, N. S., Rustam, A., Hernawan, Udhi. E., Rahayu, Y. P., Iswari, M.

- Y., Supriyadi, I. H., Solihudin, T., Ati, R. N. A., Kepel, T. L., Kusumaningtyas, M. A., Daulat, A., Salim, H. L., ... Kiswara, W. (2020). Assessing Carbon Stock and Sequestration of the Tropical Seagrass Meadows in Indonesia. *Ocean Science Journal*, 55(1), 85–97. <https://doi.org/10.1007/s12601-020-0003-0>
- Westlake, E. L., Keesing, J. K., Hardiman, L., Tonks, M., & Olsen, Y. (2022). Growth, biomass and productivity of the seagrass *Thalassia hemprichii* at Ashmore Reef, Australia. *Aquatic Botany*, 183, 1–5. <https://doi.org/10.1016/j.aquabot.2022.103557>
- Wicaksono, P. (2017). Karakterisasi Respon Spektral Spesies Lamun Enhalus Acoroides dan Cymodocea Rotundata di Pulau Karimunjawa (Characterization of Spectral Response of Seagrass Species Enhalus acoroides and Cymodocea rotundata in Karimunjawa Island). *Majalah Ilmiah Globe*, 19(1), 1–10. <https://core.ac.uk/download/pdf/291853669.pdf>
- Wicaksono, P., Danoedoro, P., Nehren, U., Maishella, A., Hafizt, M., Arjasakusuma, S., & Harahap, S. D. (2021). Analysis of Field Seagrass Percent Cover and Aboveground Carbon Stock Data for Non-Destructive Aboveground Seagrass Carbon Stock Mapping Using Worldview-2 Image. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLVI-4/W6-2021, 321–327. <https://doi.org/10.5194/isprs-archives-XLVI-4-W6-2021-321-2021>
- Wicaksono, P., Fauzan, M. A., & Asta, S. G. W. (2020). Assessment of Sentinel-2A multispectral image for benthic habitat composition mapping. *IET Image Processing*, 14(2), 279–288. <https://doi.org/10.1049/iet-ipr.2018.6044>
- Wicaksono, P., Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R. N., Lazuardi, W., & Zhafarina, Z. (2019). Analysis of reflectance spectra of tropical seagrass species and their value for mapping using multispectral satellite images. *International Journal of Remote Sensing*, 1–24. <https://doi.org/10.1080/01431161.2019.1624866>

- Wicaksono, P., & Hafizt, M. (2013). Mapping Seagrass from Space: Addressing the Complexity of Seagrass LAI Mapping. *European Journal of Remote Sensing*, 46(1), 18–39. <https://doi.org/10.5721/EuJRS20134602>
- Wicaksono, P., Harahap, S. D., Hafizt, M., Maishella, A., & Yuwono, D. M. (2023). Seagrass ecosystem biodiversity mapping in part of Rote Island using multi-generation PlanetScope imagery. *Carbon Footprints*, 2(4). <https://doi.org/10.20517/cf.2023.9>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Wicaksono, P., Lazuardi, W., & Munir, M. (2019). Integrating Image at Different Spatial Resolutions and Field Data For Seagrass Percent Cover Mapping. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLII-4/W19, 487–492. <https://doi.org/10.5194/isprs-archives-XLII-4-W19-487-2019>
- Wicaksono, P., Maishella, A., Arjasakusuma, S., Lazuardi, W., & Harahap, S. D. (2022). Assessment of WorldView-2 images for aboveground seagrass carbon stock mapping in patchy and continuous seagrass meadows. *International Journal of Remote Sensing*, 43(8), 2915–2941. <https://doi.org/10.1080/01431161.2022.2074809>
- Wicaksono, P., Maishella, A., Lazuardi, W., & Muhammad, F. H. (2022). Consistency assessment of multi-date PlanetScope imagery for seagrass percent cover mapping in different seagrass meadows. *Geocarto International*, 37(27), 15161–15186. <https://doi.org/10.1080/10106049.2022.2096122>
- Wicaksono, P., Maishella, A., Wahyudi, A. J., & Hafizt, M. (2022). Multitemporal seagrass carbon assimilation and aboveground carbon stock mapping using



Sentinel-2 in Labuan Bajo 2019–2020. *Remote Sensing Applications: Society and Environment*, 27, 100803. <https://doi.org/10.1016/j.rsase.2022.100803>

Wicaksono, S. G., Widianingsih, & Hartati, S. T. (2012). Struktur Vegetasi Dan Kerapatan Jenis Lamun Di Perairan Kepulauan Karimunjawa Kabupaten Jepara. *Journal of Marine Research*, 1(2), 1–7.

Yusandi, S., & Jaya, I. N. S. (2016). The estimation model of mangrove forest biomass using a medium resolution satellite imagery in the concession area of forest concession company in West Kalimantan. *Bonorowo Wetlands*, 6(2), 69–81. <https://doi.org/10.13057/bonorowo/w060201>

Zhang, C., Selch, D., Xie, Z., Roberts, C., Cooper, H., & Chen, G. (2013). Object-based benthic habitat mapping in the Florida Keys from hyperspectral imagery. *Estuarine, Coastal and Shelf Science*, 134, 88–97. <https://doi.org/10.1016/j.ecss.2013.09.018>

Zoffoli, M., Frouin, R., & Kampel, M. (2014). Water Column Correction for Coral Reef Studies by Remote Sensing. *Sensors*, 14(9), 16881–16931. <https://doi.org/10.3390/s140916881>