

DAFTAR PUSTAKA

- [1] S. Hoppe and A. Bulling, “End-to-end eye movement detection using convolutional neural networks,” *arXiv preprint arXiv:1609.02452*, 2016.
- [2] D. A. Suryakusuma, “Perancangan dan implementasi antarmuka dengan analisis user experience pada sistem smart public display berbasis kendali gerakan mata untuk edukasi covid-19,” 2022.
- [3] H. Rakhshani, H. I. Fawaz, L. Idoumghar, G. Forestier, J. Lepagnot, J. Weber, M. Brévilliers, and P.-A. Muller, “Neural architecture search for time series classification,” in *2020 International Joint Conference on Neural Networks (IJCNN)*. IEEE, 2020, pp. 1–8.
- [4] J. Sigut and S.-A. Sidha, “Iris center corneal reflection method for gaze tracking using visible light,” *IEEE Transactions on Biomedical Engineering*, vol. 58, no. 2, pp. 411–419, 2010.
- [5] J. D. Kelleher, *Deep learning*. MIT press, 2019.
- [6] J. Yuen, E. W. M. Lee, S. Lo, and R. K. K. Yuen, “An intelligence-based optimization model of passenger flow in a transportation station,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 14, no. 3, pp. 1290–1300, 2013.
- [7] S. Balaji, “Binary image classifier cnn using tensorflow,” Medium, 2023, available at: <https://webcache.googleusercontent.com/search?q=cache>
- [8] H. A. Chowdhury, M. A. H. Imon, A. Rahman, A. Khatun, and M. S. Islam, “A continuous space neural language model for bengali language,” in *2019 22nd International Conference on Computer and Information Technology (ICCIT)*. IEEE, 2019, pp. 1–6.
- [9] X. He, K. Zhao, and X. Chu, “Automl: A survey of the state-of-the-art,” *Knowledge-Based Systems*, vol. 212, p. 106622, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0950705120307516>
- [10] T. Elsken, J. H. Metzen, and F. Hutter, *Neural Architecture Search*. Cham: Springer International Publishing, 2019, pp. 63–77. [Online]. Available: https://doi.org/10.1007/978-3-030-05318-5_3
- [11] K. T. Chitty-Venkata, M. Emani, V. Vishwanath, and A. K. Somani, “Neural architecture search benchmarks: Insights and survey,” *IEEE Access*, vol. 11, no. 11, pp. 25 217–25 236, 2023.
- [12] V. Suresh, F. Aksan, P. Janik, T. Sikorski, and B. S. Revathi, “Probabilistic lstm-autoencoder based hour-ahead solar power forecasting model for intra-day electricity market participation: A polish case study,” *IEEE Access*, vol. 10, pp. 110 628–110 638, 2022.
- [13] WHO, “Who coronavirus (covid-19) dashboard.” [Online]. Available: <https://covid19.who.int/>

- [14] Tobii, “What is eye tracking? how does eye tracking work,” 2024, accessed: 20 June 2024. [Online]. Available: <https://www.tobii.com/learn-and-support/get-started/what-is-eye-tracking>
- [15] A. Al-Rahayfeh and M. Faezipour, “Eye tracking and head movements detection to assist people with disabilities: Unveiled,” *Innovations and Advances in Computing, Informatics, Systems Sciences, Networking and Engineering*, pp. 209–213, 2015.
- [16] N. I. Vargas-Cuentas, A. Roman-Gonzalez, R. H. Gilman, F. Barrientos, J. Ting, D. Hidalgo, K. Jensen, and M. Zimic, “Developing an eye-tracking algorithm as a potential tool for early diagnosis of autism spectrum disorder in children,” *PloS one*, vol. 12, no. 11, p. e0188826, 2017.
- [17] M. Nilsson Benfatto, G. Öqvist Seimyr, J. Ygge, T. Pansell, A. Rydberg, and C. Jacobson, “Screening for dyslexia using eye tracking during reading,” *PloS one*, vol. 11, no. 12, p. e0165508, 2016.
- [18] S. Wibirama, S. Murnani, I. D. Sukowati, and R. Ferdiana, “Gaze-controlled digital signage for public health education during covid-19 pandemic,” in *2021 9th International Conference on Information and Communication Technology (ICoICT)*. IEEE, 2021, pp. 7–12.
- [19] S. Wibirama, S. Murnani, and N. A. Setiawan, “Spontaneous gaze gesture interaction in the presence of noises and various types of eye movements,” in *ACM Symposium on Eye Tracking Research and Applications*, 2020, pp. 1–5.
- [20] K. Holmqvist and R. Andersson, *Eye Tracking: A Comprehensive Guide to Methods. Paradigms and Measures*. Nama Penerbit (jika diketahui), 2017.
- [21] H. Nurlatifa, R. Hartanto, and S. Wibirama, “Spontaneous gaze-based application using 2d correlation and velocity threshold identification,” in *2021 5th International Conference on Informatics and Computational Sciences (ICICoS)*. IEEE, 2021, pp. 75–80.
- [22] R. Zemblys, “Eye-movement event detection meets machine learning,” *BIOMEDICAL ENGINEERING 2016*, vol. 20, no. 1, 2017.
- [23] A. Drouin-Picaro and T. H. Falk, “Using deep neural networks for natural saccade classification from electroencephalograms,” in *2016 IEEE EMBS International Student Conference (ISC)*. IEEE, 2016, pp. 1–4.
- [24] Y. Chen, G. Meng, Q. Zhang, S. Xiang, C. Huang, L. Mu, and X. Wang, “Renascence: Reinforced evolutionary neural architecture search,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2019.
- [25] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “Imagenet classification with deep convolutional neural networks,” *Communications of the ACM*, vol. 60, no. 6, pp. 84–90, 2017.
- [26] K. Simonyan and A. Zisserman, “Very deep convolutional networks for large-scale image recognition,” *arXiv preprint arXiv:1409.1556*, 2014.

- [27] C. Szegedy, W. Liu, Y. Jia, P. Sermanet, S. Reed, D. Anguelov, D. Erhan, V. Vanhoucke, and A. Rabinovich, "Going deeper with convolutions," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2015, pp. 1–9.
- [28] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2016, pp. 770–778.
- [29] E. Rapaport, O. Shriki, and R. Puzis, "Eegnas: Neural architecture search for electroencephalography data analysis and decoding," in *Human Brain and Artificial Intelligence: First International Workshop, HBAI 2019, Held in Conjunction with IJCAI 2019, Macao, China, August 12, 2019, Revised Selected Papers 1*. Springer, 2019, pp. 3–20.
- [30] M. Startsev, I. Agtzidis, and M. Dorr, "Manual & automatic detection of smooth pursuit in dynamic natural scenes," in *Proceedings of the European conference of eye movements*, 2017.
- [31] A. F. Klaib, N. O. Alsrehin, W. Y. Melhem, H. O. Bashtawi, and A. A. Magableh, "Eye tracking algorithms, techniques, tools, and applications with an emphasis on machine learning and internet of things technologies," *Expert Systems with Applications*, vol. 166, p. 114037, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0957417420308071>
- [32] S. Wibirama, S. Murnani, N. A. Setiawan, and H. Nurlatifa, "A survey of event detection methods for eye movements classification in smooth-pursuit-based interactive applications," in *2020 International Symposium on Community-centric Systems (CcS)*. IEEE, 2020, pp. 1–6.
- [33] O. V. Komogortsev and A. Karpov, "Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades," *Behavior research methods*, vol. 45, pp. 203–215, 2013.
- [34] H. Nurlatifa, R. Hartanto, A. Ataka, and S. Wibirama, "Optimum object selection methods for spontaneous gaze-based interaction with linear and circular trajectories," *Results in Engineering*, vol. 21, p. 101769, 2024.
- [35] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, "Bayesian identification of fixations, saccades, and smooth pursuits," in *Proceedings of the Ninth Biennial ACM Symposium on Eye Tracking Research & Applications*, 2016, pp. 163–170.
- [36] B. Zoph and Q. V. Le, "Neural architecture search with reinforcement learning," *arXiv preprint arXiv:1611.01578*, 2016.
- [37] L. Li and A. Talwalkar, "Random search and reproducibility for neural architecture search," in *Uncertainty in artificial intelligence*. PMLR, 2020, pp. 367–377.
- [38] C. White, W. Neiswanger, and Y. Savani, "Bananas: Bayesian optimization with neural architectures for neural architecture search," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 35, no. 12, 2021, pp. 10 293–10 301.

- [39] A. H. Fristiana, S. A. I. Alfarozi, A. E. Permanasari, and S. Wibirama, "Improving deep learning-based eye movements classification using bayesian optimization," in *2023 IEEE International Biomedical Instrumentation and Technology Conference (IBITeC)*. IEEE, 2023, pp. 197–202.
- [40] O. CUBA GYLLENSTEN, "Evaluation of classification algorithms for smooth pursuit eye movements: Evaluating current algorithms for smooth pursuit detection on tobii eye trackers," 2014.
- [41] I. Agtzidis, M. Startsev, and M. Dorr, "Smooth pursuit detection based on multiple observers," in *Proceedings of the ninth biennial acm symposium on eye tracking research & applications*, 2016, pp. 303–306.
- [42] H. Ismail Fawaz, G. Forestier, J. Weber, L. Idoumghar, and P.-A. Muller, "Deep learning for time series classification: a review," *Data mining and knowledge discovery*, vol. 33, no. 4, pp. 917–963, 2019.
- [43] A. Zheng and A. Casari, *Feature engineering for machine learning: principles and techniques for data scientists*. " O'Reilly Media, Inc.", 2018.
- [44] Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, "A survey of convolutional neural networks: Analysis, applications, and prospects," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 33, no. 12, pp. 6999–7019, 2022.
- [45] J. Terven, D. Cordova-Esparza, A. Ramirez-Pedraza, and E. Chavez-Urbiola, "Loss functions and metrics in deep learning," *arXiv preprint arXiv:2307.02694*, 2023.
- [46] X. Zhou, C. Zhao, and Y. Huang, "A deep learning optimizer based on grünwald–letnikov fractional order definition," *Mathematics*, 2023.
- [47] R. Chen, Z. Guang, C. Guo, G. Feng, and S.-Y. Hou, "Pure quantum gradient descent algorithm and full quantum variational eigensolver," *Frontiers of Physics*, vol. 19, no. 2, p. 21202, 2024.
- [48] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," *arXiv preprint arXiv:1412.6980*, 2014.
- [49] K. Y. Chan, B. Abu-Salih, R. Qaddoura, A. M. Al-Zoubi, V. Palade, D.-S. Pham, J. D. Ser, and K. Muhammad, "Deep neural networks in the cloud: Review, applications, challenges and research directions," *Neurocomputing*, vol. 545, p. 126327, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925231223004502>
- [50] H. H. Aghdam, E. J. Heravi *et al.*, "Guide to convolutional neural networks," *New York, NY: Springer*, vol. 10, no. 978-973, p. 51, 2017.
- [51] C. White, M. Safari, R. Sukthanker, B. Ru, T. Elsken, A. Zela, D. Dey, and F. Hutter, "Neural architecture search: Insights from 1000 papers," *arXiv preprint arXiv:2301.08727*, 2023.
- [52] E. Real, C. Liang, D. So, and Q. Le, "Automl-zero: Evolving machine learning algorithms from scratch," in *International conference on machine learning*. PMLR, 2020, pp. 8007–8019.

- [53] G. Bender, H. Liu, B. Chen, G. Chu, S. Cheng, P.-J. Kindermans, and Q. V. Le, “Can weight sharing outperform random architecture search? an investigation with tunas,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2020, pp. 14 323–14 332.
- [54] L. Li, K. G. Jamieson, G. DeSalvo, A. Rostamizadeh, and A. Talwalkar, “Hyperband: Bandit-based configuration evaluation for hyperparameter optimization.” in *ICLR (Poster)*, 2017, p. 53.
- [55] H. Pham, M. Guan, B. Zoph, Q. Le, and J. Dean, “Efficient neural architecture search via parameters sharing,” in *International conference on machine learning*. PMLR, 2018, pp. 4095–4104.
- [56] M. Sokolova, N. Japkowicz, and S. Szpakowicz, “Beyond accuracy, f-score and roc: a family of discriminant measures for performance evaluation,” in *Australasian joint conference on artificial intelligence*. Springer, 2006, pp. 1015–1021.
- [57] H. Dalianis and H. Dalianis, “Evaluation metrics and evaluation,” *Clinical Text Mining: secondary use of electronic patient records*, pp. 45–53, 2018.
- [58] H. Coolican, “Research methods and statistics in psychology,” 2013.
- [59] N. M. Razali, Y. B. Wah *et al.*, “Power comparisons of shapiro-wilk, kolmogorov-smirnov, lilliefors and anderson-darling tests,” *Journal of statistical modeling and analytics*, vol. 2, no. 1, pp. 21–33, 2011.
- [60] T. K. Kim, “T test as a parametric statistic,” *Korean journal of anesthesiology*, vol. 68, no. 6, pp. 540–546, 2015.
- [61] I. Salehin, M. S. Islam, P. Saha, S. Noman, A. Tuni, M. M. Hasan, and M. A. Baten, “Automl: A systematic review on automated machine learning with neural architecture search,” *Journal of Information and Intelligence*, vol. 2, no. 1, pp. 52–81, 2024.
- [62] M. Peixeiro, *Time series forecasting in python*. Simon and Schuster, 2022.