

DAFTAR PUSTAKA

- Askar, Nuthammachot, N., Phairuang, W., Wicaksono, P., & Sayektiningsih, T. (2018). Estimating Aboveground Biomass on Private Forest Using Sentinel-2 Imagery. *Journal of Sensors*, 2018, 1–11. <https://doi.org/10.1155/2018/6745629>
- Bappeda dan Litbangda Kabupaten Magelang. (2019). *Rancangan Kerja Pemerintah Daerah Kabupaten Magelang Tahun 2019*. <https://bappeda.magelangkab.go.id/download/subfolder/488>
- Bar-On, Y. M., Phillips, R., & Milo, R. (2018). The biomass distribution on Earth. *Proceedings of the National Academy of Sciences*, 115(25), 6506–6511.
- Breiman, L. (2001). Random forests. *Machine learning*, 45, 5–32.
- Brown, S. (1997). *Estimating Biomass and Biomass Change of Tropical Forests: a Primer*, FAO FORESTRY PAPER 134. FAO.
- Calvin, K., Dasgupta, D., Krinner, G., Mukherji, A., Thorne, P. W., Trisos, C., Romero, J., Aldunce, P., Barrett, K., Blanco, G., Cheung, W. W. L., Connors, S., Denton, F., Diongue-Niang, A., Dodman, D., Garschagen, M., Geden, O., Hayward, B., Jones, C., ... Ha, M. (2023). *IPCC, 2023: Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, H. Lee and J. Romero (eds.)]*. IPCC, Geneva, Switzerland. <https://doi.org/10.59327/IPCC/AR6-9789291691647>
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to remote sensing*. Guilford press.
- Campbell, J. Y., & Thompson, S. B. (2008). Predicting excess stock returns out of sample: Can anything beat the historical average? *The Review of Financial Studies*, 21(4), 1509–1531.
- Charbonneau, F., Trudel, M., & Fernandes, R. (2005). Use of Dual Polarization and Multi-Incidence SAR for soil permeability mapping. *Proceedings of the 2005 advanced synthetic aperture radar (ASAR) workshop, St-Hubert, QC, Canada*, 15–17.
- Corbera, E., & Schroeder, H. (2011). Governing and implementing REDD+. *Environmental Science & Policy*, 14(2), 89–99. <https://doi.org/10.1016/j.envsci.2010.11.002>
- Danoedoro, P. (2012). *Pengantar penginderaan jauh digital*. Penerbit Andi.
- Dinas Lingkungan Hidup Kabupaten Magelang. (2008). *Status Lingkungan Hidup Daerah Kabupaten Magelang Tahun 2008*.

- Dixon, R. K. (1995). Agroforestry systems: sources of sinks of greenhouse gases? *Agroforestry systems*, 31, 99–116.
- Domingues, G. F., Soares, V. P., Leite, H. G., Ferraz, A. S., Ribeiro, C. A. A. S., Lorenzon, A. S., Marcatti, G. E., Teixeira, T. R., de Castro, N. L. M., Mota, P. H. S., de Souza, G. S. A., de Menezes, S. J. M. da C., dos Santos, A. R., & do Amaral, C. H. (2020). Artificial neural networks on integrated multispectral and SAR data for high-performance prediction of eucalyptus biomass. *Computers and Electronics in Agriculture*, 168, 105089. <https://doi.org/10.1016/j.compag.2019.105089>
- Dubayah, R., Armston, J., Healey, S. P., Bruening, J. M., Patterson, P. L., Kellner, J. R., Duncanson, L., Saarela, S., Ståhl, G., Yang, Z., Tang, H., Blair, J. B., Fatoyinbo, L., Goetz, S., Hancock, S., Hansen, M., Hofton, M., Hurtt, G., & Luthcke, S. (2022). GEDI launches a new era of biomass inference from space. *Environmental Research Letters*, 17(9), 095001. <https://doi.org/10.1088/1748-9326/ac8694>
- Dubayah, R., Blair, J. B., Goetz, S., Fatoyinbo, L., Hansen, M., Healey, S., Hofton, M., Hurtt, G., Kellner, J., Luthcke, S., Armston, J., Tang, H., Duncanson, L., Hancock, S., Jantz, P., Marselis, S., Patterson, P. L., Qi, W., & Silva, C. (2020). The Global Ecosystem Dynamics Investigation: High-resolution laser ranging of the Earth's forests and topography. *Science of Remote Sensing*, 1, 100002. <https://doi.org/10.1016/j.srs.2020.100002>
- Dubayah, R. O., Armston, J., Kellner, J. R., Duncanson, L., Healey, S. P., Patterson, P. L., Hancock, S., Tang, H., Bruening, J., & Hofton, M. A. (2022). *GEDI L4A Footprint Level Aboveground Biomass Density, Version 2.1. ORNL DAAC, Oak Ridge, Tennessee, USA*.
- Duncanson, L., Kellner, J. R., Armston, J., Dubayah, R., Minor, D. M., Hancock, S., Healey, S. P., Patterson, P. L., Saarela, S., Marselis, S., Silva, C. E., Bruening, J., Goetz, S. J., Tang, H., Hofton, M., Blair, B., Luthcke, S., Fatoyinbo, L., Abernethy, K., ... Zraggen, C. (2022). Aboveground biomass density models for NASA's Global Ecosystem Dynamics Investigation (GEDI) lidar mission. *Remote Sensing of Environment*, 270, 112845. <https://doi.org/10.1016/j.rse.2021.112845>
- ESA. (t.t.). *Resolution and Swath*. Sentinel Online. Diambil 26 November 2023, dari <https://sentinels.copernicus.eu/web/sentinel/missions/sentinel-2/instrument-payload/resolution-and-swath>
- ESA. (2015). *Sentinel-2 User Handbook*. European Space Agency (ESA) .
- ESA. (2016). *S2 MPC Sen2Cor Configuration and User Manual*. European Space Agency (ESA).
- ESA. (2017). *S2 MPC Level 2A Product Format Specification*.

- ESRI. (t.t.). *Classification Method*. Diambil 3 Juli 2024, dari <https://doc.arcgis.com/en/microsoft-365/latest/get-started/classification-methods.htm#:~:text=not%20evenly%20distributed,-,Equal%20interval,the%20data%20is%20divided%20automatically.>
- FAO. (2020). *Global Forest Resources Assessment 2020*. FAO. <https://doi.org/10.4060/ca8753en>
- Fawzy, S., Osman, A. I., Doran, J., & Rooney, D. W. (2020). Strategies for mitigation of climate change: a review. *Environmental Chemistry Letters*, 18(6), 2069–2094. <https://doi.org/10.1007/s10311-020-01059-w>
- Fern, R. R., Foxley, E. A., Bruno, A., & Morrison, M. L. (2018). Suitability of NDVI and OSAVI as estimators of green biomass and coverage in a semi-arid rangeland. *Ecological Indicators*, 94, 16–21. <https://doi.org/10.1016/j.ecolind.2018.06.029>
- Fitzgerald, G. J. (2010). Characterizing vegetation indices derived from active and passive sensors. *International Journal of Remote Sensing*, 31(16), 4335–4348. <https://doi.org/10.1080/01431160903258217>
- Francini, S., D’Amico, G., Vangi, E., Borghi, C., & Chirici, G. (2022). Integrating GEDI and Landsat: Spaceborne Lidar and Four Decades of Optical Imagery for the Analysis of Forest Disturbances and Biomass Changes in Italy. *Sensors*, 22(5), 2015. <https://doi.org/10.3390/s22052015>
- Gupta, R., & Sharma, L. K. (2022). Aboveground Biomass Prediction by Fusing Gedi Footprints with Optical and SAR Data Using the Random Forest in the Mixed Tropical Forest, India. *IGARSS 2022 - 2022 IEEE International Geoscience and Remote Sensing Symposium*, 5460–5463. <https://doi.org/10.1109/IGARSS46834.2022.9883443>
- Hairiah, K., Dewi, S., Agus, F., Velarde, S., Ekadinata, A., Rahayu, S., & van Noordwijk, M. (2010). *Measuring Carbon Stocks Across Land Use Systems: A Manual*. World Agroforestry Centre (ICRAF).
- Hairiah, K., Sitompul, S. M., Van Noordwijk, M., & Palm, C. (2001). *Methods for sampling carbon stocks above and below ground*. ICRAF Bogor, Indonesia.
- Hawinkel, S., Waegeman, W., & Maere, S. (2024). Out-of-sample R²: Estimation and inference. *The American Statistician*, 78(1), 15–25.
- Hayashi, M., Motohka, T., & Sawada, Y. (2019). Aboveground biomass mapping using ALOS-2/PALSAR-2 time-series images for Borneo’s forest. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 12(12), 5167–5177.
- Hojo, A., Avtar, R., Nakaji, T., Tadono, T., & Takagi, K. (2023). Modeling forest above-ground biomass using freely available satellite and multisource

datasets. *Ecological Informatics*, 74, 101973.
<https://doi.org/10.1016/j.ecoinf.2023.101973>

Huang, M.-T., & Zhai, P.-M. (2021). Achieving Paris Agreement temperature goals requires carbon neutrality by middle century with far-reaching transitions in the whole society. *Advances in Climate Change Research*, 12(2), 281–286.
<https://doi.org/10.1016/j.accres.2021.03.004>

Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote sensing of environment*, 25(3), 295–309.

Huete, A. R., Liu, H. Q., Batchily, K. V., & Van Leeuwen, W. (1997). A comparison of vegetation indices over a global set of TM images for EOS-MODIS. *Remote sensing of environment*, 59(3), 440–451.

Hunka, N., Duncanson, L., Armston, J., Dubayah, R., Healey, S. P., Santoro, M., May, P., Araza, A., Bourgoin, C., & Montesano, P. (2024). Intergovernmental Panel on Climate Change (IPCC) Tier 1 forest biomass estimates from Earth Observation. *Authorea Preprints*.

IPCC. (2006). Agriculture, forestry and other land use (AFOLU). Dalam *Guidelines for national greenhouse gas inventories* (Vol. 4). Institute for Global Environmental Strategies.

IPCC. (2018). *Global warming of 1.5°C. An IPCC special report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways*. <https://www.ipcc.ch/sr15/>

Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4 ed.). Pearson.

Jordan, C. F. (1969). Derivation of leaf-area index from quality of light on the forest floor. *Ecology*, 50(4), 663–666.

Kalaitzidis, C., Heinzl, V., & Zianis, D. (2010). A review of multispectral vegetation indices for biomass estimation. *Proceedings of the 29th symposium of the European association of remote sensing laboratories, Chania, Greece. IOS Press Ebook*, 201–208.

Kanmegne Tamga, D., Latifi, H., Ullmann, T., Baumhauer, R., Bayala, J., & Thiel, M. (2022). Estimation of Aboveground Biomass in Agroforestry Systems over Three Climatic Regions in West Africa Using Sentinel-1, Sentinel-2, ALOS, and GEDI Data. *Sensors*, 23(1), 349. <https://doi.org/10.3390/s23010349>

Krause, M. R., Crossman, S., DuMond, T., Lott, R., Swede, J., Arliss, S., Robbins, R., Ochs, D., & Gore, M. A. (2020). Random forest regression for optimizing variable planting rates for corn and soybean using topographical and soil data. *Agronomy Journal*, 112(6), 5045–5066. <https://doi.org/10.1002/agj2.20442>

- Küchler, A. W., & Zonneveld, I. S. (1988). *Vegetation mapping* (Vol. 10). Kluwer Academic Publishers.
- Kumar, D., Rao, S., & Sharma, J. R. (2013). Radar Vegetation Index as an alternative to NDVI for monitoring of soyabean and cotton. *Proceedings of the XXXIII INCA International Congress (Indian Cartographer)*, Jodhpur, India, 19–21.
- Kumar, S., & Sharma, A. (2023). Synthetic Aperture Radar Remote Sensing. Dalam S. Kumar, P. Siqueira, H. Govil, & S. Agrawal (Ed.), *Spaceborne Synthetic Aperture Radar Remote Sensing: Techniques and Applications* (1 ed., hlm. 1–12). CRC Press.
- Lang, N., Kalischek, N., Armston, J., Schindler, K., Dubayah, R., & Wegner, J. D. (2022). Global canopy height regression and uncertainty estimation from GEDI LIDAR waveforms with deep ensembles. *Remote Sensing of Environment*, 268, 112760. <https://doi.org/10.1016/j.rse.2021.112760>
- Lary, D. J., Alavi, A. H., Gandomi, A. H., & Walker, A. L. (2016). Machine learning in geosciences and remote sensing. *Geoscience Frontiers*, 7(1), 3–10.
- Lewis, K., Rumpang, E., Kho, L. K., McCalmont, J., Teh, Y. A., Gallego-Sala, A., & Hill, T. C. (2020). An assessment of oil palm plantation aboveground biomass stocks on tropical peat using destructive and non-destructive methods. *Scientific Reports*, 10(1), 2230. <https://doi.org/10.1038/s41598-020-58982-9>
- Liaw, A., & Wiener, M. (2002). Classification and regression by randomForest. *R news*, 2(3), 18–22.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote sensing and image interpretation* (7 ed.). John Wiley & Sons.
- Liu, D., Jia, K., Jiang, H., Xia, M., Tao, G., Wang, B., Chen, Z., Yuan, B., & Li, J. (2021). Fractional Vegetation Cover Estimation Algorithm for FY-3B Reflectance Data Based on Random Forest Regression Method. *Remote Sensing*, 13(11), 2165. <https://doi.org/10.3390/rs13112165>
- Lumbierres, M., Méndez, P., Bustamante, J., Soriguer, R., & Santamaría, L. (2017). Modeling Biomass Production in Seasonal Wetlands Using MODIS NDVI Land Surface Phenology. *Remote Sensing*, 9(4), 392. <https://doi.org/10.3390/rs9040392>
- Margaretha, E. W. (2013). *Estimasi cadangan karbon vegetasi tegakan dikota Yogyakarta dan sekitarnya berbasis ALOS AVNIR-2* [Tesis]. Universitas Gadjah Mada.
- Mather, P. M., & Koch, M. (2004). *Computer Processing of Remotely-Sensed Images* (3 ed.). John Wiley & Sons.
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. Guilford Press.

- McKendry, P. (2002). Energy production from biomass (part 1): overview of biomass. *Bioresource Technology*, 83(1), 37–46. [https://doi.org/10.1016/S0960-8524\(01\)00118-3](https://doi.org/10.1016/S0960-8524(01)00118-3)
- Melati, P. (2023). *Perbandingan Pemilihan Variabel Stepwise Regression dan Boruta untuk Estimasi Stok Karbon Vegetasi Tegakan Menggunakan Citra Hiperspektral PRISMA: Studi Kasus pada Sebagian Kawasan Taman Nasional Gunung Merbabu*. Universitas Gadjah Mada.
- Merkle, N., Luo, W., Auer, S., Müller, R., & Urtasun, R. (2017). Exploiting Deep Matching and SAR Data for the Geo-Localization Accuracy Improvement of Optical Satellite Images. *Remote Sensing*, 9(6), 586. <https://doi.org/10.3390/rs9060586>
- Meyer, F. (2019). Spaceborne Synthetic Aperture Radar: Principles, Data Access, and Basic Processing Techniques. Dalam A. Flores, K. Herndon, E. Cherrington, & R. Thapa (Ed.), *SAR Handbook: Comprehensive Methodologies for Forest Monitoring and Biomass Estimation*.
- Mikhaylov, A., Moiseev, N., Aleshin, K., & Burkhardt, T. (2020). Global climate change and greenhouse effect. *Entrepreneurship and Sustainability Issues*, 7(4), 2897–2913. [https://doi.org/10.9770/jesi.2020.7.4\(21\)](https://doi.org/10.9770/jesi.2020.7.4(21))
- Mishra, P., Pandey, C., Singh, U., Gupta, A., Sahu, C., & Keshri, A. (2019). Descriptive statistics and normality tests for statistical data. *Annals of Cardiac Anaesthesia*, 22(1), 67. https://doi.org/10.4103/aca.ACA_157_18
- Mitchell, A. L., Rosenqvist, A., & Mora, B. (2017). Current remote sensing approaches to monitoring forest degradation in support of countries measurement, reporting and verification (MRV) systems for REDD+. *Carbon Balance and Management*, 12(1), 9. <https://doi.org/10.1186/s13021-017-0078-9>
- Mngadi, M., Odindi, J., & Mutanga, O. (2021). The Utility of Sentinel-2 Spectral Data in Quantifying Above-Ground Carbon Stock in an Urban Reforested Landscape. *Remote Sensing*, 13(21), 4281. <https://doi.org/10.3390/rs13214281>
- Moradi, F., Darvishsefat, A. A., Pourrahmati, M. R., Deljouei, A., & Borz, S. A. (2022). Estimating Aboveground Biomass in Dense Hyrcanian Forests by the Use of Sentinel-2 Data. *Forests*, 13(1), 104. <https://doi.org/10.3390/f13010104>
- Padalia, H., Prakash, A., & Watham, T. (2023). Modelling aboveground biomass of a multistage managed forest through synergistic use of Landsat-OLI, ALOS-2 L-band SAR and GEDI metrics. *Ecological Informatics*, 77, 102234. <https://doi.org/10.1016/j.ecoinf.2023.102234>

- Pan, Y., Birdsey, R. A., Fang, J., Houghton, R., Kauppi, P. E., Kurz, W. A., Phillips, O. L., Shvidenko, A., Lewis, S. L., Canadell, J. G., Ciais, P., Jackson, R. B., Pacala, S. W., McGuire, A. D., Piao, S., Rautiainen, A., Sitch, S., & Hayes, D. (2011). A Large and Persistent Carbon Sink in the World's Forests. *Science*, 333(6045), 988–993. <https://doi.org/10.1126/science.1201609>
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., & Dubourg, V. (2011). Scikit-learn: Machine learning in Python. *the Journal of machine Learning research*, 12, 2825–2830.
- Perda Kabupaten Magelang No. 4 Tahun 2023, Pub. L. No. 4 (2023).
- Picard, N., Saint-André, L., & Henry, M. (2012). *Manual for building tree volume and biomass allometric equations from field measurement to prediction*. FAO.
- Probst, P., Wright, M. N., & Boulesteix, A. (2019). Hyperparameters and tuning strategies for random forest. *WIREs Data Mining and Knowledge Discovery*, 9(3). <https://doi.org/10.1002/widm.1301>
- Ravindranath, N. H., & Ostwald, M. (2008). *Carbon Inventory Methods Handbook for Greenhouse Gas Inventory, Carbon Mitigation and Roundwood Production Projects*. Springer Netherlands. <https://doi.org/10.1007/978-1-4020-6547-7>
- RESTEC. (2020). *About ALOS-2*. Imaging products & services. <https://www.restec.or.jp/en/solution/product/product-alos-2/alos-2-about.html>
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1974). Monitoring vegetation systems in the Great Plains with ERTS. *NASA Spec. Publ*, 351(1), 309.
- Saatchi, S. S., Dubayah, R., Clark, D., Chazdon, R., & Hollinger, D. (2010). Estimation of forest biomass change from fusion of radar and lidar measurements. *Seminário de Atualização em Sensoriamento Remoto e Sistemas de Informações Geográficas Aplicados à Engenharia Florestal*, 9.
- Samat, A., Gamba, P., Liu, S., Miao, Z., Li, E., & Abuduwaili, J. (2018). Quad-PolSAR data classification using modified random forest algorithms to map halophytic plants in arid areas. *International Journal of Applied Earth Observation and Geoinformation*, 73, 503–521. <https://doi.org/10.1016/j.jag.2018.06.006>
- Santoso, A. W., Bayuaji, L., Lateh, H., & Zain, J. M. (2016). Comparison of Various Speckle Noise Reduction Filters on Synthetic Aperture Radar Image. *International Journal of Applied Engineering Research*, 11(15), 8760–8767.
- SARScape. (2009). *Synthetic Aperture Radar: SAR Guidebook*. European Space Agency. <https://www.sarmap.ch/pdf/SAR-Guidebook.pdf>

- Sarwono, J. (2009). Statistik itu mudah: panduan lengkap untuk belajar komputasi statistik menggunakan SPSS 16. *Yogyakarta: Penerbit Universitas Atma Jaya Yogyakarta*.
- Schildhauer, M. (2018). Data Integration: Principles and Practice. Dalam *Ecological Informatics* (3 ed., hlm. 129–157). Springer International Publishing. https://doi.org/10.1007/978-3-319-59928-1_8
- Sha, Z., Bai, Y., Li, R., Lan, H., Zhang, X., Li, J., Liu, X., Chang, S., & Xie, Y. (2022). The global carbon sink potential of terrestrial vegetation can be increased substantially by optimal land management. *Communications Earth & Environment*, 3(1), 8. <https://doi.org/10.1038/s43247-021-00333-1>
- Shendryk, Y. (2022). Fusing GEDI with earth observation data for large area aboveground biomass mapping. *International Journal of Applied Earth Observation and Geoinformation*, 115, 103108. <https://doi.org/10.1016/j.jag.2022.103108>
- Sinha, S., Jeganathan, C., Sharma, L. K., & Nathawat, M. S. (2015). A review of radar remote sensing for biomass estimation. *International Journal of Environmental Science and Technology*, 12(5), 1779–1792. <https://doi.org/10.1007/s13762-015-0750-0>
- Small, D. (2011). Flattening Gamma: Radiometric Terrain Correction for SAR Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 49(8), 3081–3093. <https://doi.org/10.1109/TGRS.2011.2120616>
- Ståhl, G., Gobakken, T., Saarela, S., Persson, H. J., Ekström, M., Healey, S. P., Yang, Z., Holmgren, J., Lindberg, E., Nyström, K., Papucci, E., Ulvdal, P., Ørka, H. O., Næsset, E., Hou, Z., Olsson, H., & McRoberts, R. E. (2024). Why ecosystem characteristics predicted from remotely sensed data are unbiased and biased at the same time – and how this affects applications. *Forest Ecosystems*, 11, 100164. <https://doi.org/10.1016/j.fecs.2023.100164>
- Sun, M., Cui, L., Park, J., García, M., Zhou, Y., Silva, C. A., He, L., Zhang, H., & Zhao, K. (2022). Evaluation of NASA's GEDI Lidar Observations for Estimating Biomass in Temperate and Tropical Forests. *Forests*, 13(10), 1686. <https://doi.org/10.3390/f13101686>
- Tang, H., Stoker, J., Luthcke, S., Armston, J., Lee, K., Blair, B., & Hofton, M. (2023). Evaluating and mitigating the impact of systematic geolocation error on canopy height measurement performance of GEDI. *Remote Sensing of Environment*, 291, 113571.
- Tobler, W. (1987). Measuring spatial resolution. *Proceedings, Land Resources Information Systems Conference*, 12–16.
- Ulaby, F. (1975). Radar response to vegetation. *IEEE Transactions on Antennas and Propagation*, 23(1), 36–45. <https://doi.org/10.1109/TAP.1975.1140999>

- U.S. Geological Survey. (2024a). *Landsat Enhanced Vegetation Index*. <https://www.usgs.gov/landsat-missions/landsat-enhanced-vegetation-index>
- U.S. Geological Survey. (2024b). *Landsat Soil Adjusted Vegetation Index*. <https://www.usgs.gov/landsat-missions/landsat-soil-adjusted-vegetation-index>
- Van Zyl, J. J., Zebker, H. A., & Elachi, C. (1987). Imaging radar polarization signatures: Theory and observation. *Radio science*, 22(04), 529–543.
- Vangi, E., D’Amico, G., Francini, S., & Chirici, G. (2023). GEDI4R: an R package for NASA’s GEDI level 4 A data downloading, processing and visualization. *Earth Science Informatics*, 16(1), 1109–1117. <https://doi.org/10.1007/s12145-022-00915-3>
- Veci, L. (2015). Interferometry tutorial. Dalam *Array Systems*. Available online: <http://sentinel1.s3.amazonaws.com/docs/SITBX%20Stripmap%20Interferometry%20with%20Sentinel-1%20Tutorial.pdf> (accessed on 12 August 2017). ESA.
- Wang, L., Zhou, X., Zhu, X., Dong, Z., & Guo, W. (2016). Estimation of biomass in wheat using random forest regression algorithm and remote sensing data. *The Crop Journal*, 4(3), 212–219. <https://doi.org/10.1016/j.cj.2016.01.008>
- Wang, X., Miao, Y., Guan, Y., Xia, T., Lu, J., & Mulla, D. J. (2016). An evaluation of two active canopy sensor systems for non-destructive estimation of spring maize biomass. *2016 Fifth International Conference on Agro-Geoinformatics (Agro-Geoinformatics)*, 1–6. <https://doi.org/10.1109/Agro-Geoinformatics.2016.7577610>
- Xie, Y., Sha, Z., & Yu, M. (2008). Remote sensing imagery in vegetation mapping: a review. *Journal of Plant Ecology*, 1(1), 9–23. <https://doi.org/10.1093/jpe/rtm005>
- Yue, J., Feng, H., Yang, G., & Li, Z. (2018). A comparison of regression techniques for estimation of above-ground winter wheat biomass using near-surface spectroscopy. *Remote Sensing*, 10(1), 66.
- Zhou, X., Zhu, X., Dong, Z., & Guo, W. (2016). Estimation of biomass in wheat using random forest regression algorithm and remote sensing data. *The Crop Journal*, 4(3), 212–219.
- Zhou, Y., Zhuang, L., Duan, J., Zhang, F., & Hong, W. (2022). Synthetic Aperture Radar Radiometric Cross Calibration Based on Distributed Targets. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 15, 9599–9612. <https://doi.org/10.1109/JSTARS.2022.3217285>