



DAFTAR PUSTAKA

- Abbas, A., Jiang, D., and Fu. Y. 2017. *Trichoderma* spp. as Antagonist of *Rhizoctonia solani*. *Journal of Plant Pathology & Microbiology*,8:402.
- Abbas, A., Mubeen, M., Sohail. M.A., Solanki, M.K., Hussain. B., Nosheen, S., Kashyap, B.K., Zhou, L., and Fang, X. 2022. Root root a silent alfalfa killer in China: Distribution , fungal, and oomycete pathogens, impact of climate factors and its management. *Frontiers in Microbiology*. 13: 961794.
- Abdel-Fattah, G.M., El-Haddad, S.A., El-naggar, H.A., Tag El-Din, M.A., and Sharaf, E.H.A. 2011. Induction of defense responses in common bean plants by arbuscular mycorrhizal fungi. *Microbiological Research*,166(4):268-281.
- Abdelrhim, A.S., Abdellatif, Y.M.R., Hossain, M.A., Alamri, S., Pessarakli, M., Lessy, A.M.N., and Dawood,M.F.A. 2023. Comparative Study of Three Biological Control Agents and Two Conventional Fungicides against Coriander Damping-off and Root Rot Caused by *Rhizoctonia solani*. *Plants*, 12:1-25.
- Abdel-Sattar, M., El-Marzouky, H., Ibrahim, U. E. 2017. Pathogenicity Test and Anastomosis Group of *Rhizoctonia solani* the Causal Organism of Stem Canker and Black Scurf Disease of Potato in Egypt. *Journal of Applied Plant Protection*,6(1):1-8.
- Adnani, M., El Hazzat, N., Msairi, S., El-Alaoui, M.A., Mouden, N., Selmaoui, K., Benkirane, R., Touhami, A.O., and Douira, A. 2024. Exploring the efficacy of a *Trichoderma asperellum*-based seed treatment for controlling *Fusarium equiseti* in chickpea. *Egyptian Journal of Biological Pest Control*,34(7): 1-9.
- Agrios, G. N. 1997. *Plant Pathology*, 4th Ed. Academic Press. 616.
- Agrios. 2005. *Plant Pathology*. 5th ed. New York (US): Elsevier Academic Pree.
- Ahanger, S.A., Bashir, S., Mughal, M.N., Rather, R.A., Mir, R.R., Mushtaq, M., & Basu,U. 2022. First Report of Common Bean (*Phaseolus vulgaris* L.) Root Rot by *Rhizoctonia solani* in Jammu and Kashmir, India. *International Journal of Environment and Climate Change*,12(11):1825-1830.
- Ajayi, O.O.O., and Bradley, C.A. 2018. *Rhizoctonia solani*: taxonomy, population biology and management of *Rhizoctonia* seedling disease of soybean. *Plant Pathology*,67:3-17.



- Akhter, W., Bhuiyan, M.K.A., Sultana, F., and Hossain, M.M. 2015. Integrated effect of microbial antagonist, organic amendment and fungicide in controlling seedling mortality (*Rhizoctonia solani*) and improving yield in pea (*Pisum sativum* L.). *Comptes Rendus Biologies*, 338(1): 21-28.
- Alfandi. 2015. Kajian pertumbuhan dan hasil kacang hijau (*Phaseolus radiatus* L.) akibat pemberian pupuk P dan inokulasi cendawan mikoriza arbuskula (CMA). *Jurnal Agrijati*,28(1):158-171.
- Alfizar., Marlina., dan Susanti, F. 2013. Kemampuan Antagonisme *Trichoderma* sp. terhadap Beberapa jamur Patogen *in vitro*. *Jurnal Floratek*,8(1):45-51.
- Amaria., Widi., Harni,R., dan Samsudin. 2015. Evaluasi Jamur Antagonis dalam Menghambat Pertumbuhan *Rigidoporus microporus* Penyebab Penyakit Jamur Akar Putih pada Tanaman Karet. *Jurnal Tanaman Industri dan Penyegar*,2(1):51-60.
- Anam, G.B., Reddy, M.S., & Ahn, Y.H., 2019. Characterization of *Trichoderma asperellum* RM -28 for its sodic /saline alkali tolerance and plant growth promoting activities to alleviate toxicity of red mud. *Sci. Total Environ.*662:462-469.
- Anderson, J.P., Lichtenzveig. J., Oliver, R.P., and Singh, K.B. 2013. *Medicago truncatula* as a model host for studying legume infecting *Rhizoctonia solani* and identification of a locus affecting resistance to root canker. *Plant Pathology*. 62:908-921.
- Anhar, T., Respatie, D.W., dan Purwantoro, A. 2022. Kajian Pertumbuhan dan Hasil Lima Aksesi Kacang Hijau (*Vigna radiata* L.). *Vegetalika*,11(4):292-304.
- An-le, H.E., Jia, L., Xin-hua, W., Quan-guo, Z., Wel, S., and Jie, C. 2019. Soil application of *Trichoderma asperellum* GDFS1009 granules promotes growth and resistance to *Fusarium graminearum* in maize. *Journal of Integrative Agriculture*,18(3):599-606.
- Anshori., Majid, A., dan Addy, H.S. 2015. Pemetaan Keberadaan Cendawan Patogen Tular Tanah *Rhizoctonia solani* dan *Phytophthora nicotianae* di Lahan Tanaman Tembakau pada Enam Kabupaten di Jawa Timur. *Berkala Ilmiah Pertanian*, 10(10);1-5.
- Asad, S.A., Ali, N., Hameed, A., Khan, S.A., Ahmad, R., Bilal, M., Shahzad, M., and Tabassum, A. 2014. Biocontrol Efficacy of Different Isolates of *Trichoderma* against Soil Borne Pathogen *Rhizoctonia solani*. *Polish Journal of Microbiology*,63(1):95-103.
- Asis, A., Shahriar, S.A., Naher, L., Saallah, S., Fatihah, H.N.N., Kumar, V., and Siddiquee, S. 2021. Identification patterns of *Trichoderma* strains using morphological characteristic, phylogenetic analyses and lignocellulolytic activities. *Molecular Biology Reports*, 48: 3285-3301.



- Azhari, R., Soverda, N., & Alia, Y. 2018. Pengaruh pupuk kompos ampas tebu terhadap pertumbuhan dan hasil kacang hijau. *Jurnal Agroecotania: Publikasi Nasional Ilmu Budidaya Pertanian*, 1(2), 49–57.
- Babli, Tiwari, S.P., & Chodari, R. 2022. Effect of different media, pH, and temperature on the growth of *Rhizoctonia solani* causing web blight of urf bean under in vitro conditions. *The Pharma Innovation Journal*, 11(4):1544-1548.
- Basbagci, G., Unal, F., Uysal, A., and Dolar, F.S. 2019. Identification and pathogenicity of *Rhizoctonia solani* AG-4 causing root rot on chickpea in Turkey. *Spanish Journal of Agriculture Research*, 17(2):1-12
- Beneduzi, A., Ambrosini, A., and Passaglia, L.M.P. 2012. Plant growth-promoting rhizobacteria (PGPR): Their potential as antagonists and biocontrol agents. *Genetics and Molecular Biology*, 35(4):1044-1051.
- Bhagat, S., and Pan, S. 2010. Biological management of root and collar rot (*Rhizoctonia solani*) of French bean (*Phaseolus vulgaris*). *Indian J Agric Sci*, 80(10); 42-50.
- Bilgrami, K.S. & Verma, R.N. 1981. *Physiology of fungi*. Vilas Publishing House PVT. New Delhi. 507.
- Brundrett, M., Bougner, N., Dell, B., Grove, T., and Majczuk, N. 1996. Working with Mycorrhiza in Forestry and agriculture. *ACIAR Monograph*. Canberra. Australia.
- Budiarti, S.W., Lukman, R., Sumardiyono, C., Wibowo, A., and Priyatmojo, A. 2019. Effect of photoperiod on the cultural morphology of *Rhizoctonia solani* isolates maize from Yogyakarta and Central Java, Indonesia, *Biodiversitas*. 20 (7): 2028-2038.
- Cahyani, K.I., Sudana, I.M., dan Wijana, G. 2021. Pengaruh Jenis *Trichoderma* spp. Terhadap Pertumbuhan, Hasil, dan Keberadaan Penyakit Tanaman Kacang Tanah (*Arachis hypogaea* L.). *Agrotrop : Journal on Agriculture Science*, 11(1): 40-49.
- Canpolat, S., Woodward, S., and Kurbetli, I. 2023. Molecular and pathological characterization of the isolates of *Rhizoctonia* spp. Associated with dry bean (*Phaseolus vulgaris*) in Turkiye. *Journal of Plant Pathology*, 1-12.
- Cao, Q., Liang, Y., Tian, Y., Lian, Y., Lian, H., Jiang, X., Li., and M. 2023. Survival Dynamics of *Trichoderma longibrachiatum* Tr58 in Conidia and Chlamydospore -Amended Soils with Different Moisture Levels. *Agriculture*, 13 : 238.
- Carvalho, D.D.C.M.L., Junior., Martins, I., Inglis, P.W., and Mello, S. C. M. 2014. Biological control of *Fusarium oxysporum* f.sp. *phaseoli* by *Trichoderma harzianum* and Its Use For Common Bean Seed Treatment. *Tropical Plant Pathology*, 39(5): 384-391.



- Chamzuri, T., Sriwati, R., dan Selian, R.D. 2011. Efektivitas Dosis dan Waktu Aplikasi *Trichoderma virens* terhadap Serangan *Sclerotium rolfsii* pada Kedelai. *Jurnal Floratek*, 6:62-73.
- Contreras-Cornejo, H.A., Viveros-Bremauntz, F., Del-Val, E., Macias-Rodrigues, L., Lopez-Carmona, D.A., Alarcon, A., Gonzalez-Esquivel, C.E., Larsen, J. 2021. Alteration of foliar arthropod communities in a maize agroecosystem induced by the root associated fungus *Trichoderma harzianum*. *Journal of Pest Science*, 94:363-374.
- Crueger, W. and Crueger, A. 1984. Biotechnology A Text Book of Industrial Microbiology. Translate by Caroline Haessly. Madison. Science Tech.
- De Meyer, G., Bigirimana, J., Elad, Y., and Hofte, M. 1998. Induced Systemic Resistance in *Trichoderma harzianum* T39 biocontrol of *Botrytris cinerea*, Eur. *Journal Plant Pathology*, 104:279-286.
- Debbarma, M., and Dutta, P. 2015. Cultural and Morphological Variability in *Rhizoctonia solani* Isolates of Different Hosts of Assam. *Indian Journal of Applied Research*, 5(2):878-884.
- Dell'Olmo, E., Tiberini, A., and Sigillo, L. 2023. Leguminous Seedborne Pathogens: Seed Health and Sustainable crop management. *Plants*, 12(2040): 1-42.
- Dennis, C., and Webster, J. 1971. Antagonistic Properties of Species Group of *Trichoderma* : I. Production of Non Volatile Antibiotics. *Transactions of the British Mycological Society*, 57:25-30.
- Doni, F., Che, R.C.M.Z., Anizan, I., Fathurrahman, F., Azwir, A., Wan, N. W. M., & Norman, U. 2018. A simple, efficient, and farmer-friendly *Trichoderma*-based biofertilizer evaluated with the SRI rice management system. *Organic Agriculture*, 8: 207-223.
- Dubey. S.C., Tripathi, A., Upadhyay, B.K., and Deka, U.K., 2014. Diversity of *Rhizoctonia solani* associated with pulse crop in different agro-ecological regions of India. *World J. Microbiol. Biotechnol*, 30, 1699-1715.
- Elisabeth, D.A.A., Sutrisno., Riyanto, S.A., Kuntyastuti, H., dan Rozi, F. 2021. Kemampuan Daya Saing Kacang Hijau di Tingkat Usahatani pada Lahan Salin (Studi Kasus di Desa Gesik Harjo, Kecamatan Palang, Kanupaten Tuban). *Buletin Palawija*, 19(2):93-101.
- El-Shafey., R.A.S., Elamawi, R.M., Saleh, M.M., Tahon, A.M., and Emeran, A.A., Morphological , pathological, and molecular characterization of rice sheath blight disease causal organism *Rhizoctonia solani* AG-1 IA in Egypt. *Archives of Phytopathology and Plant Protection*, 1-23.
- Fitriani., Suryantini, R., dan Wulandari, R.S. 2017. Pengendalian Hayati Patogen Busuk Akar (*Ganoderma* sp.) Pada *Acacia mangium* dengan *Trichoderma* spp. Isolat Lokal Secara In Vitro. *Jurnal Hutan Lestari*, 5(3):571-577.



- Fu, J., Xiao, Y., Liu, Z., Zhang, Y., Wang, Y., and Yang, K. 2020. *Trichoderma asperellum* improves soil microenvironment in different growth stages and yield of maize in saline-alkaline soil of the Songnen Plain. *Plant, Soil, and Environment*, 66(12):639-647.
- Gabriel, B.P., & Riyatno. 1989. *Metarhizium anisopliae* (Metch) Sor: *Taksonomi, Patologi, Produksi dan Aplikasinya*, Jakarta: Direktorat Perlindungan Tanaman Perkebunan Departemen Pertanian.
- García, C.A.B., Caicedo, B.L.C., Ojeda, C.Q., Sotelo, B.S., Casanova, C.F., and Gonzales, C.S. 2021. Morphology and pathogenicity of *Rhizoctonia solani* Kühn associates with potato black scurf in Narino (Columbia). *Revista Colombiana de Ciencias Hortícolas*, 15(1): 1-20.
- Gautam, S.P., Bundela, P.S., Pandey, A. K., Jamaluddin., Awasthi, M.K., dan Sarsaiya, S. 2010. Optimization of the Medium for the Production of Cellulose by the *Trichoderma viride* using Submerged Fermentation. *International Journal of Environmental Sciences*, 1(4):976-4402.
- Ghoneem., K.M., El-Wakil, D.A., Ahmed, M.I.M., Kamel, H.M., Rashad, E.M., Al-Askar,A.A., Elsherbiny, E.A., and Ibrahim. A.A. 2023. Biodiversity of *Rhizoctonia solani* in *Phaseolus vulgaris* Seeds in East Delta of Egypt. *Agronomy*. 13, 1317.
- Gomez-Mendez, E., Vega, H. B., Ferrer, U. C.L., Dominguez, J. M. S., Hernandez, R. M. S., Vazques, A. G., and Hernandez, A.C. 2020. The Morphological and Molecular Characterization of *Trichoderma* spp. In Cocoa Agroforestry System. *Open Science Journal*, 5(4):1-14.
- Gonzalez, M., Pujol, M., Metraux, J.P., Gonzalez-Garcia, V., Bolton, M.D., and Borras-Hidalgo, O. 2011. Tobacco leaf spot and root rot caused by *Rhizoctonia solani* Kuhn. *Molecular Plant Pathology*, 12: 209-216.
- Gopireddy, B.M., Devi, G.U., Kumar, K.V., Babu, T.R., and Naidu, T.C.M. 2017. Cultural and morphological characterization of *Rhizoctonia solani* f.sp. *sasakii* isolates collected from different districts of Andhra Pradesh. *International Journal Curr Microbiol App Sci*, 6(11):3457-3469.
- Gusnawati, H.S., Taufik, M., Triana, L., dan Asniah. 2014. Karakterisasi Morfologis *Trichoderma* spp. Indigenus Sulawesi Tenggara. *Jurnal Agroteknos*, 4(2):88-94.
- Gusnawati,H.S., Taufik, M., & Herman. 2014. Efektivitas *Trichoderma* indigenus Sulawesi Tenggara sebagai biofungisida terhadap *Colletotrichum* sp. secara *In vitro*. *Jurnal Agroteknos*, 4(1):38-43.
- Guzman-Guzman, P., Kumar, A., de los Santos-Villalobos, S., Fannnie, I.P.C., Orozco-Mosqueda, M.D.C., Fadiji, A.E., Hyder, S., Babalola, O.O., and Santoyo,G. 2023. *Trichoderma* species : Our best Fungal Allies in the Biocontrol of Plant



Disease. *Plants*, 12:432.

- Hamzah, P., Subandiyah, S., Wibowo, A., dan Farhanah, A. 2021. Variabilitas Morfologi *Rhizoctonia solani* Penyebab Penyakit Hawar Padi di Sulawesi Selatan. *Jurnal Agrisistem*,17(1): 40-45.
- Hanum, F., dan Pandawani, N.P. 2018. Affectivity of Application Time of Fungi *Trichoderma* spp. in Controling Withered Disease of *Fusarium oxysporum* to Red Chili Plant in a Large Area. *Jurnal Pertanian Berbasis Keseimbangan Ekosistem*.1-16.
- Harman, G.E., Howell, C.R., Viterbo, A., Chet, I., & Lorito, M. 2004. *Trichoderma* species-opportunistic, avirulent plant symbionts. *Nature Reviews Microbiology*,2(1):43-56.
- Hassan, A. A. 2021. Molecular, physiological, and infection behavior studies of *Rhizoctonia solani* causing the rice sheath blight disease. *Egyptian Journal of Agricultural Research*,(30); 248-261.
- Hassan, O., and Chang, T. 2021. First Report of Damping-Off of Ovate-Leaf Atractylodes caused by *Rhizoctonia solani* AG-5 in South Korea. *Mycobiology*, 1-5.
- Herawati, D., Djauhari, S., dan Cholil, A. 2015. Eksplorasi Jamur Endofit pada Daun Kacang Hijau (*Phaseolus radiatus* L.) dan Uji Antagonis Terhadap Jamur *Fusarium oxysporum*. *Jurnal Hama Penyakit Tanaman*,3(3): 96-103.
- Hermosa, R., Rubio, M.B., Cardoza, R.E., Nicolas, C., Monte, E., and Guteirrez, S. 2013. The contribution of *Trichoderma* sp. to balancing the cost of plant growth and defense. *Journal of Microbiology*,16(2): 69-80.
- Hidangmayum, A., and Dwivedi, P. 2018. Plant Responses to *Trichoderma* spp. and Their Tolerance to abiotic Stresses. *Journal of Pharmacognosy and Phytochemistry*,7(1);758-766.
- Hidayah, N., dan Yulianti, T. 2015. Uji Antagonisme *Bacillus cereus* terhadap *Rhizoctonia solani* dan *Sclerotium rolfsii*. *Buletin Tanaman Tembakau, Serat, & Minyak Industri*,7(10);1-8.
- Hidayanti, E., Emilda. dan Supriyatn, T. 2022. Respons Pertumbuhan Tanaman Kacang Hijau (*Vigna radiata*) terhadap Pemberian Pupuk Organik Cair Limbah Air Kelapa dan Keong Mas. *Biological Science and Education Journal*,2(1): 14-25.
- Hoyos-Carvajal, L., Orduz,S., and Bisset,J. 2009. Growth stimulation in bean (*Phaseolus vulgaris* L.) by *Trichoderma*. *Biological Control*. 51: 409-416
- Hua, G.K. H. 2014. *Integrated control of Rhizoctonia disease on bean and cabbage*. Belgium: Gehnt University, p. 17.
- Hughes, A.D., Lorusso, G.D., & Greer, D.L. 2004. The ‘double-layer tape prep’: an improvement to a standard technique. *Journal of Medical Microbiology*



,53(50);455-456.

- Hussain, F., Malik, A. U., Haji, M. A., & Malghani, A.L. 2011. Growth and yield response of two cultivars of mungbean (*Vigna radiata* L.) to different potassium levels. *Journal Animal Plant Sci*,21(3):622-625.
- Hwang, S.F., Gossen, B.D., Chang, K.F., Turnbull, D.G., Howard., R.J., and Blade, S.F. 2003. Etiology, impact, and control of *Rhizoctonia solani* seedling blight and root rot chickpea on the Canadian prairies. *Canadian Journal of Plant Science*. 959-967.
- Ilma, H.N. A., Wibowo, A., Joko, T., Subandiyah, S., and Herper, S. 2024. Enrichment of argonic material with *Trichoderma asperellum* for the management of twisted disease on shallot. *Journal Trop. Plant Pests Dis*,24(1):28-37.
- Inayati, A., Sulistyowati, L., Aini, L. Q., and Yusnawan, E. 2020. Mycoparasitic activity of indigenous *Trichoderma virens* against mungbean soil borne pathogen *Rhizoctonia solani*: hyperparasite and hydrolytic enzyme production. *Agrivita* ,42(20) :229-242.
- Indrasawari, E., Alia, Y., dan Soverda, N. 2018. Respons Tanaman Kacang Hijau (*Vigna radiata* L.) terhadap pemberian Pupuk Organik Kompos Ampas Tebu. *Jurnal Agrium*. 15(2):70-74.
- Irmayani, S., dan Winarni, S. 2022. Modifikasi Metode Preparasi Pewarnaan Akar untuk Deteksi dan Visualisasi Pembentukan Koloni Fungi Mikoriza Arbuskula (FMA). *Manikara*,1(1):10-19.
- ITIS Integrated Taxonomic Information System. 2023. *Rhizoctonia solani* Kühn
- ITIS Integrated Taxonomic Information System. 2023. *Vigna radiata* (L.) R. Wilczek.
- Jaiswal, A.K., Elad, Y., Graber, E.R., and Frenkel, O. 2014. *Rhizoctonia solani* suppression and plant growth promotion in cucumber as affected by biochar pyrolysis temperature, feedstock, and concentration. *Soil Biology and Biochemistry*,69:110-118.
- Jambulkhar, P.P., Singh, B., Raja, M., Ismaiel, A., Lakshman, D.K., Marishi, T., and Sharma, P. 2024. Genetic diversity and antagonistic properties of *Trichoderma* strains from the crop rhizospheres in southern Rajasthan, India. *Scientific Reports*,14;8610.
- Jasuli., Abadi, A.L., dan Djauhari, S. 2024. Aplikasi *Trichoderma asperellum* dan Kapur untuk Mendekomposisi Limbah Kotoran Sapi Segar serta Mengendalikan Akar Gada Tanaman Kubis. *Jurnal HPT*,12(1):51-63.
- Jiang, H., Zhang, L., Zahang, J.Z., Ojaghian, M.R., and Hyde, K.D. 2016. Antagonistic Interaction between *Trichoderma asperellum* and *Phytophthora capsici* In vitro. *Journal of Zhejiang University Science B*, 17(4):271-281.
- Jiao, K., Li, X., Su, S., Guo, W., Guo, Y., Guan, Y., Hu, Z., Shen, Z., & Luo, D. 2019. Genetic control of compound leaf development in the mung bean (*Vigna*



- radiata* L.). *Horticulture Research*, 6(1), 1–12.
- Kalay, A. M., Talahaturuson, A., dan Rumahlewan, W. 2018. Uji Antagonisme *Trichoderma harzianum* dan *Azotobacter chroococcum* Terhadap *Rhizoctonia solani*, *Sclerotium rolfsii*, dan *Fusarium oxysporum* secara in-vitro. *Agrologia*, 7(2):71-78.
- Kamala, T., Devi, I.K., Sharma, K.C., and Kennedy, K. 2015. Phylogeny and Taxonomical Investigation of *Trichoderma* spp. From Indian Region of Indo-Burma Biodiversity Hot Spot region with Special Reference to Manipur. *BioMed Research International*. 1-21.
- Karem, T.A, and Hassan, M.S. 2014. Morphology and molecular identification of *Rhizoctonia solani* from some vegetable plants and their control by *Glomus mosseae* in Baghdad-Iraq. LAP LANBERT Academic Publishing, University of Baghdad.
- Karima, H.E.H., and Nadia, G.E. 2012. In vitro study on *Fusarium solani* and *Rhizoctonia solani* isolates causing the damping off and root rot diseases in tomatoes. *Nature and Science*, 10(11): 16-25.
- Karuppiah, V., Zhixiang, L., Liu, H., Valikkannu, M., and Chen, J. 2021. Co-culture of Vell-over-expressed *Trichoderma asperellum* and *Bacillus amyloliquefaciens*; an eco-friendly strategy to hyrdolyze the lignocellulose biomass in soil to enrich the soil fertility, planth growth and disease resistance. *Microp. Cell factories* 20:57.
- Kasiandari, R.S., Smith, S.E., Smith, F.A., and Scott, E.S. 2002. Influence of the mycorrhizal fungus, *Glomus coronatum*, and soil phosphorus on infection and disease caused by binucleate *Rhizoctonia* and *Rhizoctonia solani* on mung bean (*Vigna radiata*). *Plant and Soil*, 238:235-244.
- Ketta, H.A., and Hewedy, O.A. E.R. 2021. Biological control of *Phaseolus vulgaris* and *Pisum sativum* root rot disease using *Trichoderma* species. *Egyptian Journal of Biological Pest Control*, 31(96):1-9.
- Khadka, R.B., and Miller, S.A. 2021. Synergy of Anaerobic Soil Disinfestation and *Trichoderma* spp. In *Rhizoctonia* Root Rot Suppression . *Front. Sustain. Food Syst*, 5: 645736.
- Kipsumbai, P.K., Hunajn, M.S., and Sekhon, P.S. 2022. Morpho-cultural, Pathological and Genetic Variability in *Rhizoctonia solani* Isolates Infecting Crops in Rice Based Cropping Pattern of Punjab State, India. *Saudi Journal of Pathology and Microbiology*, 7(11): 401-415.
- Kuiry, S.P., Mondal, S., Banerjee., and Dutta, S. 2014. Morphological variability in *Rhizoctonia solani* isolates from different agro-ecological zones of West Bengal, India. *Archives of Phytopathology and Plant Protection*. 47(6): 728-736.



- Kumar, P., Pal, M., Joshi, R., and Sairam, R.K. 2013. Yield, growth and physiological responses of mung bean (*Vigna radiata* (L.) Wilczek) genotypes to waterlogging at vegetative stage. *Physiol Mol Biol Plants*, 19(2): 209-220.
- Lal, M., and Kandhari, J. 2009. Cultural and morphological variability in *Rhizoctonia solani* isolates causing sheath blight of rice. *Journal Mycol Pant Pathol*, 39(1):77-81.
- Lal, M., Singh, V., Kandhari, J., Sahrma, P., Kumar, V., and Murti, S. 2014. Diversity analysis of *Rhizoctonia solani* causing sheath blight of rice in India. *African Journal Biotechnol*, 13(51):4594-4605.
- Liu, P., Yang, R., Wang, Z., Ma, Y., Ren, W., Wei, D., and Ye, W. 2024. Biocontrol Potential of *Trichoderma asperellum* CMT10 against Strawberry Root Rot Disease. *Horticulturae*, 10(246):1-16.
- Liu, Y., He, P., He, P., Shahzad, M., Ahmed, A., Wu, Y., Yang, Y., Lu, J., Wang, J., Yang, J., Pan, X., Tian, Y., & He, Y. 2022. Potential biocontrol efficiency of *Trichoderma* species against oomycete pathogens. *Frontiers in Microbiology* 13:974024.
- Magenda, S., Kandao, F., dan Umboh, S. 2011. Karakteristik Isolat Jamur *Sclerotium rolfsii* dari Tanaman Kacang Tanah (*Arachis hypogaea* Linn). *Jurnal Bioslogos*, 1(1): 17.
- Mahabbah, A.F., Aeny, T.N., dan Maryono, T. 2014. Pengaruh *Trichoderma* spp. dan Fungisida Sintetis terhadap Pertumbuhan *Sclerotium rolfsii* dan Keterjadian Penyakit Rebah Kecambah Kacang Tanah. *Jurnal Agrotek Tropika*, 2 (2): 208-214.
- Mahendra, M., Kumar, M.R., Rajan, C.P.D., and Sumathi, P. 2022. Biological Management of Dry Root Rot of Groundnut using *Trichoderma harzianum* and *Pseudomonas fluorescens* under Glasshouse conditions. *Biological Forum-An International*, 14(3):409-416.
- Manasikana, A., Suryanti., Sulandri , S., dan Priyatno, A. 2021. Keragaman *Rhizoctonia solani* Isolat Padi Varietas Ciherang, IR 64, Mekongga, dan Situ Bagendit. *Jurnal Fitopatologi Indonesia*, 17(4): 141-150.
- Manzar, N., Kashyap, A.S., Maurya, A., Rajawat, M.V.S., Sharma, P.K., Srivastava, A.K., Roy, M., Saxena, A.K., and Singh, H.V. 2022. Multigene phylogenetic approach for identification and diversity analysis of *Bipolaris maydis* and *Curvularia lunata* isolates causing foliar blight of *Zea mays*. *Journal of Fungi*. 8: 802-806
- Matondang, S.T.D., dan Aini, L.Q. 2022. Eksplorasi Jamur Rizosfer Antagonis terhadap *Rhizoctonia solani* pada Tanaman Kacang Hijau (*Vigna radiata*). *Jurnal HPT*, 10(2): 85-96
- Mayo, S., Gutierrez, S., Malmierca, M.G., Lorenzana, A., Campelo, M.P., Hermosa,



- R., and Casquero, P.A. 2015. Influence of *Rhizoctonia solani* and *Trichoderma* spp. In growth of bean (*Phaseolus vulgaris* L.) and in the induction of plant defense-related genes. *Frontiers in Plant Science*. 6:685.
- Mayo-Prieto, S., Gonzalez-Rodriguez, A., Lorenzana, A., Gutierrez, S., Casquero, P.A. 2020. Influence of Substrates in the Development of Bean and in Pathogenicity of *Rhizoctonia solani* JG Kuhn. *Agronomy*, 10,707.
- Meena, R.S., Kumar, S., Datta, R., Lal, R., Vijayakumar, V., Brtnicky, M., & Pathan, S.I. 2020. Impact of agrochemicals on soil microbiota and management : a review. *Land*, 9(2): 34.
- Mihajlovic', M., Rekanovic. E., Hrustic, J., Grahovac, M., & Tanovic, B. 2017. Methods for management of soilborne plant pathogens. *Pestic Phytomed(Belgrade)*,32(1):9-24.
- Miller, T.G.,& Webster, R.K. 2001. Soil Sampling Techniques for determining the Effect of Culture Practices on *Rhizoctonia oryzae-sativae* Inoculums in Rice Field Soil. *Plant Disease*,85:967-972.
- Mirsam, H., Suriani., Kurniawati, S., Purwanto, O.D., Muis, A., Pakki, S., Tenrirawe, A., Nonci, N., Herawati., Muslimin., and Azrai, M. 2023. In vitro inhibition mechanism of *Trichoderma asperellum* isolates from corn against *Rhizoctonia solani* causing banded leaf and shath blight disease and its role in improving the growth of corn seedlings. *Egyptian Journal of Biological Pest Control*. 33(95): 1-14.
- Mishra, P.K., Gogoi, R., Singh, P.K., Rai, S.N., Singode, A., Kumar, A.,and Majunatha, C. 2014. Morpho-cultural and pathogenic variability in *Rhizoctonia solani* isolates from rice, maize, and green gram. *Indian Phytopathol*,67(2): 147-154.
- Mohiddin, F., Bashir, I., Padder, S.A., & Hamid, B. 2017. Evaluation of different substrates for mass multiplication of *Trichoderma* species. *Journal of Pharmacognosy and Phytochemistry*,6(6):563-569.
- Moussa, Z., Alanazi, Y.A., Khateb, A.M., Eldadamony, N.M., Ismail, M.M., Saber, W.I.A., and Darwish, D.B.E. 2022. Domiciliation of *Trichoderma asperellum* Suppresses *Globiosporangium ultimum* and Promotes Pea Growth Ultrastructure and Metabolic features. *Microorganism*. 11:198.
- Mukhopadhyay, R., and Kumar, D. 2020. *Trichoderma* : a beneficial antifungal agent and insight into its mechanism of biocontrol potential. *Egyptian Journal of Biological Pest Control*, 30(133):1-8.
- Naher, L., Syawani, N., Amieza, N., Kamarudin, A. B., and Karim, S. M. R. 2019. *Trichoderma* Species Diversity in Rhizosphere Soils and Potential Antagonism with *Fusarium oxysporum*. *Bioscience Journal*, 35(1):13-26.
- Naher, L., Yusuf, U.K., Ismail, A., and Hossain, K. 2014. *Trichoderma* spp: A



- Biocontrol Agent for Sustainable Management of Plant Disease. *Pakistan Journal of Botany*,46(4):1489-1493.
- Naseri, B., and Moradi, P. 2015. Farm management strategies and the prevalence of *Rhizoctonia* root rot in bean. *Journal of Plant Disease and Protection*,122(5): 238-243.
- Nasution, A.S. 2015. Pengaruh Pemberian Berbagai Jenis Pupuk Organik terhadap Pertumbuhan dan Produksi Tanaman Kacang Hijau (*Vigna radiata* L.) *Agrium*,19(2):89-95.
- Ningsih, H., Hastuti, U.S., dan Listyorini, D. 2016. Kajian Antagonis *Trichoderma* spp. terhadap *Fusarium solani* Penyebab Penyakit Layu pada Daun cabai Rawit (*Capsicum frustescens*) secara *In vitro*. *Proceeding Biology, Eductaion Conference*,13(1):814-817.
- Ningsih, N.E., Ekwoati, T., & Nurfadillah, S. 2022. Analisis Daya Saing Kacang Hijau (*Vigna radiata*) Indonesia di Pasar Internasional. *Jurnal Ekonomi Pertanian dan Agribisnis* (JEPA),6(4):1644-1645.
- Nurbailis., dan Martinius. 2011. Pengaruh Kolonisasi *Trichoderma* spp. pada akar Bibit Pisang terhadap Perkembangan Penyakit Layu Fusarium (*Fusarium oxysporum* f.sp. *cubense*). *Jurnal Natur Indonesia*,13(3): 220-225.
- Nurhayati, Y., Suryanti., and Wibowo, A. 2021. *In Vitro* Evaluation of *Trichoderma asperellum* Isolate UGM-LHAF against *Rhizoctonia solani* Causing Sheath Blight Disease of Rice. *Jurnal Perlindungan Tanaman*,25(1): 64-73.
- Orellana, R.G., & Worley, J.F. 1976. Cell dysfunction in root nodules of soybeans grown in the presence of *Rhizoctonia solani*. *Physiological Plant Pathology*,9(2):185-188.
- Orozco-Avitia, A., Esqueda, M., Meza, A., Tiznado, M., Gutierrez, A. & Gardea, A. 2013. Temperature effect on *Rhizoctonia solani* analyzed by microcalorimetry. *American Journal of Agricultural and Biological Sciences*, 8(2), 162-166.
- Oszako, T., Voitka, D., Stocki, M., Stocka, N., Nowakowska, J.A., Linkiewicz, A., and Malewski, T. 2020. *Trichoderma asperellum* Efficiently Protects *Quercus robur* Leaves against *Erysiphe alphitoides*. *European Journal of Plant Pathology*, 159(2), 295–308.
- Padmaja, M., Swathi, J., Narendra, K., Swjanya, K.M., Babu, P. J., and Satya, A.K. 2013. *Trichoderma* sp as a microbial antagonist against *Rhizoctonia solani*. *International Journal of Pharmacy and Pharmaceutical Sciences*.5(4): 1-4.
- Pandya, U., & Saraf, M. 2020. Role of Single Fungal Isolates and Consortia as Plant Growth Promoters under Saline Conditions. *Research Journal of Biotechnology*,5(3): 5-9.
- Parmeter, J.R., & Whitney, H.S. 1970. Taxonomy and nomenclature of the imperfect state. In : Parmeter J.R. *Rhizoctonia solani* : Biology and Pathology. University



of California Press, Berkely.7-19.

- Phillips, J.M., and Hayman, D.S. 1970. Improved procedures for clearing roots and staining parasitic and vesicular-arbuskular mycorrhizal fungi for rapid assessment of infection. *Transssaction of British Mycological Society*.55:58-161.
- Poulton, J.L., Koide, R.T., and Stephenson. 2011. Effects of *Trichoderma* Infection and Soil Phosphorus Availability on In -vitro and In -vivo Pollen Performance in *Lycopersicon escculentum* (Solanaceae). *American J.Botany*, 345.
- Promwee, A., and Intana,W. 2022. *Trichoderma asperellum* (NST-009): A potential native antagonistic fungus to control *Cercospora* leaf spot and promote the growth of ‘Green oak’lettuce (*Lactuca sativa* L.) cultivated in the commercial NFT hydroponic system. *Plant Protection Science*, 58(2):139-149.
- Rabuske, J.E., Muniz,M.F.B., T, B., Saldanha, M.A., Sarzi, J.S., Lucas, S.G., Walker, C., Rolim, J.M., Zabot, G.L., and Mazutti, M.A. 2023. *Trichoderma asperellum* in the biocontrol of *Lasiodiplodia theobromae* and *Pseudofusicoccum kimberleyense*. *Journal of Plant Protection Research*,63(4):488-498.
- Rachmawati, R., Rahabistara, A.,dan Afandhi, A. 2016. Daya Antagonis Tiga Jmaur Patogen Serangga terhadap Jamur Patogen Tular Tanah *Fusarium* sp. (Hypocreales : Nectriaceae) secara *In vitro*. *Jurnal HPT*,4(2): 93-101.
- Rahayu, S., Nurjanto, H.H., dan Pratama, R.G. 2015. Karakter Jamur *Ceratocytis* sp. Penyebab penyakit Busuk Batang pada *Acacia decurrens* dan Ststus Penyakitnya di Taman Nasional Gunung Merapi. Yogyakarta. *Jurnal Ilmu Kehutanan*,9(2): 94-104.
- Rahman, S.S.M.S.A., Zainudin, N.A.I.M., Aziz, N.A.A. 2021. Evaluation of *Trichoderma asperellum* B1902 in Controlling *Fusarium* Wilt of Cavendish Banana Cultivar. *Sains Malaysiana*,50(9):2547-2559.
- Rajput, L.S., and Harlapur, S. I. 2016. Cultural and morphological variability in *Rhizoctonia solani* casusing banded leaf and shath blight of maize. *Indian Journal of Plant Protection*,44(1):165-167.
- Ratnasari, J.D., Isnawati., dan Ratnasari, E. 2014. Uji Antagonis Cendawan *Cercospora musae* Penyebab Penyakit Sigatokan secara *In Vitro*. *Lentera Bio*,3(2):129-135.
- Rawal, R., Scheerens,J.C., Fenstemaker, S.M., Framcis, D.M., Miller, S.A., and Benitez, M. 2022. Novel *Trichoderma* isolates alleviate water deficit stress in susceptible tomato genotypes. *Front. Plant.Sci.*13:869090.
- Redda, E.T., Ma, J., Mei, J., Li, M. Wu, B., and Jiang, X. 2018. Antagonistic Potential of different isolates of *Trichoderma* against *Fusarium oxysporum* , *Rhizoctonia solani* , and *Botrytis cinerea*. *European Journal of Experimental Biology*,8:1-8.
- Refwallu, M.L., dan Sahertian, D.E. 2020. Identifikasi Tanaman Kacang-Kacangan



(Papilonaceae) yang Ditanam di Pulau Larat Kabupaten Kepulauan Tanimbar. *Biofaal Journal*,1(2):66-73.

- Risdianto, H., Setiadi, T., Suhardi, S.H., dan Niloperbowo, W. 2007. Pemilihan Spesies Jamur dan Media Imobilisasi untuk Produksi Enzim Ligninolitik. *Prosiding Seminar Nasional Rekayasa Kimia dan Proses* Bandung,1(6):132-135.
- Riyadi, A.S., Soesanto, L., dan Kustantinah. 2008. Virulensi *Fusarium oxysporum* f.sp. *zingiberi* Isolat Boyolali dan Temanggung setelah Disimpan Enam Tahun dalam Tanah Steril. *Jurnal Perlindungan Tanaman Indonesia* ,14(2): 80-85.
- Rizal, S., dan Susanti, T.D. 2018. Peranan Jamur *Trichoderma* sp. yang Diberikan terhadap Pertumbuhan Tanaman Kedelai (*Glycine max* L.). *Sainmatika : Jurnal Ilmiah Matematika dan Ilmu Pengatahuan Alam*,15(1): 23-29.
- Rogers, H.H., Prior, S.A., Runion, G.B., & Mitchell, R. J. 1995. Root to shoot ratio of crops as influenced by CO₂. *Plant and Soil*,187:229-248.
- Rosiman., Sumadi., dan Rachmadi, M. 2020. Pengaruh Kombinasi Jamur *Trichoderma harzianum* dan Bokashi terhadap Pertumbuhan Tiga Kultivar Kedelai. *Jurnal Kultivasi*,19(2):1142-1149.
- Rukmana, R. 1997. Kacang Hijau, Budidaya dan Pasca Panen. Yogyakarta: Kanisius
- Rukmana, R. 2013. Kacang Hijau. Yogyakarta :Penerbit Kanisisus.
- Saba, H., Vibhash, D., Manisha, M., Prashant, K.S., Farhan, H., and Tauseff, A. 2012. *Trichoderma-* a promising plant growth stimulator and biocontrol agent. *Mycosphere*,3(4):524-531.
- Salman, O., and Boyraz, N. 2023. Determine of Disease Severity of *Rhizoctonia solani* Kuhn (Telemorph: *Thanatephorus cucumeris* (Frank)Donk) Isolates drom Bean, Sugar Beat, and Potato Planting Areas in Konya. *Selcuk Journal of Agriculture and Food Sciences*,37(1):199-132.
- Samuels,G.J., Lieckfeldt,E., Nirenberg,N.I. 1999. *Trichoderma asperellum* , A New Species With Warted Conidia and Redescription of *Trichoderma viride*. *Sydowia*,51:71-88.
- Saputra, R., Puspita, F., Hamzah,A., Irfandri,,dan Suryani,E. 2022. Karakterisasi morfologi *Trichoderma* spp. yang diisolasi dari rhizosfer kelapa sawit di tanah gambut dan potensinya sebagai pengendali hayati *Ganoderma* sp. Secara in vitro. *Jurnal Ilmiah Pertanian*,19(2):56- 68.
- Sargin, S., Gezgin, Y., Eltem, R., and Vardar, F. 2013. Micropropagule production from *Trichoderma harzianum* EGE-K38 using solid-state fermentation and a comparative study for drying methods. *Turkish Journal of Biology*, 37:139-146.
- Scudeletti, D., Cruscio, C.A.C., Bossolani, J.W., Moretti, L. G., Momesso, L., Tubana, B.S., de Castro, S.G.Q., Oliveira, E.F. D., Hungria, M. 2021. *Trichoderma*



asperellum Inoculation as a Tool for Attenuating Drought Stress in Sugarcane.
Frontiers in Plant Science. 12;645542.

- Sebumpan, R., Guiritan, K.R., Suan, M., Abapo, C.J., Bhat, A.H., Machado, R.A.R., Nimkingrat, P., and Sumaya, N.H. 2022. Morphological and molecular identification of *Trichoderma asperellum* isolated from a dragon fruit farm in the southern Philippines and its pathogenicity against the larvae of the super worm, *Zophobas morio* (Fabricius,1776) (Coleoptera: Tenebrionidae). *Egyptian Journal of Biological Pest Control*,32-47.
- Sehim, A.E., Hewedy, O.A., Altammar, K.A., Alhumaidi, M.S., and Elghaffar, Y.A. 2023. *Trichoderma asperellum* empowers tomato plants and suppresses *Fusarium oxysporum* through priming responses. *Frontiers in Microbiology*.14:1140378.
- Setyaningrum, T., Indradewa, D., Priyatmojo, A.,and Sulisyaningsih, E. 2019. *Trichoderma asperellum* inoculation on shallots productivity in coastal sand lands. *IOP Conf. Series : Earth and Environmental Science*. 012094:1-7.
- Shanmugaraj, C., Kamil, D., Kundu, A., Singh, P.K., Das, A., Hussain, Z., Gogoi, R., Shashank, P.R., Gangraj, R., and Chaitra, M. 2023. Exploring the Potential Biocontrol Isolates of *Trichoderma asperellum* for Management of Collar Rot Disease in Tomato. *Horticulturae*, 9:1116.
- Sharfuddin, C., and Mohanka, R. 2012. In vitro antagonism of indigenous *Trichoderma* isolates againts phytopathogen causing will of lentil. *International Journal of Life Science and Pharma Research*, 2(3):195-202.
- Sharma, L., Goswani, S., and Nagrale, D.T. 2013. Culture and Physiologica Variability in *Rhizoctonia solani* Responsible for Foliar and Lesions on Aerial Part of Soybean, *Journal of Applied and Natural Science*,5(1):41-46.
- Sharma, P., Kumar Saini, M., Deep, S., & Kumar, V. 2012. Biological control of groundnut root rot in farmer's field. *Journal of Agricultural Science*, 4(8), 48–59
- Sharma, R.K., Pathak,D., and Singh, V.P. 2017. Effect on different inoculum levels on *Rhizoctonia solani* Kuhn on disease development and growth of chili (*C.annuum*) cv. G-4. *International Journal of Plant Protection*,10(2): 375-377.
- Sharma-Poudyal, D., Paulitz, T.C., Porter, L.D., and du Toit, L.J. 2015. Characterization and pathogenicity of *Rhizoctonia* and *Rhizoctonia* -like



spp.from pea crops in the Columbia Basin of Oregon and Washington. *Plant Disease*.99:604-613.

- Shekhawat, D.S., Bagri, R.K., Yadav, A.L., Bhati, P., Yadav, B.B., and Kumawat, S. 2023. Studies on different host range of root rot (*Rhizoctonia solani* Kuhn) under Pot House. *International Journal of Plant & Soil Science*,35(22):393-397.
- Sherwood, R.T., and Lindberg, C.G., 1962. Production of a phytotoxin by *Rhizoctonia solani*. *Phytopathology*,52:586-587.
- Shoresh, M., Mastouri, F, and Harman, G.E. 2010. Induced systemic resistance and plant responses to fungal biocontrol agents. *Ann rev Phytopathol*,48:21-43.
- Silvia, M., and Sutarmen. 2021. Application of *Trichoderma* as an Alternative to the use of Sulfuric Acid Pesticides in the Control of Diploida Disease on Pomelo Citrus. *IOP Conf.Series:Earth and Environmental Science*, 819:1-7.
- Singh, B.N., Singh, A., Singh, G.S., and Dwivedi, P. 2015. Potential Role of *Trichoderma asperellum* T42 Strain in growth of Pea Plant for Sustainable Agriculture. *Journal of Pure and Applied Microbiology*,9(2): 1069-1074.
- Singh, B.N., Singh, A., Singh, S.P., and Singh, H.B. 2011. *Trichoderma harzianum* mediated reprogramming of oxidative stress responses in root apoplast of sunflower enhances defence against *Rhizoctonia solani*. *European Journal of Plant Pathology*,131(1):121-134.
- Singh, V., Kumar, S., Lau, M., and Hooda, K.S. 2014. Cultural and morphological variability among *Rhizoctonia solani* isolates from trans-genetic plains of India. *Res. On . Crops*,15(3): 644-650.
- Singh, V., Upadhyay, R.S., Sarma, B.K., & Singh, H. B. 2016. *Trichoderma asperellum* spore dose dependend modulation of plant growth in vegetable crops. *Microbiological Research*,193:74-86.
- Singh., V., Amaradas, B., Karjagi, C.G., Lakshman, D.K., Hooda, K., S.,and Kumar, A. 2018. Morphological and molecular variability among Indian isolates of *Rhizoctonia solani* causing banded leaf and sheath blight in maize. *European Journal Plant Pathology*,152(1):45-60.
- Soelistijono., Priyatmojo, A., Semiarti, E., dan Sumardiyono, C. 2011. Karakterisasi Isolat *Rhizoctonia* sp. Patogenik dan *Rhizoctonia* Mikoriza pada Tanaman Anggrek Tanah *Spathoglottis plicata*. *Biota* ,16(2):371-180.
- Soenartiningsih. 2012. Potensi Jamur Mikoriza Arbuskular dalam Mengendalikan Penyakit Busuk Pelepas pada Tanaman Jagung. *Jurnal Biosfera*,29(1): 30-35.
- Soenartiningsih. 2015. Cendawan Tular Tanah (*R. solani*) Penyebab Penyakit Busuk Pelepas pada Tanaman Jagung dan Sorgum dengan Komponen Pengendaliannya. *Iptek Tanaman Pangan*, 10(2) : 56-60.



- Soenartiningsih., Djaenuddin, N., dan MS Saenong, M.S. 2014. Efektivitas *Trichoderma* sp. dan *Gliocladium* sp. sebagai agen biokontrol hayati penyakit busuk pelepas daun pada jagung. *Penelitian Pertanian Tanaman Pangan*. 33(2): 129-135.
- Sofian., Hadisutrisno, B., and Priyatmojo, A. 2013. The Growth of Root Rot disease on Pepper Seed Applied by *Trichoderma harzianum* Inoculum. *International Journal of Science and Engineering (IJSE)*,5(1):49-54.
- Suciati mih., Yuliar., dan Supriyati, D. 2011. Isolasi, Identifikasi, dan Skrining Jamur Endofit Penghasil Agen Biokontrol dari Tanaman di Lahan Pertanian dan Hutan Penunjang Gunung Salak. *Jurnal Teknik Lingkungan*,12(2):171-186.
- Sumartini. 2012. Penyakit Tular Tanah (*Sclerotium rolfsii* dan *Rhizoctonia solani*) pada Tanaman Kacang-Kacangan dan Umbi-Umbian serta Cara Pengendaliannya. *Jurnal Litbang Pertanian*,31(1): 27- 34.
- Susanna., Sinaga, M.S., Wiyono, S., dan Triwidodo, H. 2018. Pemanfaatan Cendawan Antagonis In Situ sebagai Agen Biokontrol *Lasiodiploida theobromae* Penyebab Dieback pada Pala di Aceh Selatan. *Jurnal Pertanian Tropik*, 5(3): 447-454.
- Susila, E., Maulina, E., and Emilda, D. 2023. Characterization and identification of *Trichoderma* on shallots isolated from there elevation regions in West Sumatra, Indonesia. *Biodiversitas*,24(4);2064-2071.
- Sutarman., dan Prahasti, T. 2022. Uji Keragaan *Trichoderma* sebagai Pupuk Hayati dalam meningkatkan Pertumbuhan dan Produksi Bawang Merah. *Jurnal Agrotek Tropika*, 10(3):421-428.
- Syamsiyah, J., Herdiansyah, G., and Hartati, S. 2023. Use of *Trichoderma* as an Effort to Increase Growth and Productivity of Maize Plants. *IOP Conferense Sereies: Earth and Environmental Science*,1165.
- Tetik, A.H., dan Fallo, Y.M. 2016. Analisis Pendapatan Usahatani Kacang Hijau di Kecamatan Wewiku Kabupaten Malaka, *Jurnal Agribisnis Lahan Kering*,1(3):53-54.
- Thiessen, L.D.,and Woodward, J. E. 2012. Disease of Peanut Caused by Soilborne Pathogens in the Southwestern United States. *International Schlolary Research Network*, 1-9.
- Trustinah, T., Radjit, B.S., Prasetiawati, N., dan Harnowo, D. 2015. Adopsi Varietas Ungul Kacang Hijau di Sentra Produksi. *Iptek Tanaman Pangan*, 9(1) : 54-59.
- Tyskiewicz, R., Nowak, A., Ozimek, E., and Sisel, J.J. 2022. *Trichoderma*: The Current Status of Its Application in Agriculture for the Biocontrol of Fungal Phytopathogens and Stimulation of Plant Growth. *International Journal of Molecular Science*,23:1-28.



- Unal, F., and Kara, M.E. 2017. Molecular Characterization of *Rhizoctonia* Species and Anastomosis Groups in Barley Production Areas in Ankara Province. *Journal Turkey Phytopath*, 46(2): 61-67.
- Utami, W.P., Syam, N., dan Suryanti, H.S. 2023. Perbanyak jamur *Trichoderma* sp. Pada Beberapa Jenis Media Tumbuh dengan Metode Terbuka dan Tertutup. *Jurnal AgrotekMas*, 4(1): 111-118.
- Valentin Torres, S., Vargaz, M. M., Lutz, G.G., Porch,T.G., and Beaver,J.S. 2016. Isolates of *Rhizoctonia solani* can produce both web blight and root rot symptoms in common bean (*Phaseolus vulgaris* L.). *Plant Disease*. 1351-1357.
- Valeria, G.B., Gabriela, D.B., Gustavo, R. 2024. *Trichoderma* spp.: characteristics and applications. *Journal of Applied Biotechnology and Bioengineering*, 11(1):18-22.
- Viterbo, A., Landau, U., Kim, S., Chernin, L., & Chet, I. 2010. Characterization of ACC deaminase from the biocontrol and plant growth-promoting agent *Trichoderma asperellum* T203. *FEMS Microbiology Letters*, 305(1), 42–48.
- Wang, C., & Wen-ying, Z. 2019. Evaluating effective *Trichoderma* isoalates for biocontrol of *Rhizoctonia solani* causing root rot of *Vigna unguiculata*. *Journal of Integrative Agriculture*, 18(9);2072-2079.
- Widiantini, F., Yulia, E., dan Fiko, D.S. 2022. Penghambatan Pertumbuhan *Rhizoctonia solani* dan Penekanan Serangannya pada Perkecambahan Tanaman Padi oleh Bakteri Endofit Padi. *Jurnal Fitopatologi Indonesia*, 18(2):75-84.
- Win, K.S., Win, S., Hun, T.M., and Win, N.K.K. 2020. Characterization and Evalution of Mungbean (*Vigna radiata* (L.) Wilczek) Germplasm through Morprhological and Agronomic Characters. *Indian Journal of Agriculture Research*, 54(3): 308-314.
- Win, T., Przemyslaw-Malec, B.B., Khan, S., and Fu, P. 2021. Newly isolated strain of *Trichoderma asperellum* from disease-suppressive soil is a potential biocontrol agent to suppress *Fusarium* soil-borne fungal phytopathogens. *Journal of Plant Pathology*, 103:549-561.
- Wonglom, P., Daengsuwan, W., Ito, S., & Sunpapao, A. 2019. Biological control of *Sclerotium* fruit rot of snake fruit and stem rot of lettuce by *Trichoderma* sp. T76–12/2 and the mechanisms involved. *Physiological and Molecular Plant Pathology*, 107(2):1-7.
- Woodhall, J.W., Lees, A.K., Edward, S.G., and Jenkindon, P. 2007. Characterization of *Rhizoctonia solani* from potato in Great Britain. *Plant Pathology*.56:286-295.
- Wu,Q., Sun,R., Ni,M., Yu, J., Li,Y., Yu,C., Dou,K., Ren,J. & Chen,J. 2017. Identification of a novel fungus, *Trichoderma asperellum* GDFS1009, and



comprehensive evaluation of its biocontrol efficacy. *PLoS ONE*, 12(6):1-20.

Yao, X., Guo, H., Zhang, K., Zhao, M., Ruan, J., and Chen, J. 2023. *Trichoderma* and its role in biological control of plant fungal and nematode disease. *Frontiers in Microbiology*. 14: 1160551.

Yasmeen, T., Hameed, S., Tariq, M., & Iqbal, J. 2012. *Vigna radiata* root associated mycorrhizae and their helping bacteria from improving crop productivity. *Pak. J. Bot*, 44(1): 87-94.

Yedidia,I., Benhamou, N., & Chet, I. 1999. Induction of defence responses in Cucumber Plant (*Cucumis sativus* L.) by the biocontrol agent *Trichoderma harzianum*. *Appl Environ Microbiol*,65(3);1061-1070.

Yellareddygari, S.K.R., Reddy, M.S., Kloepfer, J.W., Lawrence, K.S., and Fadamiro, H. 2014. Rice sheath blight: A review of disease and pathogen management approaches. *Journal of Plant Pathology and Microbiology*. 5(4):1–4.

Yildirim, E., & Erper, I. 2017. Characterization and Pathogenicity of *Rhizoctonia* spp. Isolated from Vegetable Crops Grown in Greenhouses in Samsun Province, Turkey. *Bioscience Journal*, 33(2):257-267.

Yusnawan, E. Inayati, A., and Baliadi,Y. 2019. Isolation of antagonistic fungi from rhizospheres and its biocontrol activity against different isolates of soil borne fungal pathogens infected legumes. *Biodiversitas*, 20(7):2048-2054.

Zapata-Sarmiento, D. H., Palacios-Pala, E. F., Rodriguez-Hernandez, A.A., Melchor, D.L.M., Rodriguez-Monroy, M., and Jimenez, G.S. 2020. *Trichoderma asperellum*, a potential biological control agent *Stemphylium vesicarium*, on onion (*Allium cepa* L.). *Biological Control*.140(104105):1-9.