

DAFTAR PUSTAKA

- Abdi, A., Bouamrane, A., Karech, T., Dahri, N., & Kaouachi, A. (2021). Landslide susceptibility mapping using GIS-based fuzzy logic and the analytical hierarchical processes approach: a case study in constantine (North-East Algeria). *Geotechnical and Geological Engineering*, 39, 5675-5691.
- Addis, A. (2023). GIS-Based Landslide Susceptibility Mapping Using Frequency Ratio and Shannon Entropy Models in Dejen District, Northwestern Ethiopia. *Journal of Engineering*, 2023.
- Ahmed N, Firoze A, Rahman RM. (2020). Machine learning for predicting landslide risk of rohingya refugee camp infrastructure. *Journal of Information Telecommunication*, 4(2):175–198.
- Ajiboye, A. R., Abdullah-Arshah, R., Qin, H., & Isah-Kebbe, H. (2015). Evaluating the effect of dataset size on predictive model using supervised learning technique. *Int. J. Comput. Syst. Softw. Eng*, 1(1), 75-84.
- Alexoudi, M., Papaliangas, T., & Manolopoulou-Papaliagka, S. (2010). *A methodology for landslide risk assessment and management* (No. RefW-25-40516). Aristotle University of Thessaloniki.
- Asriyani, N. (2019). Local Wisdom and Public Participation in Landslide Disasters in Girimulyo Kulon Progo. In *IOP Conference Series: Earth and Environmental Science* (Vol. 271, No. 1, p. 012029). IOP Publishing.
- Bachri, S., Irawan, L. Y., Utaya, S., Nurdiansyah, F. D., Nurjanah, A. E., Tyas, L. W. N., ... & Purnama, D. S. (2019). Landslide Susceptibility Mapping (LSM) in Kelud Volcano Using Spatial Multi-Criteria Evaluation. In *IOP Conference Series: Earth and Environmental Science* (Vol. 273, No. 1, p. 012014). IOP Publishing.
- Badan Nasional Penanggulangan Bencana. (2023). *Peraturan Kepala Badan Nasional Penanggulangan Bencana Nomor 1 tahun 2023*

- Tentang Satu Data Bencana*. Jakarta, DKI Jakarta, Indoneisa: Badan Nasional Penanggulangan Bencana.
- Bahrami, Y., Hassani, H., & Maghsoudi, A. (2019). BWM-ARAS: A new hybrid MCDM method for Cu prospectivity mapping in the Abhar area, NW Iran. *Spatial Statistics*, 33, 100382..
- Bera, S., Upadhyay, V. K., Guru, B., & Oommen, T. (2021). Landslide inventory and susceptibility models considering the landslide typology using deep learning: Himalayas, India. *Natural Hazards*, 108(1), 1257-1289.
- Biswas, B., KS, V., & Ranjan, R. (2021). Landslide susceptibility mapping using integrated approach of multi-criteria and geospatial techniques at Nilgiris district of India. *Arabian Journal of Geosciences*, 14(11), 980.
- Breiman L. (2001). Random forests. *Machine Learning*, 45(1): 5-32.
- Brownlee J. (2016). *Master Machine Learning Algorithms: Discover How They Work and Implement Them From Scratch*. Melbourne (AU): Jason Brownlee.
- Dewi N K, Syafitri U D, Mulyadi S Y. (2011). Penerapan metode random forest dalam driver analysis. *Journal of Statistics and Applications*, 16(1): 35 – 43.
- Faturahman, B. M. (2018). Konseptualisasi mitigasi bencana melalui perspektif kebijakan publik. *Publisia (Jurnal Ilmu Administrasi Publik)*, 3(2), 121-134.
- Goldberg D E, dan Holland J H. (1988). Genetic algorithms and machine learning. *Machine Learning*, 3(2), 95–99.
- Guzzetti, F., Mondini, A. C., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K. T. (2012). Landslide inventory maps: New tools for an old problem. *Earth-Science Reviews*, 112(1-2), 42-66.
- Hardiyatmo, H. . (2012). *Tanah Longsor dan Erosi*. Yogyakarta: Gadjah Mada Press.

- Hardiyatmo, H. C. (2007). *Pemeliharaan Jalan Raya Perkerasan Drainase Longsor*. Yogyakarta: Gadjah Mada University Press.
- Hartono, H.G., & Sudradjat, A., (2017). Nanggulan Formation and Its Problem As a Basement in Kulonprogo Basin, Yogyakarta, Indonesian Journal on Geoscience Vol. 4 No. 2 August 2017: 71-80
- Highland, L. M., & Bobrowsky, P. (2008). *The landslide handbook-A guide to understanding landslides* (No. 1325). US Geological Survey.
- Hosmer Jr, D. W., Lemeshow, S., & Sturdivant, R. X. (2013). *Applied logistic regression*. John Wiley & Sons.
- Huang G B, Zhu Q Y, Siew C K. (2006). Extreme learning machine: theory and applications. *Neurocomputing*, 70(1): 489–501.
- Huggett, R. J. (2011). *Fundamental of Geomorphology (3rd edition)*. USA and Canada: Routledge.
- Kamp, U., Growley, B. J., Khattak, G. A., & Owen, L. A. (2008). GIS-based landslide susceptibility mapping for the 2005 Kashmir earthquake region. *Geomorphology*, 101(4), 631-642.
- Karsli, F. E. V. Z. İ., Atasoy, M., Yalcin, A., Reis, S., Demir, O. Ğ. U. Z. H. A. N., & Gokceoglu, C. (2009). Effects of land-use changes on landslides in a landslide-prone area (Ardesen, Rize, NE Turkey). *Environmental monitoring and assessment*, 156, 241-255.
- Kumar, A., Sharma, R. K., & Bansal, V. K. (2018). Landslide hazard zonation using analytical hierarchy process along National Highway-3 in mid Himalayas of Himachal Pradesh, India. *Environmental Earth Sciences*, 77, 1-19.
- Lazzari, M., & Danese, M. (2012). A multitemporal kernel density estimation approach for new triggered landslides forecasting and susceptibility assessment. *Disaster Advances*, 5(3), 100–108.
- Mustofa, I., & Coates, R. (2018). The Implementation of Community-based Disaster Risk Reduction (CBDRR) Knowledge: Case Study Landslide Vulnerable Areas in Kulon Progo District, Yogyakarta,

- Indonesia. In *Proc. 13th Int. Conf. on Law, Education, Business and Disaster Management (Budapest)* (Vol. 2, pp. 57-62).
- Naryanto, H. S., Soewandita, H., Ganesha, D., Prawiradisastra, F., & Kristijono, A. (2019). Analisis Penyebab Kejadian dan Evaluasi Bencana Tanah Longsor di Desa Banaran, Kecamatan Pulung, Kabupaten Ponorogo, Provinsi Jawa Timur Tanggal 1 April 2017. *Jurnal Ilmu Lingkungan*, 17(2), 272.
- Naseer, S., Haq, T. U., Khan, A., Tanoli, J. I., Khan, N. G., Qaiser, F. U. R., & Shah, S. T. H. (2021). GIS-based spatial landslide distribution analysis of district Neelum, AJ&K, Pakistan. *Natural Hazards*, 106, 965-989.
- Nhu, V. H., Shirzadi, A., Shahabi, H., Singh, S. K., Al-Ansari, N., Clague, J.J., Jafari, A., Chen, W., Miraki, S., Dou, J., Luu, C., Gorski, K., Pham, B. T., Nguyen, H.D., & Ahmad, B. B. (2020). Shallow landslide susceptibility mapping: A comparison between logistic model tree, logistic regression, naïve bayes tree, artificial neural network, and support vector machine 44 algorithms. *International journal of environmental research and public health*, 17(8), 2749.
- Noor, D. (2014). *Pengantar Mitigasi Bencana Geologi*. Deepublish.
- Nugroho, D. D., & Nugroho, H. (2020). Analisis Kerentanan Tanah Longsor Menggunakan Metode Frequency Ratio di Kabupaten Bandung Barat, Jawa Barat. *Geoid*, 16(1), 8-18.
- Pradhan, A. M. S., & Kim, Y. T. (2016). Evaluation of a combined spatial multi-criteria evaluation model and deterministic model for landslide susceptibility mapping. *Catena*, 140, 125-139.
- Prakoso, B. A. (2018). Analisis Tingkat Risiko Tanah Longsor Berdasarkan Nilai Peak Ground Acceleration (PGA) di Desa Purwosari Kecamatan Salaman Kabupaten Magelang. *Skripsi. Universitas Negeri Yogyakarta. Yogyakarta*.

- Rahman, A. (2010). Penggunaan Sistim Informasi Geografis untuk Pemetaan Kerawanan Longsor di Kabupaten Purworejo. *Sumber*, 5(2500), 5.
- Rehman, S., & Azhoni, A. (2023). Analyzing landslide susceptibility, health vulnerability and risk using multi-criteria decision-making analysis in Arunachal Pradesh, India. *Acta Geophysica*, 71(1), 101-128.
- Roihan A, Sunarya P A, Rafika A S. (2020). Pemanfaatan machine learning dalam berbagai bidang: review paper. *Indonesian Journal on Computer and Information Tecnology*, 5(1):75-82.
- Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2017). Comparing data-driven landslide susceptibility models based on participatory landslide inventory mapping in Purwosari area, Yogyakarta, Java. *Environmental Earth Sciences*, 76, 1-19.
- Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2018). Generating landslide inventory by participatory mapping: an example in Purwosari Area, Yogyakarta, Java. *Geomorphology*, 306, 306-313.
- Sawada, Y., & Takasaki, Y. (2017). Natural disaster, poverty, and development: An introduction. *World Development*, 94, 2-15.
- Shano, L., Raghuvanshi, T. K., & Meten, M. (2020). Landslide susceptibility evaluation and hazard zonation techniques—a review. *Geoenvironmental Disasters*, 7(1), 1-19.
- Silalahi, F. E. S., Arifianti, Y., & Hidayat, F. (2019). Landslide susceptibility assessment using frequency ratio model in Bogor, West Java, Indonesia. *Geoscience Letters*, 6(1), 1-17.
- Souisa, M., Hendrajaya, L., & Handayani, G. (2018). Analisis Bidang Longsor Menggunakan Pendekatan Terpadu Geolistrik, Geoteknik Dan Geokomputer di Negeri Lima Ambon. *Indonesian Journal of Applied Physics*, 8(1), 13.
- Taalab, K., Cheng, T., & Zhang, Y. (2018). Mapping landslide susceptibility and types using Random Forest. *Big Earth Data*, 2(2), 159-178.

- Tarigani, D. R. (2012). Pengaruh Erosivitas dan Topografi Terhadap Kehilangan Tanah Pada Erosi Alur di Daerah Aliran Sungai Secang Desa Hargotirto. *Jurnal Bumi Indonesia*, 411-420.
- UU Nomor 24 Tahun 2007 Tentang Penanggulangan Bencana
- van Zuidam, R. (1985). *Aerial Photo-Interpretation in Terrain Analysis and Geomorphological Mapping*. Smite, The Hague.
- Varnes, D.J., (1978), *Slope Movement Types and Processes*, In Schuster, R.L. ang Krizek, R.J., *Landslide Analysis and Control*, Transportation Research Board, Special Report 176, National Academi of Sciences USA.
- Verstappen, H. (1983) *Applied Geomorphology: Geomorphological Surveys for Environmental Development*. Elsevier, New York..
- Vojtekova, J., & Vojtek, M. (2020). Assessment of landslide susceptibility at a local spatial scale applying the multi-criteria analysis and GIS: a case study from Slovakia. *Geomatics, Natural Hazards and Risk*, 11(1), 131-148.
- Wang, Z., Liu, Q., & Liu, Y. (2020). Mapping landslide susceptibility using machine learning algorithms and GIS: A case study in Shexian County, Anhui Province, China. *Symmetry*, 12(12), 1954.
- World Bank, & United Nations. (2010). *Natural hazards, unnatural disasters: the economics of effective prevention*. The World Bank.
- Youssef, A. M., & Pourghasemi, H. R. (2021). Landslide susceptibility mapping using machine learning algorithms and comparison of their performance at Abha Basin, Asir Region, Saudi Arabia. *Geoscience Frontiers*, 12(2), 639-655.
- Zhuang, J., Peng, J., Iqbal, J., Liu, T., Liu, N., Li, Y., & Ma, P. (2015). Identification of landslide spatial distribution and susceptibility assessment in relation to topography in the Xi'an Region, Shaanxi Province, China. *Frontiers of Earth Science*, 9, 449-462.