UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbaspour, K. C. (2015). *SWAT: Calibration and Uncertainty Programs*. Zürich: Eawag, Swiss Federal Institute of Aquatic Science and Technology.

Abbaspour, K. C., Rouholahnejad, E., Vaghefi, S., Srinivasan, R., Yang, H., & Kløve, B. (2015). A continental-scale hydrology and water quality model for Europe: Calibration and uncertainty of a high-resolution large-scale SWAT model. *Journal of Hydrology*, *524*, 733–752. https://doi.org/10.1016/j.jhydrol.2015.03.027

Abbaspour, K. C., Vaghefi, S. A., & Srinivasan, R. (2017). A guideline for successful calibration and uncertainty analysis for Soil and Water Assessment: A review of papers from the 2016 International SWAT Conference. *Water*, *10*(1), 6. https://doi.org/10.3390/w10010006

Abbaspour, K. C., Vaghefi, S. A., Yang, H., & Srinivasan, R. (2019). Global soil, landuse, evapotranspiration, historical and future weather databases for SWAT Applications. *Scientific Data*, *6*(1), 263. https://doi.org/10.1038/s41597-019-0282-4

Achsan, Bisri, M., & Suhartanto, E. (2015). Analisis Kecenderungan Sedimentasi Waduk Bili-bili Dalam Upaya Keberlanjutan Usia Guna Waduk. *Jurnal Teknik Pengairan*, *6*(1), 30–36.

Adib, A., Lotfirad, M., & Haghighi, A. (2019). Using uncertainty and sensitivity analysis for finding the best rainfall-runoff model in mountainous watersheds (Case study: The Navrood watershed in Iran). *Journal of Mountain Science*, *16*(3), 529–541. https://doi.org/10.1007/s11629-018-5010-6

Aghsaei, H., Mobarghaee Dinan, N., Moridi, A., Asadolahi, Z., Delavar, M., Fohrer, N., & Wagner, P. D. (2020). Effects of dynamic land use/land cover change on water resources and sediment yield in the Anzali wetland catchment, Gilan, Iran. *Science of The Total Environment*, *712*, 136449. https://doi.org/10.1016/j.scitotenv.2019.136449

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Alfianto, A., & Soewarno. (2014). Teknosabo untuk mengatasi sedimentasi di daerah tangkapan air waduk (kasus Waduk Mrica). *Jurnal Teknik Hidraulik*, *5*(1), 83–98. https://doi.org/10.32679/jth.v5i1.302

Allen, R. G., Pereira, L. S., Raes, D., & Smith, M. (1998). *Crop evapotranspiration-Guidelines for computing crop water requirements-FAO Irrigation and drainage paper 56*. Roma: Food and Agriculture Organization.

Andriawati, I. D., Rispiningtati, & Juwono, P. T. (2015). Efektifitas kegiatan pengerukan sedimen Waduk Wonogiri ditinjau dari nilai ekonomi. *Jurnal Teknik Pengairan*, *6*(1), 55–65.

Anggraheni, D., Jayadi, R., & Istiarto. (2017). Evaluasi Kinerja Pola Operasi Waduk (POW) Wonogiri 2014. *Jurnal Teknisia*, *XXII*(1), 294–306.

Annandale, G. W., Karki, P., & Morris, G. L. (2016). *Extending the Life of Reservoirs: Sustainable Sediment Management for Dams and Run-of-River Hydropower*. Washington, DC: The World Bank.

Arnold, J. G., Moriasi, D. N., Gassman, P. W., Abbaspour, K. C., White, M. J., Srinivasan, R., Santhi, C., Harmel, R. D., Griensven, A. V., Liew, M. W. V., Kannan, N., & Jha, M. K. (2012). SWAT: Model Use, Calibration, and Validation. *Transactions of the ASABE*, *55*(4), 1491–1508. https://doi.org/10.13031/2013.42256

Arnold, J. G., Srinivasan, R., Muttiah, R. S., & Williams, J. R. (1998). Large area hydrologic modeling and assessment part I Model development. *Journal of the American Water Resources Association*, *34*(1), 73–89. https://doi.org/10.1111/j.1752-1688.1998.tb05961.x

Arnold, J. G., Williams, J. R., & Maidment, D. R. (1995). Continuous-Time Water and Sediment-Routing Model for Large Basins. *Journal of Hydraulic Engineering*, *121*(2), 171–183. https://doi.org/10.1061/(ASCE)0733-9429(1995)121:2(171)

Arsyad, S. (2010). *Konservasi Tanah & Air*. Bogor: IPB Press.

Asdak, C. (2023). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Yogyakarta: UGM Press.

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Ayele, G. T., Kuriqi, A., Jemberrie, M. A., Saia, S. M., Seka, A. M., Teshale, E. Z., Daba, M. H., Ahmad Bhat, S., Demissie, S. S., Jeong, J., & Melesse, A. M. (2021). Sediment yield and reservoir sedimentation in highly dynamic watersheds: The case of Koga Reservoir, Ethiopia. *Water*, *13*(23), 3374. https://doi.org/10.3390/w13233374

Batuca, D. G., & Jordaan, J. M. (2000). *Silting and Desilting of Reservoirs*. Rotterdam: A.A. Balkema.

Beck, H. E., McVicar, T. R., Vergopolan, N., Berg, A., Lutsko, N. J., Dufour, A., Zeng, Z., Jiang, X., Van Dijk, A. I. J. M., & Miralles, D. G. (2023). High-resolution (1 km) Köppen-Geiger maps for 1901–2099 based on constrained CMIP6 projections. *Scientific Data*, *10*(1), 724. https://doi.org/10.1038/s41597-023-02549-6

Bieger, K., Arnold, J. G., Rathjens, H., White, M. J., Bosch, D. D., Allen, P. M., Volk, M., & Srinivasan, R. (2017). Introduction to SWAT+, A completely restructured version of the Soil and Water Assessment Tool. *JAWRA Journal of the American Water Resources Association*, *53*(1), 115–130. https://doi.org/10.1111/1752-1688.12482

Borland, W. M., & Miller, C. R. (1958). Distribution of Sediment in Large Reservoirs. *Journal of the Hydraulics Division*, *84*(2), 1–18. https://doi.org/10.1061/JYCEAJ.0000183

Bosch, N. S. (2008). The influence of impoundments on riverine nutrient transport: An evaluation using the Soil and Water Assessment Tool. *Journal of Hydrology*, *355*(1–4), 131–147. https://doi.org/10.1016/j.jhydrol.2008.03.012

Brown, C. B. (1944). Discussion of sedimentation in reservoirs. *Proceedings of the American Society of Civil Engineers*, *69*, 1493–1500.

Brune, G. M. (1953). Trap efficiency of reservoirs. *Transactions, American Geophysical Union*, *34*(3), 407. https://doi.org/10.1029/TR034i003p00407

Chin, D. A. (2013). *Water-Resources Engineering* (3rd ed.). Upper Saddle River: Pearson.

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Chow, V. T., Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*. New York: McGraw-Hill.

Chowdhury, S., & Al-Zahrani, M. (2015). Characterizing water resources and trends of sector wise water consumptions in Saudi Arabia. *Journal of King Saud University - Engineering Sciences*, *27*(1), 68–82. https://doi.org/10.1016/j.jksues.2013.02.002

Christanto, N. (2022). Modeling Hydrological Processes in Humid Tropical Watershed using SWAT: A Case Study in Central Java Watershed, Indonesia. In *Dissertation*. Yogyakarta: Program Pascasarjana Fakultas Geografi Universitas Gadjah Mada.

Christanto, N., Setiawan, M. A., Nurkholis, A., Istiqomah, S., Sartohadi, J., & Hadi, M. P. (2018). Analisis laju sedimen DAS Serayu Hulu dengan menggunakan model SWAT. *Majalah Geografi Indonesia*, *32*(1), 50–58. https://doi.org/10.22146/mgi.32280

Christanto, N., Setiawan, M. A., Nurkholis, A., Sartohadi, J., & Hadi, M. P. (2020). The Use of Global Datasets in the SWAT Model for Tropical Watershed with Limited Ground Data: A Case Study in Serayu Upper Catchment. *Taiwan Water Conservancy*, *68*(3), 18–27. https://doi.org/10.6937/TWC.202009/PP_68(3).0002

Churchill, M. A. (1948). Discussion of analysis and use of reservoir sedimentation data. *Proceedings of the Federal Interagency Sedimentation Conference*, 139–140.

Condon, W. H., Pardyanto, L., Ketner, K. B., Amin, T. C., Gafoer, S., & Samodra, H. (1996). *Peta Geologi Lembar Banjarnegara dan Pekalongan 1408-4 & 1409-1*. Bandung: Badan Geologi.

Desmet, P. J. J., & Govers, G. (1996). A GIS procedure for automatically calculating the USLE LS factor on topographically complex landscape units. *Journal of Soil and Water Conservation*, *51*(5), 427–433.

Devia, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015). A review on hydrological models. *Aquatic Procedia*, *4*, 1001–1007. https://doi.org/10.1016/j.aqpro.2015.02.126

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Diodato, N., & Grauso, S. (2009). An improved correlation model for sediment delivery ratio assessment. *Environmental Earth Sciences*, *59*(1), 223–231. https://doi.org/10.1007/s12665-009-0020-x

Einstein, H. A. (1950). *The Bed-Load Function for Sediment Transportation in Open Channel Flows*. Washington, DC: US Department of Agriculture.

Essenfelder, A. H. (2016). *SWAT Weather Database*. https://doi.org/10.13140/RG.2.1.4329.1927

Getachew, B., Manjunatha, B. R., & Bhat, H. G. (2021). Modeling projected impacts of climate and land use/land cover changes on hydrological responses in the Lake Tana Basin, upper Blue Nile River Basin, Ethiopia. *Journal of Hydrology*, *595*, 125974. https://doi.org/10.1016/j.jhydrol.2021.125974

Gill, M. A. (1979). Sedimentation and useful life of reservoirs. *Journal of Hydrology*, *44*(1–2), 89–95. https://doi.org/10.1016/0022-1694(79)90148-3

Golmohammadi, G., Prasher, S., Madani, A., & Rudra, R. (2014). Evaluating three hydrological distributed watershed models: MIKE-SHE, APEX, SWAT. *Hydrology*, *1*(1), 20–39. https://doi.org/10.3390/hydrology1010020

Griffin, R. C. (2016). *Water Resource Economics: The Analysis of Scarcity, Policies, and Projects* (2nd ed.). Cambridge: MIT Press.

Hjulström, F. (1935). Studies of the morphological activity of rivers as illustrated by the River Fyris. In *Dissertation*. Uppsala: The Geological Institution of the University of Uppsala.

IUSS Working Group. (2022). *World Reference Base for Soil Resources. International soil classification system for naming soils and creating legends for soil maps 4th edition*. Vienna: International Union of Soil Sciences (IUSS).

Ivanoski, D., Trajkovic, S., & Gocic, M. (2019). Estimation of sedimentation rate of Tikvesh Reservoir in Republic of Macedonia using SWAT. *Arabian Journal of Geosciences*, *12*(14), 438. https://doi.org/10.1007/s12517-019-4583-x

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Jimeno-Sáez, P., Martínez-España, R., Casalí, J., Pérez-Sánchez, J., & Senent-Aparicio, J. (2022). A comparison of performance of SWAT and machine learning models for predicting sediment load in a forested Basin, Northern Spain. *CATENA*, *212*, 105953. https://doi.org/10.1016/j.catena.2021.105953

Jothiprakash, V., & Garg, V. (2008). Re-look to conventional techniques for trapping efficiency estimation of a reservoir. *International Journal of Sediment Research*, *23*(1), 76–84. https://doi.org/10.1016/S1001-6279(08)60007-4

Keputusan Menteri Kehutanan Nomor 328/Menhut-II/2009 tentang Penetapan Daerah Aliran Sungai (DAS) Prioritas Dalam Rangka Rencana Pembangunan Jangka Menengah (RPJM) Tahun 2010-2014.

Keputusan Menteri Lingkungan Hidup dan Kehutanan Nomor 6605/MENLHK-PKTL/KUH/PLA.2/10/2021 tentang Perkembangan Pengukuhan Kawasan Hutan sampai dengan tahun 2020 Provinsi Jawa Tengah.

Kling, H., & Gupta, H. (2009). On the development of regionalization relationships for lumped watershed models: The impact of ignoring sub-basin scale variability. *Journal of Hydrology*, *373*(3–4), 337–351. https://doi.org/10.1016/j.jhydrol.2009.04.031

Kondolf, G. M., Gao, Y., Annandale, G. W., Morris, G. L., Jiang, E., Zhang, J., Cao, Y., Carling, P., Fu, K., Guo, Q., Hotchkiss, R., Peteuil, C., Sumi, T., Wang, H., Wang, Z., Wei, Z., Wu, B., Wu, C., & Yang, C. T. (2014). Sustainable sediment management in reservoirs and regulated rivers: Experiences from five continents. *Earth's Future*, *2*(5), 256–280. https://doi.org/10.1002/2013EF000184

Kumar, S., Raghuwanshi, N. S., & Mishra, A. (2015). Identification and management of critical erosion watersheds for improving reservoir life using hydrological modeling. *Sustainable Water Resources Management*, *1*(1), 57–70. https://doi.org/10.1007/s40899-015-0005-8

Lara, J. M. (1962). *Revision of Procedures to Compute Sediment Distribution in Large Reservoirs*. Denver: US Bureau of Reclamation.

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, F.-F., Wang, H.-R., & Qiu, J. (2022). A MATLAB GUI program for reservoir management to simultaneously optimise sediment release and power generation. *Journal of Environmental Management*, *320*, 115686. https://doi.org/10.1016/j.jenvman.2022.115686

Li, M., Di, Z., & Duan, Q. (2021). Effect of sensitivity analysis on parameter optimization: Case study based on streamflow simulations using the SWAT model in China. *Journal of Hydrology*, *603*, 126896. https://doi.org/10.1016/j.jhydrol.2021.126896

Lu, S., Liu, B., Hu, Y., Fu, S., Cao, Q., Shi, Y., & Huang, T. (2020). Soil erosion topographic factor (LS): Accuracy calculated from different data sources. *CATENA*, *187*, 104334. https://doi.org/10.1016/j.catena.2019.104334

Luo, Y., Su, B., Yuan, J., Li, H., & Zhang, Q. (2011). GIS techniques for watershed delineation of SWAT model in Plain Polders. *Procedia Environmental Sciences*, *10*, 2050–2057. https://doi.org/10.1016/j.proenv.2011.09.321

Ma, D., Qian, B., Gu, H., Sun, Z., & Xu, Y. (2021). Assessing climate change impacts on streamflow and sediment load in the upstream of the Mekong River basin. *International Journal of Climatology*, *41*(5), 3391–3410. https://doi.org/10.1002/joc.7025

Malawani, M. N., Mardiatno, D., & Haryono, E. (2020). Anthropogenic signatures in the context of landscape evolution: Evidence from Citanduy Watershed, Java, Indonesia. *ASEAN Journal on Science and Technology for Development*, *37*(1), 7–14. https://doi.org/10.29037/ajstd.600

Margono, B. A., Usman, A. B., . B., & Sugardiman, R. A. (2016). Indonesia's Forest Resource Monitoring. *Indonesian Journal of Geography*, *48*(1), 7–20. https://doi.org/10.22146/ijg.12496

Mauri, E. N. E., Viola, M. R., Norton, L. D., Owens, P. R., Mello, C. R. D., Pinto, L. C., & Curi, N. (2020). Hydrosedimentological modeling in a headwater basin in Southeast Brazil. *Revista Brasileira de Ciência Do Solo*, *44*, e0200047. https://doi.org/10.36783/18069657rbcs20200047

Meinen, B. U., & Robinson, D. T. (2021). Agricultural erosion modelling: Evaluating USLE and WEPP field-scale erosion estimates using UAV time-

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

series data. *Environmental Modelling & Software*, *137*, 104962. https://doi.org/10.1016/j.envsoft.2021.104962

Meles, M. B., Goodrich, D. C., Unkrich, C. L., Gupta, H. V., Burns, I. S., Hirpa, F. A., Razavi, S., & Guertin, D. P. (2024). Rainfall distributional properties control hydrologic model parameter importance. *Journal of Hydrology: Regional Studies*, *51*, 101662. https://doi.org/10.1016/j.ejrh.2024.101662

Moriasi, D. N., J. G. Arnold, Liew, M. W. V., Bingner, R. L., Harmel, R. D., & Veith, T. L. (2007). Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. *Transactions of the ASABE*, *50*(3), 885–900. https://doi.org/10.13031/2013.23153

Morris, G. L., & Fan, J. (1998). *Reservoir Sedimentation Handbook: Design and Management of Dams, Reservoirs, and Watersheds for Sustainable Use*. New York: McGraw-Hill.

Mulu, A., & Dwarakish, G. S. (2015). Different approach for using trap efficiency for estimation of reservoir sedimentation. An overview. *Aquatic Procedia*, *4*, 847–852. https://doi.org/10.1016/j.aqpro.2015.02.106

Neitsch, S. L., Arnold, J. G., Kiniry, J. R., & Williams, J. R. (2011). *Soil and Water Assessment Tool Theoretical Documentation Version 2009*. College Station: Texas Water Resources Institute.

Nguyen, T. V., Dietrich, J., Dang, T. D., Tran, D. A., Van Doan, B., Sarrazin, F. J., Abbaspour, K., & Srinivasan, R. (2022). An interactive graphical interface tool for parameter calibration, sensitivity analysis, uncertainty analysis, and visualization for the Soil and Water Assessment Tool. *Environmental Modelling & Software*, *156*, 105497. https://doi.org/10.1016/j.envsoft.2022.105497

Ningrum, M. (2014). Kajian Perubahan Penggunaan Lahan DAS Bogowonto terhadap Rencana Tata Ruang Wilayah Dalam Rangka Pengendalian Sedimentasi. In *Tesis*. Yogyakarta: Program Pascasarjana Fakultas Geografi Universitas Gadjah Mada.

Palmieri, A., Shah, F., Annandale, G. W., & Dinar, A. (2003). *Reservoir Conservation Volume I: The RESCON Approach Economic and*

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Engineering Evaluation of Alternative Strategies for Managing Sedimentation in Storage Reservoirs. Washington, DC: The World Bank.

Patro, E. R., De Michele, C., Granata, G., & Biagini, C. (2022). Assessment of current reservoir sedimentation rate and storage capacity loss: An Italian overview. *Journal of Environmental Management*, *320*, 115826. https://doi.org/10.1016/j.jenvman.2022.115826

Peraturan Direktur Jenderal Bina Pengelolaan Daerah Aliran Sungai dan Perhutanan Sosial Nomor P.2/V-Set/2015 tentang Petunjuk Teknis Pemanfaatan Model Hidrologi Dalam Pengelolaan Daerah Aliran Sungai (DAS).

Peraturan Direktur Jenderal Pengendalian Daerah Aliran Sungai dan Hutan Lindung Nomor P.10/PDASHL/Set/KUM.1/8/2017 Tentang Petunjuk Teknis Penyusunan Peta Daerah Aliran Sungai Skala 1:50.000 dan Peta Rawan Erosi.

Peraturan Menteri Kehutanan Nomor P.32/Menhut-II/2009 Tahun 2009 tentang Tata Cara Penyusunan Rencana Teknik Rehabilitasi Hutan dan Lahan Daerah Aliran Sungai (RTkRHL-DAS).

Peraturan Pemerintah Nomor 37 Tahun 2012 tentang Pengelolaan Daerah Aliran Sungai.

Peraturan Presiden Nomor 109 Tahun 2020 tentang Perubahan Ketiga atas Peraturan Presiden Nomor 3 Tahun 2016 tentang Percepatan Pelaksanaan Proyek Strategis Nasional.

PT Indra Karya (Persero). (2015). *Laporan Akhir Desain Lanjutan dan Sertifikasi Bendungan Bener*. Semarang: PT Indra Karya (Persero).

Rahardjo, W., Sukandarrumidi, & Rosidi, H. M. D. (1995). *Peta Geologi Lembar Yogyakarta 1408-2 & 1407-5*. Bandung: Badan Geologi.

Rahmad, R., & Nurman, A. (2017). Integrasi model SWAT dan SIG dalam upaya menekan laju erosi DAS Deli, Sumatera Utara. *Majalah Geografi Indonesia*, *31*(1), 46–55. https://doi.org/10.22146/mgi.24232

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Rode, M., & Suhr, U. (2007). Uncertainties in selected river water quality data. *Hydrology and Earth System Sciences*, *11*(2), 863–874. https://doi.org/10.5194/hess-11-863-2007

Sasangka, D. J., Suhardi, S., Riyanto, D. P., Insani, D., & Dwi, C. (2021). Analisis kerentanan lereng lokasi pembangunan Bendungan Bener Kabupaten Purworejo. *Jurnal Geofisika Eksplorasi*, *7*(3), 238–255. https://doi.org/10.23960/jge.v7i3.158

Setyawan, C., Lee, C.-Y., & Prawitasari, M. (2019). Investigating spatial contribution of land use types and land slope classes on soil erosion distribution under tropical environment. *Natural Hazards*, *98*(2), 697–718. https://doi.org/10.1007/s11069-019-03725-x

Shen, Z. Y., Gong, Y. W., Li, Y. H., Hong, Q., Xu, L., & Liu, R. M. (2009). A comparison of WEPP and SWAT for modeling soil erosion of the Zhangjiachong Watershed in the Three Gorges Reservoir Area. *Agricultural Water Management*, *96*(10), 1435–1442. https://doi.org/10.1016/j.agwat.2009.04.017

Sinnathamby, S., Douglas-Mankin, K. R., & Craige, C. (2017). Field-scale calibration of crop-yield parameters in the Soil and Water Assessment Tool (SWAT). *Agricultural Water Management*, *180*, 61–69. https://doi.org/10.1016/j.agwat.2016.10.024

Sisinggih, D., Wahyuni, S., & Hidayat, F. (2021). *Sedimentasi Waduk*. Malang: Universitas Brawijaya Press.

Siswanto, S. Y., & Francés, F. (2019). How land use/land cover changes can affect water, flooding and sedimentation in a tropical watershed: A case study using distributed modeling in the Upper Citarum watershed, Indonesia. *Environmental Earth Sciences*, *78*(17), 550. https://doi.org/10.1007/s12665-019-8561-0

SNI 19-6737-2002 Metode perhitungan awal laju sedimentasi waduk.

SNI 3414:2019 Tata cara pengambilan contoh muatan sedimen melayang di sungai dengan cara integrasi kedalaman berdasarkan pembagian debit.

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Soekarno, I., Farid, M., & Oriandra, R. D. (2020). Cirata Reservoir lifetime prediction using new hydrometrics and sediment approaches. *International Journal of GEOMATE*, *18*(65), 41–48. https://doi.org/10.21660/2019.64.18023

Sorooshian, S., Hsu, K.-L., Coppola, E., Tomassetti, B., Verdecchia, M., & Visconti, G. (Eds.). (2008). *Hydrological Modelling and the Water Cycle*. Berlin, Heidelberg: Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-540-77843-1

Srivoramasa, R., Nanthasamroeng, N., Pitakaso, R., Srichok, T., Khonjun, S., Sirirak, W., & Theeraviriya, C. (2023). Community agricultural reservoir construction and water supply network design in Ubon Ratchathani, Thailand, using adjusted variable neighborhood strategy adaptive search. *Water*, *15*(3), 591. https://doi.org/10.3390/w15030591

Strand, R. I., & Pemberton, E. L. (1987). Reservoir Sedimentation. In *Design of Small Dams* (3rd ed.). Denver: US Bureau of Reclamation.

Susilo, E. (2001). Kajian Efisiensi Tangkapan Sedimen pada Beberapa Waduk di Jawa. In *Tesis*. Semarang: Magister Teknik Sipil Program Pascasarjana Universitas Diponegoro.

Sutrisno, N., & Hamdani, A. (2020). Optimalisasi pemanfaatan sumber daya air untuk meningkatkan produksi pertanian. *Jurnal Sumberdaya Lahan*, *13*(2), 73–88. https://doi.org/10.21082/jsdl.v13n2.2019.73-88

Tabari, H., & Hosseinzadeh Talaee, P. (2014). Sensitivity of evapotranspiration to climatic change in different climates. *Global and Planetary Change*, *115*, 16–23. https://doi.org/10.1016/j.gloplacha.2014.01.006

Tan, G., Chen, P., Deng, J., Xu, Q., Tang, R., Feng, Z., & Yi, R. (2019). Review and improvement of conventional models for reservoir sediment trapping efficiency. *Heliyon*, *5*(9), e02458. https://doi.org/10.1016/j.heliyon.2019.e02458

Thanden, R. E., Sumadirdja, H., Richards, P. W., Sutisna, K., & Amin, T. C. (1996). *Peta Geologi Lembar Magelang dan Semarang 1408-5 & 1409-2*. Bandung: Badan Geologi.

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Tjasyono, B. (2004). *Klimatologi*. Bandung: ITB Press.

Tjasyono, B., Gernowo, R., Sri Woro, B. H., & Ina, J. (2008). The Character of Rainfall in the Indonesian Monsoon. *International Symposium on Equatorial Monsoon System*. Yogyakarta.

Turowski, J. M., Rickenmann, D., & Dadson, S. J. (2010). The partitioning of the total sediment load of a river into suspended load and bedload: A review of empirical data: The partitioning of sediment load. *Sedimentology*, *57*(4), 1126–1146. https://doi.org/10.1111/j.1365-3091.2009.01140.x

Wagner, P. D., Bieger, K., Arnold, J. G., & Fohrer, N. (2022). Representation of hydrological processes in a rural lowland catchment in Northern Germany using SWAT and SWAT +. *Hydrological Processes*, *36*(5), e14589. https://doi.org/10.1002/hyp.14589

Ward, A. D., Trimble, S. W., Burckhard, S. R., & Lyon, J. G. (2016). *Environmental Hydrology* (3rd ed.). Boca Raton: CRC Press, Taylor & Francis Group.

Williams, J. R., & Berndt, H. D. (1977). Sediment yield prediction based on watershed hydrology. *Transactions of the American Society of Agricultural Engineers*, *20*(6), 1100–1104. https://doi.org/10.13031/2013.35710

Williams, J. R., Nicks, A. D., & Arnold, J. G. (1985). Simulator for Water Resources in Rural Basins. *Journal of Hydraulic Engineering*, *111*(6), 970–986. https://doi.org/10.1061/(ASCE)0733-9429(1985)111:6(970)

Wischmeier, W. H., Johnson, C. B., & Cross, B. V. (1971). A soil erodibility nomograph for farmland and construction sites. *Journal of Soil and Water Conservation*, *26*(5), 189–193.

Wischmeier, W. H., & Smith, D. D. (1965). *Predicting rainfall-erosion losses from cropland east of the Rocky Mountains: Guide for selection of practices for soil and water conservation*. Washington, DC: Agricultural Research Service, US Department of Agriculture.

Wischmeier, W. H., & Smith, D. D. (1978). *Predicting rainfall erosion losses: A guide to conservation planning*. Washington, DC: US Department of Agriculture.

UNIVERSITAS
GADJAH MADA
Estimasi Laju Sedimentasi dan Prediksi Umur Layanan Waduk Bener Jawa Tengah Menggunakan Model SWAT
FIRDAUS RAKHMAN SAPUTRA, Dr. Nugroho Christanto, S.Si., M.Si.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Wu, M., Shi, P., Chen, A., Shen, C., & Wang, P. (2017). Impacts of DEM resolution and area threshold value uncertainty on the drainage network derived using SWAT. *Water SA*, *43*(3), 450. https://doi.org/10.4314/wsa.v43i3.10

Yen, H., Park, S., Arnold, J. G., Srinivasan, R., Chawanda, C. J., Wang, R., Feng, Q., Wu, J., Miao, C., Bieger, K., Daggupati, P., Griensven, A. V., Kalin, L., Lee, S., Sheshukov, A. Y., White, M. J., Yuan, Y., Yeo, I.-Y., Zhang, M., & Zhang, X. (2019). IPEAT+: A Built-In Optimization and Automatic Calibration Tool of SWAT+. *Water*, *11*(8), 1681. https://doi.org/10.3390/w11081681

Yeon, M., Kim, S., Shin, H., An, H., Lee, D., Jung, S., & Lee, G. (2021). Analysis of net erosion using a physics-based erosion model for the Doam Dam Basin in Korea. *Water*, *13*(19), 2663. https://doi.org/10.3390/w13192663

Yudiarso, R. A., Suhartanto, E., & Soetopo, W. (2014). Upaya konservasi Waduk Selorejo berdasarkan perkembangan peta penggunaan lahan dalam kurun waktu tahun 2000–2011. *Jurnal Teknik Pengairan*, *5*(1), 1–8.

Zinck, J. A., Metternicht, G., Bocco, G., & Del Valle, H. F. (Eds.). (2016). *Geopedology: An Integration of Geomorphology and Pedology for Soil and Landscape Studies* (1st ed. 2016). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-19159-1

Zuo, D., Xu, Z., Yao, W., Jin, S., Xiao, P., & Ran, D. (2016). Assessing the effects of changes in land use and climate on runoff and sediment yields from a watershed in the Loess Plateau of China. *Science of The Total Environment*, *544*, 238–250. https://doi.org/10.1016/j.scitotenv.2015.11.060