

DAFTAR PUSTAKA

- Apriliawan, Manumono, D. & Suswatiningsih, T.E. (2018). Strategi pengembangan usahatani kakao di Desa Banjaroyo Kecamatan Kalibawang Kabupaten Kulon Progo. *Jurnal MASEPI*, 3(1).
- Balai Besar Pelatihan Pertanian Batangkaluku. (2011). *Modul Pelatihan Teknis Sistematika, Morfologi dan Fisiologi Tanaman Kakao*. Gowa : Badan Penyuluhan dan Pengembangan SDM Pertanian. pp. 7-8.
- Bekele, F.L., Bekele, I., Butler, D.R. & Bidaisee, G.G. (2006). Patterns of morphological variation in a sample of cacao (*Theobroma cacao* L.) germplasm from the International Cocoa Genebank, Trinidad. *Genetic Resources and Crop Evolution*, 53:933-948.
- Bekele, F.L., Bidaisee, G.G. & Saravanakumar, D. (2020). Examining phenotypic diversity and economic value of cacao (*Theobroma cacao* L.) conserved at the International Cocoa Genebank, Trinidad to support improvement in cocoa yield globally. *Tropical Agriculture*, 97(2):82-93.
- Bojaca, A.F.C., Munoz, M.C.G., Salamanca, A.M.C., Rojass, G.H.C.R., & Tarazona-Diaz, M.P. (2019). Study of the physical and chemical changes during the maturation of three cocoa clones, EET8, CCN51, and ICS60. *Journal Science Food Agriculture*, 99:5910-5917.
- Direktorat Statistik Tanaman Pangan, Hortikultura, dan Perkebunan. (2023). *Statistik Kakao Indonesia*. Jakarta : Badan Pusat Statistik. pp. 7-10.
- Doare, F., Ribeyre, F. & Cilas, C. (2020). Genetic and environmental links between traits of cocoa beans and pods clarify the phenotyping processes to be implemented. *Nature Research Scientific Reports*, 10:9888.
- Ediwirman. (2022). The appearance of cocoa clones tolerant to infection *Phytophthora palmivora*. *Jurnal Agronomi Tanaman Tropika*, 4(2):184-193.
- Engels, J.M.M., Berfley, B.G.D. & Enriquez, G.A. (1979). Cocoa descriptors, their states and modus operandi. *Centro Agronomics Tropical de Investigacion y Ensenanza (CATIE)*.

- Farhanandi, B.W. & Indah, N.K. (2022). Karakteristik morfologi dan anatomi tanaman kakao (*Theobroma cacao* L.) yang tumbuh pada ketinggian berbeda. *LenteraBio*, 11(2):310-325.
- Febrianto, N.A. & Zhu, F. (2019). Diversity in composition of bioactive compounds among 26 cocoa genotypes. *Journal of Agricultural and Food Chemistry*, 67: 9501-9509.
- Gottlieb, L. D. (1984). Genetics and morphological evolution in plants. *The American Naturalist*, 123(5):681–709.
- Ha, L.T.V., Ngon, T.T., & Toan, H.T. (2022). Evaluation of morphological characteristic of leaf, flower, and pod in Vietnamese cocoa cultivars. *Pakistan Journal of Botany*, 54(5):1841-1848.
- Ilyas, M.R. (2023). Karakterisasi morfologi kakao (*Theobroma cacao* L.) klon harapan tahan VSD di Puslitkoka Jember. *Maliki Interdisciplinary Journal*, 1(6):191-203.
- Ingesti, P.S.V.R. (2021). Kontribusi usahatani kakao (*Theobroma cacao*) terhadap pendapatan rumah tangga petani kakao di Kabupaten Kulon Progo. *Jurnal Pertanian Agros*, 23(2):271-281.
- Kovach WL. MVSP – A Multivariate Statistical Package, 3.1. Kovach Computing Services, Pentraeth, Wales. 2007.
- Lembang, R.P., Mustari, K. & Asrul, L. (2019). Identification and analysis of relationship several local promising clones cocoa (*Theobroma cacao* L.) based on morphological characters in South Sulawesi. *IOP Conferences Series: Earth and Environmental Sciences*. doi: 10.1088/1755-1315/270/1/012024.
- Limbongan, J. (2012). Karakteristik morfologis dan anatomis klon harapan tahan penggerek buah kakao sebagai sumber bahan tanam. *Jurnal Litbang Pertanian*, 31(1).
- Linnaeus, C. (1753). *Species Plantarum*. Vol. 2. Stockholm : Laurentius Salvius. p. 782.
- Manistasari, I. & Nurhadi. (2013). Usaha peningkatan produktivitas tanaman kakao di Desa Banjarharjo Kecamatan Kalibawang Kabupaten Kulon Progo. *Geomedia*, 11(1):87-102.

- Matatula, J.A., Mahulette, A.S. & Tanasale, V.L. (2022). *Budidaya Tanaman Perkebunan Kakao*. Ambon. pp. 1.
- Martono, B. (2014). Karakteristik morfologi dan kegiatan plasma nuftah tanaman kakao. *Bunga Rampai: Inovasi Teknologi Bioindustri Kakao*, pp. 15-28.
- McMahon, P., Purung, H. bin, Lambert, S., Mulia, S., Nurlaila, Susilo, A. W., ... Keane, P. (2015). Testing local cocoa selections in three provinces in Sulawesi: (i) Productivity and resistance to cocoa pod borer and Phytophthora pod rot (black pod). *Crop Protection*, 70:28–39.
- Motamayor, J.C., Risterucci, A.M., Heath, M. & Lanaud, C. (2003). Cacao domestication II: progenitor germplasm of the Trinitario cacao cultivar. *Heredity* 91:322-330.
- Mutmainah, Muslimin, R. & Suwastika, I.N. (2014). Variasi morfologi buah beberapa klon kakao dari perkebunan rakyat Kecamatan Sigi Biromaru dan Palolo Sulawesi Tengah. *Online Jurnal of Natural Science*, 3(3):278-286.
- Nair, K.P. (2021). *Tree Crops Harvesting Cash from the World's Important Cash Crops*. Cham : Springer. pp. 153-158.
- Phillips-Mora, W., Arciniegas-Leal, A., Mata-Quiros, A. & Motamayor-Arias, J.C. (2013). *Catalogue of Cacao Clones*. Turrialba : Tropical Agricultural Research and Higher Education Center (CATIE). pp. 21-29.
- Pusat Penelitian Kopi dan Kakao Indonesia. (2023). *Klon*. <https://iccri.net/product-tag/klon/> . Diakses tanggal 10 April 2023, jam 23.56 WIB.
- Pusat Penelitian Kopi dan Kakao Indonesia. (2024). *Kakao*. [Kakao – Pusat Penelitian Kopi dan Kakao \(iccri.net\)](https://iccri.net) . Diakses tanggal 20 Juli 2024, jam 19.18 WIB.
- Pusat Penelitian Kopi dan Kakao Indonesia. (2019). *Katalog Produk dan Jasa Unggulan*. Jember : Pusat Penelitian Kopi dan Kakao Indonesia. p. 13.
- Pusat Perpustakaan dan Penyebaran Teknologi Pertanian. (2019). *Hulu Hilir Kakao*. Bogor : Pusat Perpustakaan dan Penyebaran Teknologi Pertanian. pp. 4-20.

- Pusat Perpustakaan dan Penyebaran Teknologi Pertanian. (2020). *Kakao Unggul Indonesia*. [Kakao Unggul Indonesia \(pertanian.go.id\)](http://KakaoUnggulIndonesia(pertanian.go.id)) . Diakses tanggal 21 Juli 2024, jam 09.37 WIB.
- Rahmawati, Hasanuddin, & Nurmaliah, C. (2016). Hubungan kekerabatan fenetik tujuh anggota familia Apocynaceae. *Jurnal Ilmiah Mahasiswa Pendidikan Biologi*, 1(1):1-9.
- Ramadhani, A.S. & Purnomo. (2023). Variasi dan analisis fenetik *Bavoa (Cleome gynandra* L.) di Sulawesi Tengah berdasarkan penanda morfologis. *Jurnal Penelitian Saintek*, 28(2):118-131.
- Rubiyo, Izzah, N.K., Sulistiyorini, I. & Tresniawati, C. (2015). Evaluation of genetic diversity in cacao collected from Kolaka, Southeast Sulawesi, using SSR markers. *Indonesian Journal of Agricultural Science*, 16(2):71-78.
- Rubiyo & Siswanto. (2012). Peningkatan produksi dan pengembangan kakao (*Theobroma cacao* L.) di Indonesia. *Buletin RISTRI*, 3(1):33-48.
- Sahardi & Djufry, F. (2015). Keragaman karakteristik morfologis dan agronomis plasma nuftah klon harpan kakao lokal Sulawesi Selatan. *Jurnal Littri*, 21(3):145-152.
- Sena, G.A.R., Andrade Sodr e, G., Guiltinan, M., Lockwood, R., Maximova, S., Laliberte, B., & End, M. (2015). Supplying new cocoa planting material to farmers: A review of propagation methodologies.
- Singh, G. (2010). *Plant Systematic: An Integrated Approach*. Delhi : Science Published. pp. 210-212, 242-243 & 580-582.
- Stuessy, T.F. (2009). *Plant Taxonomy: The Systematic Evaluation of Comparative Data 2nd Ed*. New York : Columbia University Press. pp. 16, 32, 52 & 302.
- Sudjud, S., Mahmud, S.A. & Djafar, C.A. (2020). Exploration of morphological diversity of cacao plant (*Theobroma cacao* L.) in Bacan Island. *Advances in Engineering Research*, 194:89-93.
- Susilo, A.W. (2012). Penemuan klon kakao tahan hama penggerek buah kakao (PBK) di Indonesia. *Warta Pusat Penelitian Kopi dan Kakao Indonesia*, 24(2).

- Sutrisno, H. (2016). Peran ilmu dasar biosistemika pada era bioteknologi. *Prosiding Seminar Nasional Biotik*, pp. 1-5.
- Tresniawati, C., Yuniyati, N. & Randriani, E. (2014). Penggunaan marka molekuler dalam seleksi genotipe kakao dengan sifat kadar lemak tinggi. *Bunga Rampai Inovasi Teknologi Bioindustri Kakao*. pp. 39-46
- Umaharan, P. (2018). *Achieving Sustainable Cultivation of Cocoa*. Cambridge : Burleigh Dodds Science Publishing.
- Utama, R.F., Gustian & Efendi, S. (2023). Morphological characterization of cacao plants (*Theobroma cacao* L.) from Dharmasraya Regency of West Sumatra. *Celebes Agricultural*, 4(1):30-46.
- Wahyudi, T. & Panggabean, T.R. (2017). *Panduan Lengkap Kakao*. Niaga Swadaya, pp. 28.
https://books.google.co.id/books?hl=id&lr=&id=zo6a4YE-5o0C&oi=fnd&pg=PA1&dq=klon+kakao+trinitario&ots=ammC737bF&sig=oKOtlnor_iG8Kvz3cATG6DXwpcs&redir_esc=y#v=onepage&q=klon%20kakao%20trinitario&f=false . Diakses tanggal 3 September 2024, pukul 21.37 WIB.
- Widyasary, R.A. & Susandarini, R. (2020). Morphological variability and taxonomic affinity of cocoa (*Theobroma cacao* L.) clones from Central Sulawesi Indonesia. *Current Botany*, 11:60-64.
- Widyasary, R.A. & Susandarini, R. (2015). Variasi fenotip dan kekerabatan fenetik klon kakao (*Theobroma cacao* L.) dari Palu, Sulawesi tengah. *Tesis Fakultas Biologi Universitas Gadjah Mada*.
- Young, A.M. (1994). *The Chocolate Tree: A Natural History of Cacao*. Washington : Smithsonian Institution Press.
- Yusnita, T.R., Taryono, Suyadi, MW. (2015). Pengujian sifat kemampuan menyerbuk silang lima klon kakao (*Theobroma cacao*). *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 1(5):1182-1185.
- Zasari, M. & Sitorus, R. (2022). Eksplorasi-karakterisasi morfologi tanaman kakao lokal di Pulau Bangka. *Jurnal Ilmu dan Teknologi Pertanian*, 6(1):23-33.