

## DAFTAR PUSTAKA

- Ab Razak, M. H. S., Hambali, K., Amaludin, N. A., & Rak, A. E. H. (2018). A study on activity pattern of clouded leopard (*Neofelis nebulosa*) in Gunung Basor and Stong Utara Forest Reserves, Kelantan, Malaysia. *Malayan Nature Journal*, 70(2), 149–155.
- Abu Hashim, A. K., Magintan, D., Ngau, C., Ismail, A. Z., Jamaludin, H., AM, Z., Rasdi, I., & ZA, F. A. (2009). A study on activity patterns of clouded leopard and marbled cat in Temengor Forest Reserve, Hulu Perak. *The Journal of Wildlife and Parks*, 26.
- Allouche, O., Tsoar, A., & Kadmon, R. (2006). Assessing the accuracy of species distribution models: prevalence, kappa and the true skill statistic (TSS). *Journal of applied ecology*, 43(6), 1223–1232.
- Aparajita Datta, A. D., Anand, M. O., & Rohit Naniwadekar, R. N. (2008). *Empty forests: large carnivore and prey abundance in Namdapha National Park, north-east India*.
- Appel, A., Mukherjee, S. and C. (2018). *Proceedings of The First International Small Wild Cat Conservation Summit. 1*.
- Araujo, M. B., Pearson, R. G., Thuiller, W., & Erhard, M. (2005). Validation of species–climate impact models under climate change. *Global change biology*, 11(9), 1504–1513.
- Ario, A. (2010). *Panduan Lapangan Kucing-Kucing Liar di Indonesia*. Yayasan Pustaka Obor Indonesia.
- Ashrafzadeh, M. R., Khosravi, R., Adibi, M. A., Taktehrani, A., Wan, H. Y., & Cushman, S. A. (2020). A multi-scale, multi-species approach for assessing effectiveness of habitat and connectivity conservation for endangered felids. *Biological Conservation*, 245, 108523.

- Austin, M P, Nicholls, A. O., & Margules, C. R. (1990). Measurement of the realized qualitative niche: environmental niches of five Eucalyptus species. *Ecological monographs*, *60*(2), 161–177.
- Austin, Mike P. (2002). Spatial prediction of species distribution: an interface between ecological theory and statistical modelling. *Ecological modelling*, *157*(2–3), 101–118.
- Azlan, J. M., & Sharma, D. S. K. (2006). The diversity and activity patterns of wild felids in a secondary forest in Peninsular Malaysia. *Oryx*, *40*(1), 36–41.
- Bashir, T, Bhattacharya, T., Poudyal, K., & Sathyakumar, S. (2011). Notable observations on the melanistic Asiatic Golden cat (*Pardofelis temminckii*) of Sikkim, India. *NeBIO*, *2*(1), 2–4.
- Bashir, Tawqir, Bhattacharya, T., Poudyal, K., & Sathyakumar, S. (2023). Wild felid diversity, space use and activity patterns in the Eastern Himalaya, India. *Ecologies*, *4*(1), 41–54.
- Bennie, J. J., Duffy, J. P., Inger, R., & Gaston, K. J. (2014). Biogeography of time partitioning in mammals. *Proceedings of the National Academy of Sciences*, *111*(38), 13727–13732.
- BKSDA Jambi. (n.d.). *Kaleidoskop (Koridor Hidupan Liar Bentang Alam Bukit Tiga Puluh)*.
- Bleich, V. C. (1999). Mountain sheep and coyotes: patterns of predator evasion in a mountain ungulate. *Journal of Mammalogy*, *80*(1), 283–289.
- Boitani, L., Maiorano, L., Baisero, D., Falcucci, A., Visconti, P., & Rondinini, C. (2011). What spatial data do we need to develop global mammal conservation strategies? *Philosophical Transactions of the Royal Society B: Biological Sciences*, *366*(1578), 2623–2632.
- Bongi, P., Ciuti, S., Grignolio, S., Del Frate, M., Simi, S., Gandelli, D., & Apollonio, M. (2008). Anti-predator behaviour, space use and habitat selection

in female roe deer during the fawning season in a wolf area. *Journal of Zoology*, 276(3), 242–251.

Borries, C., Primeau, Z. M., Ossi-Lupo, K., Dtubpraserit, S., & Koenig, A. (2014). Possible predation attempt by a marbled cat on a juvenile Phayre's leaf monkey. *Raffles Bulletin of Zoology*, 62.

Buckley-Beason, V. A., Johnson, W. E., Nash, W. G., Stanyon, R., Menninger, J. C., Driscoll, C. A., Howard, J., Bush, M., Page, J. E., & Roelke, M. E. (2006). Molecular evidence for species-level distinctions in clouded leopards. *Current Biology*, 16(23), 2371–2376.

Burton, A. C., Neilson, E., Moreira, D., Ladle, A., Steenweg, R., Fisher, J. T., Bayne, E., & Boutin, S. (2015). Wildlife camera trapping: a review and recommendations for linking surveys to ecological processes. *Journal of Applied Ecology*, 52(3), 675–685.

Carbone, C., Christie, S., Conforti, K., Coulson, T., Franklin, N., Ginsberg, J. R., Griffiths, M., Holden, J., Kawanishi, K., & Kinnaird, M. (2001). The use of photographic rates to estimate densities of tigers and other cryptic mammals. *Animal Conservation forum*, 4(1), 75–79.

Castelló, J. R. (2020). *Felids and Hyenas of the world: wildcats, panthers, lynx, pumas, ocelots, caracals, and relatives*. Princeton University Press.

Chase, J. M., & Leibold, M. A. (2003). *Ecological niches: linking classical and contemporary approaches*. University of Chicago Press.

Chen, M.-T., Liang, Y.-J., Kuo, C.-C., & Pei, K. J.-C. (2016). Home ranges, movements and activity patterns of leopard cats (*Prionailurus bengalensis*) and threats to them in Taiwan. *Mammal Study*, 41(2), 77–86.

Cheyne, S. M., & Macdonald, D. W. (2011). Wild felid diversity and activity patterns in Sabangau peat-swamp forest, Indonesian Borneo. *Oryx*, 45(1), 119–124.

- Choudhury, A. (1996). The marbled cat *Felis marmorata* Martin in Assam-some recent records. *JOURNAL-BOMBAY NATURAL HISTORY SOCIETY*, 93, 583.
- Chua, M. A. H., Sivasothi, N., & Meier, R. (2016). Population density, spatiotemporal use and diet of the leopard cat (*Prionailurus bengalensis*) in a human-modified succession forest landscape of Singapore. *Mammal Research*, 61, 99–108.
- Clinchy, M., Zanette, L. Y., Roberts, D., Suraci, J. P., Buesching, C. D., Newman, C., & Macdonald, D. W. (2016). Fear of the human “super predator” far exceeds the fear of large carnivores in a model mesocarnivore. *Behavioral Ecology*, arw117.
- Conforti, K. (1996). *The status and distribution of small carnivores in Huai Kha Khaeng/Thung Yai Naresuan Wildlife Sanctuaries, west-central Thailand*. University of Minnesota.
- Cornell, H. (2011). Niche overlap. *Encyclopedia of Theoretical Ecology*. University of California Press. California, USA, 489–497.
- Corti, P., & Shackleton, D. M. (2002). Relationship between predation-risk factors and sexual segregation in Dall’s sheep (*Ovis dalli dalli*). *Canadian Journal of Zoology*, 80(12), 2108–2117.
- Creel, S., Winnie Jr, J., Maxwell, B., Hamlin, K., & Creel, M. (2005). Elk alter habitat selection as an antipredator response to wolves. *Ecology*, 86(12), 3387–3397.
- Cruz, P., Iezzi, M. E., De Angelo, C., Varela, D., Di Bitetti, M. S., & Paviolo, A. (2018). Effects of human impacts on habitat use, activity patterns and ecological relationships among medium and small felids of the Atlantic Forest. *PloS one*, 13(8), e0200806.
- Curtis, P. G., Slay, C. M., Harris, N. L., Tyukavina, A., & Hansen, M. C. (2018). Classifying drivers of global forest loss. *Science*, 361(6407), 1108–1111.

- Dinata, Y., & Sugardjito, J. (2008). The existence of Sumatran tiger (*Panthera tigris sumatrae* Pocock, 1929) and their prey in different forest habitat types in Kerinci Seblat National Park, Sumatra. *Biodiversitas Journal of Biological Diversity*, 9(3).
- Donadio, E., & Buskirk, S. W. (2006). Diet, morphology, and interspecific killing in Carnivora. *The American Naturalist*, 167(4), 524–536.
- Dormann, C. F., Elith, J., Bacher, S., Buchmann, C., Carl, G., Carré, G., Marquéz, J. R. G., Gruber, B., Lafourcade, B., & Leitão, P. J. (2013). Collinearity: a review of methods to deal with it and a simulation study evaluating their performance. *Ecography*, 36(1), 27–46.
- E. Nyland, K., E. Gunn, G., I. Shiklomanov, N., N. Engstrom, R., & A. Streletskiy, D. (2018). Land cover change in the lower Yenisei River using dense stacking of landsat imagery in Google Earth Engine. *Remote Sensing*, 10(8), 1226.
- El, B. (2000). Saving Borneo's bacon: the sustainability of hunting in Sarawak and Sabah. *Hunting for sustainability in tropical forests*.
- Elith, J., & Leathwick, J. R. (2009). Species distribution models: ecological explanation and prediction across space and time. *Annual review of ecology, evolution, and systematics*, 40(1), 677–697.
- ESRI. (2001). Advanced GIS Spatial Analysis Using Raster and Vector Data. *An ESRI White Paper, ESRI (Environmental Systems Research Institute), Redlands, USA*.
- Fattorini, N., Brunetti, C., Baruzzi, C., Chiatante, G., Lovari, S., & Ferretti, F. (2019). Temporal variation in foraging activity and grouping patterns in a mountain-dwelling herbivore: Environmental and endogenous drivers. *Behavioural processes*, 167, 103909.
- Fernandez, D. A. P., De Guia, A. P. O., Dimalibot, J. C., & Bantayan, N. C. (2018). Spatial ecology of a male and a female leopard cat (*Prionailurus bengalensis heaneyi* Groves 1997) in Aborlan, Palawan, Philippines. *Sylvatrop*, 28(1), 1–

16.

Festa-Bianchet, M. (1988). Seasonal range selection in bighorn sheep: conflicts between forage quality, forage quantity, and predator avoidance. *Oecologia*, 75, 580–586.

Fisher, J. B., Trulio, L. A., Biging, G. S., & Chromczak, D. (2007). An analysis of spatial clustering and implications for wildlife management: a burrowing owl example. *Environmental Management*, 39, 403–411.

Franklin, N. (1999). Using tiger stripes to identify individual tigers. *Riding the tiger*, 138–139.

Fryxell, J. M., Sinclair, A. R. E., & Caughley, G. (2014). *Wildlife ecology, conservation, and management*. John Wiley & Sons.

Geist, V. (1971). The relation of social evolution and dispersal in ungulates during the Pleistocene, with emphasis on the Old World deer and the genus Bison. *Quaternary Research*, 1(3), 285–315.

Ghimirey, Y., & Pal, P. (2009). First camera trap image of Asiatic golden cat in Nepal. *Cat News*, 51, 19.

Ghodousi, M., Sadeghi-Niaraki, A., Rabiee, F., & Choi, S.-M. (2020). Spatial-temporal analysis of point distribution pattern of schools using spatial autocorrelation indices in Bojnourd city. *Sustainability*, 12(18), 7755.

Ghose, M., Sharma, D., & Murali, N. S. (2019). First photographic evidence of polymorphic Asiatic Golden Cat *Catopuma temminckii* Vigors & Horsfield, 1827 (Mammalia: Carnivora: Felidae) in Buxa Tiger Reserve, West Bengal, India. *Journal of Threatened Taxa*, 11(4), 13502–13505.

Gibbs, H. K., Ruesch, A. S., Achard, F., Clayton, M. K., Holmgren, P., Ramankutty, N., & Foley, J. A. (2010). Tropical forests were the primary sources of new agricultural land in the 1980s and 1990s. *Proceedings of the National Academy of Sciences*, 107(38), 16732–16737.

- Global Forest Watch. "Tree Cover Loss in Landscape B30". Diakses pada 10 September 2024 melalui [www.globalforestwatch.org](http://www.globalforestwatch.org).
- Gómez, H., Wallace, R. B., Ayala, G., & Tejada, R. (2005). Dry season activity periods of some Amazonian mammals. *Studies on Neotropical Fauna and Environment*, 40(2), 91–95.
- Goodrich, J. M. (2010). Human–tiger conflict: a review and call for comprehensive plans. *Integrative Zoology*, 5(4), 300–312.
- Goodrich, J. M., Seryodkin, I., Miquelle, D. G., & Bereznuik, S. L. (2011). Conflicts between Amur (Siberian) tigers and humans in the Russian Far East. *Biological Conservation*, 144(1), 584–592.
- Goszczyński, J. (1986). Locomotor activity of terrestrial predators and its consequences. *Acta Theriologica*, 31(6), 79–95.
- Graham, K., Beckerman, A. P., & Thirgood, S. (2005). Human–predator–prey conflicts: ecological correlates, prey losses and patterns of management. *Biological conservation*, 122(2), 159–171.
- Grassman Jr, L I, & Tewes, M. E. (2002). Observations of a marbled cat pair in northeastern Thailand. The World Conservation Union, Cat Specialist Group, Bougy, Switzerland. *Cat News*, 36, 9.
- Grassman, L. I., Tewes, M. E., Silvy, N. J., & Kreetiyutanont, K. (2005). Ecology of three sympatric felids in a mixed evergreen forest in north-central Thailand. *Journal of mammalogy*, 86(1), 29–38.
- Grekousis, G. (2020). *Spatial analysis methods and practice: describe–explore–explain through GIS*. Cambridge University Press.
- Griffiths, M., & Van Schaik, C. P. (1993). The impact of human traffic on the abundance and activity periods of Sumatran rain forest wildlife. *Conservation Biology*, 7(3), 623–626.
- Grignolio, S., Rossi, I., Bassano, B., & Apollonio, M. (2007). Predation risk as a

factor affecting sexual segregation in Alpine ibex. *Journal of Mammalogy*, 88(6), 1488–1497.

Grimm, V., & Railsback, S. F. (2013). Individual-based modeling and ecology. In *Individual-based modeling and ecology*. Princeton university press.

Guggisberg, C. A. W. (1975). *Wild Cats of the World*. Taplinger Publishing Company. <https://books.google.co.id/books?id=ofXaAAAAMAAJ>

Guisan, A., Edwards Jr, T. C., & Hastie, T. (2002). Generalized linear and generalized additive models in studies of species distributions: setting the scene. *Ecological modelling*, 157(2–3), 89–100.

Gurung, B., Smith, J. L. D., McDougal, C., Karki, J. B., & Barlow, A. (2008). Factors associated with human-killing tigers in Chitwan National Park, Nepal. *Biological Conservation*, 141(12), 3069–3078.

Haidir, I., Macdonald, D. W., & Linkie, M. (2021). Sunda clouded leopard *Neofelis diardi* densities and human activities in the humid evergreen rainforests of Sumatra. *Oryx*, 55(2), 189–196.

Haidir, I A, Dinata, Y., Linkie, M., & Macdonald, D. W. (2013). Asiatic golden cat and Sunda clouded leopard occupancy in the Kerinci Seblat landscape, West-Central Sumatra. *Cat News*, 59, 7–10.

Haidir, Iding A, Macdonald, D. W., Wong, W.-M., Lubis, M. I., & Linkie, M. (2020). Population dynamics of threatened felids in response to forest cover change in Sumatra. *Plos one*, 15(8), e0236144.

Haidir, Iding Achmad, Macdonald, D. W., & Linkie, M. (2018). Assessing the spatiotemporal interactions of mesopredators in Sumatra's tropical rainforest. *PLoS One*, 13(9), e0202876.

Hansen, M. C., Potapov, P. V, Moore, R., Hancher, M., Turubanova, S. A., Tyukavina, A., Thau, D., Stehman, S. V, Goetz, S. J., & Loveland, T. R. (2013). High-resolution global maps of 21st-century forest cover change.

*science*, 342(6160), 850–853.

Hati, A. S. (2013). *Waktu Aktif Harian Dan Persebaran Gajah Sumatera (Elephas Maximus Sumatranus) Pada Daerah Tepi Di Taman Nasional Tesso Nilo, Propinsi Riau*. Universitas Gadjah Mada.

Hearn, A. J., Cushman, S. A., Ross, J., Goossens, B., Hunter, L. T. B., & Macdonald, D. W. (2018). Spatio-temporal ecology of sympatric felids on Borneo. Evidence for resource partitioning? *PloS one*, 13(7), e0200828.

Hearn, A. J., Ross, J., Bernard, H., Bakar, S. A., Goossens, B., Hunter, L. T. B., & Macdonald, D. W. (2019). Responses of Sunda clouded leopard *Neofelis diardi* population density to anthropogenic disturbance: refining estimates of its conservation status in Sabah. *Oryx*, 53(4), 643–653.

Hearn, A. J., Ross, J., Pamin, D., Bernard, H., Hunter, L., & Macdonald, D. W. (2013). Insights into the spatial and temporal ecology of the Sunda clouded leopard *Neofelis diardi*. *Raffles Bulletin of Zoology*, 61(2), 871–875.

Hearn, A., Ross, J., Brodie, J., Cheyne, S., Haidir, I. A., Loken, B., Mathai, J., Wilting, A., & McCarthy, J. (2015). *Neofelis diardi*. *The IUCN Red List of Threatened Species 2015: e. T136603A50664601*.

Hearn, A., Ross, J., Macdonald, D., Bolongon, G., Cheyne, S., Mohamed, A., Samejima, H., Brodie, J., Giordano, A., & Alfred, R. (2016). Predicted distribution of the Sunda clouded leopard *Neofelis diardi* (Mammalia: Carnivora: Felidae) on Borneo. *Raffles Bulletin of Zoology*, 2016(S33).

Holden, J. (2001). Small cats in Kerinci Seblat National Park, Sumatra, Indonesia. *Cat News*, 35, 11–14.

Horne, J. S., Garton, E. O., & Rachlow, J. L. (2008). A synoptic model of animal space use: simultaneous estimation of home range, habitat selection, and inter/intra-specific relationships. *ecological modelling*, 214(2–4), 338–348.

Hortal, J., de Bello, F., Diniz-Filho, J. A. F., Lewinsohn, T. M., Lobo, J. M., &

- Ladle, R. J. (2015). Seven shortfalls that beset large-scale knowledge of biodiversity. *Annual Review of Ecology, Evolution, and Systematics*, 46, 523–549.
- Hunter, L. (2015). *Wild cats of the world*. Bloomsbury Publishing.
- Husodo, T., Megantara, E. N., Mutaqin, A. Z., Kendarto, D. R., Wulandari, I., & Shanida, S. S. (2022). Leopard cat (*Prionailurus bengalensis*) distribution in the Cisokan Hydropower Plant, West Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(12).
- Hutajulu, B., Sunarto, K. S., Supriatna, J., Budiman, A., Yahya, A., Hughes, J., & Mercer, M. (2007). Study on the ecological characteristics of clouded leopard in Riau, Sumatra. *Poster presented on Felid Biology & Conservation Conference*, 17–21.
- Hyesoon, K. (2005). Habitat connectivity between Soraksan and Odaesan National Parks with a consideration of wildlife home range. *Korean Journal of Environment and Ecology*, 19(2), 150–161.
- Ikeda, T., Uchida, K., Matsuura, Y., Takahashi, H., Yoshida, T., Kaji, K., & Koizumi, I. (2016). Seasonal and diel activity patterns of eight sympatric mammals in northern Japan revealed by an intensive camera-trap survey. *PloS one*, 11(10), e0163602.
- Imron, M. A. (2022). *Pemodelan Berbasis Individu Untuk Konservasi Satwa Liar*. UGM PRESS.
- Imron, M. A., Pudyatmoko, S., Subrata, S. A., & Nurvianto, S. (2021). *Asas-Asas Pengelolaan Satwa Liar di Indonesia: Buah Pemikiran Prof Djuwantoko*. UGM PRESS.
- Inskip, C., & Zimmermann, A. (2009). Human-felid conflict: a review of patterns and priorities worldwide. *Oryx*, 43(1), 18–34.
- Jackson, S. T., & Overpeck, J. T. (2000). Responses of plant populations and

communities to environmental changes of the late Quaternary. *Paleobiology*, 26(S4), 194–220.

Ji, C., Li, H.-D., Xiao, W., Xu, K., Ren, Y., Li, H., Wang, P., Fan, M., Huang, X., & Xiao, Z. (2023). Fine-scale interactions between leopard cats and their potential prey with contrasting diel activities in a livestock-dominated nature reserve. *Animals*, 13(8), 1296.

Jigme, K. (2011). Four colour morphs of and the altitudinal record of Asiatic Golden Cat in Bhutan. *Cat News*, 55, 12–13.

Johnson, A., Vongkhamheng, C., & Saithongdam, T. (2009). The diversity, status and conservation of small carnivores in a montane tropical forest in northern Laos. *Oryx*, 43(4), 626–633.

Jutzeler, E., Xie, Y., & Vogt, K. (2010). *Asiatic Golden Cat in China*. *Cat News (Special Issue 5)*. 5, 2009–2010.

Kafley, H., Gompper, M. E., Sharma, M., Lamichane, B. R., & Maharjan, R. (2016). Tigers (*Panthera tigris*) respond to fine spatial-scale habitat factors: occupancy-based habitat association of tigers in Chitwan National Park, Nepal. *Wildlife Research*, 43(5), 398–410.

Kamler, J. F., Inthapanya, X., Rasphone, A., Bousa, A., Vongkhamheng, C., Johnson, A., & Macdonald, D. W. (2020). Diet, prey selection, and activity of Asian golden cats and leopard cats in northern Laos. *Journal of Mammalogy*, 101(5), 1267–1278.

Kawanishi, K., & Sunquist, M. E. (2008). Food habits and activity patterns of the Asiatic golden cat (*Catopuma temminckii*) and dhole (*Cuon alpinus*) in a primary rainforest of Peninsular Malaysia. *Mammal Study*, 33(4), 173–177.

Kelly, M. J., Klenzendorf, S., Vaughan, M. R., Hutajulu, M. B., & Parakkasi, K. (2013). Threatened predator on the equator: multi-point abundance estimates of the tiger *Panthera tigris* in central Sumatra. *Oryx*, 47(2), 211–220.

- Khorozyan, I., Ghoddousi, A., Soofi, M., & Waltert, M. (2015). Big cats kill more livestock when wild prey reaches a minimum threshold. *Biological Conservation*, *192*, 268–275.
- Kinnaird, M. F., Sanderson, E. W., O'Brien, T. G., Wibisono, H. T., & Woolmer, G. (2003). Deforestation trends in a tropical landscape and implications for endangered large mammals. *Conservation Biology*, *17*(1), 245–257.
- Kitchener, A. C. (1999). Tiger distribution, phenotypic variation and conservation issues. *Riding the Tiger*, 19–39.
- Kitchener, A. C., Beaumont, M. A., & Richardson, D. (2006). Geographical variation in the clouded leopard, *Neofelis nebulosa*, reveals two species. *Current Biology*, *16*(23), 2377–2383.
- Kitchener, A. C., Breitenmoser-Würsten, C., Eizirik, E., Gentry, A., Werdelin, L., Wilting, A., Yamaguchi, N., Abramov, A. V, Christiansen, P., & Driscoll, C. (2017). A revised taxonomy of the Felidae: The final report of the Cat Classification Task Force of the IUCN Cat Specialist Group. *Cat News*.
- Klar, N., Herrmann, M., & KRAMER-SCHADT, S. (2009). Effects and mitigation of road impacts on individual movement behavior of wildcats. *The Journal of Wildlife Management*, *73*(5), 631–638.
- Kotler, B. P., Gross, J. E., & Mitchell, W. A. (1994). Applying patch use to assess aspects of foraging behavior in Nubian ibex. *The Journal of wildlife management*, 299–307.
- Kurniawati, R. (2020). *Deforestasi dan Pertumbuhan Ekonomi : Environmental Kuznets Curve di Pulau Kalimantan dan Sumatera*.
- Lambin, E. F., & Geist, H. J. (2003). Regional differences in tropical deforestation. *Environment: Science and Policy for Sustainable Development*, *45*(6), 22–36.
- Lambin, E. F., Turner, B. L., Geist, H. J., Agbola, S. B., Angelsen, A., Bruce, J. W., Coomes, O. T., Dirzo, R., Fischer, G., & Folke, C. (2001). The causes of land-

use and land-cover change: moving beyond the myths. *Global environmental change*, 11(4), 261–269.

Larrucea, E. S., Brussard, P. F., Jaeger, M. M., & Barrett, R. H. (2007). Cameras, coyotes, and the assumption of equal detectability. *The Journal of Wildlife Management*, 71(5), 1682–1689.

Lee, D.-K., & Song, W.-K. (2008). A study on the analytic unit of habitat suitability assessment and selection in conservation areas for leopard cat (*Prionailurus bengalensis*)-focus on Chungcheong Province area. *Journal of the korean institute of landscape architecture*, 36(5), 64–72.

Leibold, M. A. (1995). The niche concept revisited: mechanistic models and community context. *Ecology*, 76(5), 1371–1382.

Lestari, E. W. (2018). *Distribusi Spasial dan Waktu Aktif Kucing Liar di Kawasan Ekosistem Bukit Tigapuluh*.

Leyhausen, P., & Tonkin, B. A. (1979). *Cat behaviour. The predatory and social behaviour of domestic and wild cats*.

Li, H., Chen, Y., Deng, S., Chen, M., Fang, T., & Tan, H. (2019). Eigenvector spatial filtering-based logistic regression for landslide susceptibility assessment. *ISPRS International Journal of Geo-Information*, 8(8), 332.

Li, T., Xu, H., & Sun, H. (2023). Spatial Patterns and Multi-Dimensional Impact Analysis of Urban Street Quality Perception under Multi-Source Data: A Case Study of Wuchang District in Wuhan, China. *Applied Sciences*, 13(21), 11740.

Lim, B. L. (2002). Distribution and food-habits of the Asiatic golden cat (*Catopuma temminckii*) in Peninsular Malaysia. *Journal of Wildlife and Parks*, 20, 43–48.

Linkie, M., Chapron, G., Martyr, D. J., Holden, J., & Leader-Williams, N. (2006). Assessing the viability of tiger subpopulations in a fragmented landscape. *Journal of Applied Ecology*, 43(3), 576–586.

Ludwig, J. A., & Reynolds, J. F. (1988). *Statistical Ecology: A Primer In Methods*

*And Computing* (Vol. 1). John Wiley & Sons.

Luskin, M. S., Albert, W. R., & Tobler, M. W. (2017). Sumatran tiger survival threatened by deforestation despite increasing densities in parks. *Nature communications*, 8(1), 1783.

Lynam, A. J., Jenks, K. E., Tantipisanuh, N., Chutipong, W., Ngoprasert, D., Gale, G. A., Steinmetz, R., Sukmasuang, R., Bhumpakphan, N., & Grassman Jr, L. I. (2013). Terrestrial activity patterns of wild cats from camera-trapping. *Raffles Bulletin of Zoology*, 61(1).

Main, M. B., Weckerly, F. W., & Bleich, V. C. (1996). Sexual segregation in ungulates: new directions for research. *Journal of Mammalogy*, 77(2), 449–461.

Malik, H. N., Rahman, D. A., Setiawan, Y., & Huda, R. (2024). Mapping habitat suitability and connectivity for the Sunda clouded leopard (*Neofelis diardi*) in Batutegi Protected Forest, Lampung, Indonesia. *Biodiversitas Journal of Biological Diversity*, 25(5).

Margono, B. A., Turubanova, S., Zhuravleva, I., Potapov, P., Tyukavina, A., Baccini, A., Goetz, S., & Hansen, M. C. (2012). Mapping and monitoring deforestation and forest degradation in Sumatra (Indonesia) using Landsat time series data sets from 1990 to 2010. *Environmental Research Letters*, 7(3), 34010.

Marneweck, C., Butler, A. R., Gigliotti, L. C., Harris, S. N., Jensen, A. J., Muthersbaugh, M., Newman, B. A., Saldo, E. A., Shute, K., & Titus, K. L. (2021). Shining the spotlight on small mammalian carnivores: Global status and threats. *Biological Conservation*, 255, 109005.

Maryani, M., Muhammad, A., & Sunarto, S. (n.d.). *Estimasi Populasi Macan Dahan Sunda (Neofelis Diardi) di Suaka Margasatwa Bukit Rimbang Bukit Baling Menggunakan Bantuan Perangkat Kamera*. Riau University.

Mathai, J., Hon, J., Juat, N., Peter, A., & Gumal, M. (2010). Small carnivores in a

logging concession in the Upper Baram, Sarawak, Borneo. *Small Carnivore Conservation*, 42(1).

Matsuda, I., Tuuga, A., & Higashi, S. (2008). Clouded leopard (*Neofelis diardi*) predation on proboscis monkeys (*Nasalis larvatus*) in Sabah, Malaysia. *Primates*, 49, 227–231.

McCarthy, J., Dahal, S., Dhendup, T., Gray, T. N. E., Mukherjee, S., Rahman, H., Riordan, P., Boontua, N., & Wilcox, D. (2015). *Catopuma temminckii*. *The IUCN Red List of Threatened Species 2015: e. T4038A50651004*.

McCarthy, Jennifer L, Wibisono, H. T., McCarthy, K. P., Fuller, T. K., & Andayani, N. (2015). Assessing the distribution and habitat use of four felid species in Bukit Barisan Selatan National Park, Sumatra, Indonesia. *Global Ecology and Conservation*, 3, 210–221.

McCarthy, Jennifer Lynn. (2013). *Conservation and ecology of four sympatric felid species in Bukit Barisan Selatan National Park, Sumatra, Indonesia*.

Meredith, M., & Ridout, M. (2018). *Overview of The Overlap Package*. <https://doi.org/10.1198/jabes.2009.08038>>.License

Miquelle, D., Nikolaev, I., Goodrich, J., Litvinov, B., Smirnov, E., Suvorov, E., Woodroffe, R., Thirgood, S., & Rabinowitz, A. (2005). *People and Wildlife, Conflict or Coexistence?*

Mitchell, A. (2005). *The ESRI guide to GIS analysis* (Nomor Volume 2).

Mittelbach, G. G., & McGill, B. J. (2019). Species coexistence and niche theory. *Community ecology*, 141–157.

Mohamad, A. (2009). Records of five Bornean cat species from Deramakot Forest Reserve in Sabah, Malaysia. *Cat news*, 51, 14–17.

Mohamed, A., Ross, J., Hearn, A. J., Cheyne, S. M., Alfred, R., Bernard, H., Boonratana, R., Samejima, H., Heydon, M., & Augeri, D. M. (2016). Predicted distribution of the leopard cat *Prionailurus bengalensis* (Mammalia:

Carnivora: Felidae) on Borneo. *Raffles Bulletin of Zoology*, 33, 180–185.

Mohamed, A., Sollmann, R., Bernard, H., Ambu, L. N., Lagan, P., Mannan, S., Hofer, H., & Wilting, A. (2013). Density and habitat use of the leopard cat (*Prionailurus bengalensis*) in three commercial forest reserves in Sabah, Malaysian Borneo. *Journal of Mammalogy*, 94(1), 82–89.

Mohd-Azlan, J., Kaicheen, S. S., Hong, L. L. C., Yi, M. C. K., Maiwald, M. J., Helmy, O. E., Giordano, A. J., & Brodie, J. F. (2023). Ecology, occurrence and distribution of wild felids in Sarawak, Malaysian Borneo. *Oryx*, 57(2), 252–261.

Monterroso, P., Alves, P. C., & Ferreras, P. (2014). Plasticity in circadian activity patterns of mesocarnivores in Southwestern Europe: implications for species coexistence. *Behavioral ecology and sociobiology*, 68, 1403–1417.

Mooring, M. S., Fitzpatrick, T. A., Benjamin, J. E., Fraser, I. C., Nishihira, T. T., Reisig, D. D., & Rominger, E. M. (2003). Sexual segregation in desert bighorn sheep (*Ovis canadensis mexicana*). *Behaviour*, 183–207.

Morrison, M. L., Marcot, B., & Mannan, W. (2012). *Wildlife-habitat relationships: concepts and applications*.

Mugerwa, B., du Preez, B., Tallents, L. A., Loveridge, A. J., & Macdonald, D. W. (2017). Increased foraging success or competitor avoidance? Diel activity of sympatric large carnivores. *Journal of Mammalogy*, 98(5), 1443–1452.

Mukherjee, S., Singh, P., Ri, C., Kakati, K., Borah, B., Tapi, T., Kadur, S., Choudhary, P., Srikant, S., & Nadig, S. (2019). Activity patterns of the small and medium felid (Mammalia: Carnivora: Felidae) guild in northeastern India. *Journal of Threatened Taxa*, 11(4), 13432–13447.

Nadig, S., Navya, R., & Silva, A. P. (2016). Small cats in the Himalayan foothills: the Asian Golden Cat of Nongkhyllem Wildlife Sanctuary, India. *Small Wild Cat Conservation News*, 2, 23.

- Naidenov, L., Grindle, C., Duke, J., Gough, E. J., Davis, N., Hall, D., Waterman, J. O., & Holmes, L. (2024). From birth to weaning: maternal investment, cub development and behaviour in Sumatran tigers (*Panthera tigris sumatrae*). *Frontiers in Conservation Science*, 5, 1460238.
- National Zoo. (2024). Diakses melalui <https://nationalzoo.si.edu/> pada 10 September 2024.
- Nofiandi, R., & Hamzah, H. (2023). *STATUS KEBERLANJUTAN HABITAT GAJAH SUMATERA (Elephas max imus sumatranus) DI BENTANG ALAM BUKIT TIGA PULUH PROVINSI JAMBI*.
- Norton SR, P. M. & H. (1987). Home range and movements of male leopards in the Cedarberg Wilderness Area, Cape Province. *South African Journal of Wildlife Research-24-month delayed open access*, 17(2), 41–48.
- Nowell, Kirstin, & Jackson, P. (1998). Status survey and conservation action plan: wild cats. *Biological conservation*, 2(83), 233.
- Nowell, Kristin, & Jackson, P. (1996). *Wild cats: status survey and conservation action plan* (Vol. 382). IUCN Gland, Switzerland.
- Nyhus, P. J., & Tilson, R. (2004). Characterizing human-tiger conflict in Sumatra, Indonesia: implications for conservation. *Oryx*, 38(1), 68–74.
- O'Brien, T. G., Kinnaird, M. F., & Wibisono, H. T. (2003). Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape. *Animal Conservation Forum*, 6(2), 131–139.
- O'Connell, A. F., Nichols, J. D., & Karanth, K. U. (2011). *Camera traps in animal ecology: methods and analyses* (Vol. 271). Springer.
- Peraturan Gubernur Jambi Nomor 8 Tahun 2022 Tentang Pengelolaan Kawasan Ekosistem Esensial Koridor Hidupan Liar Datuk Gedang Di Bentang Alam Bukit Tigapuluh Kabupaten Tebo*. (2022). 6.
- Polechová, J., & Storch, D. (2008). Ecological niche. *Encyclopedia of ecology*, 2,

1088–1097.

- Poor, E. E., Jati, V. I. M., Imron, M. A., & Kelly, M. J. (2019). The road to deforestation: Edge effects in an endemic ecosystem in Sumatra, Indonesia. *PLoS One*, *14*(7), e0217540.
- Potapov, P., Hansen, M. C., Pickens, A., Hernandez-Serna, A., Tyukavina, A., Turubanova, S., Zalles, V., Li, X., Khan, A., & Stolle, F. (2022). The global 2000-2020 land cover and land use change dataset derived from the Landsat archive: first results. *Frontiers in Remote Sensing*, *3*, 856903.
- Povey, K., & Spaulding, W. (2006). Wild Cat of Southeast Asia: An Educator's Guide. *Point Defiance Zoo & Aquarium/WildAid. Thailand*, 108.
- Priatna, D. (2020). Habitat suitability model to determine a suitable area for translocation of Sumatran tiger (*Panthera tigris sumatrae* Pocock, 1929). *Asian J. Conserv. Biol*, *9*, 39–55.
- Priatna, D., Santosa, Y., Prasetyo, L. B., & Kartono, A. P. (2012). Habitat selection and activity pattern of gps collared Sumateran Tigers. *Jurnal Manajemen Hutan Tropika*, *18*(3), 155–163.
- Pringle, R. M. (2021). Ecology: A revolution in resource partitioning. *Current Biology*, *31*(22), R1474–R1476.
- Pudyatmoko, S., Budiman, A., & Siregar, A. H. (2023). Habitat suitability of a peatland landscape for tiger translocation on Kampar Peninsula, Sumatra, Indonesia. *Mammalian Biology*, *103*(4), 375–388.
- Pusparini, W., Wibisono, H. T., Reddy, G. V, Tarmizi, T., & Bharata, P. (2014). Small and medium sized cats in Gunung Leuser National Park, Sumatra, Indonesia. *Cat News*, *8*, 4–9.
- Pusparini, Wulan. (2014). *Ecology and Conservation of Endangered Species in Sumatra: Smaller Cats and the Sumatran Rhinoceros (Dicerorhinus Sumatrensis) As Case Studies*.

- Pusparini, Wulan, Batubara, T., Surahmat, F., Sugiharti, T., Muslich, M., Amama, F., Marthy, W., & Andayani, N. (2018). A pathway to recovery: the Critically Endangered Sumatran tiger *Panthera tigris sumatrae* in an 'in danger' UNESCO World Heritage Site. *Oryx*, 52(1), 25–34.
- Putri, A. M. M. (2010). GIS dan remote sensing untuk analisis kesesuaian habitat harimau sumatera (*Panthera tigris sumatrae*) di TN Bukit Tiga Puluh dan sekitarnya [thesis]. *Bogor: Sekolah Pascasarjana, IPB*.
- Rabinowitz, A. (1990). Notes on the behavior and movements of leopard cats, *Felis bengalensis*, in a dry tropical forest mosaic in Thailand. *Biotropica*, 397–403.
- Rahman, H., Nizam, K., & Putra, B. G. (2019). Identifikasi Dinamika Tutupan Lahan Dan Zonasi Rawan Konflik Harimau Sumatera *Panthera Tigris Sumatrae* di Kawasan Regional Pesisir Selatan. *PROSIDING*, 47.
- Rajaratnam, R. (2000). *Ecology of the leopard cat (Prionailurus bengalensis) in Tabin Wildlife Reserve, Sabah, Malaysia*. Universiti Kebangsaan Malaysia.
- Rajaratnam, R., Sunkuist, M., Rajaratnam, L., & Ambu, L. (2007). Diet and habitat selection of the leopard cat (*Prionailurus bengalensis borneoensis*) in an agricultural landscape in Sabah, Malaysian Borneo. *Journal of tropical ecology*, 23(2), 209–217.
- Rasphone, A., Kamler, J. F., & Macdonald, D. W. (2020). Temporal partitioning by felids, dholes and their potential prey in northern Laos. *Mammal Research*, 65, 679–689.
- Rho, P.-H. (2009). Use of GIS to develop a multivariate habitat model for the leopard cat (*Prionailurus bengalensis*) in mountainous region of Korea. *Journal of Ecology and Environment*, 32(4), 229–236.
- Ridout, M. S., & Linkie, M. (2009). Estimating overlap of daily activity patterns from camera trap data. *Journal of Agricultural, Biological, and Environmental Statistics*, 14, 322–337.

- Ripple, W. J., & Beschta, R. L. (2004). Wolves and the ecology of fear: can predation risk structure ecosystems? *BioScience*, 54(8), 755–766.
- Risenhoover, K. L., & Bailey, J. A. (1985). Foraging ecology of mountain sheep: implications for habitat management. *The Journal of Wildlife Management*, 797–804.
- Rodriguez Curras, M., Donadio, E., Middleton, A. D., & Pauli, J. N. (2022). Carnivore niche partitioning in a human landscape. *The American Naturalist*, 199(4), 496–509.
- Rondinini, C., Di Marco, M., Chiozza, F., Santulli, G., Baisero, D., Visconti, P., Hoffmann, M., Schipper, J., Stuart, S. N., & Tognelli, M. F. (2011). Global habitat suitability models of terrestrial mammals. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 366(1578), 2633–2641.
- Ross, J., Brodie, J., Cheyne, S., Datta, A., Hearn, A., Loken, B., Lynam, A., McCarthy, J., Phan, C., Rasphone, A., Singh, P. & W. (2016). *Pardofelis marmorata*, *Marbled Cat*. 8235.
- Ross, J., Hearn, A. J., Bernard, H., Secoy, K., & Macdonald, D. (2010). *A Framework for a Wild Cat Action Plan for Sabah*. Global Canopy Programme. Oxford, UK, x.
- Rovero, F., & Zimmermann, F. (2016). *Camera Trapping for Wildlife Research*.
- Rovero, F., Zimmermann, F., Berzi, D., & Meek, P. (2013). “ Which camera trap type and how many do I need?” A review of camera features and study designs for a range of wildlife research applications. *Hystrix*.
- Ruckstuhl, K. E., & Neuhaus, P. (2000). Sexual segregation in ungulates: a new approach. *Behaviour*, 361–377.
- Ryall, K. L., & Fahrig, L. (2006). Response of predators to loss and fragmentation of prey habitat: a review of theory. *Ecology*, 87(5), 1086–1093.
- Saktyari, L. (2021). *Distribusi Spasial dan Waktu Aktif Felidae Serta Satwa*

*Mangsanya di Suaka Margasatwa Bukit Rimbang Bukit Baling, Riau.*  
Universitas Gadjah Mada.

- Schoener, T. W. (1974). Resource Partitioning in Ecological Communities: Research on how similar species divide resources helps reveal the natural regulation of species diversity. *Science*, 185(4145), 27–39.
- Seidensticker, J. (1986). Large carnivores and the consequences of habitat insularization: ecology and conservation of tigers in Indonesia and Bangladesh. *Cats of the world: biology, conservation, and management*.
- Seidensticker, J., & Syuono, I. (1980). *The Javan tiger and the Meru-Betiri Reserve: A plan for management*.
- Septianingsih, A. (2022). Analisis K-Means Clustering Pada Pemetaan Provinsi Indonesia Berdasarkan Indikator Rumah Layak Huni. *Jurnal Lebesgue: Jurnal Ilmiah Pendidikan Matematika, Matematika dan Statistika*, 3(1), 224–241.
- Sethy, J., Gouda, S., & Chauhan, N. S. (2017). Photographic evidence of marbled cat from Dampa Tiger Reserve, Mizoram, India. *Cat News*, 65, 26–27.
- Setiawan, E., Murfi, H., & Satria, Y. (2016). Analisis Penggunaan Metode Kernel Density Estimation pada Loss Distribution Approach untuk Risiko Operasional. *Jurnal Matematika Integratif ISSN, 1412*, 6184.
- Shabani, F., Kumar, L., & Ahmadi, M. (2018). Assessing accuracy methods of species distribution models: AUC, specificity, sensitivity and the true skill statistic. *Global Journal of Human-Social Science: B Geography, Geo-Sciences, Environmental Science & Disaster Management*, 18(1).
- Shanida, S., Megantara, E. N., Husodo, T., Mutaqin, A. Z., Kendarto, D. R., & Wulandari, I. (2023). Habitat preference of leopard cat (*Prionailurus bengalensis* Kerr. 1792) in the Cisokan Hydropower Development Area, West Java, Indonesia. *Biodiversitas: Journal of Biological Diversity*, 24(4).
- Silmi, M., Mislana, M., Anggara, S., & Dahlen, B. (2013). Using leopard cats

- (*Prionailurus bengalensis*) as biological pest control of rats in a palm oil plantation. *Journal of Indonesian Natural History*, 1(1), 31–36.
- Silmi, M., Putra, K., Amran, A., Huda, M., Fanani, A. F., Galdikas, B. M., Anggara S, P., & Traeholt, C. (2021). Activity and ranging behavior of leopard cats (*Prionailurus bengalensis*) in an oil palm landscape. *Frontiers in Environmental Science*, 9, 651939.
- Singh, P., & Macdonald, D. W. (2017). Populations and activity patterns of clouded leopards and marbled cats in Dampa Tiger Reserve, India. *Journal of Mammalogy*, 98(5), 1453–1462.
- Soehartono, T. (2007). *Strategi dan Rencana Aksi Konservasi Harimau Sumatera*.
- Sollmann, R., Linkie, M., Haidir, I. A., & Macdonald, D. W. (2014). Bringing clarity to the clouded leopard *Neofelis diardi*: first density estimates from Sumatra. *Oryx*, 48(4), 536–539.
- Sollmann, R., Mohamed, A., & Kelly, M. J. (2013). Camera trapping for the study and conservation of tropical carnivores. *Raffles Bulletin of Zoology*, 28, 21–42.
- Sulistiyono, N., Maulana, M. I., Patana, P., & Purwoko, A. (2021). Application of Geographic Information System (GIS) for mapping of spatial distribution characteristics of the Sumatran Tigers (*Panthera tigris sumatrae*) prey in Besitang. *IOP Conference Series: Materials Science and Engineering*, 1122(1), 12034.
- Sumarto, S., & Koneri, R. (2016). *Ekologi Hewan*. CV. Patra Media Gravindo.
- Sunarto, S, Kelly, M. J., Parakkasi, K., & Hutajulu, M. B. (2015). Cat coexistence in central S umatra: ecological characteristics, spatial and temporal overlap, and implications for management. *Journal of Zoology*, 296(2), 104–115.
- Sunarto. (2011). *Ecology and restoration of Sumatran tigers in forest and plantation landscapes*. Virginia Tech.

- Sunarto, Kelly, M. J., Parakkasi, K., Klenzendorf, S., Septayuda, E., & Kurniawan, H. (2012). Tigers need cover: multi-scale occupancy study of the big cat in Sumatran forest and plantation landscapes. *Plos one*, 7(1), e30859.
- Sunquist, M., & Sunquist, F. (2002). *Leopard Cat (Prionailurus bengalensis) Kerr, 1792, Wild Cats of the World*. University of Chicago Press: Chicago, IL, USA.
- Supartono, T., Nasihin, I., & Tawaqal, F. (2021). Distribusi Dan Penggunaan Habitat Empat Spesies Felidae Di Taman Nasional Bukit Barisan Selatan. *Wanamukti: Jurnal Penelitian Kehutanan*, 22(2), 50. <https://doi.org/10.35138/wanamukti.v22i2.329>
- Sutarno, S. A. D., & Setyawan, A. D. (2015). Biodiversitas Indonesia: Penurunan dan upaya pengelolaan untuk menjamin kemandirian bangsa. *Pros Sem Nas Masy Biodiv Indon*, 1(1), 1–13.
- Tan, C. K. W., Rocha, D. G., Clements, G. R., Brenes-Mora, E., Hedges, L., Kawanishi, K., Mohamad, S. W., Rayan, D. M., Bolongon, G., & Moore, J. (2017). Habitat use and predicted range for the mainland clouded leopard *Neofelis nebulosa* in Peninsular Malaysia. *Biological Conservation*, 206, 65–74.
- Tawaqal, F., Supartono, T., & Nasihin, I. (2018). Distribusi Dan Penggunaan Habitat Empat Spesies Felidae Di Taman Nasioanl Bukit Barisan Selatan. *Wanaraksa*, 12(2).
- Tejaswi, G. (2007). Manual on deforestation, degradation, and fragmentation using remote sensing and GIS. *MAR-SFM Working Paper. ROME, ITALY*.
- Tempa, T, Norbu, N., Dhendup, P., & Nidup, T. (2011). Results from a camera trapping exercise for estimating tiger population size in the lower foothills of Royal Manas National Park. *Ugyen Wangchuck Institute for Conservation and Environment and Royal Manas National Park, Royal Government of Bhutan, Lamai Gompa*.
- Tempa, Tshering, Hebblewhite, M., Mills, L. S., Wangchuk, T. R., Norbu, N.,

- Wangchuk, T., Nidup, T., Dendup, P., Wangchuk, D., & Wangdi, Y. (2013). Royal Manas National Park, Bhutan: a hot spot for wild felids. *Oryx*, 47(2), 207–210.
- Tilson, R., & Seal, U. S. (1987). *Tigers of the world: the biology, biopolitics, management, and conservation of an endangered species*.
- Tizzani, P., Bessone, M., Rossi, L., & Meneguz, P. G. (2022). Does predation risk affect spatial use in an introduced ungulate species? The case of a Mediterranean mouflon alpine colony. *European Journal of Wildlife Research*, 68(5), 66.
- Treves, A., & Karanth, K. U. (2003). Human-carnivore conflict and perspectives on carnivore management worldwide. *Conservation biology*, 17(6), 1491–1499.
- University of Maryland and World Resources Institute. "Global Primary Forest Loss". Diakses melalui Global Forest Watch pada 10 September 2024 melalui [www.globalforestwatch.org](http://www.globalforestwatch.org).
- Van Schaik, C. P., & Griffiths, M. (1996). Activity periods of Indonesian rain forest mammals. *Biotropica*, 105–112.
- Vernes, Karl, Rajaratnam, R., & Dorji, S. (2022). Patterns Of Species Co-Occurrence In A Diverse Eastern Himalayan Montane Carnivore Community. *Mammal Research*, 67(2), 139–149.
- Vernes, KARL, Sangay, T., Rajaratnam, R., & Singye, R. (2015). Social interaction and co-occurrence of colour morphs of the Asiatic golden cat, Bhutan. *Cat News*, 62, 18–20.
- Wakelyn, L. A. (1987). Changing habitat conditions on bighorn sheep ranges in Colorado. *The Journal of wildlife management*, 904–912.
- Walker, A. B. D., Parker, K. L., Gillingham, M. P., Gustine, D. D., & Lay, R. J. (2007). Habitat selection by female Stone's sheep in relation to vegetation,

- topography, and risk of predation. *Ecoscience*, 14(1), 55–70.
- Wang, S. W. (2007). A rare morph of the Asiatic golden cat in Bhutan's Jigme Singye Wangchuck National Park. *Cat News*, 47, 27–28.
- Wearn, O. R., & Glover-Kapfer, P. (2017). Camera-trapping for conservation: a guide to best-practices. *WWF conservation technology series*, 1(1), 181.
- Whitten, T., Damanik, S. J., Anwar, J., & Hisyam, N. (2000). The Ecology of Indonesia Series Vol. I: The Ecology of Sumatra. *Periplus Edition (KH) Ltd. Singapore*.
- Wibisono, H. T., Linkie, M., Guillera-Arroita, G., Smith, J. A., Sunarto, Pusparini, W., Asriadi, Baroto, P., Brickle, N., & Dinata, Y. (2011). Population status of a cryptic top predator: an island-wide assessment of tigers in Sumatran rainforests. *PLoS One*, 6(11), e25931.
- Widodo, F. A., Imron, M. A., Sunarto, S., & Giordano, A. J. (2022). Carnivores and their prey in Sumatra: Occupancy and activity in human-dominated forests. *PLoS One*, 17(3), e0265440.
- Wijaya, P. A. (2015). Model Spasial Deforestasi Di Provinsi Jambi. *Institut Pertanian Bogor*.
- Wilting, A., Buckley-Beason, V. A., Feldhaar, H., Gadau, J., O'Brien, S. J., & Linsenmair, K. E. (2007). Clouded leopard phylogeny revisited: support for species recognition and population division between Borneo and Sumatra. *Frontiers in Zoology*, 4, 1–10.
- Wilting, A., Duckworth, J. W., Breitenmoser-Würsten, C., Belant, J. L., & Mathai, J. (2016). Distribution of and conservation priorities for Bornean small carnivores and cats. *Raffles Bulletin of Zoology Supplement*, 33, 1–217.
- Wiwid, P. (2016). *Distribusi Spasial Dan Tingkat Kehadiran Satwa Ungulata Pasca Kebakaran Hutan Di Taman Nasional Tesso Nilo Koma Provinsi Riau*. Universitas Gadjah Mada.

- Wu, J., Wang, J., Zhu, Y., Bu, X., Xiang, R., Lu, Q., Cui, S., Hao, Y., Sheng, Y., & Meng, X. (2020). Summer habitat selection and impacts of human disturbance on leopard cats (*Prionailurus bengalensis*). *Ecosystem Health and Sustainability*, 6(1), 1856630.
- Xiong, M., Wang, D., Bu, H., Shao, X., Zhang, D., Li, S., Wang, R., & Yao, M. (2017). Molecular dietary analysis of two sympatric felids in the Mountains of Southwest China biodiversity hotspot and conservation implications. *Scientific Reports*, 7(1), 41909.
- Yarrow, G. (2009). *Habitat requirements of wildlife: food, water, cover and space*.
- Yongdrup, P., Choje, N., Mafchan, B., & Dhendup, K. (2024). *Current Distribution and Suitable Habitats of Asiatic Golden Cat (Catopumma teminckii Vigors and Horsfield) under Bumthang Territorial Division*. 25–33. <https://doi.org/10.17102/cnr.2024.93>
- Yongdrup, P., Sherub, K., Tshering, U., & Chaida, L. (2019). Abundance and Distribution of Asiatic Golden Cat (*Catopumma teminckii* Vigors and Horsfield) and Clouded Leopard (*Neofelis nebulosa* Griffith) in Jomotsangkha Wildlife Sanctuary, Bhutan. *Bhutan Journal of Natural Resources and Development*, 6(1), 19–26.
- Zoological Society of London. (2024). Diakses melalui <https://www.zsl.org/> pada 10 September 2024.