



## DAFTAR PUSTAKA

- Abbas, A., Tabish, T.A., Bull, S.J., Lim, T.M. and Phan, A.N., 2020, High yield synthesis of graphene quantum dots from biomass waste as a highly selective probe for Fe<sup>3+</sup> sensing, *Sci. Rep.*, 10(1).
- Alas, M.O. and Genc, R., 2017, An investigation into the role of macromolecules of different polarity as passivating agent on the physical, chemical and structural properties of fluorescent carbon nanodots, *J. Nanoparticle Res.*, 19, 1–15.
- Ali, Mir Sahanur, Bhunia, N., Ali, Mir Sahidul, Karmakar, S., Mukherjee, P. and Chattopadhyay, D., 2023, Fluorescent N-doped carbon quantum dots: A selective detection of Fe<sup>3+</sup> and understanding its mechanism, *Chem. Phys. Lett.*, 825.
- Atchudan, R., Edison, T.N.J.I., Perumal, S., Muthuchamy, N. and Lee, Y.R., 2020, Hydrophilic nitrogen-doped carbon dots from biowaste using dwarf banana peel for environmental and biological applications, *Fuel*, 275.
- Bandi, R., Gangapuram, B.R., Dadigala, R., Eslavath, R., Singh, S.S., and Guttena, V., 2016, Facile and green synthesis of fluorescent carbon dots from onion waste and their potential applications as sensor and multicolour imaging agents, *RSC Adv.*, 6, 28633–28639.
- Barman, M.K. and Patra, A., 2018, Current status and prospects on chemical structure driven photoluminescence behaviour of carbon dots, *J. Photochem. Photobiol. C*, 37, 1–22.
- Batool, M., Junaid, H.M., Tabassum, S., Kanwal, F., Abid, K., Fatima, Z., and Shah, A.T., 2022, Metal Ion Detection by Carbon Dots-A Review, *Crit. Rev. Anal. Chem.*, 52, 756–767.
- Chaudhary, S., Kumari, M., Chauhan, P. and Ram Chaudhary, G., 2021, Upcycling of plastic waste into fluorescent carbon dots: An environmentally viable transformation to biocompatible C-dots with potential prospective in analytical applications, *Waste Manag.*, 120, 675–686.
- Chen, S., Liu, Z., Jiang, S., and Hou, H., 2020, Carbonization: A Feasible Route for Reutilization of Plastic Wastes, *Sci. Total Environ.*, 710.
- Chen, W., Shen, J., Wang, Z., Liu, X., Xu, Y., Zhao, H., and Astruc, D., 2021, Turning waste into wealth: facile and green synthesis of carbon nanodots from pollutants and applications to bioimaging, *Chemical Science*, 12, 11722–11729.
- Chukwuocha, E.O., Onyeaju, M.C., and Harry, T.S.T., 2012, Theoretical Studies on the Effect of Confinement on Quantum Dots Using the Brus Equation, *World J. Condens. Matter Phys.*, 02, 96–100.
- Cui, X., Wang, Yinglin, Liu, J., Yang, Q., Zhang, B., Gao, Y., Wang, Yue and Lu, G., 2017, Dual functional N- and S-co-doped carbon dots as the sensor for temperature and Fe<sup>3+</sup> ions, *Sens. Actuators B Chem.*, 242, 1272–1280.
- Danielowska, D.S. and Jabłońska, M., 2022, Chemical and mineral composition of ashes from wood biomass combustion in domestic wood-fired furnaces, *Int. J. Environ. Sci. Technol. (Tehran)*, 19(6), 5359–5372.



- Danial, W.H., Abdullah, M., Abu Bakar, M.A., Yunos, M.S., Ibrahim, A.R., Iqbal, A., and Adnan, N.N., 2022, The valorisation of grass waste for the green synthesis of graphene quantum dots for nonlinear optical applications, *Opt. Mater. (Amst.)*, 132, 112853.
- Das, P., Ganguly, S., Mondal, S., Bose, M., Das, A.K., Banerjee, S. and Das, N.C., 2018, Heteroatom doped photoluminescent carbon dots for sensitive detection of acetone in human fluids, *Sens. Actuators B Chem.*, 266, 583–593.
- Ding, H., Yu, S.B., Wei, J.S. and Xiong, H.M., 2016, Full-color light-emitting carbon dots with a surface-state-controlled luminescence mechanism, *ACS Nano*, 10(1), 484–491.
- Dias, C., Vasimalai, N., P. Sárria, M., Pinheiro, I., Vilas-Boas, V., Peixoto, J., and Espiña, B., 2019, Biocompatibility and Bioimaging Potential of Fruit-Based Carbon Dots, *Nanomaterials*, 9.
- Du, F., Cheng, Z., Tan, W., Sun, L., and Ruan, G., 2020, Development of sulfur doped carbon quantum dots for highly selective and sensitive fluorescent detection of Fe<sup>2+</sup> and Fe<sup>3+</sup> ions in oral ferrous gluconate samples, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 226, 117602.
- Edison, T.N.J.I., Atchudan, R., Shim, J.J., Kalimuthu, S., Ahn, B.C., and Lee, Y.R., 2016, Turn-off fluorescence sensor for the detection of ferric ion in water using green synthesized N-doped carbon dots and its bio-imaging, *J. Photochem. Photobiol. B Biol.*, 158, 235–242.
- Essner, J.B., Laber, C.H., Ravula, S., Polo-Parada, L., and Baker, G.A., 2016, Pee-dots: biocompatible fluorescent carbon dots derived from the upcycling of urine, *Green Chemistry*, 18, 243–250.
- Falco, C., Perez Caballero, F., Babonneau, F., Gervais, C., Laurent, G., Titirici, M.M., and Baccile, N., 2011, Hydrothermal carbon from biomass: Structural differences between hydrothermal and pyrolyzed carbons via <sup>13</sup>C solid state NMR, *Langmuir*, 27, 14460–14471.
- Gao, T., Wang, X., Yang, L.Y., He, H., Ba, X.X., Zhao, J., Jiang, F.L. and Liu, Y., 2017, Red, Yellow, and Blue Luminescence by Graphene Quantum Dots: Syntheses, Mechanism, and Cellular Imaging, *ACS Appl. Mater. Interfaces*, 9(29), 24846–24856.
- Gomez-Caballero, L.F., Pichardo-Molina, J.L., and Basurto-Islas, G., 2022, Cellulose dialysis membrane tubing doped with gold nanoparticles as SERS substrate, *Materials Letters*, 313.
- González-González, R.B., González, L.T., Madou, M., Leyva-Porras, C., Martínez Chapa, S.O., and Mendoza, A., 2022, Synthesis, Purification, and Characterization of Carbon Dots from Non-Activated and Activated Pyrolytic Carbon Black, *Nanomater.*, 12(3), 298.
- Harianti, F., Ridla, M., Abdullah, L., Raya, J., Ipb, P., Bogor, B., and Barat, J., 2023, Pertumbuhan dan Produksi Hijauan Rumput Gajah Pakchong Panen Pertama pada Pemberian Dosis Pupuk dan Umur Potong Berbeda Growth and Production of



Forage Pakchong Elephant Grass First Harvest at Different Doses of Fertilizer and Cutting Age.

- Hong, D., Deng, X., Liang, J., Li, J., Tao, Y., and Tan, K., 2019, One-step hydrothermal synthesis of down/up-conversion luminescence F-doped carbon quantum dots for label-free detection of Fe<sup>3+</sup>, *Microchem. J.*, 151, 104217.
- Hu, Y., Gao, Z., Yang, J., Chen, H. and Han, L., 2019, Environmentally benign conversion of waste polyethylene terephthalate to fluorescent carbon dots for “on-off-on” sensing of ferric and pyrophosphate ions, *J. Colloid Interface Sci.*, 538, 481–488.
- Hu, Y., Yang, J., Tian, J., Jia, L. and Yu, J.S., 2014, Green and size-controllable synthesis of photoluminescent carbon nanoparticles from waste plastic bags, *RSC Adv.*, 4(88), 47169–47176.
- Jang, M.H., Ha, H.D., Lee, E.S., Liu, F., Kim, Y.H., Seo, T.S. and Cho, Y.H., 2015, Is the Chain of Oxidation and Reduction Process Reversible in Luminescent Graphene Quantum Dots?, *Small*, 11(31), 3773–3781.
- Khavlyuk, P.D., Arefina, I.A., Bondarenko, D.P., Bogdanov, K. V., Stepanidenko, E.A., Baranov, A. V., Fedorov, A. V., Ushakova, E. V., Dubavik, A., and Rogach, A.L., 2019, Synthesis and energy structure of optical transitions of the nitrogen and sulfur co-doped carbon dots, *J. Phys. Conf. Ser.*, 1410.
- Kim, S., Hwang, S.W., Kim, M.-K., Shin, D.Y., Shin, D.H., Kim, C.O., Yang, S.B., Park, J.H., Hwang, E., Choi, S.-H., Ko, G., Sim, S., Sone, C., Choi, H.J., Bae, S., and Hong, B.H., 2012, Anomalous Behaviors of Visible Luminescence from Graphene Quantum Dots: Interplay between Size and Shape, *ACS Nano.*, 6, 8203–8208.
- Kokorina, A.A., Sapelkin, A. V., Sukhorukov, G.B., and Goryacheva, I.Y., 2019, Luminescent carbon nanoparticles separation and purification, *Adv. Colloid Interface Sci.*, 274.
- Kongkeitkajorn, M.B., Sae-Kuay, C., and Reungsang, A., 2020, Evaluation of napier grass for bioethanol production through a fermentation process, *Processes*, 8.
- Kumari, A., Kumar, A., Sahu, S.K. and Kumar, S., 2018, Synthesis of green fluorescent carbon quantum dots using waste polyolefins residue for Cu<sup>2+</sup> ion sensing and live cell imaging, *Sens. Actuators B Chem.*, 254, 197–205.
- Li, G., Lv, N., Bi, W., Zhang, J. and Ni, J., 2016, Nitrogen-doped carbon dots as a fluorescence probe suitable for sensing Fe<sup>3+</sup> under acidic conditions, *New J. Chem.*, 40(12), 10213–10218.
- Li, H., Li, Y. and Xu, Y., 2023, Nitrogen-doped carbon dots from polystyrene for three analytes sensing and their logic recognition, *Inorg. Chem. Commun.*, 148.
- Li, L. and Dong, T., 2018, Photoluminescence tuning in carbon dots: Surface passivation or/and functionalization, heteroatom doping, *J. Mater. Chem. C*, 6(30), 7944–7970.
- Li, L., Li, M., Liang, J., Yang, X., Luo, M., Ji, L., Guo, Y., Zhang, H., Tang, N. and Wang, X., 2019, Preparation of Core-Shell CQD@PANI Nanoparticles and Their Electrochemical Properties, *ACS Appl. Mater. Interfaces*, 11(25), 22621–22627.



- Liang, S., Wang, M., Gao, W., and Zhao, X., 2022, Effects of elemental doping, acid treatment, and passivation on the fluorescence intensity and emission behavior of yellow fluorescence carbon dots, *Opt. Mater. (Amst.)*, 128, 112471.
- Liu, X., Sun, Y., Perez, L.A., Wen, W., Toney, M.F., Heeger, A.J., and Bazan, G.C., 2012, Narrow-Band-Gap Conjugated Chromophores with Extended Molecular Lengths, *J. Am. Chem. Soc.*, 134, 20609–20612.
- Liu, M., 2020, Optical Properties of Carbon Dots: A Review, *Nanoarchitectonics*, 1(1), 1–12.
- Liu, Q., Zhai, Z., Sun, J., He, Y., Yuan, Z. and Chen, S., 2022, Synthesis of Graphitic Carbon Nitride and Polypyrrole Nanocomposite (PPy/g-C<sub>3</sub>N<sub>4</sub>) as Efficient Photocatalysts for Dibenzothiophene Degradation in Oilfield Produced Wastewater, *Int. J. Electrochem. Sci.*, 17.
- Ma, G., Wang, R., Zhang, M., Dong, Z., Zhang, A., Qu, M., Gao, L., Wei, Y. and Wei, J., 2023, Solvothermal preparation of nitrogen-doped carbon dots with PET waste as precursor and their application in LEDs and water detection, *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, 289.
- Malavika, J.P., Shobana, C., Ragupathi, M., Kumar, P., Lee, Y.S., Govarthanan, M., and Selvan, R.K., 2021, A sustainable green synthesis of functionalized biocompatible carbon quantum dots from *Aloe barbadensis Miller* and its multifunctional applications, *Environ. Res.*, 200, 111414.
- Marpongahtun, Andriayani, Muis, Y., Gea, S., Amaturrahim, S.A., Attaurazaq, B., and Daulay, A., 2023, Synthesis of Nitrogen-Doped Carbon Dots from Nanocrystalline Cellulose by Pyrolysis Method as Hg<sup>2+</sup> Detector, *Int. J. Tech.*, 14, 219–231.
- McKittrick, J. and Shea-Rohwer, L.E., 2014, Review: Down conversion materials for solid-state lighting, *J. Am. Ceram. Soc.*, 97, 1327–1352.
- Meiling, T.T., 2017, Development of a reliable and environmentally friendly synthesis for fluorescence carbon nanodots, *Univ. Potsdam*, 25–198.
- Mintz, K.J., Bartoli, M., Rovere, M., Zhou, Y., Hettiarachchi, S.D., Paudyal, S., Chen, J., Domena, J.B., Liyanage, P.Y., Sampson, R., Khadka, D., Pandey, R.R., Huang, S., Chusuei, C.C., Tagliaferro, A., and Leblanc, R.M., 2021, A deep investigation into the structure of carbon dots, *Carbon N. Y.*, 173, 433–447.
- Mondal, S., Karthik, P.E., Sahoo, L., Chatterjee, K., Sathish, M. and Gautam, U.K., 2020, High and reversible oxygen uptake in carbon dot solutions generated from polyethylene facilitating reactant-enhanced solar light harvesting, *Nanoscale*, 12(19), 10480–10490.
- Murugan, N., Prakash, M., Jayakumar, M., Sundaramurthy, A., and Sundramoorthy, A.K., 2019, Green synthesis of fluorescent carbon quantum dots from Eleusine coracana and their application as a fluorescence ‘turn-off’ sensor probe for selective detection of Cu<sup>2+</sup>, *Appl. Surf. Sci.*, 476, 468–480.
- Nguyen, K.G., Baragau, I.A., Gromicova, R., Nicolaev, A., Thomson, S.A.J., Rennie, A., Power, N.P., Sajjad, M.T., and Kellici, S., 2022, Investigating the effect of N-doping on carbon quantum dots structure, optical properties and metal ion screening, *Sci. Rep.*, 12, 1–12.



- Ogi, T., Aishima, K., Permatasari, F.A., Iskandar, F., Tanabe, E., and Okuyama, K., 2016, Kinetics of nitrogen-doped carbon dot formation: Via hydrothermal synthesis, *New J. Chem.*, 40, 5555–5561.
- Pang, Y., Gao, H., Wu, S. and Li, X., 2017, Facile synthesis the nitrogen and sulfur co-doped carbon dots for selective fluorescence detection of heavy metal ions, *Mater. Lett.*, 193, 236–239.
- Phang, S.J. and Tan, L.L., 2019, Recent advances in carbon quantum dot (CQD)-based two dimensional materials for photocatalytic applications, *Catal. Sci. Technol.*, 9(21), 5882–5905.
- Picard, M., Thakur, S., Misra, M., and Mohanty, A.K., 2019, Miscanthus grass derived carbon dots to selectively detect Fe<sup>3+</sup> ions, *RSC Adv.*, 9, 8628–8637.
- Reckmeier, C.J., Schneider, J., Susha, A.S., and Rogach, A.L., 2016, Luminescent Colloidal Carbon Dots: Optical Properties and Effects of Doping Invited, *Opt. Express*, 24, A312–A340.
- Ren, H., Wang, C., Zhang, Jiali, Zhou, X., Xu, D., Zheng, J., Guo, S., and Zhang, Jingyan, 2010, DNA cleavage system of nanosized graphene oxide sheets and copper ions, *ACS Nano*, 4, 7169–7174.
- Sabet, M. and Mahdavi, K., 2019, Green synthesis of high photoluminescence nitrogen-doped carbon quantum dots from grass via a simple hydrothermal method for removing organic and inorganic water pollutions, *Appl. Surf. Sci.*, 463, 283–291.
- Samarawickrama LL, Jayakody JDGK, Premaratne S, Herath MPSK & Somasiri SC., 2018, Yield, nutritive value and fermentation characteristics of Pakchong-1 (*Pennisetum purpureum* x *pennisetum glaucum*) in Sri Lanka, *Sri Lanka Journal of Animal Production*, Vol. 10 : 25-36.
- Sari, F.D., Chotimah, Roto, and Kartini, I., 2023, Highly fluorescent nitrogen doped graphene quantum dots (N-GQDs) synthesized from *Pennisetum purpureum* for selective and sensitive detection of Fe<sup>3+</sup> ions, *Mater. Res. Express*, 10, 075603.
- Shahdeo, D., Roberts, A., Abbineni, N., and Gandhi, S., 2020, Graphene based sensors, *Compr. Anal. Chem.*, 91, 175-199.
- Sharma, S., Dutta, V., Singh, P., Raizada, P., Rahmani-Sani, A., Hosseini-Bandegharaei, A. and Thakur, V.K., 2019, Carbon quantum dot supported semiconductor photocatalysts for efficient degradation of organic pollutants in water: A review, *J. Clean. Prod.*, 228, 755–769.
- Shen, J., Shang, S., Chen, X., Wang, D., and Cai, Y., 2017, Facile synthesis of fluorescence carbon dots from sweet potato for Fe<sup>3+</sup> sensing and cell imaging, *Mater. Sci. Eng. C*, 76, 856–864.
- Shen, H., Song, J., Yang, Ye, Su, P. and Yang, Yi, 2019, DNA-directed enzyme immobilization on Fe<sub>3</sub>O<sub>4</sub> modified with nitrogen-doped graphene quantum dots as a highly efficient and stable multi-catalyst system, *J. Mater. Sci.*, 54(3), 2535–2551.
- Siddique, A.B., Pramanick, A.K., Chatterjee, S., and Ray, M., 2018, Amorphous Carbon Dots and their Remarkable Ability to Detect 2,4,6-Trinitrophenol, *Sci. Rep.*, 8, 9770.



- Strezov, V., Evans, T.J., and Hayman, C., 2008, Thermal conversion of elephant grass (*Pennisetum Purpureum Schum.*) to bio-gas, bio-oil and charcoal, *Bioresour. Technol.*, 99, 8394–8399.
- Tang, J., Zhang, J., Zhang, Y., Xiao, Y., Shi, Y., Chen, Y., Ding, L. and Xu, W., 2019, Influence of Group Modification at the Edges of Carbon Quantum Dots on Fluorescent Emission, *Nanoscale Res. Lett.*, 14(1).
- Ullal, N., Mehta, R., and Sunil, D., 2024, Separation and purification of fluorescent carbon dots - an unmet challenge, *Analyst*, 149, 1680–1700.
- Wang, K., Dong, J., Sun, L., Chen, H., Wang, Y., Wang, C. and Dong, L., 2016, Effects of elemental doping on the photoluminescence properties of graphene quantum dots, *RSC Adv.*, 6(94), 91225–91232.
- Wang, L., Li, W., Yin, L., Liu, Y., Guo, H., Lai, J., Han, Y., Li, G., Li, M., Zhang, J., Vajtai, R., Ajayan, P.M. and Wu, M., 2020, Full-color fluorescent carbon quantum dots, *Sci. Adv.*, 6, 1-8.
- Wang, Y., Chang, Q. and Hu, S., 2017, Carbon dots with concentration-tunable multicolored photoluminescence for simultaneous detection of Fe<sup>3+</sup> and Cu<sup>2+</sup> ions, *Sens. Actuators B Chem.*, 253, 928–933.
- Wang, Y. and Hu, A., 2014, Carbon quantum dots: Synthesis, properties and applications, *J. Mater. Chem. C*, 2(34), 6921–6939.
- Wang, Y., Zhang, J., Chen, S., Zhang, H., Li, L. and Fu, Z., 2018, Surface passivation with nitrogen-doped carbon dots for improved perovskite solar cell performance, *J. Mater. Sci.*, 53(12), 9180–9190.
- Widiyastuti, T., Hidayat, N., and Indrasanti, D., 2014, Nutrient Content of Napier Grass (*Pennisetum purpureum*) Silage Made with Various Additive and Modified Atmosphere in The Silo, *Anim. Prod.*, 16, 11–17.
- Xia, C., Zhu, S., Feng, T., Yang, M., and Yang, B., 2019, Evolution and Synthesis of Carbon Dots: From Carbon Dots to Carbonized Polymer Dots, *Adv. Sci.*, 6, 1901316.
- Xie, Y., Cheng, D., Liu, X., and Han, A., 2019, Green hydrothermal synthesis of N-doped carbon dots from biomass highland barley for the detection of Hg<sup>2+</sup>, *Sensors (Switzerland)*, 19(14), 3169.
- Yang, Y., Zou, T., Wang, Z., Xing, X., Peng, S., Zhao, R., Zhang, X., and Wang, Y., 2019, The fluorescent quenching mechanism of N and S Co-doped graphene quantum dots with Fe<sup>3+</sup> and Hg<sup>2+</sup> ions and their application as a novel fluorescent sensor, *Nanomaterials*, 9(5).
- Ye, R., Peng, Z., Metzger, A., Lin, J., Mann, J.A., Huang, K., Xiang, C., Fan, X., Samuel, E.L.G., Alemany, L.B., Martí, A.A. and Tour, J.M., 2015, Bandgap engineering of coal-derived graphene quantum dots, *ACS Appl. Mater. Interfaces*, 7(12), 7041–7048.
- Zhang, D., Chao, D., Yu, C., Fu, Y., Zhou, S., Tian, L. and Zhou, L., 2023, One-pot synthesis of multicolor carbon quantum dots: One as pH sensor, one with ultra-narrow emission as fluorescent sensor for uric acid, *Dyes Pigm.*, 213.



**Sintesis Carbon Dots (CDs) Dari Rumput Gajah Dengan Pemurnian Membran Dialisis Dan Aplikasinya Sebagai Sensor Fe<sup>3+</sup>**

JULIANA LOLA FATIKASARI, Prof. Indriana Kartini, S.Si., M.Si., Ph.D.; Adhi Dwi Hatmanto, S.Si., M.Si., Ph.D.

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Zhang, H., Chen, Y., Liang, M., Xu, L., Qi, S., Chen, H., and Chen, X., 2014, Solid-phase synthesis of highly fluorescent nitrogen-doped carbon dots for sensitive and selective probing ferric ions in living cells, *Anal. Chem.*, 86(19), 9846–9852.
- Zhao, L., Wang, Y., Zhao, X., Deng, Y., and Xia, Y., 2019, Facile synthesis of nitrogen-doped carbon quantum dots with chitosan for fluorescent detection of Fe<sup>3+</sup>, *Polymers (Basel)*, 11, 1–12.
- Zhou, H., Ren, Y., Li, Zheng, He, W., and Li, Zhengxin, 2022, Selective Detection of Fe<sup>3+</sup> by Nitrogen–Sulfur-Doped Carbon Dots Using Thiourea and Citric Acid, *Coatings*, 12 (8), 1042.
- Zhu, S., Song, Y., Zhao, X., Shao, J., Zhang, J. and Yang, B., 2015, The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots, and polymer dots): current state and future perspective, *Nano Res.*, 8(2), 355–381.
- Zulfajri, M., Gedda, G., Chang, C.J., Chang, Y.P. and Huang, G.G., 2019, Cranberry Beans Derived Carbon Dots as a Potential Fluorescence Sensor for Selective Detection of Fe<sup>3+</sup> Ions in Aqueous Solution, *ACS Omega*, 4(13), 15382–15392.