

DAFTAR PUSTAKA

- [1] B. P. S. Badan Pusat Statistik, “Statistik Kriminal 2012.” Accessed: Aug. 02, 2024. [Online]. Available: <https://www.bps.go.id/id/publication/2013/02/25/7a3a3048a9f7f8d2f8d6587b/statistik-kriminal-2012.html>
- [2] S. A. Velastin, “CCTV Video Analytics: Recent Advances and Limitations,” in *Visual Informatics: Bridging Research and Practice*, vol. 5857, H. Badioze Zaman, P. Robinson, M. Petrou, P. Olivier, H. Schröder, and T. K. Shih, Eds., in *Lecture Notes in Computer Science*, vol. 5857. , Berlin, Heidelberg: Springer Berlin Heidelberg, 2009, pp. 22–34. doi: 10.1007/978-3-642-05036-7_3.
- [3] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, “You Only Look Once: Unified, Real-Time Object Detection,” 2015, *arXiv*. doi: 10.48550/ARXIV.1506.02640.
- [4] A. Vaswani *et al.*, “Attention Is All You Need,” 2017, *arXiv*. doi: 10.48550/ARXIV.1706.03762.
- [5] Y. Zhao *et al.*, “DETRs Beat YOLOs on Real-time Object Detection,” Apr. 03, 2024, *arXiv*: arXiv:2304.08069. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/2304.08069>
- [6] T.-Y. Lin *et al.*, “Microsoft COCO: Common Objects in Context,” Feb. 20, 2015, *arXiv*: arXiv:1405.0312. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/1405.0312>
- [7] C.-Y. Wang, I.-H. Yeh, and H.-Y. M. Liao, “YOLOv9: Learning What You Want to Learn Using Programmable Gradient Information,” Feb. 28, 2024, *arXiv*: arXiv:2402.13616. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/2402.13616>
- [8] K. He, X. Zhang, S. Ren, and J. Sun, “Deep Residual Learning for Image Recognition,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA: IEEE, Jun. 2016, pp. 770–778. doi: 10.1109/CVPR.2016.90.
- [9] X. Wu, D. Sahoo, and S. C. H. Hoi, “Recent advances in deep learning for object detection,” *Neurocomputing*, vol. 396, pp. 39–64, Jul. 2020, doi: 10.1016/j.neucom.2020.01.085.
- [10] C. C. Tappert, “Who Is the Father of Deep Learning?,” in *2019 International Conference on Computational Science and Computational Intelligence (CSCI)*, Las Vegas, NV, USA: IEEE, Dec. 2019, pp. 343–348. doi: 10.1109/CSCI49370.2019.00067.
- [11] R. Girshick, J. Donahue, T. Darrell, and J. Malik, “Region-Based Convolutional Networks for Accurate Object Detection and Segmentation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 38, no. 1, pp. 142–158, Jan. 2016, doi: 10.1109/TPAMI.2015.2437384.
- [12] T. Liang, Y. Wang, Z. Tang, G. Hu, and H. Ling, “OPANAS: One-Shot Path Aggregation Network Architecture Search for Object Detection,” 2021, *arXiv*. doi: 10.48550/ARXIV.2103.04507.

- [13] J. Redmon and A. Farhadi, "YOLO9000: Better, Faster, Stronger," in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Honolulu, HI: IEEE, Jul. 2017, pp. 6517–6525. doi: 10.1109/CVPR.2017.690.
- [14] G. Jocher, *YOLOv5 by Ultralytics*. (May 2020). Python. doi: 10.5281/zenodo.3908559.
- [15] C. Li *et al.*, "YOLOv6: A Single-Stage Object Detection Framework for Industrial Applications," Sep. 07, 2022, *arXiv*: arXiv:2209.02976. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/2209.02976>
- [16] G. Jocher, A. Chaurasia, and J. Qiu, *Ultralytics YOLO*. (Jan. 2023). Python. Accessed: Aug. 02, 2024. [Online]. Available: <https://github.com/ultralytics/ultralytics>
- [17] A. Dosovitskiy *et al.*, "An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale," 2020, *arXiv*. doi: 10.48550/ARXIV.2010.11929.
- [18] N. Carion, F. Massa, G. Synnaeve, N. Usunier, A. Kirillov, and S. Zagoruyko, "End-to-End Object Detection with Transformers," in *Computer Vision – ECCV 2020*, vol. 12346, A. Vedaldi, H. Bischof, T. Brox, and J.-M. Frahm, Eds., in Lecture Notes in Computer Science, vol. 12346. , Cham: Springer International Publishing, 2020, pp. 213–229. doi: 10.1007/978-3-030-58452-8_13.
- [19] W. Wang *et al.*, "Pyramid Vision Transformer: A Versatile Backbone for Dense Prediction without Convolutions," in *2021 IEEE/CVF International Conference on Computer Vision (ICCV)*, Montreal, QC, Canada: IEEE, Oct. 2021, pp. 548–558. doi: 10.1109/ICCV48922.2021.00061.
- [20] H. Ouyang, "DEYO: DETR with YOLO for End-to-End Object Detection," 2024, *arXiv*. doi: 10.48550/ARXIV.2402.16370.
- [21] S. Warsono Ibrahim, "A comprehensive review on intelligent surveillance systems," *Commun. Sci. Technol.*, vol. 1, no. 1, 2016, doi: 10.21924/cst.1.1.2016.7.
- [22] J. Schmidhuber, "Deep learning in neural networks: An overview," *Neural Netw.*, vol. 61, pp. 85–117, Jan. 2015, doi: 10.1016/j.neunet.2014.09.003.
- [23] Y. Lecun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proc. IEEE*, vol. 86, no. 11, pp. 2278–2324, Nov. 1998, doi: 10.1109/5.726791.
- [24] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, "Improved Techniques for Training GANs," Jun. 10, 2016, *arXiv*: arXiv:1606.03498. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/1606.03498>
- [25] L. Deng and D. Yu, "Deep Learning: Methods and Applications," *Found. Trends® Signal Process.*, vol. 7, no. 3–4, pp. 197–387, 2014, doi: 10.1561/20000000039.
- [26] M. R. Minar and J. Naher, "Recent Advances in Deep Learning: An Overview," 2018. doi: 10.13140/RG.2.2.24831.10403.
- [27] A. Tavanaei, M. Ghodrati, S. R. Kheradpisheh, T. Masquelier, and A. S. Maida, "Deep Learning in Spiking Neural Networks," *Neural Netw.*, vol. 111, pp. 47–63, Mar. 2019, doi: 10.1016/j.neunet.2018.12.002.

- [28] L. Jiao *et al.*, “A Survey of Deep Learning-Based Object Detection,” *IEEE Access*, vol. 7, pp. 128837–128868, 2019, doi: 10.1109/ACCESS.2019.2939201.
- [29] S. Bouraya, “Object Detectors’ Convolutional Neural Networks backbones : a review and a comparative study,” *Int. J. Emerg. Trends Eng. Res.*, vol. 9, no. 11, pp. 1379–1386, Nov. 2021, doi: 10.30534/ijeter/2021/039112021.
- [30] K. O’Shea and R. Nash, “An Introduction to Convolutional Neural Networks,” 2015, *arXiv*. doi: 10.48550/ARXIV.1511.08458.
- [31] V. Dumoulin and F. Visin, “A guide to convolution arithmetic for deep learning,” Jan. 11, 2018, *arXiv*: arXiv:1603.07285. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/1603.07285>
- [32] H. G. Barrow, A. J. Bray, and J. M. L. Budd, “A Self-Organizing Model of ‘Color Blob’ Formation,” *Neural Comput.*, vol. 8, no. 7, pp. 1427–1448, Oct. 1996, doi: 10.1162/neco.1996.8.7.1427.
- [33] S. J. D. Prince, *Understanding deep learning*. Cambridge, Massachusetts: The MIT Press, 2023.
- [34] T.-Y. Lin, P. Dollár, R. Girshick, K. He, B. Hariharan, and S. Belongie, “Feature Pyramid Networks for Object Detection,” Apr. 19, 2017, *arXiv*: arXiv:1612.03144. Accessed: Aug. 02, 2024. [Online]. Available: <http://arxiv.org/abs/1612.03144>
- [35] C. Szegedy *et al.*, “Going deeper with convolutions,” in *2015 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Boston, MA, USA: IEEE, Jun. 2015, pp. 1–9. doi: 10.1109/CVPR.2015.7298594.
- [36] D. A. Rosebrock, “Practical Python and OpenCV: An Introductory, Example Driven Guide to Image Processing and Computer Vision”.
- [37] L. J. Tandey, “The Design and Development of Backend System for a Game Application,” *J. Games Game Art Gamification*, vol. 3, no. 1, pp. 14–20, Oct. 2021, doi: 10.21512/jggag.v3i1.7230.
- [38] K. Olson, “What Are Data?,” *Qual. Health Res.*, vol. 31, no. 9, pp. 1567–1569, Jul. 2021, doi: 10.1177/10497323211015960.
- [39] D. Winata, “SYSTEM DEVELOPMENT AND DATABASE SECURITY,” Feb. 10, 2019. doi: 10.31219/osf.io/4573w.
- [40] I. Otaduy and O. Diaz, “User acceptance testing for Agile-developed web-based applications: Empowering customers through wikis and mind maps,” *J. Syst. Softw.*, vol. 133, pp. 212–229, Nov. 2017, doi: 10.1016/j.jss.2017.01.002.