

- Aravamuthan, R. G. (2004). PULPING | Chemical Pulping. In J. Burley (Ed.), Encyclopedia of Forest Sciences (pp. 904–910). Elsevier. <https://doi.org/https://doi.org/10.1016/B0-12-145160-7/00128-9>
- Aries, R.S. and Newton, R.D. (1955) CHEMICAL ENGINEERING COST ESTIMATION, McGraw Hill Companies, Inc., New York, available at: <https://doi.org/10.1021/ed033p194.1>.
- ASME Boiler and Pressure Vessel Code (BPVC) Section VIII, 2017 Edition, American Society of Mechanical Engineers, New York.
- Bajpai, P. (2018). Front Matter. In Biermann's Handbook of Pulp and Paper. Elsevier. <https://doi.org/10.1016/b978-0-12-814240-0.01001-6>
- Banten, B.P.S.P. (no date) *Upah minimum Menurut Kabupaten/kota di provinsi Banten - Tabel Statistik*, Badan Pusat Statistik Provinsi Banten. Available at: <https://banten.bps.go.id/id/statistics-table/2/NDkxIzI=/upah-minimum-menurut-kabupaten-kota-di-provinsi-banten.html> (Accessed: 30 Agustus 2024).
- Brown, G. G. (1950) Unit Operations. John Wiley & Sons, Inc.
- Brownell, L.E., dan Young, E.H., 1959, Process Equipment Design, 2nd ed., John Wiley and Sons Inc., New York.
- BRS Kab Serang. (2022). BRSbrsInd-20221229144917_rev.
- Chiang, V.L., Yu, J. and Eckert, R.C. (1990) 'Isothermal reaction kinetics of Kraft delignification of Douglas-fir', Journal of Wood Chemistry and Technology, 10(3), pp. 293–310. doi:10.1080/02773819008050241.
- Dautzenberg, H. and Philipp, B. (1972) 'The reaction processes of soda cellulose with carbon disulphide', Fibre Chemistry, 3(5), pp. 488–497. doi:10.1007/bf00547847.
- Duan, C., Li, J., Ma, X., Chen, C., Liu, Y., Stavik, J., & Ni, Y. (2015). Comparison of acid sulfite (AS)- and prehydrolysis kraft (PHK)-based dissolving pulps. Cellulose, 22(6), 4017–4026. <https://doi.org/10.1007/s10570-015-0781-1>
- Environmental Health. (2016) New South Wales Private Water Supply: Guidelines. North Sydney, N.S.W: NSW Health.
- Fearon, O. et al. (2020) 'Detailed modeling of Kraft pulping chemistry. delignification', Industrial & Engineering Chemistry Research, 59(29), pp. 12977–12985. doi:10.1021/acs.iecr.0c02110.
- Fogler, H.S. (2016) Elements of chemical reaction engineering. Pearson Education, Inc.

Geankoplis, C.J., Hersel, A.A. and Lepek, D.H. (2018) Transport processes and separation process principles. Upper Saddle River, NJ: Prentice Hall Professional Technical Reference.

Global Asset Protection Services LLC (2015). GAPS Guidelines OIL AND CHEMICAL PLANT LAYOUT AND SPACING.

Gondhalekar, S.C. et al. (2019) 'Mechanism of xanthation reaction in Viscose process', Cellulose, 26(3), pp. 1595–1604. doi:10.1007/s10570-018-2213-5.

Hermawan, I., & Adam, L. (2010). Analisis Faktor-Faktor yang Mempengaruhi Penawaran dan Permintaan Serat Kapas di Indonesia. Jurnal Ekonomi Dan Kebijakan Publik, 1(1), 101–128.

Hot sale polyester staple fiber stretcher/drafter/ draw stand (no date) Hot Sale Polyester Staple Fiber Stretcher/drafter/ Draw Stand - Buy Pet Fiber Drafter,Fiber Stretcher,Polyesterstaple Fiber Drafter Product on Alibaba.com. Available at: https://www.alibaba.com/product-detail/Hot-Sale-Polyester-Staple-FiberStretcher_60533634051.html?spm=a2700.galleryofferlist.normal_offer.d_image.dc310d5PQE2be (Accessed:21 May 2024).

Hovenkamp, S.G. (1963) 'Sodium dithiocarbonate as a by-product in xanthating reactions. A contribution to the chemistry of Viscose', Journal of Polymer Science Part C: Polymer Symposia, 2(1), pp. 341–355. doi:10.1002/polc.5070020134.

Hydraulic pressing machine 150 ton hydraulic deep drawing press (no date) Hydraulic Pressing Machine 150 Ton Hydraulic Deep Drawing Press - Buy Hydraulic Press Machine,Press Machine,150 Ton Hydraulic Deep Drawing Press Product on Alibaba.com. Available at: https://www.alibaba.com/product-detail/Hydraulic-PressingMachine-150-TonHydraulic_1600680703171.html?spm=a2700.galleryofferlist.topad_classic.i5.796e9dea44FaW1 (Accessed: 21 May 2024).

Indonesia, B.-S. (no date) *Rupiah credit interest rates by group of Banks - Statistical Data*, Badan Pusat Statistik Indonesia. Available at: <https://www.bps.go.id/en/statistics-table/2/MzgZlZl=/suku-bunga-kredit-rupiah-menurut-kelompok-bank.html> (Accessed: 03 September 2024).

Jabbar, M., & Shaker, K. (2019). Textile raw materials. In Physical Sciences Reviews (Vol. 1, Issue 7). De Gruyter. <https://doi.org/10.1515/psr-2016-0022>

Ji, Y. (2007) Kinetics and mechanism of oxygen delignification. thesis.

Jindal, A.and Jindal, R. (2007a) Textile raw materials. Chandigarh:Abhishek Publ.

Jingwei brand JWHR3 viscose staple spinning machine or viscose rayon spinning production line (no date) *Jingwei Brand Jwahr3 Viscose Staple Spinning Machine Or Viscose Rayon Spinning Production Line - Buy Viscose Staple Fiber Plant,Vsf Plant,Vsf Factory Product on Alibaba.com*. Available at: https://www.alibaba.com/product-detail/JINGWEI-brand-JWHR3-Viscose-staple-spinning_60704088305.html (Accessed: 12 May 2024).

Jumah, R.Y. and Mujumdar, A.S. (1993) 'A PC program for preliminary design of a continuous well-mixed fluid bed dryer', *Drying Technology*, 11(4), pp. 831–846. doi:10.1080/07373939308916866.

Karmakar, S. R. (1999). Chemical Technology in the Pre-treatment Processes of Textiles. In *Textile Science and Technology* (Vol. 12). Elsevier Science B.V.

Kern, D.Q. (1950) *Process heat transfer*. New York: McGraw-Hill.

Kesar, S. and Bhatti, M.S. (2022) 'Chlorination of secondary treated wastewater with sodium hypochlorite (NaOCl): An effective single alternate to other disinfectants', *Heliyon*, 8(11). doi:10.1016/j.heliyon.2022.e11162.

Kietvirote Ventures Ltd (no date) TradeKeyIndia Member. Available at: <https://www.tradekeyindia.com/kietvirote-ventures-ltd/chip-bamboo.htm> (Accessed: 12 January 2024).

KKF Viscose Filter (no date) *China Suppliers*. Available at: <https://www.goldsupplier.com/provide/p131588461.html> (Accessed: 14 May 2024).

Layer of protection analysis: Simplified Process Risk Assessment (2001). New York: Center for Chemical Process Safety of the American Institute of Chemical Engineers.

Lee, J. H. (2019). *A Study of Solid State and Solution State of Residual Hemicellulose from Dissolving Pulps*. North Carolina State University.

Lewin, M. (2007) *Handbook of Fiber Chemistry*. Boca Raton: CRC/Taylor & Francis.

Liu, Z., Wang, H., & Hui, L. (2018). *Pulping and Papermaking of Non-Wood Fibers*. <https://doi.org/10.5772/intechopen.79017>

Luo, H., & Abu-Omar, M. M. (2017). Chemicals From Lignin. In M. A. Abraham (Ed.), *Encyclopedia of Sustainable Technologies* (pp. 573–585). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-409548-9.10235-0>

Maroulis, Z.B. and Saravacos, G.D. (2003) *Food process design*. New York: Marcel Dekker.

Matches. (2014) *Index of process equipment costs*. Available at: <http://www.matche.com/equipcost/EquipmentIndex.html> (Accessed: 27 Agustus 2024).

<https://toweringskills.com/financial-analysis/cost-indices/> (Accessed: 30 Agustus 2024).

McCabe, W.L., Smith, J.C. and Harriott, P. (1993) *Unit operations of Chemical Engineering*. New York: McGraw-Hill.

Medium consistency screen – vertical (no date) *Parason Machinery*. Available at: <https://www.parason.com/products/screening/medium-consistency-screen-vertical> (Accessed: 14 May 2024).

Mozdyniewicz, D.J., Nieminen, K. and Sixta, H. (2013) ‘Alkaline steeping of dissolving pulp. part I: Cellulose degradation kinetics’, *Cellulose*, 20(3), pp. 1437–1451. doi:10.1007/s10570-013-9926-2.

Mujumdar, A.S. (2015) *Handbook of industrial drying*. Boca Raton, London: CRC Press : Taylor & Francis.

Mullins, L.J. and Rees, G. (2023a) *Management and organisational behaviour*. Harlow, United Kingdom: Pearson Education.

Nelik, L. (1999) *Centrifugal and rotary pumps: Fundamentals with applications*. Boca Raton: CRC Press.

Nfodzo, P., Dionysiou, D.D. and Choi, H. (2012) Water supply and treatment, *Environmetrics*, 15 (August), available at: <https://doi.org/10.1002/9780470057339.vnn119>.

Ningsih, R. (2012). Potensi Perdagangan dan Investasi Serat Rayon di Indonesia. *Buletin Ilmiah Litbang Perdagangan*, 6(1).

Occupational Safety and Health Act. (2000). *Process Safety Management*. U.S. Department of Labor

Perry, R.H. and Green, D.W. (1997) *Perry’s Chemical Engineers Handbook* (7th Edition).

Peters, M.S., Timmerhaus, K.D. and West, R.E. (2003) *Plant Design and Economics for Chemical Engineers*, 5th ed., McGraw-Hill, Inc., New York.

Poling, B.E. (2008) *Perry’s Chemical Engineers’ Handbook. section 2, physical and Chemical Data*. New York: McGraw-Hill.

Powell, S.T. (1954) *WATER CONDITIONING FOR INDUSTRY* (First Edition), McGraw-Hill, Inc.

Pramuswara, A.P., Fachrul, M.F. and Astono, W. (2024) ‘Kajian Daya Tampung beban Pencemar Sungai Ciujung Kabupaten Serang Provinsi Banten’, *JURNAL PENELITIAN DAN KARYA ILMIAH LEMBAGA PENELITIAN UNIVERSITAS TRISAKTI*, 9, pp. 169–179. doi:10.25105/pdk.v9i1.17650.



- Putri, S.U.D. (2014) Analisis Kualitas Air Sungai Ciujung Menggunakan Model WASP (Water Quality Analysis Simulation Program) . thesis.
- Qi, C. *et al.* (2020) ‘Thermal characteristics of birch and its cellulose and hemicelluloses isolated by alkaline solution’, *Holzforschung*, 74(12), pp. 1099–1112. doi:10.1515/hf-2019-0285.
- Qiuhua , C. and Siqui, L. (2020) ‘Bamboo pulp preparation process’.
- Rase, H.F. (1977) CHEMICAL REACTOR DESIGN FOR PROCESS PLANTS, Vol. 10, John Wiley & Sons, Inc.
- Rase, H.F. (1977) *Chemical Reactor Design for process plants*. New York: Wiley.
- Ribas Batalha et al. (2012). “Dissolving pulp from bamboo”, *BioResources* 7(1).
- Robbins, S.P. and Coulter, M.K. (2014) *Management: 11th edition*. Beijing: 清华大学出版社
- Screw Conveyor horsepower: Engineering guide* (2018) *KWS Manufacturing*. Available at: <https://www.kwsmfg.com/engineering-guides/screw-conveyor/screw-conveyor-horsepower/> (Accessed: 10 April 2024).
- Single rotor fine shredder* (no date) *GEP ECOTECH*. Available at: <https://www.gepecotech.com/shredder/single-shaft/single-rotor-fine-shredder.html> (Accessed: 14 May 2024).
- Sinnott, R. and Towler, G. (2019) *Chemical Engineering Design*, Chem. Eng. Des. SI Ed., available at: <https://doi.org/10.1016/B978-0-08-102599-4.09980-X>.
- Sinnott, R.K. and Towler, G.P. (2020) *Chemical Engineering Design*. Kidlington, Oxford, United Kingdom: Butterworth-Heinemann, an imprint of Elsevier.
- Sinnott, R.K., Coulson, J.M. and Richardson, J.F. (2005) *Coulson & Richardson’s ChemiEngineering*. vol. 6, *Chemical Engineering Design*. Oxford: Elsevier ButterworthHeinemann.
- Sixta, Herbert. (2006). *Handbook of pulp*. Wiley-VCH.
- Solutions, I. (2023) Sulfuric acid prices - latest & historical data in several countries, *Medium*. Available at: <https://medium.com/intratec-products-blog/sulfuric-acid-prices-latest-historical-data-in-several-countries-e9a36c4867cb> (Accessed: 12 Januari 2024).
- Sri Naryanto Pusat Teknologi Reduksi Risiko Bencana, H., TPSA -Badan Pengkajian dan Penerapan Teknologi Gedung Geostech, K., Puspipstek Serpong, K., & Selatan,
- Static Mixers* (no date) *Static Mixers for Process Industry Applications*. Available at: <https://www.staticmixers.com/motionless-howtoselect.asp> (Accessed: 18 May 2024).

20of%20Static%20Mixer%20Elements&text=The%20basic%20length%20of%20each
%20element%20is%201.5%20times%20the%20diameter (Accessed: 18 May 2024).

Wilkes, A. G. (2001). The Viscose Process. In *Regenerated Cellulose Fibres* (p. 336). CRC Press.

Wilkes, A. G. (2001). The Viscose Process. In *Regenerated Cellulose Fibres* (p. 336). CRC Press.

Windsor, B. (2016) *Ion Exchange Design – Hand Calculation*.

Woodings, C. (2001) *Regenerated cellulose fibres*. Cambridge: Woodhead Publishing.

Woodings, Calvin. (2001). A Brief History of Regenerated Cellulosic Fibres. In *Regenerated cellulose fibres* (pp. 1–21). CRC Press.

Wronski, M. (1956) 'Theory of kinetics of xanthation reaction', *Journal of Polymer Science*, 19(91), pp. 210–212. doi:10.1002/pol.1956.120199124.

Yaws, C.L. (1999) *Chemical Properties Handbook: Physical, thermodynamic, environmental, transport, safety, and health related properties for organic and Inorganic Chemicals*. New York: McGraw-Hill.

Yaws, C.L. (2004) *Yaws' Handbook of thermodynamic and physical properties of chemical compounds physical, thermodynamic and transport properties for 5.000 organic chemical compounds ; interactive table*. Norwich, NY: Knovel.

(No date) *Plate Heat Exchanger*. Available at: <https://www.hisaka.co.jp/english/phe/cgi-other/catalog/96/file.pdf> (Accessed: 08 April 2024).

[hot item] *wholesale OEM high accuracy heavy duty automatic weighing Hopper for biology industry* (no date) *Made*. Available at: https://chineseweighing.en.made-in-china.com/product/VOqflgyckNku/China-Wholesale-OEM-High-Accuracy-Heavy-Duty-Automatic-Weighing-Hopper-for-Biology-Industry.html?pv_id=1htj5j5oh768&faw_id=1htj5j6ple7a (Accessed: 15 May 2024).