

## REFERENCES

- Ahmed, M., Ibrahim, A., Dahiru, N. & Mohammed, H. (2020). Alpha Amylase Inhibitory Potential and Mode of Inhibition of Oils from *Allium sativum* (Garlic) and *Allium cepa* (Onion). *Clin. Med. Insights Endocrinol. Diabetes*, 13, 1-5.
- Alfian, S., Sukandar, H., Arisanti, N., & Abdulah, R. (2018). Complementary and Alternative Medicine Use Decreases Adherence to Prescribed Medication in Diabetes Patients. *J Acupunct Meridian Stud*, 11(5), 337-339.
- Barbosa, Q. P., da Camara, C. A., Ramos, C. S., Ramos, C. S., Nascimento, D. C., Lima-Filho, J. V., & Guimaraes, E. F. (2012). Chemical composition, circadian rhythm and antibacterial activity of essential oils of *Piper divaricatum*: a new source of safrole. *Quím. Nova*, 35(9), 1806-8.
- Bernfeld, P. (1955). Amylases,  $\alpha$  and  $\beta$ . *Methods Enzymol.*, 1, 149-158.
- Brayer, G., Sidhu, G., Maurus, R., Rydberg, E., Braun, C., Wang, Y., Nguyen, N., Overall, C., & Withers. (2000). Subsite Mapping of the Human Pancreatic  $\alpha$ -Amylase Active Site through Structural, Kinetic, and Mutagenesis Techniques. *Biochem.*, 39, 4778-4791.
- Ceriello, A., Colagiuri, S., Gerich, J. & Tuomilehto, J. (2008). Guideline for Management of Postmeal Glucose. *Nutr. Metab. Cardiovasc. Dis.*, 18(4), 17-33.
- de Sousa, D.P., Damasceno, R.O.S., Amorati, R., Elshabrawy, H.A., de Castro, R.D., Bezerra, D.P., Nunes, V.R.V., Gomes, R.C., & Lima, T.C. (2023). Essential Oils: Chemistry and Pharmacological Activities. *Biomolecules*, 13, 1144.
- Eid, A. M., & Hawash, M. (2021). Biological evaluation of Safrole oil and Safrole oil Nanoemulgel as antioxidant, antidiabetic, antibacterial, antifungal and anticancer. *BMC Complement. Med. Ther.*, 21(159), 1-12.
- Françoise, P. (2004). Structural basis for the inhibition of mammalian and insect alpha-amylases by plant protein inhibitors. *BBA Proteins Proteomics*, 1696, 171-180.
- Galicía-García, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of Type 2 Diabetes Mellitus. *Int. J. Mol. Sci.*, 21(6275), 1-3.
- Goyal, R., Singhal, M., & Jialal, I. (2023). *Type 2 Diabetes*. StatPearls.
- Gyebi, G. A., Adegunloye, A. P., Ibrahim, I. M., Ogunyemi, O. M., Afolabi, S. O., Ogunro, O. B., et al. (2020). Prevention of SARS-CoV-2 cell entry: Insight from in silico interaction of drug-like alkaloids with spike glycoprotein, human ACE2, and TMPRSS2. *J. Biomol. Struct. Dyn.* 40, 2121–2145.
- Horii, S., Fukase, H., Matsuo, T., Kameda, Y., Asano, N., & Matsui, K. (1986). Synthesis and alpha-D-glucosidase inhibitory activity of N-substituted

- valiolamine derivatives as potential oral antidiabetic agents. *J. Med. Chem.*, 29, 1038–1046.
- IDF, 2021. Int. Diabetes Fed.. [Online] Available at: <https://idf.org/our-network/regions-and-members/westernpacific/members/indonesia/>
- Kalsi, A., Singh, S., Taneja, N., Kukal, S., & Mani, S. (2015). Current Treatments for Type 2 Diabetes, Their Side Effects, and Possible Complementary Treatments. *Int J Pharm Pharm Sci*, 7(3), 13-18.
- Kamatou, G. P., Vermaak, I., & Viljoen, A. M. (2012). Eugenol; From The Remote Maluku Islands to the International Market Place: a Review of a Remarkable and Versatile Molecule. *Molecules*, 17, 6953-6981.
- Kapelle, I.B.D. & Rosmawati. (2010). Synthesis of chalcone 3-(3", 4"-methylenedioxy)-2"-hydroxyphenyl prop-2-enone from Lawang bark oil. *J. Pharm. Sci. Media Farmasi*, 9, 57-67.
- Ketaren, S. (1985). *Pengantar Teknologi Minyak Atsiri*. Balai Pustaka.
- Leem, M. M., Kim, E. O., Seo, M. J., & Choi, S. W. (2011). Antioxidant and antiinflammatory activities of eugenol and its derivatives from clove (*Eugenia caryophyllata* Thunb.). *Korean J Food Sci.*, 40, 1361-1370.
- Lense, O. (2012). The Wild Plants Used as Traditional Medicines by Indigenous People of Manokwari, West Papua. *Bio Diversitas*, 13(2), 98-106.
- Lestari, Zulkarnain, & Sijid, S. (2021). Diabetes Melitus: Review Etiologi, Patofisiologi, Gejala, Penyebab, Cara Pemeriksaan, Cara Pengobatan dan Cara Pencegahan. *Prosiding Biologi Achieving the Sustainable Development Goals with Biodiversity in Confronting Climate Change.*, 237-241.
- Li, Y., Yan, H., Zhang, Z., Zhang, G., Sun, Y., Yu, P., Wang, Y., & Xu, L. (2015). Andrographolide derivative AL-1 improves insulin resistance through downregulation of NF- $\kappa$ B signalling pathway. *Br. J. Pharmacol.*, 172(12), 3151-8.
- Mazumdar, S. et al., (2020). In silico and in vitro analysis reveal multi-target antihyperglycaemic properties of gedunin, a limonoid from neem (*Azadirachta indica*). *Int. J. Phytomed. Phytother.*, 6(25), 1-11.
- Mnafgui, K. et al., (2013). Inhibition of Key Enzymes Related to Diabetes and Hypertension by Eugenol In Vitro and In Alloxan-induced diabetic rats. *Arch Physiol Biochem*, 119(5), 225-233.
- Nasim, N., Sandeep, I., & Mohanty, S. (2022). Plant-Derived Natural Products for Drug Discovery: Current Approaches and Prospects. *Nucleus*, 65, 399-411.
- Nejad, S. M., Ozgunes, H., & Basaran, N. (2017). Pharmacological and Toxicological Properties of Eugenol. *Turk J Pharm Sci*, 14(2), 201-206.
- Ogunyemi OM, Gyebi GA, Saheed A, Paul J, Nwaneri-Chidozie V, Olorundare O, Adebayo J, Koketsu M, Aljarba N, Alkahtani S, Batiha GE-S & Olaiya CO. (2022). Inhibition mechanism of alpha-amylase, a diabetes target, by a steroidal pregnane and pregnane glycosides derived from *Gongronema latifolium* Benth. *Front. Mol. Biosci*, 9, 1-18

- Olotu, I., Luka, I., Longdet, I. & Olotu, P. (2023). Isolation, characterization and insilico molecular docking simulation of the bioactive compound that relates to the anti-diabetic activity of *Lepidium Sativum* L. (Brassicaceae). *J. Pharmacogn. Phytochem.*, 12(1), 185-188.
- Raghavendra, S., Rao, A., Kumar, V. & Ramesh, C. K. (2015). Multiple Ligand Simultaneous Docking (MLSD): A novel approach to study the effect of inhibitors on substrate binding to PPO. *Comput. Biol. Chem.*, 59, 81-86.
- Saeni, F., & Maruapey, A. (2022). Penyulingan Minyak Lawang Tradisional Oleh Masyarakat Di Kampung Pasir Putih Distrik Fkour Kabupaten Sorong Selatan. *Median*, 14(1), 26-35.
- Salleh, W., & Ahmed, F. (2016). Antioxidant and anticholinesterase activities of essential oil *Alseodaphne peduncularis* Meisn. *Turkish J Pharmaceutical Sci.*, 13(3), 347-50.
- Subramanian, R., Asmawi, M. Z. & Sadikun, A. (2008). In Vitro  $\alpha$ -Glucosidase and  $\alpha$ -Amylase Enzyme Inhibitory Effects of *Andrographis paniculata* Extract and Andrographolide.. *Acta Biochim. Pol.*, 55, 391-398.
- Tahir, H. U., Sarfraz, R. A., Ashraf, A., & Adil, S. (2016). Chemical composition and antidiabetic activity of essential oils obtained from two spices (*Syzygium aromaticum* and *Cuminum cyminum*). *Int. J. Food Prop.*, 19(10), 2156-2164.
- Truscheit, E., Frommer, W., Junge, B., Muller, L., Schmidt, D. D., & Wingender, W. (2010). Chemistry and biochemistry of microbial  $\alpha$ -Glucosidase inhibitors. *Angew. Chem. Int. Ed. Engl.*, 20, 744- 761.
- Wulandari, L., Pratoko, N., Khairunnisa, P. & Muyasaroh, L. (2021). Determination  $\alpha$ -amylase Inhibitor Activity of Methanol Extract of Coffee Leaves using UV-Vis Spectrophotometric Method and Validation. *IOP Conf. Series: Earth and Environmental Science*, 743, 1-10.
- Xu, F. et al. (2017). Screening of the potential  $\alpha$ -amylase inhibitor in essential oil from *Cedrus deodara* cones. *Ind. Crops Prod.*, 103, 251-256.
- Yu, F. S., Yang, J. S., Yu, C. S., Chiang, J. H., Lu, C. C., & Chung, H. K. (2013). Safrole suppresses murine myelomonocytic leukemia WEHI-3 cells in vivo, and stimulates macrophage phagocytosis and natural killer cell cytotoxicity in leukemic mice. *Environ Toxicol.*, 28(11), 601-8.
- Zeng, L., Zhang, G., Lin, S. & Gong, D. (2016). Inhibitory Mechanism of Apigenin on  $\alpha$ -Glucosidase and Synergy Analysis of Flavonoids. *J Agric Food Chem*, 21(64), 6939-49.
- Zulfiqar, S. et al. (2023). Chromogenic Assay Is More Efficient in Identifying  $\alpha$ -Amylase Inhibitory Properties of Anthocyanin-Rich Samples When Compared to the 3,5-Dinitrosalicylic Acid (DNS) Assay. *Molecules*, 28(17), 6399.