

DAFTAR PUSKATA

- Abdelhak, R., L, H.-H., & M.I., K. (2024). *Phytophthora capsici* the Causal Agent of *Phytophthora* Blight of *Capsicum* spp.:
- From Its Taxonomy to Disease Management. *Egyptian Journal of Phytopathology*, 52(1), 1-10. <https://doi.org/DOI> : 10.21608/EJP.2024.342742
- Acero, L. H. (2013). Growth Response of Brassica rapa on the Different Wavelength of Light. *International Journal of Chemical Engineering and Applications*, 4(6), 415 - 418. <https://doi.org/International> Journal of Chemical Engineering and Applications
- Acquaah, G. (2012). *Principles of Plant Genetics and Breeding*. John Wiley & Sons, Ltd. <https://doi.org/DOI:10.1002/9781118313718>
- Barchenger, D. W., Lamour, K. H., & Bosland, P. W. (2018). Challenges and Strategies for Breeding Resistance in *Capsicum annum* to the Multifarious Pathogen, *Phytophthora capsici*. *Frontiers in Plant Science*, 9(628), 1-16. <https://doi.org/10.3389/fpls.2018.00628>
- Biles, C. L., Bruton, B. D., Wall, M. M., & Rivas, M. (1995). *Phytophthora capsici* Zoospore Infection of Pepper Fruit in Various Physical Environments. *In Proceedings of the Oklahoma Academy of Science*
- Bosland, P. W., & Lindsey, D. L. (1991). A Seedling Screen for *Phytophthora* Root Rot of Pepper, *Capsicum annum*. *Plant Disease*, 75(10), 1048-1050.
- Chowdhury, M. F. N., Rafii, M. Y., Ismail, S. I., Ramlee, S. I., Hosen, M., Karim, K. M. R., Yusuff, O., & Ridzuan, R. (2022). Genetic analysis of anthracnose resistant and heat tolerant chili inbreed lines based on morpho-physiological characteristics. *CHILEAN JOURNAL OF AGRICULTURAL RESEARCH*, 83(2). <https://doi.org/doi:10.4067/S0718-58392023000200168>
- Foster, J. M., & Hausbeck, M. K. (2010). Resistance of Pepper to *Phytophthora* Crown, Root, and Fruit Rot Is Affected by Isolate Virulence *Plant Disease*, 94(1), 24 - 30. <https://doi.org/10.1094/PDIS-94-1-0024>
- Fransisko, E., & Bainamus, P. (2020). Perakitan Varietas Cabai Unggul Dataran Tinggi : Variabilitas Genetik Dan Heritabilitas Karakter Pertumbuhan Dan Hasil. *Sinta*

Journal (Science, Technology and Agriculture Journal), 1(1), 14 - 18.

<https://doi.org/DOI: https://doi.org/10.11114/sinta.1.x.x1-x2>

- Gandariasbeitia, M., Ojinaga, M., Orbegozo, E., Ortiz-Barredo, A., Núñez-Zofío, M., Mendarte, S., & Larregla, S. (2019). Winter biodisinfestation with Brassica green manure is a promising management strategy for *Phytophthora capsici* control of protected pepper crops in humid temperate climate regions of northern Spain. *Spanish Journal of Agricultural Research*, 17(1), 1-11. <https://doi.org/https://doi.org/10.5424/sjar/2019171-13808>
- Granke, C. H. P.-R. L. L., Naegele, R. P., Hansen, Z., Hausbeck, M. K., Kousik, C. S., & Quesada-Ocampo, M. T. M. C. D. S. L. M. (2021). A Diagnostic Guide for *Phytophthora capsici* Infecting Vegetable Crops. *The American Phytopathological Society*, 22(3), 404 - 414.
- Granke, L. L., & Quesada-Ocampo, L. (2012). Advances in Research on *Phytophthora capsici* on Vegetable Crops in The United States. *Plant Disease* 96(11), 1588-1600. <https://doi.org/doi: 10.1094/PDIS-02-12-0211-FE>
- Granke, L. L., Windstam, S. T., H. C. Hoch, Smart, C. D., & Hausbeck, M. K. (2009). Dispersal and Movement Mechanisms of *Phytophthora capsici* Sporangia *Phytopathology*, 99, 1258 - 1264. <https://doi.org/doi:10.1094/PHYTO-99-11-1258>
- Gulzar, A., & Malik, A. (2022). Studies on heritability, genetic advance and correlation in chilli (*Capsicum annum* L.). *The Pharma Innovation Journal*, 11(11).
- Hartman, G. L., & Wang, T. C. (1992). *Phytophthora* blight of pepper: Screening for disease resistance. *International Journal of PEST Management*, 38(3), 319-322.
- Javanmardi, J., & Emami, S. (2013). Response of Tomato and Pepper Transplants to Light Spectra Provided by Light Emitting Diodes. *International Journal of Vegetable Science*, 19, 138-149. <https://doi.org/DOI: 10.1080/19315260.2012.684851>
- Jo, S.-J., Shim, S.-A., Jang, K. S., Choi, Y. H., Kim, J.-C., & Choi, G. J. (2014). Resistance of Chili Pepper Cultivars to Isolates of *Phytophthora capsici*. *Horticultural Science and Technology*, 32(1), 66-76. <https://doi.org/doi:10.7235/hort.2014.13079>

- Kim, N., kang, W.-H., Lee, J., & Yeom, S.-I. (2019). Development of Clustered Resistance Gene Analogs-Based Markers of REsistance to *Phytophthora capsici* in Chili Pepper. *BioMed Research International*, 1-12. <https://doi.org/10.1155/2019/1093186>
- Lee, J., Lee, W. P., Kang, B.-C., & Yoon, a. J. B. (2012). Inheritance of Resistance to *Phytophthora* Root Rot in Chili Pepper Depending on Inoculum Density and Parental Genotypes. *Korean Journal of Breeding Science* 44(4), 503 - 509.
- Liu, W. Y., Kang, J. H., Jeong, H. S., Choi, H. J., Yang, H. B., Kim, K. T., Choi, D., Choi, G. J., Jahn, M., & Kang, B. C. (2014). Combined use of bulked segregant analysis and microarrays reveals SNP markers pinpointing a major QTL for resistance to *Phytophthora capsici* in pepper. *Theor Appl Genet*, 127, 2503–2513. <https://doi.org/DOI 10.1007/s00122-014-2394-8>
- LIU, X., ZHOU, Y., & LI, L. (2008). Infection of *Phytophthora capsici* on pepper—Models and affecting factors. *Chinese Journal of Applied Ecology*, 18(5), 1061 - 1065. <https://doi.org/DOI 10.1007/s11703-008-0010-x>
- Maharani, D. M., Sutan, S. M., & Arimurti, P. (2018). Pengontrolan Suhu dan Kelembapan (Rh) Terhadap Pertumbuhan Vegetatif Cabai Merah (*Capsicum Annuum* L.) Pada *Plant factory*. *Jurnal Keteknik Pertanian Tropis dan biosistem*, 6(2), 120-134.
- Mangoendidjojo. W. 2003. Dasar-Dasar Pemuliaan Tanaman. Kanisius. Yogyakarta
- Meitz, J. C., Linde, C. C., Thompson, A., Langenhoven, S., & McLeod, A. (2010). *Phytophthora capsici* on vegetable hosts in South Africa: distribution, host range and genetic diversity. *Australasian Plant Pathology*, 39, 431 - 439. <https://doi.org/10.1071/AP09075>
- Moreira-Morrillo, A. A., Monteros-Altamirano, A., Reis, A., & Garces-Fiallos, F. R. (2023). *Phytophthora capsici* on *Capsicum* Plants: A Destructive Pathogen in Chili and Pepper Crops. *IntechOpen*, 1-16. <https://doi.org/10.5772/intechopen.104726>
- Oelke, L. M., & Bosland, P. W. (2003). Differentiation of Race Specific Resistance to *Phytophthora* Root Rot and Foliar Blight in *Capsicum annum*. *Journal of the American Society for Horticultural Science*, 128(2), 213-218. <https://doi.org/https://doi.org/10.21273/JASHS.128.2.0213>

- Parisi, M., Alioto, D., & Tripodi, P. (2020). Overview of Biotic Stresses in Pepper (*Capsicum spp.*): Sources of Genetic Resistance, Molecular Breeding and Genomics. *International Journal of Molecular Sciences*, 21(2587), 1-39. <https://doi.org/10.3390/ijms21072587>
- Putri, L. A. P., Sudarsono, Aswidinnoor, H., & Asmono, D. (2009). Keragaman Genetik dan Pendugaan Heritabilitas pada Komponen Hasil dan Kandungan β -Karoten Progeni Kelapa Sawit. *Jurnal Agron Indonesia*, 37(2), 145-151. <https://doi.org/10.24831/jai.v37i2.1407>
- Reifschneider, F. J. B., Boiteux, L. S., Vecchia, P. T. D., Poulus, J. M., & Kuroda, N. (1992). Inheritance of adult-plant resistance to *Phytophthora capsici* in pepper. *Euphytica*, 62, 45-49.
- Ristaino, J. B., & Johnston, S. A. (1999). Ecologically Based Approaches to Management of Phytophthora Blight in Bell Pepper. *Plant Disease*, 83(12), 1080 - 1089. <https://doi.org/https://doi.org/10.1094/PDIS.1999.83.12.1080>
- Ro, N., Haile, M., Hur, O., Geum, B., Rhee, J., Hwang, A., Kim, B., Lee, J., Hahn, B.-S., Lee, J., & Kang, B.-C. (2022). Genome-Wide Association Study of Resistance to *Phytophthora capsici* in the Pepper (*Capsicum spp.*) Collection. *Frontiers in Plant Science*, 13, 1-16, Article 902464. <https://doi.org/10.3389/fpls.2022.902464>
- Saltos, L. A., Monteros-Altamirano, Á., Reis, A., & Garcés-Fiallos, F. R. (2022). *Phytophthora capsici*: the diseases it causes and management strategies to produce healthier vegetable crops. *Horticultura Brasileira*, 40, 005-017. <https://doi.org/DOI:http://dx.doi.org/10.1590/s0102-0536-20220101>
- Sanogo, S., Lamour, K., Kausik, C. S., Lozada, D. N., Parada-Rojas, C. H., Quesada-Ocampo, L. M., Wyenandt, C. A., Babadoost, M., Hausbeck, M. K., Hansen, Z., Ali, E., McGrath, M. T., Hu, J., Crosby, K., & Miller, S. A. (2022). *Phytophthora capsici*, 100 Years Later : Research Mile Markers from 1922 to 2022. *The American Phytopathological Society*, 113(6), 921 - 930. <https://doi.org/https://doi.org/10.1094/PHTO-08-22-0297-RVW>

- Siddique, M. I., Lee, H.-Y., Ro, N.-Y., Han, K., Vankatesh, J., Solomon, A. M., Patil, A. S., Changkwian, A., Kwon, J.-K., & Kang, B.-C. (2019). Identifying candidate genes for *Phytophthora capsici* resistance in pepper (*Capsicum annum*) via genotyping-by-sequencing-based QTL mapping and genome-wide association study. *Scientific Reports*, 9(9962), 1-15. <https://doi.org/10.1038/s41598-019-46342-1>
- Singh, P., Jain, P. K., & Sharma, A. (2017). Genetic Variability, Heritability and Genetic Advance in Chilli (*Capsicum annum* L.) Genotypes. *International Journal of Current Microbiology and Applied Sciences*, 6(9), 2704 - 2709. <https://doi.org/10.20546/ijcmas.2017.609.333>
- Susilaningsih, F., Riswandi, D., & N, H. (2008). Penampilan fenotipik dan beberapa parameter genetik 16 kultivar padi gogo pada sistem tumpangsari 3:1 dengan kacang tanah di Jatinangor. *Zuriat*, 19(2), 152 - 163.
- Sy, O., Bosland, P. W., & Steiner, R. (2005). Inheritance of *Phytophthora* Stem Blight Resistance as Compared to *Phytophthora* Root Rot and *Phytophthora* Foliar Blight Resistance in *Capsicum annum* L. *Journal of the American Society for Horticultural Science*, 130(1), 75-78.
- Syukur, M., Sujiprihati, S., Yunianti, R., & Kusumah, D. A. (2010). Evaluasi Daya Hasil Cabai Hibrida dan Daya Adaptasinya di Empat Lokasi dalam Dua Tahun. *J. Agron. Indonesia*, 38(1), 43 - 51. <https://doi.org/DOI:10.24831/jai.v38i1.1679>
- Visscher, P. M., Hill, W. G., & Wray, N. R. (2008). Heritability in the genomics era — concepts and misconceptions. *Nature Reviews Genetics*, 9(4), 255-266. <https://doi.org/10.1038/nrg2322>
- Wang, J.-E., Li, D.-W., Zhang, Y.-L., Zhao, Q., He, Y.-M., & Gong, Z.-H. (2013). Defence responses of pepper (*Capsicum annum* L.) Infected with incompatible and compatibles strains of *Phytophthora capsici*. *Springer*, 136, 625-638. <https://doi.org/10.1007/s10658-013-0193-8>
- Wartono. (2021). Identifikasi Patogen Penyebab Penyakit Busuk Batang Cabai di Desa Sindangjaya, Cipanas, Cianjur, Jawa Barat Berdasarkan Analisis Morfologi dan Molekuler. *Jurnal AgroBiogen* 17(1), 35 - 44.

- Wartono, Wiyono, S., Syukur, M., Giyanto, & Lestari, P. (2019). Resistance of *Capsicum annum* genotypes against various isolates of *Phytophthora capsici* from Java, Indonesia. *Biodiversitas*, 20(12), 3723-3730.
<https://doi.org/10.13057/biodiv/d201235>
- Wray, N. R., & Visscher, P. M. (2008). Estimating Trait Heritability. *Nature Education*, 1(1).
- Yunianti, R., Sastrosumarjo, S., Sujiprihati, S., Surahman, M., & Hidayat, S. H. (2007). Ketahanan 22 Genotipe Cabai (*Capsicum spp.*) terhadap *Phytophthora capsici* Leonian dan Keragaman Genetiknya. *Bul Agron*, 35(2), 103-111.