

DAFTAR PUSTAKA

- [1] E. J. Hu et al., “Lora: Low-rank adaptation of large language models,” 2021. [Online]. Available: <https://arxiv.org/abs/2106.09685>
- [2] T. Dettmers et al., “Qlora: Efficient finetuning of quantized llms,” 2023. [Online]. Available: <https://arxiv.org/abs/2305.14314>
- [3] J. Gleick, *The Information: A History, a Theory, a Flood*. Pantheon, 2011.
- [4] C. E. Shannon, “A mathematical theory of communication,” *Bell System Technical Journal*, vol. 27, no. 3, pp. 379–423, 1948.
- [5] T. M. Cover and J. A. Thomas, *Elements of information theory*. John Wiley & Sons, 2006.
- [6] K. K. Fitzpatrick, M. Darcy, and M. Vierhile, “Delivering cognitive behavior therapy to young adults with symptoms of depression and anxiety using a fully automated conversational agent (woebot): a randomized controlled trial,” *JMIR mental health*, vol. 4, no. 2, p. e19, 2017.
- [7] A. S. Miner, A. Milstein, and J. T. Hancock, “Talking to machines about personal mental health problems,” *JAMA*, vol. 316, no. 22, pp. 2359–2360, 2016.
- [8] OpenAI Team, “Gpt-4 technical report,” 2024. [Online]. Available: <https://arxiv.org/abs/2303.08774>
- [9] T. B. Brown et al., “Language models are few-shot learners,” *arXiv preprint arXiv:2005.14165*, 2020.
- [10] UGM, “Layanan chatbot lintang,” 2023. [Online]. Available: <https://hpu.ugm.ac.id/layanan-chatbot-lintang/>
- [11] P. Liu, W. Yuan, J. Fu, Z. Jiang, H. Hayashi, and G. Neubig, “Pre-train, prompt, and predict: A systematic survey of prompting methods in natural language processing,” 2021. [Online]. Available: <https://arxiv.org/abs/2107.13586>
- [12] L. Reynolds and K. McDonell, “Prompt programming for large language models: Beyond the few-shot paradigm,” 2021. [Online]. Available: <https://arxiv.org/abs/2102.07350>
- [13] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “Bert: Pre-training of deep bidirectional transformers for language understanding,” 2019. [Online]. Available: <https://arxiv.org/abs/1810.04805>
- [14] J. Howard and S. Ruder, “Universal language model fine-tuning for text classification,” *arXiv preprint arXiv:1801.06146*, 2018.
- [15] C. Jeong, “Fine-tuning and utilization methods of domain-specific llms,” *Journal of Intelligence and Information Systems*, vol. 30, no. 1, pp. 93–120, March 2024. [Online]. Available: <http://dx.doi.org/10.13088/jiis.2024.30.1.093>

- [16] C. Sun et al., “How to fine-tune bert for text classification?” 2020. [Online]. Available: <https://arxiv.org/abs/1905.05583>
- [17] R. Bommasani et al., “On the opportunities and risks of foundation models,” 2022. [Online]. Available: <https://arxiv.org/abs/2108.07258>
- [18] M. Laurer, “How synthetic data can save costs and time,” 2023. [Online]. Available: <https://huggingface.co/blog/synthetic-data-save-costs>
- [19] T. Gao et al., “Making pre-trained language models better few-shot learners,” 2021. [Online]. Available: <https://arxiv.org/abs/2012.15723>
- [20] K. K. Fitzpatrick et al., “Delivering cognitive behavior therapy to young adults with symptoms of depression and anxiety using a fully automated conversational agent (woebot): A randomized controlled trial,” *JMIR Ment Health*, vol. 4, no. 2, p. e19, Jun 2017. [Online]. Available: <http://mental.jmir.org/2017/2/e19/>
- [21] B. Inkster et al., “An empathy-driven, conversational artificial intelligence agent (wysa) for digital mental well-being: Real-world data evaluation mixed-methods study,” *JMIR Mhealth Uhealth*, vol. 6, no. 11, p. e12106, Nov 2018. [Online]. Available: <http://mhealth.jmir.org/2018/11/e12106/>
- [22] S. Chen et al., “Llm-empowered chatbots for psychiatrist and patient simulation: Application and evaluation,” 2023. [Online]. Available: <https://arxiv.org/abs/2305.13614>
- [23] C. D. Manning, P. Raghavan, and H. Schütze, *Introduction to Information Retrieval*. Cambridge University Press, 2008.
- [24] P. Lewis et al., “Retrieval-augmented generation for knowledge-intensive nlp tasks,” 2021. [Online]. Available: <https://arxiv.org/abs/2005.11401>
- [25] G. Izacard et al., “Leveraging passage retrieval with generative models for open domain question answering,” 2021. [Online]. Available: <https://arxiv.org/abs/2007.01282>
- [26] S. Russell and P. Norvig, *Artificial Intelligence: A Modern Approach (4th Edition) (Pearson Series in Artificial Intelligence)*, 4th ed. Language: English, 2020. [Online]. Available: <http://gen.lib.rus.ec/book/index.php?md5=B6BD185942998C39D7E87ABDD927E580>
- [27] D. Jurafsky and J. H. Martin, *Speech and Language Processing: An Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition*. USA: Prentice Hall PTR, 2009.
- [28] J. Weizenbaum, “Eliza—a computer program for the study of natural language communication between man and machine,” *Commun. ACM*, vol. 9, no. 1, pp. 36–45, jan 1966. [Online]. Available: <https://doi.org/10.1145/365153.365168>
- [29] T. A. Koleček et al., “Natural language processing of symptoms documented in free-text narratives of electronic health records: a systematic review,” *Journal of the American Medical Informatics Association*, vol. 0, no. 0, 2019.

- [30] A. Vaswani et al., “Attention is all you need,” in *31st Conference on Neural Information Processing Systems*, 2017.
- [31] D. A. Ferrucci et al., “Building watson: An overview of the deepqa project,” *AI Mag.*, vol. 31, pp. 59–79, 2010. [Online]. Available: <https://api.semanticscholar.org/CorpusID:1831060>
- [32] Y. Li, H. Yang, and H. V. Jagadish, “Constructing a generic natural language interface for an xml database,” in *International Conference on Extending Database Technology*, 2006. [Online]. Available: <https://api.semanticscholar.org/CorpusID:32047>
- [33] T. M. Mitchell, *Machine learning*. McGraw-hill New York, 1997, vol. 1, no. 9.
- [34] C. M. Bishop, *Pattern Recognition and Machine Learning (Information Science and Statistics)*. Berlin, Heidelberg: Springer-Verlag, 2006.
- [35] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016, <http://www.deeplearningbook.org>.
- [36] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “Imagenet classification with deep convolutional neural networks,” *Commun. ACM*, vol. 60, no. 6, pp. 84–90, may 2017. [Online]. Available: <https://doi.org/10.1145/3065386>
- [37] R. S. Sutton and A. G. Barto, *Reinforcement Learning: An Introduction*, 2nd ed. The MIT Press, 2018. [Online]. Available: <http://incompleteideas.net/book/the-book-2nd.html>
- [38] S. Bird, E. Klein, and E. Loper, *Natural Language Processing with Python*, J. Steele, Ed. O’Reilly Media Inc, 2009.
- [39] R. Sennrich, B. Haddow, and A. Birch, “Neural machine translation of rare words with subword units,” 2016. [Online]. Available: <https://arxiv.org/abs/1508.07909>
- [40] M. Honnibal and I. Montani, “spacy 2: Natural language understanding with bloom embeddings, convolutional neural networks and incremental parsing,” *To appear*, 2018.
- [41] H. Touvron et al., “Llama: Open and efficient foundation language models,” *ArXiv*, vol. abs/2302.13971, 2023. [Online]. Available: <https://api.semanticscholar.org/CorpusID:257219404>
- [42] W. Huang et al., “How good are low-bit quantized llama3 models? an empirical study,” *ArXiv*, vol. abs/2404.14047, 2024. [Online]. Available: <https://api.semanticscholar.org/CorpusID:269293766>
- [43] G. Team et al., “Gemma: Open models based on gemini research and technology,” *Research and Technology*, 2024. [Online]. Available: <https://arxiv.org/abs/2403.08295>
- [44] —, “Gemma 2: Improving open language models at a practical size,” *Research and Technology*, 2024.

- [45] J. Bai et al., “Qwen technical report,” 2023. [Online]. Available: <https://arxiv.org/abs/2309.16609>
- [46] A. Yang et al., “Qwen2 technical report,” 2024. [Online]. Available: <https://arxiv.org/abs/2407.10671>
- [47] A. Q. Jiang et al., “Mistral 7b,” 2023. [Online]. Available: <https://arxiv.org/abs/2310.06825>
- [48] S. Ruder, “Neural transfer learning for natural language processing,” Ph.D. dissertation, National University of Ireland, Galway, 2019.
- [49] S. Gururangan et al., “Don’t stop pretraining: Adapt language models to domains and tasks,” 2020. [Online]. Available: <https://arxiv.org/abs/2004.10964>
- [50] N. Houlsby et al., “Parameter-efficient transfer learning for nlp,” 2019. [Online]. Available: <https://arxiv.org/abs/1902.00751>
- [51] T. Wolf et al., “Huggingface’s transformers: State-of-the-art natural language processing,” 2020. [Online]. Available: <https://arxiv.org/abs/1910.03771>
- [52] Unsloth, “Unsloth documentation,” 2023. [Online]. Available: <https://docs.unsloth.ai/>
- [53] H. Face, “Transformer reinforcement learning documentation,” 2023. [Online]. Available: <https://huggingface.co/docs/trl/index>
- [54] A. Radford et al., “Language models are unsupervised multitask learners,” 2019. [Online]. Available: <https://api.semanticscholar.org/CorpusID:160025533>
- [55] Y. Liu et al., “Roberta: A robustly optimized bert pretraining approach,” 2019. [Online]. Available: <https://arxiv.org/abs/1907.11692>
- [56] L. Ouyang et al., “Training language models to follow instructions with human feedback,” 2022. [Online]. Available: <https://arxiv.org/abs/2203.02155>
- [57] H. Face, “Transformers reinforcement learning (trl),” <https://huggingface.co/docs/trl>, 2024.
- [58] T. Carneiro et al., “Performance analysis of google colaboratory as a tool for accelerating deep learning applications,” *IEEE Access*, vol. 6, pp. 61 677–61 685, 2018.
- [59] Kaggle, “Kaggle documentation,” 2024. [Online]. Available: <https://www.kaggle.com/docs/>
- [60] Y. Bengio et al., “A neural probabilistic language model,” *J. Mach. Learn. Res.*, vol. 3, pp. 1137–1155, 2003. [Online]. Available: <https://api.semanticscholar.org/CorpusID:221275765>
- [61] UpTrain, “Uptrain documentation,” 2024. [Online]. Available: <https://docs.uptrain.ai/>
- [62] J. Hunt and D. Eisenberg, “Mental health problems and help-seeking behavior among college students,” *Journal of Adolescent Health*, vol. 46, no. 1, pp. 3–10, 2010.

- [63] R. Beiter, R. Nash, M. McCrady, D. Rhoades, M. Linscomb, M. Clarahan, and S. Sammut, "The prevalence and correlates of depression, anxiety, and stress in a sample of college students," *Journal of Affective Disorders*, vol. 173, pp. 90–96, 2015. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0165032714006867>
- [64] L. J. Ritter, T. Hilliard, and D. Knox, "'lovesick': Mental health and romantic relationships among college students," *International Journal of Environmental Research and Public Health*, vol. 20, no. 1, 2023. [Online]. Available: <https://www.mdpi.com/1660-4601/20/1/641>
- [65] H. Face, "Transformers," <https://huggingface.co/docs/transformers>, 2024.
- [66] A. Dubey et al., "The llama 3 herd of models," 2024. [Online]. Available: <https://arxiv.org/abs/2407.21783>
- [67] S. Iyer et al., "Opt-impl: Scaling language model instruction meta learning through the lens of generalization," 2023. [Online]. Available: <https://arxiv.org/abs/2212.12017>
- [68] J. Kaplan et al., "Scaling laws for neural language models," 2020. [Online]. Available: <https://arxiv.org/abs/2001.08361>
- [69] Unsloth, "Unsloth wiki," 2024. [Online]. Available: <https://github.com/unslothai/unsloth/wiki>