

DAFTAR PUSTAKA

- [1] C. A. Matzenbacher *et al.*, “DNA damage induced by coal dust, fly and bottom ash from coal combustion evaluated using the micronucleus test and comet assay in vitro,” *J Hazard Mater*, vol. 324, pp. 781–788, Feb. 2017, doi: 10.1016/j.jhazmat.2016.11.062.
- [2] X. Huang *et al.*, “Heavy metal pollution and ecological assessment around the Jinsha coal-fired power plant (China),” *Int J Environ Res Public Health*, vol. 14, no. 12, Dec. 2017, doi: 10.3390/ijerph14121589.
- [3] T. Xie and T. Ozbakkaloglu, “Behavior of low-calcium fly and bottom ash-based geopolymer concrete cured at ambient temperature,” *Ceram Int*, vol. 41, no. 4, pp. 5945–5958, May 2015, doi: 10.1016/j.ceramint.2015.01.031.
- [4] C. Verma, S. Madan, and A. Hussain, “Heavy metal contamination of groundwater due to fly ash disposal of coal-fired thermal power plant, Parichha, Jhansi, India,” *Cogent Eng*, vol. 3, no. 1, 2016, doi: 10.1080/23311916.2016.1179243.
- [5] M. Ahmaruzzaman, “A review on the utilization of fly ash,” Jun. 2010. doi: 10.1016/j.pecs.2009.11.003.
- [6] N. Wang, X. Sun, Q. Zhao, Y. Yang, and P. Wang, “Leachability and adverse effects of coal fly ash: A review,” Sep. 05, 2020, *Elsevier B.V.* doi: 10.1016/j.jhazmat.2020.122725.
- [7] P. Chindaprasirt, C. Jaturapitakkul, W. Chalee, and U. Rattanasak, “Comparative study on the characteristics of fly ash and bottom ash geopolymers,” *Waste Management*, vol. 29, no. 2, pp. 539–543, Feb. 2009, doi: 10.1016/j.wasman.2008.06.023.
- [8] G. Xu and X. Shi, “Characteristics and applications of fly ash as a sustainable construction material: A state-of-the-art review,” Sep. 01, 2018, *Elsevier B.V.* doi: 10.1016/j.resconrec.2018.04.010.
- [9] Latifah Gandina and Y. D. Setiyarto, “STUDI EKSPERIMENTAL BETON GEOPOLIMER DENGAN MEMANFAATKAN FLY ASH SEBAGAI PENGGANTI SEMEN DAN SERAT MAT SEBAGAI ADITIF,” 2020. [Online]. Available: <https://ojs.unikom.ac.id/index.php/crane26NisaLatifahGandina/CRANE/2020>



- [10] M. Ahdaya and A. Imqam, "Fly ash Class C based geopolymer for oil well cementing," *J Pet Sci Eng*, vol. 179, pp. 750–757, Aug. 2019, doi: 10.1016/j.petrol.2019.04.106.
- [11] D. L. Y. Kong and J. G. Sanjayan, "Damage behavior of geopolymer composites exposed to elevated temperatures," *Cem Concr Compos*, vol. 30, no. 10, pp. 986–991, Nov. 2008, doi: 10.1016/j.cemconcomp.2008.08.001.
- [12] T. Sulistiyo Hari Nugroho and S. Hario Putero, "Prosiding Seminar Nasional Teknologi Pengelolaan Limbah XV-2017."
- [13] N. A. Lloyd and B. V Rangan, "Geopolymer Concrete with Fly Ash," 2010. [Online]. Available: <http://www.claisse.info/Proceedings.htm>
- [14] D. Hardjito and B. V Rangan, "Development and Properties of Low-calcium Fly Ash Based Geopolymer Concrete." [Online]. Available: <https://www.researchgate.net/publication/228794879>
- [15] E. Ul Haq, Kunjalukkal Padmanabhan, and A. Licciulli, "Synthesis and characteristics of fly ash and bottom ash based geopolymers-A comparative study," *Ceram Int*, vol. 40, no. 2, pp. 2965–2971, Mar. 2014, doi: 10.1016/j.ceramint.2013.10.012.
- [16] M. Amin dan Suharto Balai Penelitian Mineral Lampung-LIPI JlIrSutami Km, T. Bintang, and L. Selatan, "PEMBUATAN SEMEN GEOPOLIMER RAMAH LINGKUNGAN BERBAHAN BAKU MINERAL BASAL GUNA MENUJU LAMPUNG SEJAHTERA THE PRODUCING OF ENVIRONMENTAL FRIENDLY GEOPOLYMER CEMENT WITH RAW MATERIAL OF BASALT MINERALS TO ACCOMPLISH WELFARE LAMPUNG," 2017.
- [17] E. Kusumastuti, N. Widiarti, J. Kimia, F. Matematika, D. Ilmu, and P. Alam, "SINTESIS GEOPOLIMER BERBUSA BERBAHAN DASAR ABU LAYANG BATUBARA DENGAN HIDROGEN PEROKSIDA SEBAGAI FOAMING AGENT."
- [18] T. Mulyono, "TEKNOLOGI BETON." [Online]. Available: <http://www.unj.ac.id>
- [19] Mochammad Qomaruddin, *Teknologi Bahan Kontruksi*, 1st ed. Jakarta: UNISNU Press, 2019.
- [20] R. Manuahe, M. D. J. Sumajouw, and R. S. Windah, "KUAT TEKAN BETON GEOPOLYMER BERBAHAN DASAR ABU TERBANG (FLY ASH)," *Jurnal Sipil Statik*, vol. 2, no. 6, pp. 277–282, 2014.
- [21] P. Chindaprasirt, C. Jaturapitakkul, W. Chalee, and U. Rattanasak, "Comparative study on the characteristics of fly ash and bottom ash



- geopolymers,” *Waste Management*, vol. 29, no. 2, pp. 539–543, Feb. 2009, doi: 10.1016/j.wasman.2008.06.023.
- [22] X. Liu, Y. Ding, and X. Lu, “Immobilization of simulated radionuclide ^{90}Sr by fly ash-slag-metakaolin-based geopolymer,” *Nucl Technol*, vol. 198, no. 1, pp. 64–69, Apr. 2017, doi: 10.1080/00295450.2017.1292810.
- [23] K. D. Poolman and D. Kruger, “Applications of Geopolymers in Concrete for Low-Level Radioactive Waste Containers,” in *International Congress on Polymers in Concrete (ICPIC 2018)*, Springer International Publishing, 2018, pp. 577–582. doi: 10.1007/978-3-319-78175-4_74.
- [24] Q. Tan *et al.*, “Comparative performance of cement and metakaolin based-geopolymer blocks for strontium immobilization,” *Journal of the Ceramic Society of Japan*, pp. 44–49, Jan. 2019, doi: 10.2109/jcersj2.18130.
- [25] Hayu Tyas Utami, “Pengaruh Penambahan Abu sekam Padi dan Variasi Volume Pasir dan Abu Sekam pada Sementasi Limbah Stronsium Cair,” Universitas Gadjah Mada, Yogyakarta, 2010.
- [26] Jane Blunt and Nigel C. Balchin, “Radiation,” *Health and Safety in Welding and Allied Processes*, pp. 67–71, 2002.
- [27] IAEA, “Livechart - Table of Nuclides - Nuclear structure and decay data.,” IAEA.
- [28] G. Choppin, J.-O. Liljenzin, J. Rydberg, and C. Ekberg, “Chapter 15 - Radiation Biology and Radiation Protection,” in *Radiochemistry and Nuclear Chemistry (Fourth Edition)*, G. Choppin, J.-O. Liljenzin, J. Rydberg, and C. Ekberg, Eds., Oxford: Academic Press, 2013, pp. 445–491. doi: <https://doi.org/10.1016/B978-0-12-405897-2.00015-X>.
- [29] BAPETEN, “Seri Peraturan Perundangan, Himpunan Peraturan Perundangan Ketenagara Nuklir,” Jakarta, 2009.
- [30] “IAEA Safety Standards Classification of Radioactive Waste for protecting people and the environment No. GSG-1 General Safety Guide.” [Online]. Available: <http://www-ns.iaea.org/standards/>
- [31] G. Petrangeli, “Chapter 23 - Radioactive waste,” in *Nuclear Safety*, Oxford: Butterworth-Heinemann, 2006.
- [32] Susetyo Hario Putero, “Handout Teknologi Pengolahan Limbah Radioaktif,” 2012, *Yogyakarta*.
- [33] R. O. A. Rahman, H. A. Ibrahim, and Y.-T. Hung, “Liquid Radioactive Wastes Treatment: A Review,” *Water (Basel)*, vol. 3, no. 2, pp. 551–565, 2011, doi: 10.3390/w3020551.



- [34] G. Nabakhtiani, I. Giorgadze, and M. I. Ojovan, "IAEA-Assisted Treatment of Liquid Radioactive Waste at the Saakadze Site in Georgia," *Processes*, vol. 9, no. 9, 2021, doi: 10.3390/pr9091679.
- [35] Noviasari, "Pengaruh Temperatur dan Konsentrasi Konsentrat Limbah pada Sementasi Limbah Stronsium dengan Serat Bambu," Universitas Gadjah Mada, Yogyakarta, 2008.
- [36] G. Abramenkova, M. Klavins, and A. Abramenkova, "Radioactive Wastes Cementation during Decommissioning Of Salaspils Research Reactor-9188."
- [37] H. Martono, "Bahan Matriks untuk Imobilisasi Limbah Radioaktif Cair," *Buletin Limbah No.1*, 1996.
- [38] T. Yoshikane and K. Yoshimura, "Dispersion characteristics of radioactive materials estimated by wind patterns," *Sci Rep*, vol. 8, no. 1, Dec. 2018, doi: 10.1038/s41598-018-27955-4.
- [39] J. Satria, A. Sugiarto, and D. Hardjito, "KARAKTERISTIK BETON GEOPOLIMER BERDASARKAN VARIASI WAKTU PENGAMBILAN FLY ASH."
- [40] N. B. Singh, "Fly ash-based geopolymer binder: A future construction material," Jul. 12, 2018, *MDPI AG*. doi: 10.3390/min8070299.
- [41] M. Yusuf, H. Utami, T. Nugroho, and S. H. Putero, *The Use of Pozzolanic Material for Improving Quality of Strontium Liquid Waste Cementation in Saline Environment during Nuclear Waste Immobilization Process*. 2013.
- [42] Kamal K. Kar, *Handbook of Fly Ash*, Elsevier Science. Elsevier Science, 2021.
- [43] M. L. D. Jayaranjan, E. D. van Hullebusch, and A. P. Annachhatre, "Reuse options for coal fired power plant bottom ash and fly ash," Dec. 01, 2014, *Kluwer Academic Publishers*. doi: 10.1007/s11157-014-9336-4.
- [44] F. X. G. Irianta, "Kualitas Beton Dengan Memanfaatkan Bottom Ash Limbah Bahan Bakar Batu Bara Pada Industri," *Jurnal Teknik Sipil & Perencanaan*, vol. 12, pp. 21–28, 2010.
- [45] J. Matsimbe, M. Dinka, D. Olukanni, and I. Musonda, "Geopolymer: A Systematic Review of Methodologies," Oct. 01, 2022, *MDPI*. doi: 10.3390/ma15196852.
- [46] T. D. T. Oyedotun, "X-ray fluorescence (XRF) in the investigation of the composition of earth materials: a review and an overview," *Geology*,



Ecology, and Landscapes, vol. 2, no. 2, pp. 148–154, Apr. 2018, doi: 10.1080/24749508.2018.1452459.

- [47] V. K. Singh, B. S. Jaswal, J. Sharma, and P. K. Rai, “Analysis of stones formed in the human gall bladder and kidney using advanced spectroscopic techniques,” Jun. 01, 2020, *Springer*. doi: 10.1007/s12551-020-00697-2.
- [48] M. S. Kırgız and H. Biricik, “1 - Wheat straw ash as hydraulic binder substitution in binder-based materials made of an admixture superplasticizer,” in *Advance Upcycling of By-Products in Binder and Binder-Based Materials*, M. S. Kırgız, Ed., Woodhead Publishing, 2024, pp. 1–23. doi: <https://doi.org/10.1016/B978-0-323-90791-0.00018-4>.
- [49] H. S. Alim, “10111610013092-Undergraduate_Thesis,” Institut Teknologi Sepuluh November, Surabaya, 2020.
- [50] B. V Rangan, “11 - Engineering properties of geopolymer concrete,” in *Geopolymers*, J. L. Provis and J. S. J. van Deventer, Eds., Woodhead Publishing, 2009, pp. 211–226. doi: <https://doi.org/10.1533/9781845696382.2.211>.
- [51] P. Duxson and J. S. J. Van Deventer, “17 - Commercialization of geopolymers for construction – opportunities and obstacles,” in *Geopolymers*, J. L. Provis and J. S. J. van Deventer, Eds., Woodhead Publishing, 2009, pp. 379–400. doi: <https://doi.org/10.1533/9781845696382.3.379>.
- [52] W. Rusjaya and A. Fadli, “Pemanfaatan Limbah Fly Ash Batubara Untuk Pembuatan Paving Block Geopolimer Dengan Variasi Temperatur Curing Dan Rasio Larutan Aktivator Terhadap Fly Ash,” 2016.
- [53] P. Sharma, J. Singh, and A. Kumar, “Effect of Particle Size on Physical and Mechanical Properties of Fly Ash Based Geopolymers,” *Transactions of the Indian Institute of Metals*, vol. 72, pp. 1–15, Jun. 2019, doi: 10.1007/s12666-019-01628-w.
- [54] P. Mokhtari, A. Özer, R. Sá Ribeiro, and D. Samuel, “Investigation of geopolymer efflorescence durability problems: Causes and possible solutions,” *Journal of the American Ceramic Society*, vol. 107, Apr. 2024, doi: 10.1111/jace.19830.
- [55] Z. Zhang, H. Wang, J. L. Provis, and A. Reid, “Efflorescence: A Critical Challenge for Geopolymer Applications?”
- [56] X. Lu *et al.*, “Innovate geopolymer synthesis for green mine road construction: Analysis of efflorescence behavior and strength analysis,”



Constr Build Mater, vol. 401, p. 132963, 2023, doi:
<https://doi.org/10.1016/j.conbuildmat.2023.132963>.

- [57] L. Simão, E. Fernandes, D. Hotza, M. J. Ribeiro, O. R. K. Montedo, and F. Raupp-Pereira, “Controlling efflorescence in geopolymers: A new approach,” *Case Studies in Construction Materials*, vol. 15, p. e00740, 2021, doi: <https://doi.org/10.1016/j.cscm.2021.e00740>.
- [58] T. Xie and T. Ozbakkaloglu, “Behavior of Low-Calcium Fly and Bottom Ash-Based Geopolymer Concrete Cured at Ambient Temperature,” *Ceram Int*, vol. 41, Jan. 2014, doi: [10.1016/j.ceramint.2015.01.031](https://doi.org/10.1016/j.ceramint.2015.01.031).
- [59] C. Udawattha, H. Galabada, and R. Halwatura, “Mud concrete paving block for pedestrian pavements,” *Case Studies in Construction Materials*, vol. 7, pp. 249–262, Dec. 2017, doi: [10.1016/j.cscm.2017.08.005](https://doi.org/10.1016/j.cscm.2017.08.005).
- [60] H. M. Mohamad *et al.*, “Manufacture of Concrete Paver Block Using Waste Materials and By-Products: A Review,” *International Journal of GeoMate*, vol. 22, no. 93, pp. 9–19, May 2022, doi: [10.21660/2022.93.j2363](https://doi.org/10.21660/2022.93.j2363).

