

DAFTAR PUSTAKA

- Achmad, E., Hamzah, H., Albayudi, A., & Bima, B. (2019). *Indeks Kelembaban Taman Nasional Bukit Tiga Puluh Menggunakan Citra Satelit Landsat 8*. Badan Informasi Geospasial Republik Indonesia.
- Ahada, U. H. A., Kusuma, I. D., & Yesica, R. (2020). Laporan Kasus: Investasi Parasit *Ancylostoma caninum*, *Trichuris vulpis* dan *Ctenocephalides canis* Pada Anjing. *Media Kedokteran Hewan*, *31*(3), 111–120.
- Andiarsa, D., Hairani, B., & Fadilly, A. (2018). *Brugia malayi* dan *Dirofilaria* spp sebagai penyebab Filariasis pada hewan reservoir di daerah endemis di Kalimantan. *Journal of Health Epidemiology and Communicable Diseases*, *4*(1), 24–30.
- Balme GA, Hunter LTB, Slotow R. (2009). Evaluating methods for counting cryptic carnivores. *J Wildlife Manag*, *73*, 433-441.
- Belant, J. L., Schipper, J., & Conroy, J. (2009). The conservation status of small carnivores in the Americas. *Small Carnivore Conservation*, *41*, 3–8.
- Bennie, J. J., Duffy, J. P., Inger, R., & Gaston, K. J. (2014). Biogeography of time partitioning in mammals. *Proceedings of the National Academy of Sciences*, *111*(38), 13727–13732.
- Boitani, L., Maiorano, L., Baisero, D., Falcucci, A., Visconti, P., & Rondinini, C. (2011). What spatial data do we need to develop global mammal conservation strategies? *Philosophical Transactions of the Royal Society B: Biological*

Sciences, 366(1578), 2623–2632.

Borregaard, M. K., Rahbek, C., FjeldsAa, J., Parra, J. L., Whittaker, R. J., & Graham, C. H. (2014). Node-based analysis of species distributions. *Methods in Ecology and Evolution*, 5(11), 1225–1235.

Cahyani, R. (2022). *Interaksi Anjing Domestik (Canis familiaris) dengan Karnivora Kecil di Taman Nasional Bukit Barisan Selatan*.

Cheyne, S., Mohamed, A., Hearn, A., Ross, J., Samejima, H., Heydon, M., Augeri, D., Van Berkel, T., Boonratana, R., & Fredriksson, G. (2016). Predicted distribution of the otter civet *Cynogale bennettii* (Mammalia: Carnivora: Viverridae) on Borneo. *Raffles Bulletin of Zoology*, 2016(S33).

Chutipong, W., Steinmetz, R., Savini, T., & Gale, G. A. (2017). Assessing resource and predator effects on habitat use of tropical small carnivores. *Mammal Research*, 62(1), 21–36.

Coppinger, R., & Coppinger, L. (2002). *Dogs: a new understanding of canine origin, behavior and evolution*. University of Chicago Press.

Craft, M. E., Vial, F., Miguel, E., Cleaveland, S., Ferdinands, A., & Packer, C. (2017). Interactions between domestic and wild carnivores around the greater Serengeti ecosystem. *Animal Conservation*, 20(2), 193–204.

Davis, R. S., Gentle, L. K., Mgoola, W. O., Stone, E. L., Uzal, A., & Yarnell, R. W. (2023). Habitat structure and the presence of large carnivores shape the site use of an understudied small carnivore: Caracal ecology in a miombo woodland. *Mammal Research*, 68(1), 113–120.

- de Cassia Bianchi, R., Olifiers, N., Riski, L. L., Gouvea, J. A., Cesário, C. S., Fornitano, L., Zanirato, G. L., Yan de Oliveira, M., de Moraes, K. D. R., & Ribeiro, R. L. A. (2020). Dog activity in protected areas: behavioral effects on mesocarnivores and the impacts of a top predator. *European Journal of Wildlife Research*, 66(3), 36.
- Duckworth, J. W., Hearn, A. J., Ross, J., Samejima, H., Mohamed, A., Cheyne, S. M., Alfred, R., Augeri, D. M., Mathai, J., & Heydon, M. (2016). Predicted distribution of short-tailed mongoose *Herpestes brachyurus* (Mammalia: Carnivora: Herpestidae) on Borneo. *Raffles Bulletin of Zoology*.
- Fryxell, J. M., Sinclair, A. R. E., & Caughley, G. (2014). *Wildlife ecology, conservation, and management*. John Wiley & Sons.
- Hanifah, N., Sugito, S., Asmilia, N., Isa, M., Sofyan, H., Syafruddin, S., Hamzah, A., Hasan, M., & Ismail, I. (2022). Faktor-Faktor Yang Memengaruhi Kadar Gula Darah Anjing Kampung (*Canis Familiaris*) Di Kota Bukittinggi, Sumatera Barat. *Jurnal Ilmiah Mahasiswa Veteriner*, 7(1), 31–41.
- Harris, S. N., Froehly, J. L., Glass, S. L., Hannon, C. L., Hewett Ragheb, E. L., Doonan, T. J., & Jachowski, D. S. (2021). High density and survival of a native small carnivore, the Florida spotted skunk (*Spilogale putorius ambarvalis*), in south-central Florida. *Journal of Mammalogy*, 102(3), 743–756.
- Horne, J. S., Garton, E. O., & Rachlow, J. L. (2008). A synoptic model of animal space use: simultaneous estimation of home range, habitat selection, and inter/intra-specific relationships. *Ecological Modelling*, 214(2–4), 338–348.
- Hortal, J., de Bello, F., Diniz-Filho, J. A. F., Lewinsohn, T. M., Lobo, J. M., & Ladle,

- R. J. (2015). Seven shortfalls that beset large-scale knowledge of biodiversity. *Annual Review of Ecology, Evolution, and Systematics*, 46, 523–549.
- Ikeda, T., Uchida, K., Matsuura, Y., Takahashi, H., Yoshida, T., Kaji, K., & Koizumi, I. (2016). Seasonal and diel activity patterns of eight sympatric mammals in northern Japan revealed by an intensive camera-trap survey. *PloS One*, 11(10), e0163602.
- Jennings, A. P., & Veron, G. (2011). Predicted distributions and ecological niches of 8 civet and mongoose species in Southeast Asia. *Journal of Mammalogy*, 92(2), 316–327.
- Kanchanasakha, B., Simcharoen, S., & Than, U. T. (1998). Carnivores of mainland South-east Asia. (*No Title*).
- Kwatrina, R. T., & Antoko, B. S. (2007). Rasionalisasi zonasi Taman Nasional Bukit Tigapuluh: penerapan kriteria dan indikator zonasi serta tingkat sensitivitas ekologi. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 4(4), 391–407.
- Ladyfandela, N., Novarino, W., & Nurdin, J. (2018). Jenis-jenis carnivora di kawasan Suaka Alam Malampah, Sumatera Barat, Indonesia. *Jurnal Biologi UNAND*, 6(2), 90–97.
- Lestari, E. W. (2018). *Distribusi Spasial Dan Waktu Aktif Kucing Liar Di Kawasan Ekosisem Bukit Tigapuluh*. 46–47.
- MacKenzie, D. I., Bailey, L. L., & Nichols, J. D. (2004). Investigating species co-occurrence patterns when species are detected imperfectly. *Journal of Animal Ecology*, 73(3), 546–555.

- McCarthy, J. L., Wibisono, H. T., McCarthy, K. P., Fuller, T. K., & Andayani, N. (2015). Assessing the distribution and habitat use of four felid species in Bukit Barisan Selatan National Park, Sumatra, Indonesia. *Global Ecology and Conservation*, 3, 210–221.
- Meijaard, E., Sheil, D., Nasi, R., Augeri, D., Rosenbaum, B., Iskandar, D., Setyawati, T., Lammertink, M., Rachmatika, I., & Wong, A. (2006). *Hutan pasca pemanenan: melindungi satwa liar dalam kegiatan hutan produksi di Kalimantan*. CIFOR.
- Meredith, M., & Ridout, M. S. (2014). *The overlap package*.
- Mohamed, A., Ross, J., Hearn, A. J., Cheyne, S. M., Alfred, R., Bernard, H., Boonratana, R., Samejima, H., Heydon, M., & Augeri, D. M. (2016). Predicted distribution of the leopard cat *Prionailurus bengalensis* (Mammalia: Carnivora: Felidae) on Borneo. *Raffles Bulletin of Zoology*, 33, 180–185.
- Morrison, M. L., Marcot, B., & Mannan, W. (2012). *Wildlife-habitat relationships: concepts and applications*.
- Octriana, R. (2011). *Profil pemeliharaan anjing dan keterkaitannya dengan kejadian rabies di Kecamatan Pasaman Kabupaten Pasaman Barat Provinsi Sumatera Barat*.
- Patrick, A. (2016). *Pola Kejadian Pyometra Pada Anjing Di Rumah Sakit Hewan Pendidikan Fakultas Kedokteran Hewan Universitas Airlangga*.
- Pfaffenberger, C. (1963). *New Knowledge of Dog Behavior*. Dogwise Publishing.
- Polechová, J., & Storch, D. (2008). Ecological niche. *Encyclopedia of Ecology*, 2,

1088–1097.

Prabowo, H. S. (2017). *Pelestarian Satwa Langka Untuk Keseimbangan Ekosistem*.

Majelis Ulama Indonesia.

Putri, D. P., Ramdhan, Z., & Afif, R. T. (2023). Perancangan Storyboard Animasi 2d

Untuk Mengedukasi Masyarakat Akan Pentingnya Kesejahteraan Satwa Anjing Domestik Di Kota Solo. *EProceedings of Art & Design*, 10(6).

Putri, R. A. A. (2017). Keanekaragaman Jenis Felidae Menggunakan Camera Trap Di

Taman Nasional Bukit Barisan Selatan. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 14(1), 21–34.

Riffel, M., Rompaey, H. van, Schreiber, A., & Wirth, R. (1989). *Weasels, civets, mongooses, and their relatives: an action plan for the conservation of mustelids and viverrids*.

Rode-Margono, E. J., Voskamp, A., Spaan, D., Lehtinen, J. K., Roberts, P. D., Nijman,

V., & Nekarlis, K. A. I. (2014). Records of small carnivores and of medium-sized nocturnal mammals on Java, Indonesia. *Small Carnivore Conservation*, 50, 1–11.

Roemer, G. W., Gompper, M. E., & Van Valkenburgh, B. (2009). The ecological role

of the mammalian mesocarnivore. *BioScience*, 59(2), 165–173.

Santosa, Y., Krisdijantoro, A., Thohari, M., & Aulia, D. (2011). Analisis pola

penggunaan ruang dan waktu orangutan (*Pongo pygmaeus pygmaeus* Linneaus, 1760) di hutan mentoko taman nasional kutai, kalimantan timur. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 8(2), 109–117.

Schipper¹, J., Hoffmann¹, M., Duckworth, J. W., & Conroy, J. (2008). The 2008 IUCN

- red listings of the world's small carnivores. *Small Carnivore Conservation*, 39, 29–34.
- Semiadi, G., Ross, J., Hearn, A. J., Heydon, M., Samejima, H., Mathai, J., Brodie, J. F., Giordano, A., Nakashima, Y., & van Berkel, T. (2016). Predicted distribution of the binturong *Arctictis binturong* (Mammalia: Carnivora: Viverridae) on Borneo. *Raffles Bulletin of Zoology*, 33(9), 102.
- Serpell, J. (2017). *The domestic dog*. Cambridge University Press.
- Setiawan, E., Kartono, A. P., & Masy'ud, B. (2018). Interspecific Interactions Among Three Species of Deer in Captivity. *Media Konservasi*, 23(2), 144-152.
- Sodik, M., Pudyatmoko, S., & Yuwono, P. S. H. (2019). Okupansi Kukang Jawa (*Nycticebus javanicus* E. Geoffroy 1812) di Hutan Tropis Dataran Rendah di Kemuning, Bejen, Temanggung, Jawa Tengah. *Jurnal Ilmu Kehutanan*, 13(1), 15–27.
- Soehartono, T., Wibisono, H.T., Sunarto, Martyr, D., Susilo, H.D., Maddox, T, dan Priatna, D. 2007. *Strategi dan rancangan aksi konservasi harimau sumatera (Panther tigris sumatrae) 2007-2017*. Departemen Kehutanan.
- Solina, I. D. (2023). *Ekologi Mamalia Karnivora Kecil di Area Konservasi dalam Kawasan Perkebunan Kelapa Sawit di Solok Selatan, Sumatera Barat*. 1–2.
- Solina, I. D., Novarino, W., Rizaldi, G. A. J., & Giardino, A. J. (2018). Activity pattern and habitat profile of small carnivores in an oil palm landscape. *J Indones Nat Hist*, 6, 18–27.
- Sunarto, S., Kelly, M.J., Parakkasi, K. and M.B. Hutajulu (2014). Cat coexistence in

- central Sumatra: ecological characteristics, spatial and temporal overlap, and implications for management. *Journal of Zoology* 296: 104-115.
- Svartberg, K., & Forkman, B. (2002). Personality traits in the domestic dog (*Canis familiaris*). *Applied Animal Behaviour Science*, 79(2), 133–155.
- Vanak, A. T., & Gompper, M. E. (2009a). Dogs *Canis familiaris* as carnivores: their role and function in intraguild competition. *Mammal Review*, 39(4).
- Vanak, A. T., & Gompper, M. E. (2009b). Dogs *Canis familiaris* as carnivores: their role and function in intraguild competition. *Mammal Review*, 39(4), 265–283.
- Vanak, A. T., & Gompper, M. E. (2010). Interference competition at the landscape level: the effect of free-ranging dogs on a native mesocarnivore. *Journal of Applied Ecology*, 47(6), 1225–1232.
- Veron, G., Gaubert, P., Franklin, N., Jennings, A. P., & Grassman Jr, L. I. (2006). A reassessment of the distribution and taxonomy of the endangered otter civet *Cynogale bennettii* (Carnivora: Viverridae) of South-east Asia. *Oryx*, 40(1), 42–49.
- Vilà, C., Savolainen, P., Maldonado, J. E., Amorim, I. R., Rice, J. E., Honeycutt, R. L., Crandall, K. A., Lundeberg, J., & Wayne, R. K. (1997). Multiple and ancient origins of the domestic dog. *Science*, 276(5319), 1687–1689.
- Wandeler, A. I., Matter, H. C., Kappeler, A., & Budde, A. (1993). The ecology of dogs and canine rabies: a selective review. *Revue Scientifique et Technique (International Office of Epizootics)*, 12(1), 51–71.
- Wayne, R. K., & Vonholdt, B. M. (2012). Evolutionary genomics of dog

domestication. *Mammalian Genome*, 23, 3–18.

Widodo, F. A., Imron, M. A., Sunarto, S., & Giordano, A. J. (2022). Carnivores and their prey in Sumatra: Occupancy and activity in human-dominated forests. *Plos One*, 17(3), e0265440.

Wilson, D. E., & Reeder, D. M. (2005). *Mammal species of the world: a taxonomic and geographic reference* (Vol. 1). JHU press.

Zapata-Ríos, G., & Branch, L. C. (2018). Mammalian carnivore occupancy is inversely related to presence of domestic dogs in the high Andes of Ecuador. *PloS One*, 13(2), e0192346.