

DAFTAR PUSTAKA

- Akhtar, M. J., Jacquot, M., Jamshidian, M., Imran, M., Arab-Tehrany, E., & Desobry, S. (2013). Fabrication and physicochemical characterization of HPMC films with commercial plant extract: Influence of light and film composition. *Food Hydrocolloids*, 31(2), 420–427. <https://doi.org/10.1016/j.foodhyd.2012.10.008>
- Anusornpornpong, P., Chuenwarin, P., Sonong, A., Srihiran, Y., Buensanteai, K., & Imsabai, W. (2024). Type of stomata and peel structure associated with programmed cell death of senescent spotting in banana. *Scientia Horticulturae*, 332, 113231. <https://doi.org/10.1016/J.SCIENTA.2024.113231>
- Aquino, C. F., Salomão, L. C. C., Cecon, P. R., & Ribeiro, S. M. R. (2017). Physical, Chemical And Morphological Characteristics Of Banana Cultivars Depending On Maturation Stages. *Revista Caatinga*, 30.
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Caballero, A. H., & Acosta, N. (2021). Chitosan: An overview of its properties and applications. *Polymers*, 13(19). <https://doi.org/10.3390/polym13193256>
- Asadi, A., Pourfattah, F., Miklós Szilágyi, I., Afrand, M., Żyła, G., Seon Ahn, H., Wongwises, S., Minh Nguyen, H., Arabkoohsar, A., & Mahian, O. (2019). Effect of sonication characteristics on stability, thermophysical properties, and heat transfer of nanofluids: A comprehensive review. *Ultrasonics Sonochemistry*, 58, 104701. <https://doi.org/10.1016/J.ULTSONCH.2019.104701>
- Asiamah, E., Arthur, W., Kyei-Barfour, V., Sarpong, F., & Ketemepi, H. K. (2023). Enhancing the functional and physicochemical properties of tomato (*Solanum lycopersicum* L.) fruit through polysaccharides edible dipping technique coating under various storage conditions. *Bioactive Carbohydrates and Dietary Fibre*, 30(October 2022), 100373. <https://doi.org/10.1016/j.bcdf.2023.100373>
- Augustien, N., Sukendah, S., Triani, N., & Rahayuningsih, N. B. (2020). Cavendish Banana (*Musa acuminata*) Plantlet Acclimatization in The Different Composition of Planting Media. *Gontor AGROTECH Science*

- Basso, A., de Fátima Peralta Muniz Moreira, R., & José, H. J. (2018). Effect of operational conditions on photocatalytic ethylene degradation applied to control tomato ripening. *Journal of Photochemistry and Photobiology A: Chemistry*, 367(August), 294–301. <https://doi.org/10.1016/j.jphotochem.2018.08.027>
- Bhande, S. D., Ravindra, M. R., & Goswami, T. K. (2008). Respiration rate of banana fruit under aerobic conditions at different storage temperatures. *Journal of Food Engineering*, 87(1), 116–123. <https://doi.org/10.1016/j.jfoodeng.2007.11.019>
- Bigi, F., Haghighi, H., Siesler, H. W., Licciardello, F., & Pulvirenti, A. (2021). Characterization of chitosan-hydroxypropyl methylcellulose blend films enriched with nettle or sage leaf extract for active food packaging applications. *Food Hydrocolloids*, 120(June), 106979. <https://doi.org/10.1016/j.foodhyd.2021.106979>
- Binder, B. M. (2020). Ethylene signaling in plants. *Journal of Biological Chemistry*, 295(22), 7710–7725. <https://doi.org/10.1074/jbc.REV120.010854>
- Bizymis, A. P., Giannou, V., & Tzia, C. (2023). Contribution of Hydroxypropyl Methylcellulose to the Composite Edible Films and Coatings Properties. *Food and Bioprocess Technology*, 16(7), 1488–1501. <https://doi.org/10.1007/s11947-023-03013-4>
- Botalo, A., Inprasit, T., Ummartyotin, S., Chainok, K., Vatthanakul, S., & Pisitsak, P. (2024). Smart and UV-Resistant Edible Coating and Films Based on Alginate, Whey Protein, and Curcumin. *Polymers*, 16(4), 447. <https://doi.org/10.3390/polym16040447>
- Cai, G., Sun, J., Kang, F., Lv, Q., Liu, J., Wang, J., Gao, Z., & Ren, X. (2024). Chitosan Gel Hydroxypropyl Methylcellulose Membranes: A Novel Approach for the Remediation of Cadmium in Aqueous Solutions and Soils. *Coatings*, 14(4), 421. <https://doi.org/10.3390/coatings14040421>
- Cazón, P., & Vázquez, M. (2019). *Applications of Chitosan as Food Packaging Materials*. https://doi.org/10.1007/978-3-030-16581-9_3

- Chettri, S., Sharma, N., & Mohite, A. M. (2023). Edible coatings and films for shelf-life extension of fruit and vegetables. *Biomaterials Advances*, 154(April), 213632. <https://doi.org/10.1016/j.bioadv.2023.213632>
- Cisneros-Zevallos, L., & Krochta, J. M. (2003). Dependence of coating thickness on viscosity of coating solution applied to fruits and vegetables by dipping method. *Journal of Food Science*, 68(2), 503–510. <https://doi.org/10.1111/j.1365-2621.2003.tb05702.x>
- Ding, C., Zhang, M., & Li, G. (2015). Preparation and characterization of collagen/hydroxypropyl methylcellulose (HPMC) blend film. *Carbohydrate Polymers*, 119, 194–201. <https://doi.org/10.1016/j.carbpol.2014.11.057>
- Dung, H. T., Chinh, N. T., Lu, L. T., & Hoang, T. (2021). Methylene blue adsorption of chitosan/nano-TiO₂ films prepared by 3D printing method. *Vietnam Journal of Chemistry*, 59(3), 319–325. <https://doi.org/10.1002/vjch.202000171>
- Estrada-Monje, A., Zitzumbo-Guzmán, R., Bañuelos-Díaz, J. A., & Zaragoza-Contreras, E. A. (2019). Ultrasonic dispersion and activation of TiO₂ nanoparticles and its effect on bacterial inhibition in EVA films. *Materials Chemistry and Physics*, 235, 121760. <https://doi.org/10.1016/J.MATCHEMPHYS.2019.121760>
- Fagundes, C., Carciofi, B. A. M., & Monteiro, A. R. (2013). Estimate of respiration rate and physicochemical changes of fresh-cut apples stored under different temperatures. *Food Science and Technology*, 33(1), 60–67. <https://doi.org/10.1590/S0101-20612013005000023>
- Fauziyah, S. N., Mubarak, A. S., & Pujiastuti, D. Y. (2021). Application of glycerol on bioplastic based carrageenan waste cellulose on biodegradability and mechanical properties bioplastic. *IOP Conference Series: Earth and Environmental Science*, 679(1). <https://doi.org/10.1088/1755-1315/679/1/012005>
- Fonseca, J. de M., Alves, M. J. dos S., Soares, L. S., Moreira, R. de F. P. M., Valencia, G. A., & Monteiro, A. R. (2021). A review on TiO₂-based photocatalytic systems applied in fruit postharvest: Set-ups and perspectives. *Food Research International*, 144(February).

Fonseca, J. de M., Valencia, G. A., Soares, L. S., Dotto, M. E. R., Campos, C. E. M., Moreira, R. de F. P. M., & Fritz, A. R. M. (2020). Hydroxypropyl methylcellulose-TiO₂ and gelatin-TiO₂ nanocomposite films: Physicochemical and structural properties. *International Journal of Biological Macromolecules*, 151, 944–956.
<https://doi.org/10.1016/j.ijbiomac.2019.11.082>

Gnanasekaran, D. (n.d.). *Green Biopolymers and their Nanocomposites*.
<http://www.springer.com/series/16122>

Gol, N. B., Patel, P. R., & Rao, T. V. R. (2013). Improvement of quality and shelf-life of strawberries with edible coatings enriched with chitosan. *Postharvest Biology and Technology*, 85, 185–195.
<https://doi.org/10.1016/j.postharvbio.2013.06.008>

Guti, T. J. (n.d.). *Polymers for Agri-Food Applications*.

Hafsah, S. (2023). *Aplikasi Active Coating Berbahan Dasar Kitosan dengan Bahan Aktif Minyak Atsiri Kayu Manis Pada Buah Pisang Cavendish*. 1, 1260–1267.

Iqbal, N., Khan, N. A., Ferrante, A., Trivellini, A., Francini, A., & Khan, M. I. R. (2017). Ethylene role in plant growth, development and senescence: interaction with other phytohormones. *Frontiers in Plant Science*, 8(April), 1–19. <https://doi.org/10.3389/fpls.2017.00475>

Islam, Z., & Prisiska, F. (2018). *Pengaruh Peningkatan Konsentrasi Hydroxy Propyl Methyl Cellulose (Hpmc) Sebagai Gelling Agent Terhadap Stabilitas Fisik Emulgel Rebusan Herba Pegagan (Centella asiatica. L)*.

Kaewklin, P., Siripatrawan, U., Suwanagul, A., & Lee, Y. S. (2018). Active packaging from chitosan-titanium dioxide nanocomposite film for prolonging storage life of tomato fruit. *International Journal of Biological Macromolecules*, 112, 523–529.
<https://doi.org/10.1016/j.ijbiomac.2018.01.124>

Korson, L., Drost-Hansen, W., & Millero, F. J. (1969). Viscosity of water at various temperatures. *The Journal of Physical Chemistry*, 73(1), 34-39.

- Kose, O., Tomatis, M., Turci, F., Belblidia, N. B., Hochepped, J. F., Pourchez, J., & Forest, V. (2021). Short Preirradiation of TiO₂ Nanoparticles Increases Cytotoxicity on Human Lung Coculture System. *Chemical Research in Toxicology*, 34(3), 733–742. <https://doi.org/10.1021/acs.chemrestox.0c00354>
- Liew, C. Y., & Lau, C. Y. (2012). Determination of quality parameters in Cavendish banana during ripening by NIR spectroscopy. *International Food Research Journal*, 19(2), 751–758.
- Maduwanthi, S. D. T., & Marapana, R. A. U. J. (2019). Induced ripening agents and their effect on fruit quality of banana. *International Journal of Food Science*, 2019. <https://doi.org/10.1155/2019/2520179>
- Maldonado, A., Cheuquepan, P., Gutiérrez, S., Gallegos, N., Donoso, M., Hauser, C., Arrieta, M. P., Torres, A., Bruna, J., Valenzuela, X., Guarda, A., Galotto, M., & Rodríguez-Mercado, F. (2023). Study of Ethylene-Removing Materials Based on Eco-Friendly Composites with Nano-TiO₂. *Polymers*, 15(16). <https://doi.org/10.3390/polym15163369>
- Megasari, R., & Mutia, A. K. (2019). Pengaruh Lapisan Edible Coating Kitosan pada Cabai Keriting (*capsicum annum* L) dengan Penyimpanan Suhu Rendah. *J. of Agritech Science*, 3(2), 34–42.
- Muhidin, Nurmas, A., Sadimantara, G. R., Leomo, S., & Yusuf, D. N. (2021). The growth performance of dwarf banana Cavendish from SE Sulawesi under natural shading. *IOP Conference Series: Earth and Environmental Science*, 807(4). <https://doi.org/10.1088/1755-1315/807/4/042038>
- Murmu, S. B., & Mishra, H. N. (2018). Post-harvest shelf-life of banana and guava: Mechanisms of common degradation problems and emerging counteracting strategies. *Innovative Food Science and Emerging Technologies*, 49(April 2017), 20–30. <https://doi.org/10.1016/j.ifset.2018.07.011>
- Nambi, V. E., Thangavel, K., Rajeswari, K. A., Manickavasagan, A., & Geetha, V. (2016). Texture and rheological changes of Indian mango cultivars during ripening. *Postharvest Biology and Technology*, 117, 152–160. <https://doi.org/10.1016/j.postharvbio.2016.02.009>

- Patil, V., Shams, R., & Dash, K. K. (2023). Techno-functional characteristics, and potential applications of edible coatings: A comprehensive review. *Journal of Agriculture and Food Research*, 14, 100886. <https://doi.org/10.1016/J.JAFR.2023.100886>
- Perez-Vazquez, A., Barciela, P., Carpena, M., & Prieto, M. (2023). Edible Coatings as a Natural Packaging System to Improve Fruit and Vegetable Shelf Life and Quality. *Foods*, 12(19), 3570. <https://doi.org/10.3390/foods12193570>
- Pham, T. T., Nguyen, L. L. P., Dam, M. S., & Baranyai, L. (2023). Application of Edible Coating in Extension of Fruit Shelf Life: Review. *AgriEngineering*, 5(1), 520–536. <https://doi.org/10.3390/agriengineering5010034>
- Qurrata Ayun. (2021). Optimasi Pembuatan Edible Coating Dari Whey Protein Dan Kitosan. *Jurnal Crystal: Publikasi Penelitian Kimia Dan Terapannya*, 3(2), 14–17. <https://doi.org/10.36526/jc.v3i2.1807>
- Rahayu, D., Bintoro, N., & Saputro, A. D. (2021). Modelling the respiration rate of mango (cv. Manalagi) during storage under various temperatures and gas compositions. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012018>
- Ribeiro, I. S., Maciel, G. M., Bortolini, D. G., Fernandes, I. de A. A., Maroldi, W. V., Pedro, A. C., Rubio, F. T. V., & Haminiuk, C. W. I. (2024). Sustainable innovations in edible films and coatings: An overview. *Trends in Food Science and Technology*, 143(November 2023). <https://doi.org/10.1016/j.tifs.2023.104272>
- Rotta, J., Ozório, R. Á., Kehrwald, A. M., de Oliveira Barra, G. M., de Melo Castanho Amboni, R. D., & Barreto, P. L. M. (2009). Parameters of color, transparency, water solubility, wettability and surface free energy of chitosan/hydroxypropylmethylcellulose (HPMC) films plasticized with sorbitol. *Materials Science and Engineering C*, 29(2), 619–623. <https://doi.org/10.1016/j.msec.2008.10.032>
- Sandid, A., Spallina, V., & Esteban, J. (2024). Glycerol to value-added chemicals : State of the art and advances in reaction engineering and kinetic modelling. *Fuel Processing Technology*, 253(November 2023), 108008.

<https://doi.org/10.1016/j.fuproc.2023.108008>

Siripatrawan, U., & Kaewklin, P. (2018). Fabrication and characterization of chitosan-titanium dioxide nanocomposite film as ethylene scavenging and antimicrobial active food packaging. *Food Hydrocolloids*, 84, 125–134. <https://doi.org/10.1016/j.foodhyd.2018.04.049>

Sivashankari, P. R., & Prabakaran, M. (2016). Deacetylation modification techniques of chitin and chitosan. *Chitosan Based Biomaterials: Fundamentals: Volume 1*, 1(January 2017), 117–133. <https://doi.org/10.1016/B978-0-08-100230-8.00005-4>

Soradech, S., Nunthanid, J., Limmatvapirat, S., & Luangtana-anan, M. (2017). Utilization of shellac and gelatin composite film for coating to extend the shelf life of banana. *Food Control*, 73, 1310–1317. <https://doi.org/10.1016/J.FOODCONT.2016.10.059>

Steinbock, O., Wang, Q., & Knoll, P. (2022). Front-like expansion and arrest of programmed cell death in brown banana spots. *Physical Biology*, 19(4), 046003. <https://doi.org/10.1088/1478-3975/ac664d>

Sudjatha, W., & Wisaniyasa, N. W. (2017). Fisiologi Dan Teknologi Pascapanen (Buah Dan Sayuran). In *Udayana University Press*.

Suresh Kumar, P., Shuprajhaa, T., Subramaniyan, P., Mohanasundaram, A., Shiva, K. N., Mayilvaganan, M., & Subbaraya, U. (2023). Ripening dependent changes in skin color, physicochemical attributes, in-vitro glycemic response and volatile profiling of banana varieties. *Food Bioscience*, 56, 103274. <https://doi.org/10.1016/J.FBIO.2023.103274>

Suseno, N., Savitri, E., Sapei, L., & Padmawijaya, K. S. (2014). Improving Shelf-life of Cavendish Banana Using Chitosan Edible Coating. *Procedia Chemistry*, 9, 113–120. <https://doi.org/10.1016/J.PROCHE.2014.05.014>

Teixeira-Costa, B. E., & Andrade, C. T. (2021). Chitosan as a valuable biomolecule from seafood industry waste in the design of green food packaging. *Biomolecules*, 11(11). <https://doi.org/10.3390/biom11111599>

Thompson, A. K., Supapvanich, S., & Sirison, J. (2019). *Introduction*. https://doi.org/10.1007/978-3-030-27739-0_1

- Tundisi, L. L., Mostaço, G. B., Carricondo, P. C., & Petri, D. F. S. (2021). Hydroxypropyl methylcellulose: Physicochemical properties and ocular drug delivery formulations. *European Journal of Pharmaceutical Sciences*, 159(January), 105736. <https://doi.org/10.1016/j.ejps.2021.105736>
- Van, T. T., Hang Phuong, N. T., Sakamoto, K., Wigati, L. P., Tanaka, F., & Tanaka, F. (2023). Effect of edible coating incorporating sodium carboxymethyl cellulose/cellulose nanofibers and self-produced mandarin oil on strawberries. *Food Packaging and Shelf Life*, 40(June), 101197. <https://doi.org/10.1016/j.fpsl.2023.101197>
- Vassiliadi, E., Aridas, A., Schmitt, V., Xenakis, A., & Zoumpanioti, M. (2022). (Hydroxypropyl)methyl cellulose-chitosan film as a matrix for lipase immobilization: Operational and morphological study. *Molecular Catalysis*, 522. <https://doi.org/10.1016/j.mcat.2022.112252>
- Wantat, A., Rojsitthisak, P., & Seraypheap, K. (2021). Inhibitory effects of high molecular weight chitosan coating on 'Hom Thong' banana fruit softening. *Food Packaging and Shelf Life*, 29, 100731. <https://doi.org/10.1016/J.FPSL.2021.100731>
- Warsita, A. R., Gusniawati, W. S., & Rokhati, N. (2012). Pengaruh Konsentrasi Kitosan Terhadap Flokulasi Pada Pemanenan Mikroalga. *Jurnal Teknologi Kimia Dan Industri*, 1(1), 28–33. <http://ejournal-s1.undip.ac.id/index.php/jtki>
- Wiranata, M. F., Darmawati, E., & Sutrisno. (2020). Physiological characteristics of postharvest Barangan banana based on harvest time differences. *IOP Conference Series: Earth and Environmental Science*, 542(1). <https://doi.org/10.1088/1755-1315/542/1/012012>
- Xie, J., Wang, R., Li, Y., Ni, Z., Situ, W., Ye, S., & Song, X. (2022). A novel Ag₂O-TiO₂-Bi₂WO₆/polyvinyl alcohol composite film with ethylene photocatalytic degradation performance towards banana preservation. *Food Chemistry*, 375, 131708. <https://doi.org/10.1016/J.FOODCHEM.2021.131708>
- Xu, J., Wang, F., Zhan, J., Li, Y., Wang, T., Ma, R., & Tian, Y. (2023). Construction of TiO₂/starch nanocomposite cryogel for ethylene removal and banana preservation. *Carbohydrate Polymers*, 312(October 2022).

<https://doi.org/10.1016/j.carbpol.2023.120825>

Yu, H., Zhou, Q., He, D., Yang, J. J., Wu, K., Chai, X., Xiang, Y., Duan, X., & Wu, X. (2023). Enhanced mechanical and functional properties of chitosan/polyvinyl alcohol/hydroxypropyl methylcellulose/alizarin composite film by incorporating cinnamon essential oil and tea polyphenols. *International Journal of Biological Macromolecules*, 253(P4), 126859. <https://doi.org/10.1016/j.ijbiomac.2023.126859>

Zhang, W., & Rhim, J. W. (2022). Titanium dioxide (TiO₂) for the manufacture of multifunctional active food packaging films. *Food Packaging and Shelf Life*, 31(December 2021), 100806. <https://doi.org/10.1016/j.fpsl.2021.100806>

Zhou, Q., Huang, S., Zou, L., Ren, D., Wu, X., & Xu, D. (2024). Application of hydroxypropyl methylcellulose to improve the wettability of chitosan coating and its preservation performance on tangerine fruits. *International Journal of Biological Macromolecules*, 263, 130539. <https://doi.org/10.1016/j.ijbiomac.2024.130539>