

DAFTAR PUSTAKA

- Akhoundi, B., Nabipour, M., Hajami, F., & Shakoori, D. (2020). An Experimental Study of Nozzle Temperature and Heat Treatment (Annealing) Effects on Mechanical Properties of High-Temperature Polylactic Acid in Fused Deposition Modeling. *Polymer Engineering and Science*, 60(5), 979–987. <https://doi.org/10.1002/pen.25353>
- Ambade, V., Rajurkar, S., Awari, G., Yelamasetti, B., & Shelare, S. (2023). Influence of FDM process parameters on tensile strength of parts printed by PLA material. *International Journal on Interactive Design and Manufacturing*. <https://doi.org/10.1007/s12008-023-01490-7>
- Arifvianto, B., Satiti, B. E., Salim, U. A., Suyitno, Nuryanti, A., & Mahardika, M. (2022). Mechanical properties of the FFF sandwich-structured parts made of PLA/TPU multi-material. *Progress in Additive Manufacturing*, 7(6), 1213–1223. <https://doi.org/10.1007/s40964-022-00295-6>
- Arifvianto, B., Wirawan, Y. B., Salim, U. A., Suyitno, S., & Mahardika, M. (2021). Effects of extruder temperatures and raster orientations on mechanical properties of the FFF-processed polylactic-acid (PLA) material. *Rapid Prototyping Journal*, 27(10), 1761–1775. <https://doi.org/10.1108/rpj-10-2019-0270>
- Barbosa, W. S., Wanderley, R. F. F., Gioia, M. M., Gouvea, F. C., & Gonçalves, F. M. (2022). Additive or subtractive manufacturing: Analysis and comparison of automotive spare-parts. *Journal of Remanufacturing*, 12(2), 153–166. <https://doi.org/10.1007/s13243-021-00106-1>
- Barrasa, J. O., Ferrández-Montero, A., Ferrari, B., & Pastor, J. Y. (2021). Characterisation and modelling of pla filaments and evolution with time. *Polymers*, 13(17). <https://doi.org/10.3390/polym13172899>
- Cano-Vicent, A., Tambuwala, M. M., Hassan, S. S., Barh, D., Aljabali, A. A. A., Birkett, M., Arjunan, A., & Serrano-Aroca, Á. (2021). Fused deposition

modelling: Current status, methodology, applications and future prospects.

Additive Manufacturing, 47(August).

<https://doi.org/10.1016/j.addma.2021.102378>

Chacón, J. M., Caminero, M. A., García-Plaza, E., & Núñez, P. J. (2017). Additive manufacturing of PLA structures using fused deposition modelling: Effect of process parameters on mechanical properties and their optimal selection. *Materials and Design*, 124, 143–157. <https://doi.org/10.1016/j.matdes.2017.03.065>

Choi, Y.-H., Kim, C.-M., Jeong, H.-S., & Youn, J.-H. (2016). Influence of Bed Temperature on Heat Shrinkage Shape Error in FDM Additive Manufacturing of the ABS-Engineering Plastic. *World Journal of Engineering and Technology*, 04(03), 186–192. <https://doi.org/10.4236/wjet.2016.43d022>

Darsin, M., Mauludy, R. R., Hardiatama, I., Fachri, B. A., Ramadhan, M. E., & Parningotan, D. (2022). Analysis of the effect 3D printing parameters on tensile strength using Copper-PLA filament. *Sinergi*, 26(1), 99. <https://doi.org/10.22441/sinergi.2022.1.013>

Faidallah, R. F., Hanon, M. M., Szakál, Z., & Oldal, I. (2022). Biodegradable Materials Used in FDM 3D Printing Technology: A Critical Review. *Journal of Modern Mechanical Engineering and Technology*, 9(December), 90–105. <https://doi.org/10.31875/2409-9848.2022.09.11>

Fernandez-Vicente, M., Calle, W., Ferrandiz, S., & Conejero, A. (2016). Effect of Infill Parameters on Tensile Mechanical Behavior in Desktop 3D Printing. *3D Printing and Additive Manufacturing*, 3(3), 183–192. <https://doi.org/10.1089/3dp.2015.0036>

Fok, K. Y., Cheng, C. T., Ganganath, N., Iu, H. H. C., & Tse, C. K. (2018). Accelerating 3D Printing Process Using an Extended Ant Colony Optimization Algorithm. *Proceedings - IEEE International Symposium on Circuits and Systems*, 2018-May, 1–5. <https://doi.org/10.1109/ISCAS.2018.8351113>

- Garzon-Hernandez, S., Garcia-Gonzalez, D., Jérusalem, A., & Arias, A. (2020). Design of FDM 3D printed polymers: An experimental-modelling methodology for the prediction of mechanical properties. *Materials and Design*, 188(January), 108414. <https://doi.org/10.1016/j.matdes.2019.108414>
- Ian Gibson, David Rosen, B. S. (2018). Additive Technologies Manufacturing 3D Printing, Rapid Prototyping, and Direct Digital Manufacturing Second Edition. In *Sulzer Technical Review* (Vol. 100, Nomor 2).
- Jo, W., Kwon, O. C., & Moon, M. W. (2018). Investigation of influence of heat treatment on mechanical strength of FDM printed 3D objects. *Rapid Prototyping Journal*, 24(3), 637–644. <https://doi.org/10.1108/RPJ-06-2017-0131>
- Joseph, T. M., Kallingal, A., Suresh, A. M., Mahapatra, D. K., Hasanin, M. S., Haponiuk, J., & Thomas, S. (2023). 3D printing of polylactic acid: recent advances and opportunities. *International Journal of Advanced Manufacturing Technology*, 125(3–4), 1015–1035. <https://doi.org/10.1007/s00170-022-10795-y>
- Kartal, F., & Kaptan, A. (2023). Effects of annealing temperature and duration on mechanical properties of PLA plastics produced by 3D Printing. *European Mechanical Science*, 7(3), 152–159. <https://doi.org/10.26701/ems.1290961>
- Larker, H. T. (2006). Hot Isostatic Pressing. *Engineered Materials Handbook: Ceramics and Glasses*.
- Li, H., Wang, T., Sun, J., & Yu, Z. (2018). The effect of process parameters in fused deposition modelling on bonding degree and mechanical properties. *Rapid Prototyping Journal*, 24(1), 80–92. <https://doi.org/10.1108/RPJ-06-2016-0090>
- Mercado Rivera, F. J., & Rojas Arciniegas, A. J. (2020). Additive manufacturing methods: techniques, materials, and closed-loop control applications. *International Journal of Advanced Manufacturing Technology*, 109(1–2), 17–

31. <https://doi.org/10.1007/s00170-020-05663-6>

- Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T. Q., & Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. *Composites Part B: Engineering*, 143(December 2017), 172–196. <https://doi.org/10.1016/j.compositesb.2018.02.012>
- Pratama, J., Wijaya, R., Salim, U. A., Suyitno, S., Arifvianto, B., Saptoadi, H., & Mahardika, M. (2024). A Novel Powder Addition Method for Improving Tensile Strength of Polylactic-Acid Prepared by Using Fused Filament Fabrication (FFF). In *Applied Mechanics and Materials* (Vol. 920, pp. 23–34). Trans Tech Publications, Ltd. <https://doi.org/10.4028/p-gw2yjx>
- Rahatuzzaman, M., Mahmud, M., Rahman, S., & Hoque, M. E. (2024). Design, fabrication, and characterization of 3D-printed ABS and PLA scaffolds potentially for tissue engineering. *Results in Engineering*, 21(November 2023), 101685. <https://doi.org/10.1016/j.rineng.2023.101685>
- Sandanamsamy, L., Harun, W. S. W., Ishak, I., Romlay, F. R. M., Kadirgama, K., Ramasamy, D., Idris, S. R. A., & Tsumori, F. (2023). A comprehensive review on fused deposition modelling of polylactic acid. *Progress in Additive Manufacturing*, 8(5), 775–799. <https://doi.org/10.1007/s40964-022-00356-w>
- Slamet Sefudin, Dini Cahyandari, Ilham Yustar Afif, Samsudi Raharjo, Muh Subri, A. N. A. (2023). Peningkatan Sifat Mekanik *Momentum*, 19, 80–73.
- Sun, X., Mazur, M., & Cheng, C. T. (2023). A review of void reduction strategies in material extrusion-based additive manufacturing. *Additive Manufacturing*, 67(February), 103463. <https://doi.org/10.1016/j.addma.2023.103463>
- Tantillo, A. G. (2019). *Annealing of Fused Filament Fabricated Nylon 6 with Elevated Annealing of Fused Filament Fabricated Nylon 6 with Elevated Isostatic Pressure Isostatic Pressure*. <https://scholarworks.rit.edu/theses>
- Torres, J., Cotel, J., Karl, J., & Gordon, A. P. (2015). Mechanical property optimization of FDM PLA in shear with multiple objectives. *Jom*, 67(5),

1183–1193. <https://doi.org/10.1007/s11837-015-1367-y>

Tronvoll, S. A., Welo, T., & Elverum, C. W. (2018). The effects of voids on structural properties of fused deposition modelled parts: a probabilistic approach. *International Journal of Advanced Manufacturing Technology*, 97(9–12), 3607–3618. <https://doi.org/10.1007/s00170-018-2148-x>

Valvez, S., Reis, P. N. B., & Ferreira, J. A. M. (2023). Effect of annealing treatment on mechanical properties of 3D-Printed composites. *Journal of Materials Research and Technology*, 23, 2101–2115. <https://doi.org/10.1016/j.jmrt.2023.01.097>

Vyavahare, S., Teraiya, S., Panghal, D., & Kumar, S. (2020). Fused deposition modelling: a review. *Rapid Prototyping Journal*, 26(1), 176–201. <https://doi.org/10.1108/RPJ-04-2019-0106>

Wach, R. A., Wolszczak, P., & Adamus-Wlodarczyk, A. (2018). Enhancement of Mechanical Properties of FDM-PLA Parts via Thermal Annealing. *Macromolecular Materials and Engineering*, 303(9), 1–9. <https://doi.org/10.1002/mame.201800169>

Williams, C. B., & Ilardo, R. (2010). Design and manufacture of a Formula SAE intake system using fused deposition modeling and fiber-reinforced composite materials. *Rapid Prototyping Journal*, 16(3), 174–179. <https://doi.org/10.1108/13552541011034834>

Wu, W., Geng, P., Li, G., Zhao, D., Zhang, H., & Zhao, J. (2015). Influence of layer thickness and raster angle on the mechanical properties of 3D-printed PEEK and a comparative mechanical study between PEEK and ABS. *Materials*, 8(9), 5834–5846. <https://doi.org/10.3390/ma8095271>

Yu, W., Wang, X., Yin, X., Ferraris, E., & Zhang, J. (2023). The effects of thermal annealing on the performance of material extrusion 3D printed polymer parts. *Materials and Design*, 226, 111687. <https://doi.org/10.1016/j.matdes.2023.111687>

Zhou, L., Miller, J., Vezza, J., Mayster, M., Raffay, M., Justice, Q., Al Tamimi, Z.,
Hansotte, G., Sunkara, L. D., & Bernat, J. (2024). Additive Manufacturing: A
Comprehensive Review. *Sensors*, 24(9). <https://doi.org/10.3390/s24092668>