

## DAFTAR PUSTAKA

Ali, R. *et al.* (2022) 'Hate speech detection on Twitter using transfer learning', *Computer Speech and Language*, 74. Available at: <https://doi.org/10.1016/j.csl.2022.101365>.

Alshalan, R. and Al-Khalifa, H. (2020) 'A deep learning approach for automatic hate speech detection in the saudi twittersphere', *Applied Sciences (Switzerland)*, 10(23), pp. 1–16. Available at: <https://doi.org/10.3390/app10238614>.

Althobaiti, M.J. (no date) *BERT-based Approach to Arabic Hate Speech and Offensive Language Detection in Twitter: Exploiting Emojis and Sentiment Analysis*, *IJACSA International Journal of Advanced Computer Science and Applications*. Available at: [www.ijacsa.thesai.org](http://www.ijacsa.thesai.org).

Azzi, S.A. and Zribi, C.B.O. (2023) 'A new Classifier Chain method of BERT Models For Multi-label Classification of Arabic Abusive Language on Social Media', in *Procedia Computer Science*. Elsevier B.V., pp. 476–485. Available at: <https://doi.org/10.1016/j.procs.2023.10.032>.

Benítez-Andrades, J.A. *et al.* (2022) 'Detecting racism and xenophobia using deep learning models on Twitter data: CNN, LSTM and BERT', *PeerJ Computer Science*, 8. Available at: <https://doi.org/10.7717/PEERJ-CS.906>.

Bibi, M. *et al.* (2024) 'TL-PBot: Twitter bot profile detection using transfer learning based on DNN model', *Engineering Reports*, 6(9). Available at: <https://doi.org/10.1002/eng2.12838>.

Chakravarthi, B.R. *et al.* (2023a) 'Offensive language identification in dravidian languages using MPNet and CNN', *International Journal of Information Management Data Insights*, 3(1). Available at: <https://doi.org/10.1016/j.jjime.2022.100151>.

Chakravarthi, B.R. *et al.* (2023b) 'Offensive language identification in dravidian languages using MPNet and CNN', *International Journal of Information Management Data Insights*, 3(1). Available at: <https://doi.org/10.1016/j.jjime.2022.100151>.

Chakravarthi, B.R. *et al.* (2023c) ‘Offensive language identification in dravidian languages using MPNet and CNN’, *International Journal of Information Management Data Insights*, 3(1). Available at: <https://doi.org/10.1016/j.jjime.2022.100151>.

Das, A.K. *et al.* (2021) ‘Bangla hate speech detection on social media using attention-based recurrent neural network’, *Journal of Intelligent Systems*, 30(1), pp. 578–591. Available at: <https://doi.org/10.1515/jisys-2020-0060>.

Devlin, J. *et al.* (no date a) *BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding*. Available at: <https://github.com/tensorflow/tensor2tensor>.

Devlin, J. *et al.* (no date b) *BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding*. Available at: <https://github.com/tensorflow/tensor2tensor>.

Dewani, A., Memon, M.A. and Bhatti, S. (2021) ‘Cyberbullying detection: advanced preprocessing techniques & deep learning architecture for Roman Urdu data’, *Journal of Big Data*, 8(1). Available at: <https://doi.org/10.1186/s40537-021-00550-7>.

Elfaik, H. and Nfaoui, E.H. (2023) ‘Leveraging feature-level fusion representations and attentional bidirectional RNN-CNN deep models for Arabic affect analysis on Twitter’, *Journal of King Saud University - Computer and Information Sciences*, 35(1), pp. 462–482. Available at: <https://doi.org/10.1016/j.jksuci.2022.12.015>.

Kapolri, S.E. *et al.* (no date) *Surat Edaran Kapolri Tentang Penanganan Ujaran Kebencian (Hate Speech) dalam Kerangka Hak Asasi Manusia*.

Kaur, S., Singh, S. and Kaushal, S. (2024) ‘Deep learning-based approaches for abusive content detection and classification for multi-class online user-generated data’, *International Journal of Cognitive Computing in Engineering*, 5, pp. 104–122. Available at: <https://doi.org/10.1016/j.ijcce.2024.02.002>.

Liu, C. *et al.* (2019) ‘Ensembles of natural language processing systems for portable phenotyping solutions’, *Journal of Biomedical Informatics*, 100. Available at: <https://doi.org/10.1016/j.jbi.2019.103318>.

Mazari, A.C., Boudoukhani, N. and Djefal, A. (2024) 'BERT-based ensemble learning for multi-aspect hate speech detection', *Cluster Computing*, 27(1), pp. 325–339. Available at: <https://doi.org/10.1007/s10586-022-03956-x>.

Mousa, A. *et al.* (2024) 'Detection of Arabic offensive language in social media using machine learning models', *Intelligent Systems with Applications*, 22. Available at: <https://doi.org/10.1016/j.iswa.2024.200376>.

Mutanga, R.T., Naicker, N. and Olugbara, O.O. (no date) *Detecting Hate Speech on Twitter Network Using Ensemble Machine Learning*, *IJACSA International Journal of Advanced Computer Science and Applications*. Available at: [www.ijacsa.thesai.org](http://www.ijacsa.thesai.org).

Nabiilah, G.Z. *et al.* (2022) 'BERT base model for toxic comment analysis on Indonesian social media', in *Procedia Computer Science*. Elsevier B.V., pp. 714–721. Available at: <https://doi.org/10.1016/j.procs.2022.12.188>.

Putra, C.D. and Wang, H.-C. (2024) 'Advanced BERT-CNN for Hate Speech Detection', *Procedia Computer Science*, 234, pp. 239–246. Available at: <https://doi.org/10.1016/j.procs.2024.02.170>.

Roy, P.K., Bhawal, S. and Subalalitha, C.N. (2022) 'Hate speech and offensive language detection in Dravidian languages using deep ensemble framework', *Computer Speech and Language*, 75. Available at: <https://doi.org/10.1016/j.csl.2022.101386>.

Valle-Cano, G. del *et al.* (2023) 'SocialHaterBERT: A dichotomous approach for automatically detecting hate speech on Twitter through textual analysis and user profiles', *Expert Systems with Applications*, 216. Available at: <https://doi.org/10.1016/j.eswa.2022.119446>.

Zhou, G. *et al.* (2013) *Natural Language Processing and Chinese Computing: Second CCF Conference, NLPCC 2013, Chongqing, China, November 15-19, 2013, Proceedings*. Available at: <https://doi.org/10.1007/978-3-642-41644-6>.