

DAFTAR PUSTAKA

- Abad, P., Gouzy, J., Aury, J.-M., Castagnone-Sereno, P., Danchin, E. G., Deleury, E., . . . Blok, V. C. 2008. Genome sequence of the metazoan plant-parasitic nematode *Meloidogyne incognita*. *Nature biotechnology* 26(8): 909-915.
- Abd-Elsalam, K. A. 2003. Bioinformatic tools and guideline for PCR primer design. *African Journal of biotechnology* 2(5): 91-95.
- Adam, M., Phillips, M., & Blok, V. 2007. Molecular diagnostic key for identification of single juveniles of seven common and economically important species of root-knot nematode (*Meloidogyne* spp.). *Plant pathology* 56(1): 190-197.
- Aisah, I., Farin, L., & Mulyana, H. 2018. Rekombinasi Molekul DNA. *Jurnal Ilmiah Matematika dan Pendidikan Matematika (JMP)* 10(1): 39-52.
- Alfaruqi, H. Q. D., Wibowo, S. A., & Khumaira, A. (2020). Deteksi Red Sea Bream Iridovirus (RSIV) dengan Teknik PCR pada Benih Ikan Gurame (*Osphronemus gouramy*) di Stasiun KIPM Yogyakarta. Paper presented at the Prosiding University Research Colloquium.
- Apte, A., & Daniel, S. 2009. PCR primer design. *Cold Spring Harb Protoc* 2009(3), pdb.ip65. doi:10.1101/pdb.ip65
- Besnard, G., Jühling, F., Chapuis, E., Zedane, L., Lhuillier, É., Mateille, T., & Bellaïfiore, S. 2014. Fast assembly of the mitochondrial genome of a plant parasitic nematode (*Meloidogyne graminicola*) using next generation sequencing. *Comptes Rendus. Biologies* 337(5): 295-301.
- Bird, A. F., & Bird, J. 2012. *The structure of nematodes*: Academic Press.
- Blok, V. C., Wishart, J., Fargette, M., Berthier, K., & Phillips, M. 2002. Mitochondrial DNA differences distinguishing *Meloidogyne mayaguensis* from the major species of tropical root-knot nematodes. *Nematology* 4(7): 773-781.
- Borah, P. 2011. Primer designing for PCR. *Science Vision* 11(3):134-136.
- Burpo, F. J. 2001. A critical review of PCR primer design algorithms and crosshybridization case study. *Biochemistry*, 218(11).
- Carlson, E. 2003. In R. Robinson (Ed.), *Encyclopedia of Genetics* (Vol. 2): Macmillan References: USA. .
- Chaerani, C. 2022. Plant parasitic nematodes in agricultural ecosystem of Indonesia. *Jurnal Perlindungan Tanaman Indonesia* 26(1): 1-12.
- De Waele, D., & Elsen, A. 2007. Challenges in tropical plant nematology. *Annu. Rev. Phytopathol* 45(1): 457-485.
- Dieffenbach, C., Lowe, T., & Dveksler, G. 1993. General concepts for PCR primer design. *PCR methods appl* 3(3): S30-S37.
- Dutta, T. K., Ganguly, A. K., & Gaur, H. S. 2012. Global status of rice root-knot nematode, *Meloidogyne graminicola*. *African Journal of Microbiology Research* 6 (31): 60166021.
- Erlich, H. A. 1989. *PCR technology* (Vol. 246): Springer.
- Farrar, J. S., & Wittwer, C. T. 2015. Extreme PCR: efficient and specific DNA amplification in 15–60 seconds. *Clinical chemistry*, 61(1), 145-153.
- Febriyani, D. 2003. Nematoda Penyebab Puru Akar (*Meloidogyne* Spp.) Pada Tanaman Padi Sawah Di Kelurahan Situ Gede, Bubulak, Kecama Tan Bogor Barat Dan Desa Caringin, *Kecamatan Dramaga, Bogor*: IPB (Bogor Agricultural University).

- Flatt, P. M. 2019. Biochemistry – Defining Life at the Molecular Level. Diambil dari <https://wou.edu/chemistry/courses/online-chemistry-textbooks/ch450-and-ch451/biochemistry-defining-life-at-the-molecular-level/chapter-4-dna-rna-and-the-human-genome/>
- Golden, A. M., & Birchfield, W. 1965. *Meloidogyne graminicola* (Heteroderidae), a new species of root-knot nematode from grass. *Proceedings of the Helminthological Society of Washington*, 32(2), 228-231.
- Goldman, A. D., & Landweber, L. F. 2016. What is a genome? *PLoS genetics*, 12(7), e1006181.
- Gonçalves, L. T., Bianchi, F. M., Deprá, M., & Calegario-Marques, C. 2021. Barcoding a can of worms: testing cox1 performance as a DNA barcode of Nematoda. *Genome*, 64(7), 705-717.
- Grunenwald, H. 2003. Optimization of polymerase chain reactions. *PCR protocols*, 89-99.
- Htay, C., Peng, H., Huang, W., Kong, L., He, W., Holgado, R., & Peng, D. 2016. The development and molecular characterization of a rapid detection method for rice root-knot nematode (*Meloidogyne graminicola*). *European Journal of Plant Pathology*, 146, 281-291.
- Hu, M., & Gasser, R. B. 2006. Mitochondrial genomes of parasitic nematodes—progress and perspectives. *Trends in parasitology*, 22(2), 78-84.
- Hwang, I.-T., Kim, Y.-J., Kim, S.-H., Kwak, C.-i., Gu, Y.-Y., & Chun, J.-Y. 2003. Annealing control primer system for improving specificity of PCR amplification. *Biotechniques*, 35(6), 1180-1184.
- Indradewi, R. 2022. Teknik Desain Primer untuk Amplifikasi Gen Tujuan Kloning dari DNA *Agrobacterium tumefaciens*. *Perbal: Jurnal Pertanian Berkelanjutan*, 10(3), 305-309.
- Jain, R. K., Khan, M. R., & Kumar, V. 2012. Rice root-knot nematode (*Meloidogyne graminicola*) infestation in rice. *Archives of Phytopathology and Plant Protection*, 45(6), 635-645.
- Kalendar, R., Lee, D., & Schulman, A. H. 2009. FastPCR software for PCR primer and probe design and repeat search. *Genes, genomes and genomics*, 3(1), 1-14.
- Kämpke, T., Kieninger, M., & Mecklenburg, M. 2001. Efficient primer design algorithms. *Bioinformatics*, 17(3), 214-225.
- Kumari, S., Decraemer, W., De Luca, F., & Tiefenbrunner, W. 2010. Cytochrome c oxidase subunit 1 analysis of *Xiphinema diversicaudatum*, *X. pachtaicum*, *X. simile* and *X. vuittenezi* (Nematoda, Dorylaimida). *European Journal of Plant Pathology*, 127, 493-499.
- Lexa, M., Horak, J., & Brzobohaty, B. 2001. Virtual PCR. *Bioinformatics*, 17(1), 192-193.
- Lorenz, T. C. 2012. Polymerase chain reaction: basic protocol plus troubleshooting and optimization strategies. *JoVE (Journal of Visualized Experiments)*(63), e3998.
- Mantelin, S., Bellaifiore, S., & Kyndt, T. 2017. *Meloidogyne graminicola*: a major threat to rice agriculture. *Molecular plant pathology*, 18(1), 3.
- Mejías-Alpízar, M. J., Porras-Silesky, C., Rodríguez, E. J., Quesada, J., Alfaro-Segura, M. P., Robledo-Quesada, J., . . . Rojas, A. 2024. Mitochondrial and ribosomal markers in the identification of nematodes of clinical and veterinary importance. *Parasites & Vectors*, 17(1), 77.
- Mirsam, H., & Kurniawati, F. 2018. Laporan pertama di Sulawesi Selatan: karakter morfologi dan molekuler nematoda puru akar yang berasosiasi dengan akar padi di

- Kabupaten Wajo, Sulawesi Selatan. *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 58-65.
- Miura, F., Uematsu, C., Sakaki, Y., & Ito, T. 2005. A novel strategy to design highly specific PCR primers based on the stability and uniqueness of 3'-end subsequences. *Bioinformatics*, 21(24), 4363-4370.
- Moens, M., Perry, R. N., & Starr, J. L. (2009). *Meloidogyne* species-a diverse group of novel and important plant parasites *Root-knot nematodes* (pp. 1-17): CABI Wallingford UK.
- Mulyadi, M. 1997. Pengaruh Populasi Nematoda Puru Akar (*Meloidogyne graminicola*) terhadap Pertumbuhan dan Hasil Padi. *Jurnal Perlindungan Tanaman Indonesia*, 3(1), 17-22.
- Mulyadi, M. 2009. *Nematologi Pertanian*.
- Mustika, I. 2005. Konsep dan strategi pengendalian nematoda parasit tanaman perkebunan di Indonesia. *Perspektif: Review Penelitian Tanaman Industri*, 4(1), 20-32.
- Netscher, C., & Erlan, E. 1993. A root-knot nematode, *Meloidogyne* cf *graminicola*, parasitic on rice in Indonesia.
- Nur'aini, S., Mukaromah, A. S., & Muhlisoh, S. 2019. Pengenalan deoxyribonucleic acid (DNA) dengan marker-based augmented reality. *Walisongo Journal of Information Technology*, 1(2), 91-100.
- Nurjayadi, M. Y., Munif, A., & Suastika, G. 2015. Identifikasi nematoda puru akar, *Meloidogyne graminicola*, pada tanaman padi di Jawa Barat. *Jurnal Fitopatologi Indonesia*, 11(4), 113-113.
- Palomares-Rius, J. E., Cantalapiedra-Navarrete, C., Archidona-Yuste, A., Subbotin, S. A., & Castillo, P. 2017. The utility of mtDNA and rDNA for barcoding and phylogeny of plant-parasitic nematodes from Longidoridae (Nematoda, Enoplea). *Scientific reports*, 7(1), 10905.
- Pascual, M., Decraemer, W., De Ley, I. T., Vierstraete, A., Steel, H., & Bert, W. 2014. Prevalence and characterization of plant-parasitic nematodes in lowland and upland rice agro-ecosystems in Luzon, Philippines. *Nematropica*, 44(2), 166-180.
- Powers, T. O., & Harris, T. 1993. A polymerase chain reaction method for identification of five major *Meloidogyne* species. *Journal of Nematology*, 25(1), 1.
- Powers, T. O., Mullin, P., Harris, T., Sutton, L., & Higgins, R. 2005. Incorporating molecular identification of *Meloidogyne* spp. into a large-scale regional nematode survey. *Journal of Nematology*, 37(2), 226.
- Qu, W., Shen, Z., Zhao, D., Yang, Y., & Zhang, C. 2009. MFEprimer: multiple factor evaluation of the specificity of PCR primers. *Bioinformatics*, 25(2), 276-278.
- Rahayu, W. P. 2018. *Escherichia coli*: Patogenitas, Analisis dan Kajian Risiko: IPB Press.
- Rusique, L., Maleita, C., Abrantes, I., Palomares-Rius, J. E., & Inácio, M. L. 2021. *Meloidogyne graminicola*—A threat to rice production: Review update on distribution, biology, identification, and management. *Biology*, 10(11), 1163.
- Sari, F. N. I. 2014. Nematoda Parasit Padi Sawah Di Kecamatan Terisi Kabupaten Indramayu.
- Setyawati, R., & Zubaidah, S. 2021. Optimasi konsentrasi primer dan suhu annealing dalam mendeteksi gen leptin pada sapi peranakan ongole (PO) menggunakan polymerase chain reaction (PCR). *Indonesian Journal of Laboratory*, 4(1), 36-40.



- Sharma, H., & Prasad, J. 2010. The rice root-knot nematode, *Meloidogyne graminicola*: an emerging problem in rice-wheat cropping system. *Indian Journal of Nematology*, 40(1), 1-11.
- Shen, Z., Qu, W., Wang, W., Lu, Y., Wu, Y., Li, Z., . . . Zhang, C. 2010. MPprimer: a program for reliable multiplex PCR primer design. *BMC bioinformatics*, 11, 1-7.
- Sipos, R., Székely, A. J., Palatinszky, M., Révész, S., Márialigeti, K., & Nikolausz, M. 2007. Effect of primer mismatch, annealing temperature and PCR cycle number on 16S rRNA gene-targeting bacterial community analysis. *FEMS microbiology ecology*, 60(2), 341-350.
- Sun, L., Zhuo, K., Lin, B., Wang, H., & Liao, J. 2014. The complete mitochondrial genome of *Meloidogyne graminicola* (Tylenchina): a unique gene arrangement and its phylogenetic implications. *PloS one*, 9(6), e98558.
- Tian, Z.-l., Maria, M., Barsalote, E. M., Castillo, P., & Zheng, J.-w. 2018. Morphological and molecular characterization of the rice root-knot nematode, *Meloidogyne graminicola*, Golden and Birchfeild, 1965 occurring in Zhejiang, China. *Journal of integrative agriculture*, 17(12), 2724-2733.
- Yang, L., Tan, Z., Wang, D., Xue, L., Guan, M.-x., Huang, T., & Li, R. 2014. Species identification through mitochondrial rRNA genetic analysis. *Scientific reports*, 4(1), 4089.