

DAFTAR PUSTAKA

- Angsana, Akarapisan., W., Kuenpech., K., Srimai. (2016). Huanglongbing (HLB) incidence on 2-3 years old tangerine trees (*Citrus reticulata*) grown from disease-free nursery stock.. *International Journal of Agricultural Technology*, 12(1):1-9.
- Antonis, Rokas. (2011). Phylogenetic analysis of protein sequence data using the Randomized Axelerated Maximum Likelihood (RAXML) Program. *Current protocols in molecular biology*. doi: 10.1002/0471142727.MB1911S96
- Arora, A. K., Miller, T. A., & Durvasula, R. V. (2020). Transmission of *Pantoea agglomerans*—a paratransgenic control agent—within a *Homalodisca vitripennis* population. *Journal of Applied Entomology*, 144(3), 232-235.
- Boykin LM, DeBarro P, Hall DG, Hunter, McKenzie, Powell, Shatter. (2021). Overview of worldwide diversity of *Diaphorina citri* Kuwayama mitochondrial cytochrome oxidase 1 haplotypes: two Old World lineages and a New World invasion. *Bull Entomol Res* 102:573-582.
- Briansky, R.H., Dewdney, M.M., Rogers, M.E., & Chung, K.R. (2019). 2006 Florida Citrus Pest Management Guide: Huanglongbing (Citrus Greening). *EDIS*.
- Changsong, Gu., Xiangbing, Mao., Daiwen, Chen., Bing, Yu., Qing, Yang. (2019). Isoleucine Plays an Important Role for Maintaining Immune Function. *Current Protein & Peptide Science*, 20(7):644-651. doi: 10.2174/1389203720666190305163135
- Cheryl, A., Kerfeld., Kathleen, M., Scott. (2011). Using BLAST to teach "E-value-tionary" concepts.. *PLOS Biology*, doi: 10.1371/JOURNAL.PBIO.1001014
- Curadi, M., Marchioni, I., Mancino, M., Pistelli, L., Pistelli, L., & Scartazza, A. (2022). Physiological and biochemical adaptive traits in leaves of four citrus species grown in an Italian charterhouse. *Horticulturae*, 8(4), 324.
- Das, A. K., Rao, C. N., George, A., & Chichghare, S. A. (2022). Molecular identification and characterization of the Asian citrus psyllid vector, *Diaphorina citri* (Hemiptera: Psyllidae) and the transmitted Huanglongbing-associated bacterium, *Candidatus Liberibacter asiaticus* in India. *Journal of Plant Pathology*, 104(3), 1097-1110.
- Dewanata, P. A., & Mushlih, M. (2021). Differences in DNA purity test using UV-Vis spectrophotometer and nanodrop spectrophotometer in type 2 diabetes mellitus patients. *Indonesian Journal of Innovation Studies*, 15, 10-21070
- EFSA Panel on Plant Health (PLH), Bragard, C., Dehnen-Schmutz, K., Di Serio, F., Gonthier, P., Jacques, M. A., & MacLeod, A. (2021). Pest categorisation of *Diaphorina citri*. *EFSA Journal*, 19(1), e06357.

- EPPO. (2020). *Diaphorina citri*. EPPO datasheets on pests recommended for regulation.
- Eric, W., Wilberg. (2015). What's in an Outgroup? The Impact of Outgroup Choice on the Phylogenetic Position of *Thalattosuchia* (Crocodylomorpha) and the Origin of Crocodyliformes. *Systematic Biology*, 64(4):621-637. doi: 10.1093/SYSBIO/SYV020
- Fadllan, F., Djuminar, A., Tantan, A., Dermawan, A., & Ernawati, E. (2019). PERBANDINGAN EKSTRAKSI DNA *Salmonella typhi* DARI KULTUR DARAH METODE SPIN COLUMN DAN ALCOHOL BASED. *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 11(2), 232-243.
- Faria, V. G., & Sucena, É. (2015). Novel endosymbioses as a catalyst of fast speciation. *Reticulate Evolution: Symbiogenesis, Lateral Gene Transfer, Hybridization and Infectious Heredity*, 107-120.
- Fellers, P. J. (1985). Citrus: Sensory quality as related to rootstock, cultivar, maturity, and season. In *Evaluation of Quality of Fruits and Vegetables* (pp. 83-128). Boston, MA: Springer US.
- Ferrarini., Agnès, Vallier., Elisa, Dell'Aglia., Séverine, Balmand., Carole, Vincent-Monégat., Mériem, Debbache., Justin, Maire., Nicolas, Parisot., Anna, Zaidman-Rémy., Abdelaziz, Heddi., Rita, Rebollo. (2023). Endosymbiont-containing germarium transcriptional survey in a cereal weevil depicts downregulation of immune effectors at the onset of sexual maturity. *Frontiers in Physiology*. doi: 10.3389/fphys.2023.1142513
- Foda, Y. L., Wibowo, L., Lestari, P., & Hasibuan, R. (2021). Inventarisasi dan intensitas serangan hama tanaman jeruk (*Citrus sinensis* L.) di Kecamatan Sekampung Udik Kabupaten Lampung Timur. *Jurnal Agrotek Tropika*, 9(3), 367-376.
- Gautam, B., Singh. (2015). Multiple Sequence Alignment. doi: 10.1007/978-3-319-11403-3_7
- Gérard, Leboulle. (2013). Glutamate Neurotransmission and Appetitive Olfactory Conditioning in the Honeybee. *Handbook of Behavioral Neuroscience* doi: 10.1016/B978-0-12-415823-8.00034-4
- Guz, N., Arshad, M., Cagatay, N. S., & Dageri, A. (2020). High prevalence of *Pantoea* in *Diaphorina citri* (Hemiptera: Liviidae): vector of citrus huanglongbing disease. *Current Microbiology*, 77(8), 1525-1531.
- Hasegawa, M., Kishino, H., & Yano, T. A. (1985). Dating of the human-ape splitting by a molecular clock of mitochondrial DNA. *Journal of molecular evolution*, 22, 160-174.
- Hopper, K. R., Kuhn, K. L., Lanier, K., Rhoades, J. H., Oliver, K. M., White, J. A., ... & Heimpel, G. E. (2018). The defensive aphid symbiont *Hamiltonella defensa* affects host

- quality differently for *Aphelinus glycinis* versus *Aphelinus atriplicis*. *Biological Control*, 116, 3-9.
- Isidro, Elías, Suárez, Padrón., Cristian, Alvarez, Correa., Claudia, Marcela, Lopez, Diaz. (2022). Propagation of “Valencia” orange (*Citrus x sinensis* Osbeck) by minigraft. *Revista Facultad Nacional de Agronomía Medellín*, doi: 10.15446/rfnam.v75n3.99339
- Jon, Bohlin., Brittany, Rose., Brittany, Rose., John, H.-O., Pettersson., John, H.-O., Pettersson. (2019). Estimation of AT and GC content distributions of nucleotide substitution rates in bacterial core genomes. 4(1):1-11. doi: 10.1186/S41044-019-0042-7
- Kehlmaier, C., Michalko, R., & Korenko, S. (2012, June). *Ogcodes fumatus* (Diptera: Acroceridae) reared from *Philodromus cespitum* (Araneae: Philodromidae), and first evidence of *Wolbachia* Alphaproteobacteria in Acroceridae. In *Annales Zoologici* (Vol. 62, No. 2, pp. 281-286). Museum and Institute of Zoology, Polish Academy of Sciences.
- Kenji, K., Kojima., Ichizo, Kobayashi. (2023). Base-excision restriction enzymes: expanding the world of epigenetic immune systems. *DNA Research*, doi: 10.1093/dnares/dsad009
- Lorenzi, A. S., Bonatelli, M. L., Chia, M. A., Peressim, L., & Quecine, M. C. (2022). Opposite sides of *Pantoea agglomerans* and its associated commercial outlook. *Microorganisms*, 10(10), 2072.
- Madavi, P., Totawar, M.V., & Mane, S.S. (2020). In-Vitro Efficacy Antibiotics amongst the Isolates of *Xanthomonas axonopodis* pv. *citri*. *International Journal of Current Microbiology and Applied Sciences*, 9, 3494-3505.
- Madden, T. (2013). The BLAST sequence analysis tool. *The NCBI handbook*, 2(5), 425-436.
- McNeill, M.R., Richards, N.K., White, J.A., & Laugraud, A. (2014). Hidden arsenal: endosymbionts in arthropods, their role and possible implications for biological control success. *New Zealand Plant Protection*, 67, 204-212.
- Moran, N. A. (2021). Microbe Profile: *Buchnera aphidicola*: Ancient aphid accomplice and endosymbiont exemplar. *Microbiology*, 167(12), 001127.
- Muhammad, Mar'ie. 2020. STATUS TERKINI HAMA PENGGEREK BUAH KOPI *Hypothenemus hampei* Ferrari (COLEOPTERA: SCOLYTIDAE). Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.
- Nakabachi, A., Malenovský, I., Gjonov, I., & Hirose, Y. (2020). 16S rRNA sequencing detected *Liberibacter*, *Wolbachia*, and *Diplo Rickettsia* from relatives of the *Asian citrus psyllid*. *Microbial ecology*, 80, 410-422.

- Nina, Vidergar., Nataša, Toplak., Matjaž, Kuntner. (2014). Streamlining DNA barcoding protocols: automated DNA extraction and a new cox1 primer in arachnid systematics.. PLOS ONE, doi: 10.1371/JOURNAL.PONE.0113030
- Nurhadi, N. (2015). Penyakit Huanglongbing Tanaman Jeruk (Candidatus Liberibacter Asiaticus): Ancaman Dan Strategi Pengendalian. *Pengembangan Inovasi Pertanian*, 8(1), 30895.
- Pal, N., Block, C. C., & Gardner, C. A. (2019). A real-time PCR differentiating *Pantoea stewartii* subsp. *stewartii* from *P. stewartii* subsp. *indologenes* in Corn Seed. *Plant disease*, 103(7), 1474-1486.
- Putri, C. R., Kusumaningrum, H. P., & Kusdiyantini, E. (2016). Keragaman Genetik Jahe (*Zingiber officinale* Roscoe) menggunakan Teknik Penanda Molekuler Random Amplified Polymorphic DNA (RAPD). *Jurnal Akademika Biologi*, 5(2), 87-97.
- Ramadhan, T. H., Trisyono, Y. A., Mahrub, E., Wijonarko, A., Subandiyah, S., & Beattie, G. A. C. (2008). Pengaruh Jenis Mangsa dan Suhu pada Perkembangan *Menochilus sexmaculatus* Fabricius (Coleoptera: Coccinellidae) dan Peranannya dalam Pengendalian *Diaphorina citri* Kuwayama (Hemiptera: Psyllidae). *Jurnal Perlindungan Tanaman Indonesia*, 14(1), 29-34.
- Rao, Q., & Wu, H. (2014). [Advances in insect obligate endosymbionts and their genomes--a review]. *Wei sheng wu xue bao = Acta microbiologica Sinica*, 54 7, 728-36.
- Ren, S. L., Li, Y. H., Ou, D., Guo, Y. J., Qureshi, J. A., Stansly, P. A., & Qiu, B. L. (2018). Localization and dynamics of *Wolbachia* infection in Asian citrus psyllid *Diaphorina citri*, the insect vector of the causal pathogens of Huanglongbing. *MicrobiologyOpen*, 7(3), e00561.
- Robinson, R. K. (2014). *Encyclopedia of food microbiology*. Academic press.
- Rogers, M. E., & Stansly, P. A. (2012). Biology and Management of the Asian Citrus Psyllid, *Diaphorina citri* Kuwayama, in Florida Citrus1.
- Shahab, N. H., Abed, S. M., & Salih, M. H. (2023). Molecular identification and detection of some virulence and antibiotic genes in *Pantoea* spp. isolated from clinical samples. *Biomedicine*, 43(02), 742-747.
- Sharma, P., Kobayashi, dan Tsuyoshi. 2014. Are “universal” DNA primers really universal?. *Journal of Applied Genetics* 55(4): 485-496.
- Simone, J.C.F.M., Moorlag, J., P., Coolen., Jochem, B., Buil., Heiman, F., L., Wertheim., Willem, J., G., Melchers. (2023). Targeting the 16S rRNA Gene by Reverse Complement PCR Next-Generation Sequencing: Specific and Sensitive Detection and

Identification of Microbes Directly in Clinical Samples. Microbiology spectrum, doi: 10.1128/spectrum.04483-22

- Steve, Lefever., Filip, Pattyn., Jan, Hellemans., Jo, Vandesompele. (2013). Single-Nucleotide Polymorphisms and Other Mismatches Reduce Performance of Quantitative PCR Assays. Clinical Chemistry, doi: 10.1373/CLINCHEM.2013.203653
- Tamura, K. (1992). Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G⁺ C-content biases. *Mol Biol Evol*, 9(4), 678-687.
- Weller-Stuart, T., De Maayer, P., & Coutinho, T. (2017). *Pantoea ananatis*: genomic insights into a versatile pathogen. *Molecular plant pathology*, 18(9), 1191-1198.
- Yuwono, T. (2019). Biologi Molekuler. Erlangga
- Zainun, Z., & Yuniati, S. (2021). The Influence of Vegetative Propagation Model on the Growth of Cultivar Plant Seedlings (*Citrus reticulata*): Pengaruh Model Perbanyakan Vegetatif Terhadap Pertumbuhan Bibit Tanaman Cultivar Jeruk Siompu (*Citrus reticulata*). *Jurnal Agriyan: Jurnal Agroteknologi Unidayan*, 7(2), 36-42.
- Zayin, Sukri., Hariyono, Rakhmad. (2016). Sistem Pakar Diagnosis Hama dan Penyakit Tanaman Jeruk Menggunakan Metode Euclidean Distance. 1(2) doi: 10.32528/JUSTINDO.V1I2.573