

## DAFTAR PUSTAKA

- [1] J. Lei, J. Yang, and E.-H. Yang, “Energy performance of building envelopes integrated with phase change materials for cooling load reduction in tropical Singapore,” *Applied Energy*, vol. 162, pp. 207–217, Jan. 2016, doi: 10.1016/j.apenergy.2015.10.031.
- [2] N. Nasruddin, A. Alam, and M. Sohel, “Optimization of the Building Envelope and Roof Shading to Reduce the Energy Consumption of College Low-Rise Buildings in Indonesia,” *Makara Journal of Technology*, vol. 27, no. 3, Dec. 2023, doi: 10.7454/mst.v27i3.1435.
- [3] A. Synnefa, M. Santamouris, and H. Akbari, “Estimating the effect of using cool coatings on energy loads and thermal comfort in residential buildings in various climatic conditions,” *Energy and Buildings*, vol. 39, no. 11, pp. 1167–1174, Nov. 2007, doi: 10.1016/j.enbuild.2007.01.004.
- [4] B. Yuniasih, W. N. Harahap, and D. A. S. Wardana, “Anomali Iklim El Nino dan La Nina di Indonesia pada 2013-2022,” *AGROISTA: Jurnal Agroteknologi*, vol. 6, no. 2, Art. no. 2, 2022, doi: 10.55180/agi.v6i2.332.
- [5] M. Arsyad, F. Fitriani, V. A. Tiwow, P. Palloan, S. Sulistiawaty, and A. Susanto, “The Effects of El Nino Southern Oscillation on Rainfall in the Karst Area of Maros, National Park Bantimurung Bulusaraung South Sulawesi and its Impact on Flood Disasters,” *Jurnal Ilmu Lingkungan*, vol. 21, no. 4, pp. 772–780, Sep. 2023, doi: 10.14710/jil.21.4.772-780.
- [6] C. A. Diaz and P. Osmond, “Influence of Rainfall on the Thermal and Energy Performance of a Low Rise Building in Diverse Locations of the Hot Humid Tropics,” *Procedia Engineering*, vol. 180, pp. 393–402, Jan. 2017, doi: 10.1016/j.proeng.2017.04.198.
- [7] M. Kamaruddin, “Investigation of the impact of building orientation on cooling loads in an office building in the tropical climate,” vol. 1, pp. 35–43, Jul. 2021.
- [8] A. Setyawan, “EFFECT OF ROOM TEMPERATURE SETTING ON THE COOLING LOAD, SUPPLY AIR QUANTITY, AND APPARATUS DEW POINT,” vol. 15, 2020.
- [9] H. Wu, D. Wang, Y. Liu, and Y. Wang, “Study on the effect of building envelope on cooling load and life-cycle cost in low latitude and hot-humid



climate,” *Procedia Engineering*, vol. 205, pp. 975–982, Jan. 2017, doi: 10.1016/j.proeng.2017.10.153.

[10] G. Bekdaş, Y. Aydın, Ü. Isıkdağ, A. N. Sadeghifam, S. Kim, and Z. W. Geem, “Prediction of Cooling Load of Tropical Buildings with Machine Learning,” *Sustainability*, vol. 15, no. 11, Art. no. 11, Jan. 2023, doi: 10.3390/su15119061.

[11] ADKIYA, “Analisis Pengaruh Bentuk Selubung Bangunan dan Arah Hadap Bangunan Terhadap Beban Pendinginan,” Universitas Gadjah Mada, 2021. Accessed: Jul. 24, 2024. [Online]. Available: <https://etd.repository.ugm.ac.id/penelitian/detail/195213>

[12] P. Wang, G. Gong, Y. Zhou, and B. Qin, “A Simplified Calculation Method for Building Envelope Cooling Loads in Central South China,” *Energies*, vol. 11, no. 7, Art. no. 7, Jul. 2018, doi: 10.3390/en11071708.

[13] R. G. R. N. K. Ariyaratne, H. P. Karunathilake, and H. K. G. Punchihewa, “Effect of envelope energy performance enhancement strategies on building energy loads: Case study for a tropical institutional building,” in *2022 Moratuwa Engineering Research Conference (MERCon)*, Jul. 2022, pp. 1–6. doi: 10.1109/MERCon55799.2022.9906180.

[14] W. P. Wicaksono, “ANALISIS PENGARUH GEOMETRI DAN ORIENTASI BANGUNAN TERHADAP BEBAN PENDINGINAN PADA 34 PROVINSI DI INDONESIA,” Universitas Gadjah Mada, 2020. Accessed: Jul. 24, 2024. [Online]. Available: <https://etd.repository.ugm.ac.id/penelitian/detail/191160>

[15] A. Zhang, R. Bokel, A. Van den Dobbelsteen, Y. Sun, Q. Huang, and Q. Zhang, “The Effect of Geometry Parameters on Energy and Thermal Performance of School Buildings in Cold Climates of China,” *Sustainability*, vol. 9, no. 10, Art. no. 10, Oct. 2017, doi: 10.3390/su9101708.

[16] B. Raji, M. J. Tenpierik, and A. Van den Dobbelsteen, “Early-Stage Design Considerations for the Energy-Efficiency of High-Rise Office Buildings,” *Sustainability*, vol. 9, no. 4, Art. no. 4, Apr. 2017, doi: 10.3390/su9040623.

[17] W. S. S. W. M. Rashdi and M. R. Embi, “Analysing Optimum Building form in Relation to Lower Cooling Load,” *Procedia - Social and Behavioral Sciences*, vol. 222, pp. 782–790, Jun. 2016, doi: 10.1016/j.sbspro.2016.05.161.

[18] A. Al-janabi, M. Kavgic, A. Mohammadzadeh, and A. Azzouz, “Comparison of EnergyPlus and IES to model a complex university building using three scenarios: Free-floating, ideal air load system, and detailed,”



*Journal of Building Engineering*, vol. 22, pp. 262–280, Mar. 2019, doi: 10.1016/j.jobe.2018.12.022.

[19] D. Zhu, T. Hong, D. Yan, and C. Wang, “A detailed loads comparison of three building energy modeling programs: EnergyPlus, DeST and DOE-2.1E,” *Build. Simul.*, vol. 6, no. 3, pp. 323–335, Sep. 2013, doi: 10.1007/s12273-013-0126-7.

[20] O. Bothe, *What Even Is “Climate”?* 2018. doi: 10.31223/osf.io/8ge9s.

[21] S. B. Sipayung, L. Q. Avia, B. D. Dasanto, and - Sutikno, “ANALISIS POLA CURAH HUJAN INDONESIA BERBASIS LUARAN MODEL SIRKULASI GLOBAL (GCM),” *Jurnal Sains Dirgantara*, vol. 4, no. 2, Art. no. 2, Oct. 2010, Accessed: Aug. 23, 2024. [Online]. Available: [https://jurnal.lapan.go.id/index.php/jurnal\\_sains/article/view/669](https://jurnal.lapan.go.id/index.php/jurnal_sains/article/view/669)

[22] D. E. Nuryanto, “KARAKTERISTIK CURAH HUJAN ABAD 20 DI JAKARTA BERDASARKAN KEJADIAN IKLIM GLOBAL,” *Jurnal Meteorologi dan Geofisika*, vol. 14, no. 3, Dec. 2013, doi: 10.31172/jmg.v14i3.165.

[23] I. W. A. Yuda, T. Osawa, M. Nagai, and R. Prasetya, “The Regionalization of Indonesian Maritime Continent Rainfall based on Integrated Multi-satellite Retrievals for GPM (IMERG),” *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 893, no. 1, p. 012065, Nov. 2021, doi: 10.1088/1755-1315/893/1/012065.

[24] A. Mulsandi, Y. Koesmaryono, R. Hidayat, A. Faqih, and A. Sopaheluwakan, “On The Interannual Variability of Indonesian Monsoon Rainfall (IMR): A Literature Review of The Role of its External Forcing,” *Jurnal Meteorologi dan Geofisika*, vol. 24, no. 2, pp. 115–127, 2023, doi: 10.31172/jmg.v24i2.1049.

[25] R. Ramadhan, M. Marzuki, W. Suryanto, S. Sholihun, H. Yusnaini, and R. Muharsyah, “Rainfall variability in Indonesia new capital associated with the Madden-Julian Oscillation and its contribution to flood events,” *Quaternary Science Advances*, vol. 13, p. 100163, Jan. 2024, doi: 10.1016/j.qsa.2024.100163.

[26] R. Salmayenti, “Prediksi Curah Hujan Bulanan menggunakan Teknik Jaringan Syaraf Tiruan,” 2014, Accessed: Aug. 25, 2024. [Online]. Available: <http://repository.ipb.ac.id/handle/123456789/131030>

[27] S. Parwati, “Karakteristik pola curah hujan di wilayah Indonesia berdasarkan data Satelit TRMM (1998-2011).,” W. Ketut and F. Y. Lissa, Eds., Bandung: Pusat Penginderaan Jauh, Institut Teknologi Bandung, 2015, pp. 2–



21. Accessed: Aug. 25, 2024. [Online]. Available: <https://karya.brin.go.id/id/eprint/14079/>
- [28] H. E. Beck, N. E. Zimmermann, T. R. McVicar, N. Vergopolan, A. Berg, and E. F. Wood, “Present and future Köppen-Geiger climate classification maps at 1-km resolution,” *Sci Data*, vol. 5, no. 1, p. 180214, Oct. 2018, doi: 10.1038/sdata.2018.214.
- [29] H. K. Jabbar, M. N. Hamoodi, and A. N. Al-Hameedawi, “Urban heat islands: a review of contributing factors, effects and data,” *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 1129, no. 1, p. 012038, Jan. 2023, doi: 10.1088/1755-1315/1129/1/012038.
- [30] M. Nuruzzaman, “Urban Heat Island: Causes, Effects and Mitigation Measures -A Review,” *International Journal of Environmental Monitoring and Analysis*, vol. 3, pp. 67–73, Mar. 2015, doi: 10.11648/j.ijema.20150302.15.
- [31] Y. Prasetyo and F. Nabilah, “Pattern Analysis of El Nino and La Nina Phenomenon Based on Sea Surface Temperature (SST) and Rainfall Intensity using Oceanic Nino Index (ONI) in West Java Area,” *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 98, no. 1, p. 012041, Dec. 2017, doi: 10.1088/1755-1315/98/1/012041.
- [32] M. Sidauruk, H. J. R. Saragih, S. T. Utomo, P. Widodo, and K. Kusuma, “Rainfall Variability in East Kalimantan from Impact of El Nino and La Nina for Effort Disaster Prevention to Support National Security,” *International Journal of Progressive Sciences and Technologies*, vol. 38, no. 2, Art. no. 2, May 2023, doi: 10.52155/ijpsat.v38.2.5341.
- [33] E. S. P. Wulandari and Rantifa Eka Agustira, “Pengaruh El Nino terhadap Tinggi Gelombang di Perairan Lampung dan Selat Bangka pada Tahun 2023,” *Buletin Meteorologi, Klimatologi, dan Geofisika*, vol. 1, no. 1, pp. 1–5, 2023.
- [34] L. Pérez-Lombard, J. Ortiz, and C. Pout, “A review on buildings energy consumption information,” *Energy and Buildings*, vol. 40, no. 3, pp. 394–398, Jan. 2008, doi: 10.1016/j.enbuild.2007.03.007.
- [35] A. Allouhi, Y. El Fouih, T. Kousksou, A. Jamil, Y. Zeraouli, and Y. Mourad, “Energy consumption and efficiency in buildings: current status and future trends,” *Journal of Cleaner Production*, vol. 109, pp. 118–130, Dec. 2015, doi: 10.1016/j.jclepro.2015.05.139.
- [36] M. Sajjad *et al.*, “Towards Efficient Building Designing: Heating and Cooling Load Prediction via Multi-Output Model,” *Sensors*, vol. 20, no. 22, Art. no. 22, Jan. 2020, doi: 10.3390/s20226419.



[37] Chairani, S. Sulistyono, and Widyawan, “Cooling Load Estimation in the Building Based On Heat Sources,” *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 63, no. 1, p. 012052, May 2017, doi: 10.1088/1755-1315/63/1/012052.

[38] *2017 ASHRAE Handbook: Fundamentals*. American Society of Heating, Refrigerating and Air-Conditioning Engineers, 2017.

[39] M. Çolak, Y. Kaya, and S. Ünal, “Comparison of Cooling Loads of a Building in the Site with Heat Balance and Radiation Time Series Methods and Computer Aided Analysis,” *Energy, Environment and Storage*, vol. 4, pp. 25–31, Jan. 2024, doi: 10.52924/PODW1839.

[40] X. Q. Li, Y. Chen, J. D. Spitler, and D. Fisher, “Applicability of calculation methods for conduction transfer function of building constructions,” *International Journal of Thermal Sciences*, vol. 48, no. 7, pp. 1441–1451, Jul. 2009, doi: 10.1016/j.ijthermalsci.2008.11.006.

[41] *Konservasi energi selubung bangunan pada bangunan gedung*, SNI 6389:2020, Dec. 30, 2020.

[42] C. Far and H. Far, “Improving energy efficiency of existing residential buildings using effective thermal retrofit of building envelope,” *Indoor and Built Environment*, vol. 28, pp. 744–760, Jun. 2019, doi: 10.1177/1420326x18794010.

[43] F. Kheiri, “A review on optimization methods applied in energy-efficient building geometry and envelope design,” *Renewable and Sustainable Energy Reviews*, vol. 92, pp. 897–920, Sep. 2018, doi: 10.1016/j.rser.2018.04.080.

[44] M. Alwetaishi and A. Elamary, “Impact of building shape on indoor building performance combined with cost of structure,” vol. 11, pp. 8622–8630, Jan. 2016.

[45] H. S. Lim and G. Kim, “Analysis of Energy Performance on Envelope Ratio Exposed to the Outdoor,” *Advances in Civil Engineering*, vol. 2018, no. 1, p. 7483619, 2018, doi: 10.1155/2018/7483619.

[46] Z. Ghasemi Sangi, A. Tarkashvand, and H. Sanaeian, “Investigation of the Height Distribution Effect of Residential Complex Blocks on Optimization of Cooling and Heating Loads (Tehran, District 9),” *Journal of Renewable Energy and Environment*, vol. 10, no. 3, pp. 1–12, Aug. 2023, doi: 10.30501/jree.2022.344678.1380.

[47] S. Mirrahimi, M. F. Mohamed, L. C. Haw, N. L. N. Ibrahim, W. F. M. Yusoff, and A. Aflaki, “The effect of building envelope on the thermal comfort and energy saving for high-rise buildings in hot-humid climate,” *Renewable*



and *Sustainable Energy Reviews*, vol. 53, pp. 1508–1519, Jan. 2016, doi: 10.1016/j.rser.2015.09.055.

[48] R. M. Omar and S. F. K. Rehumaan, “Preliminary Study to Show the Effect of Building Envelope Materials on Thermal Comfort of Buildings Located in Hot Humid Climate,” *World Journal of Engineering and Technology*, vol. 10, no. 2, Art. no. 2, Mar. 2022, doi: 10.4236/wjet.2022.102017.

[49] M. S. Hidayat, “Studi Overall Thermal Transfer Value (OTTV) di Gedung Kampus Universitas,” *Metrik Serial Teknologi dan Sains*, vol. 3, no. 2, Art. no. 2, Sep. 2022, doi: 10.51616/teksi.v3i2.344.

[50] Y. Priyambodo, “Simulasi Beban Termal dan Analisis Energi pada Desain Gedung Manufacturing Research Center FT-UI dengan Sistem Tata Udara Packaged Terminal Air Conditioner dan Fan Coil Unit Menggunakan EnergyPlus,” Universitas Indonesia, Depok, 2011. [Online]. Available: <https://lib.ui.ac.id/detail?id=20292685&lokasi=lokal>

[51] “EnergyPlus™ Version 24.1.0 Documentation.” U.S. Department of Energy, Mar. 28, 2024. [Online]. Available: [https://energyplus.net/assets/nrel\\_custom/pdfs/pdfs\\_v24.1.0/GettingStarted.pdf](https://energyplus.net/assets/nrel_custom/pdfs/pdfs_v24.1.0/GettingStarted.pdf)

[52] C. Ravichandran and P. Gopalakrishnan, “Estimating cooling loads of Indian residences using building geometry data and multiple linear regression,” *Energy and Built Environment*, vol. 5, no. 5, pp. 741–771, Oct. 2024, doi: 10.1016/j.enbenv.2023.06.003.

[53] J. Li, B. Zheng, K. B. Bedra, Z. Li, and X. Chen, “Evaluating the Effect of Window-to-Wall Ratios on Cooling-Energy Demand on a Typical Summer Day,” *Int J Environ Res Public Health*, vol. 18, no. 16, p. 8411, Aug. 2021, doi: 10.3390/ijerph18168411.

(IEA) International Energy Agency. *Southeast Asia Energy Outlook 2015*. Paris, International Energy Agency, 2015.

