

DAFTAR PUSTAKA

- ACOG, 2021. Pharmacologic Stepwise Multimodal Approach for Postpartum Pain Management: ACOG Clinical Consensus No. 1. *Obstetrics & Gynecology*, **138**: 507–517.
- Aminoshariae, A. dan Khan, A., 2015. Acetaminophen: Old Drug, New Issues. *Journal of Endodontics*, **41**: 588–593.
- Anderson, P.O., Manoguerra, A.S., dan Valdés, V., 2016. A Review of Adverse Reactions in Infants From Medications in Breastmilk. *Clinical Pediatrics*, **55**: 236–244.
- Azizah, L., Sastrawan, dan Setiawan, S., 2022. The Correlation of Mother's Age with Types of Labor on Maternity Mothers in Patut Patuh Patju West Lombok Hospital. *Science Midwifery*, **10**: 2313–2320.
- Barbanoj, M.-J., Antonijoan, R.-M., dan Gich, I., 2001. Clinical Pharmacokinetics of Dexketoprofen: *Clinical Pharmacokinetics*, **40**: 245–262.
- Barbanoj, M.J., Gich, I., Artigas, R., Tost, D., Moros, C., Antonijoan, R.M., dkk., 1998. Pharmacokinetics of Dexketoprofen Trometamol in Healthy Volunteers After Single and Repeated Oral Doses. *The Journal of Clinical Pharmacology*, **38**: 33S-40S .
- Bhatia, N., Jain, K., Kumari, K., Ashok, V., Dhir, A., dan Kumar, M., 2023. Opioid-Sparing Post-Cesarean Analgesia Using Intravenous Diclofenac-Acetaminophen Combination: A Prospective, Randomized Clinical Trial. *Journal of Obstetric Anaesthesia and Critical Care*, **13**: 65–70.
- Bollag, L., Lim, G., Sultan, P., Habib, A.S., Landau, R., Zakowski, M., dkk., 2021. Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. *Anesthesia & Analgesia*, **132**: 1362–1377.
- Borges, N.D.C., Pereira, L.V., Moura, L.A.D., Silva, T.C., dan Pedroso, C.F., 2016. Predictors for Moderate to Severe Acute Postoperative Pain after Cesarean Section. *Pain Research and Management*, **2016**: 1–6.
- Carvalho Borges, N., Costa E Silva, B., Fortunato Pedroso, C., Cavalcante Silva, T., Silva Ferreira Tatagiba, B., dan Varanda Pereira, L., 2017. Dor pós-operatória em mulheres submetidas à cesariana. *Enfermería Global*, **16**: 354.
- Caughey, A.B., Wood, S.L., Macones, G.A., Wrench, I.J., Huang, J., Norman, M., dkk., 2018. Guidelines for intraoperative care in cesarean delivery:

Enhanced Recovery After Surgery Society Recommendations (Part 2).
American Journal of Obstetrics and Gynecology, **219**: 533–544.

Ceyhan, D., Bilir, A., dan Gulec, M.S., 2017. Evaluation of the Analgesic Efficacy of Dexketoprofen Added to Paracetamol. *Turkish Journal of Anesthesia and Reanimation*, **44**: 312–316.

Chou, R., Gordon, D.B., De Leon-Casasola, O.A., Rosenberg, J.M., Bickler, S., Brennan, T., dkk., 2016. Management of Postoperative Pain: A Clinical Practice Guideline From the American Pain Society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists' Committee on Regional Anesthesia, Executive Committee, and Administrative Council. *The Journal of Pain*, **17**: 131–157.

Cobby, T.F., Crighton, I.M., Kyriakides, K., dan Hobbs, G.J., 1999. Rectal paracetamol has a significant morphine-sparing effect after hysterectomy. *British Journal of Anaesthesia*, **83**: 253–256.

Colvin, J.R. dan Peden, C. (Editor), 2012. Raising the Standard: A Compendium of Audit Recipes for Continuous Quality Improvement in Anaesthesia, 3rd edition. *Royal College of Anaesthetists*, London. 227–228.

Dinakar, P. dan Stillman, A.M., 2016. Pathogenesis of Pain. *Seminars in Pediatric Neurology*, **23**: 201–208.

DiPiro, J.T. (Editor), 2020. Pharmacotherapy: A Pathophysiologic Approach, Eleventh edition. *McGraw Hill Medical*, New York. 2815–2820.

Gorkem, U., Togrul, C., Sahiner, Y., Yazla, E., dan Gungor, T., 2016. Preoperative anxiety may increase postcesarean delivery pain and analgesic consumption. *Minerva Anestesiologica*, **82**(9):974–80.

Gupta, N., Gupta, S., Agarwal, A., Agarwal, S., dan Mahto, R., 2016. A comparison of visual analog scale and Wong Baker facial pain scale for pain measurement in post lower caesarean section case. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, **5**(9):3032–3035.

Hanna, M. dan Moon, J.Y., 2019. A review of dexketoprofen trometamol in acute pain. *Current Medical Research and Opinion*, **35**: 189–202.

Hendrickson, R.G. dan McKeown, N.J., 2012. Is maternal opioid use hazardous to breast-fed infants? *Clinical Toxicology*, **50**: 1–14.

Hussen, I., Worku, M., Geleta, D., Mahamed, A.A., Abebe, M., Molla, W., dkk., 2022. Post-operative pain and associated factors after cesarean section at Hawassa University Comprehensive Specialized Hospital, Hawassa,

Ethiopia: A cross-sectional study. *Annals of Medicine & Surgery*, **81**: (2022) 104321.

Ikawati, Z. dan Anurogo, D., 2018. *Tatalaksana terapi penyakit sistem syaraf pusat*. Yogyakarta. 27-36.

Ip, H.Y.V., Abrishami, A., Peng, P.W.H., Wong, J., dan Chung, F., 2009. Predictors of Postoperative Pain and Analgesic Consumption. *Anesthesiology*, **111**: 657–677.

Ismail, S., 2012. What is new in postoperative analgesia after caesarean sections? *Intensive Care*, **16**(2): 123-26 .

Ituk, U. dan Habib, A.S., 2018. Enhanced recovery after cesarean delivery. *F1000Research*, **7**: 513.

Jacqz-Aigrain, E., Serreau, R., Boissinot, C., Popon, M., Sobel, A., Michel, J., dkk., 2007. Excretion of Ketoprofen and Nalbuphine in Human Milk During Treatment of Maternal Pain After Delivery. *Therapeutic Drug Monitoring*, **29**: 815–818.

Jasim, H.H., 2017. Factors Affecting Post Caesarean Pain Intensity among Women in the Northern Peninsular of Malaysia. *Journal of Clinical and Diagnostic Research*, .

Jin, J., Peng, L., Chen, Q., Zhang, D., Ren, L., Qin, P., dkk., 2016. Prevalence and risk factors for chronic pain following cesarean section: a prospective study. *BMC Anesthesiology*, **16**: 99.

Juul, R.V., Nyberg, J., Lund, T.M., Rasmussen, S., Kreilgaard, M., Christrup, L.L., dkk., 2016. A Pharmacokinetic-Pharmacodynamic Model of Morphine Exposure and Subsequent Morphine Consumption in Postoperative Pain. *Pharmaceutical Research*, **33**: 1093–1103.

Kehlet, H. dan Dahl, J.B., 1993. The Value of Multimodal or Balanced Analgesia in Postoperative Pain Treatment: *Anesthesia & Analgesia*, **77**: 1048-1056.

Kerai, S., Saxena, K., dan Taneja, B., 2017. Post-caesarean analgesia: What is new? *Indian Journal of Anaesthesia*, **61**: 200.

Koda-Kimble, M.A. dan Young, L.Y., 2013. *Applied Therapeutics: The Clinical Use of Drugs*, Tenth edition. ed. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia. 184-198.

Lemeshow, S., 1990. *Adequacy of Sample Size in Health Studies*. John Wiley & Sons Ltd., England. 352-367

- Macones, G.A., Caughey, A.B., Wood, S.L., Wrench, I.J., Huang, J., Norman, M., dkk., 2019. Guidelines for postoperative care in cesarean delivery: Enhanced Recovery After Surgery (ERAS) Society recommendations (part 3). *American Journal of Obstetrics and Gynecology*, **221**: 247.e1-247.e9.
- Marfuah, D., Nurhayati, N., Mutiar, A., Sumiati, M., dan Mardiani, R., 2019. Pain Intensity among Women with Post-Caesarean Section: A Descriptive Study. *KnE Life Sciences*, 657–663.
- Marret, E., 2005. Effects of Nonsteroidal Antiinflammatory Drugs on Patient-controlled Analgesia Morphine Side Effects. *American Society of Anesthesiologists*. **102**:1249 – 60 .
- Mauleón, D., Artigas, R., García, M.L., dan Carganico, G., 1996. Preclinical and Clinical Development of Dexketoprofen. 12 October 2012, **52**: 24–46.
- Mazario, J., Roza, C., dan Herrero, J.F., 1999. The NSAID dexketoprofen trometamol is as potent as m-opioids in the depression of wind-up and spinal cord nociceptive reflexes in normal rats. *Brain Research*. **816**:512–517
- Miranda, H.F., Silva, E., dan Pinardi, G., 2004. Synergy between the antinociceptive effects of morphine and NSAIDs. *Canadian Journal of Physiology and Pharmacology*, **82**: 331–338.
- Moore, R.A. dan Barden, J., 2008. Systematic review of dexketoprofen in acute and chronic pain. *BMC Clinical Pharmacology*, **8**: 11.
- Mullman, L., Hilden, P., Goral, J., Gwacham, N., Tauro, C., Spinola, K., dkk., 2020. Improved Outcomes With an Enhanced Recovery Approach to Cesarean Delivery. *Obstetrics & Gynecology*, **136**: 685–691.
- Myles, P.S., Myles, D.B., Gallagher, W., Boyd, D., Chew, C., MacDonald, N., dkk., 2017. Measuring acute postoperative pain using the visual analog scale: the minimal clinically important difference and patient acceptable symptom state. *British Journal of Anaesthesia*, **118**: 424–429.
- Ogunkua, O. dan Duryea, E.L., 2021. Enhanced Recovery After Cesarean. *Obstetrics Peer-Reviewed*, 16–19.
- Patel, K. dan Zakowski, M., 2021. Enhanced Recovery After Cesarean: Current and Emerging Trends. *Current Anesthesiology Reports*, **11**: 136–144.
- Prawirohardjo, S., 2010. *Ilmu kebidanan*, 4th ed. Jakarta. **4**.
- Rawal, N., 2018. *Postoperative Pain Manajement-Good Clinical Practice*. European Society of Regional Anaesthesia and Pain Therapy, Orebro university, Sweden. SE-701 85.

- Robinson, H.S., Veierød, M.B., Mengshoel, A.M., dan Vøllestad, N.K., 2010. RPeeselavrchicartgiclierdle pain - associations between risk factors in early pregnancy and disability or pain intensity in late pregnancy: a prospective cohort study. *BMC Musculoskeletal Disorders*. **11**:91
- Swegle, J.M. dan Logemann, C., 2006. Management of Common Opioid-Induced Adverse Effects. *American Academy of Family Physicians*. **74**: 1347-1354.
- Taneja, A., Kaur, T., dan Sood, I.V., 2015. Comparative Study on The Effect of Paracetamol, Diclofenac and their Combination in Post Operative Pain Relief of Cesarean Section. *JK Science*. **17**: 30-32.
- Ünal, Ç., Çakan, T., Baltacı, B., dan Başar, H., 2013. Comparison of analgesic efficacy of intravenous Paracetamol and intravenous dexketoprofen trometamol in multimodal analgesia after hysterectomy. *Journal of Research in Medical Sciences*, **102**:1249 – 60.
- Valentine, A.R., Carvalho, B., Lazo, T.A., dan Riley, E.T., 2015. Scheduled acetaminophen with as-needed opioids compared to as-needed acetaminophen plus opioids for post-cesarean pain management. *International Journal of Obstetric Anesthesia*, **24**: 210–216.
- Venkateswaran, D.R., 2006. Management of Postoperative Pain. *Indian Journal of Anaesthesia*, **50**: 345–354.
- Walder, B., Schafer, M., Henzi, I., dan Tramèr, M.R., 2001. Efficacy and safety of patient-controlled opioid analgesia for acute postoperative pain: A quantitative systematic review. *Acta Anaesthesiologica Scandinavica*, **45**: 795–804.
- Wang, L.Z., Wei, C.N., Xiao, F., Chang, X.Y., dan Zhang, Y.F., 2018. Incidence and risk factors for chronic pain after elective caesarean delivery under spinal anaesthesia in a Chinese cohort: a prospective study. *International Journal of Obstetric Anesthesia*, **34**: 21–27.
- WHO, 2003. Breastfeeding and maternal medication. *Department of Child and Adolescent Health and Development*, 6-7.
- Wolfe, R.C., 2018. Multimodal Analgesia in the Perioperative Setting. *Journal of PeriAnesthesia Nursing*, **33**: 563–569.
- Wu, C.L. dan Raja, S.N., 2011. Treatment of acute postoperative pain. *The Lancet*, **377**: 2215–2225.
- Zeng, A.M., Nami, N.F., Wu, C.L., dan Murphy, J.D., 2016. The Analgesic Efficacy of Nonsteroidal Anti-inflammatory Agents (NSAIDs) in Patients Undergoing Cesarean Deliveries: A Meta-Analysis. *Regional Anesthesia and Pain Medicine*, **41**: 763–772.