

DAFTAR PUSTAKA

- [1] S. Sarker, K. Akter, and N. Mamun, "A text independent speech emotion recognition based on convolutional neural network," in *International Conference on Electrical, Computer and Communication Engineering (ECCE)*, Chittagong, 2023.
- [2] H. Koo, S. Jeong, S. Yoon, and W. Kim, "Development of speech emotion recognition algorithm using mfcc and prosody." Institute of Electrical and Electronics Engineers Inc., 2020.
- [3] S. Ayadi and Z. Lachiri, "A combined cnn-lstm network for audio emotion recognition using speech and song attributes," in *6th International Conference on Advanced Technologies for Signal and Image Processing (ATSIP)*, Sfax, Tunisia, 2022.
- [4] D. S.-S. A. E. B. J. Abbaschian, "Deep learning techniques for speech emotion recognition from database to models," *mdpi sensors*, vol. 21, no. 4, 2021.
- [5] J. Bhanbhro, S. Talpur, and A. A. Memon, "Speech emotion recognition using deep learning hybrid models," in *International Conference on Emerging Technologies in Electronics, Computing and Communication (ICETECC)*, Jamshoro, Sindh, Pakistan, 2022.
- [6] D. L. A. P. N. Lubis, "Construction and analysis of indonesian emotional speech corpus," in *17th Oriental Chapter of the International Committee for the Co-ordination and Standardization of Speech Databases and Assessment Techniques (COCOSDA)*, Phuket, 2014.
- [7] D. P. L. P. Kurniawati, "Positive and negative emotions recognition from speech signal using acoustic and lexical features," in *International Conference on Advanced Informatics, Concepts, Theory, and Applications (ICAICTA)*, Denpasar, 2017.
- [8] D. P. L. M. L. K. P. Kurniawati, "Speech emotion recognition from indonesian spoken language using acoustic and lexical features," in *Conference of The Oriental Chapter of International Committee*, Seoul, 2017.
- [9] J. J. Lasiman and D. Puji Lestari, "Speech emotion recognition for indonesian language using long short-term memory," in *2018 International Conference on Computer, Control, Informatics and its Applications (IC3INA)*, 2018, pp. 40–43.
- [10] H. N. Zahra, M. O. Ibrohim, J. Fahmi, R. Adelia, F. A. Nur Febryanto, and O. Riandi, "Speech emotion recognition on indonesian youtube web series using deep learning approach," in *2020 Fifth International Conference on Informatics and Computing (ICIC)*, Nov 2020, pp. 1–6.

- [11] A. N. I. Adma and D. P. Lestari, "Conversational speech emotion recognition from indonesian spoken language using recurrent neural network-based model," in *2021 8th International Conference on Advanced Informatics: Concepts, Theory and Applications (ICAICTA)*, 2021, pp. 1–6.
- [12] S. Patnaik, "Speech emotion recognition by using complex mfcc and deep sequential model," *Multimedia Tools and Applications*, vol. 82, pp. 11 897–11 922, Mar 2023.
- [13] Q. Li, Y. Yang, T. Lan, H. Zhu, Q. Wei, F. Qiao, X. Liu, and H. Yang, "Msp-mfcc: Energy-efficient mfcc feature extraction method with mixed-signal processing architecture for wearable speech recognition applications," *IEEE Access*, vol. 8, pp. 48 720–48 730, 2020.
- [14] M. R. Firmansyah, R. Hidayat, and A. Bejo, "Comparison of windowing function on feature extraction using mfcc for speaker identification," in *2021 International Conference on Intelligent Cybernetics Technology Applications (ICICyTA)*, 2021, pp. 1–5.
- [15] D. Upadhyay, A. Tiwari, and H. Niathani, "Sequential pattern analysis of emotion in speech with lstm," in *2024 2nd International Conference on Device Intelligence, Computing and Communication Technologies (DICCT)*, 2024, pp. 120–125.
- [16] A. Rizvi, A. Hedau, R. Veer, S. Deshmukh, and J. Kundale, "Unveiling emotions: Long-short term for speech emotion recognition," in *2024 2nd International Conference on Advancement in Computation Computer Technologies (InCACCT)*, 2024, pp. 142–147.
- [17] K. J. Shetty, S. Shetty, Manish, and M. Shetty, "Speech emotion recognition using lstm," in *2024 Third International Conference on Distributed Computing and Electrical Circuits and Electronics (ICDCECE)*, 2024, pp. 1–6.
- [18] S. Dwivedi, N. Srivastava, V. Rawal, P. Deshwal, and D. Dev, "Analysing the impact of lstm and mfcc on speech emotion recognition accuracy," in *2023 International Conference on Sustainable Emerging Innovations in Engineering and Technology (ICSEIET)*, 2023, pp. 55–58.
- [19] M. Sood and S. Jain, "Speech recognition employing mfcc and dynamic time warping algorithm," in *Innovations in Information and Communication Technologies (IICT-2020)*, P. K. Singh, Z. Polkowski, S. Tanwar, S. K. Pandey, G. Matei, and D. Pirvu, Eds. Cham: Springer International Publishing, 2021, pp. 235–242.
- [20] Y. Astuti, R. Hidayat, and A. Bejo, "Comparison of feature extraction for speaker identification system," in *2020 3rd International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, 2020, pp. 642–645.

- [21] Y. He, Y. Tao, and L. An, “Real-time voice command recognition system based on dtw and mfcc,” in *2023 6th International Conference on Computer Network, Electronic and Automation (ICCNEA)*, 2023, pp. 364–369.
- [22] M.-H. S. C.-H. W. Y.-H. C. J.-H. Hsu, “Speech emotion recognition considering nonverbal vocalization in affective conversations,” *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, vol. 29, pp. 1675–1686, 2021.
- [23] M. E. Mena, “Emotion recognition from speech signals,” Master’s thesis, University of Ljubljana Faculty of Electrical Engineering, 2012.
- [24] N. Kumar, R. Kaushal, S. Agarwal, and Y. B. Singh, “Cnn based approach for speech emotion recognition using mfcc, croma and stft hand-crafted features,” in *2021 3rd International Conference on Advances in Computing, Communication Control and Networking (ICAC3N)*, 2021, pp. 981–985.
- [25] Ravi and S. Taran, “Emotion recognition in speech using mfcc and energy based ratio features,” in *2024 11th International Conference on Signal Processing and Integrated Networks (SPIN)*, 2024, pp. 367–371.
- [26] X. Xie, J. Lou, and L. Zhang, “Speech emotion recognition model with time-scale-invariance mfccs as input.” Institute of Electrical and Electronics Engineers Inc., 2021, pp. 537–542.
- [27] U. A. Asiya and V. K. Kiran, “Speech emotion recognition-a deep learning approach.” Institute of Electrical and Electronics Engineers Inc., 2021, pp. 867–871.
- [28] S. Patra, S. Datta, and M. Roy, “Analysis on speech-emotion recognition with effective feature combination.” Institute of Electrical and Electronics Engineers Inc., 2022, pp. 38–42.
- [29] U. Garg, S. Agarwal, S. Gupta, R. Dutt, and D. Singh, “Prediction of emotions from the audio speech signals using mfcc, mel and chroma,” in *2020 12th International Conference on Computational Intelligence and Communication Networks (CICN)*, 2020, pp. 87–91.
- [30] K. Chauhan, K. K. Sharma, and T. Varma, “Improved speech emotion recognition using modified mean cepstral features.” Institute of Electrical and Electronics Engineers Inc., Dec 2020.
- [31] L. Lin and L. Tan, “Multi-distributed speech emotion recognition based on mel frequency cepstogram and parameter transfer,” *Chinese Journal of Electronics*, vol. 31, pp. 155–167, Jan 2022.

- [32] L. Feng, L. Y. Liu, S. L. Liu, J. Zhou, H. Q. Yang, and J. Yang, “Multimodal speech emotion recognition based on multi-scale mfccs and multi-view attention mechanism,” *Multimedia Tools and Applications*, vol. 82, pp. 28 917–28 935, Aug 2023.
- [33] S. Kuchibhotla, S. S. Dogga, N. V. S. L. G. V. Thota, G. Puli, N. M. S. R, and H. D. Vankayalapati, “Depression detection from speech emotions using mfcc based recurrent neural network.” Institute of Electrical and Electronics Engineers (IEEE), Jun 2023, pp. 1–5.
- [34] Y. Wang, X. Lu, and D. Shi, “Mfcc-based deep convolutional neural network for audio depression recognition.” Institute of Electrical and Electronics Engineers Inc., 2022, pp. 162–166.
- [35] S. W. S. A. Pratama, “Speech emotion recognition model using support vector machine through mfcc audio feature,” in *14th International Conference on Information Technology and Electrical Engineering (ICITEE)*, Yogyakarta, 2022.
- [36] J. J. Q. W. Y. D. Y. Y. K. L. S. Zhou, “Inferring emotion from conversational voice data : A semi-supervised multi-path generative neural network approach,” in *AAAI*, 2018, pp. 579–586.
- [37] P. Muthuvel, T. Jaswanth, S. Firoz, S. N. Sri, and N. Mukhesh, “Emotion recognition in speech signals using mfcc and mel-spectrogram analysis.” Institute of Electrical and Electronics Engineers Inc., 2023.
- [38] M. M. Al-Hussain and M. T.-H. Alouane, “Speech emotion recognition based on long short term memory network,” in *2022 IEEE Information Technologies Smart Industrial Systems (ITSIS)*, July 2022, pp. 1–5.
- [39] S. A. A. Qadri, T. S. Gunawan, M. Kartiwi, H. Mansor, and T. M. Wani, “Speech emotion recognition using feature fusion of teo and mfcc on multilingual databases.” Springer Science and Business Media Deutschland GmbH, 2022, vol. 730, pp. 681–691.
- [40] F. Wang and X. Shen, “Research on speech emotion recognition based on tea-ger energy operator coefficients and inverted mfcc feature fusion,” *Electronics (Switzerland)*, vol. 12, Sep 2023.
- [41] A. W. A. U. N. Wisesty, “Feature extraction analysis on indonesian speech recognition system,” in *3rd International Conference on Information and Communication Technology (ICoICT)*, 2015.
- [42] Y. E. S. N. B. Wunarso, “Towards indonesian speech-emotion automatic recognition (i-spear),” in *International Conference on New Media Studies*, Yogyakarta, 2017.

- [43] S. Sharanyaa, T. J. Mercy, and V. G. Samyukthaa, “Emotion recognition using speech processing.” Institute of Electrical and Electronics Engineers Inc., 2023.
- [44] M. R. P. A. H. C. S. Muljono, “Speech emotion recognition of indonesian movie audio tracks based on mfcc and svm,” in *2019 International Conference on contemporary Computing and Informatics (IC3I)*, Singapore, 2019.
- [45] Y. Astuti, R. Hidayat, and A. Bejo, “Feature extraction using gaussian-mfcc for speaker recognition system,” in *2021 IEEE 5th International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE)*, 2021, pp. 186–190.
- [46] L. A. Camras, R. Plutchik, and H. Kellerman, “Emotion: Theory, research, and experience. vol. 1. theories of emotion,” *American Journal of Psychology*, vol. 94, p. 370, 1981. [Online]. Available: <https://api.semanticscholar.org/CorpusID:147125081>
- [47] P. Ekman, “Are there basic emotions?” *Psychological Review*, vol. 99, no. 3, pp. 550–553, 1992.
- [48] J. A. Russell, “A circumplex model of affect,” *Journal of Personality and Social Psychology*, vol. 39, no. 6, pp. 1161–1178, 1980.
- [49] S. G. K. S. R. Krothapalli, *Emotion Recognition Using Speech Features*. New York: New York, 2013.
- [50] A. Ortony, G. L. Clore, and A. Collins, *The Cognitive Structure of Emotions*. Cambridge University Press, 1988.
- [51] L. R. Rabiner and B.-H. Juang, *Fundamentals of Speech Recognition*. Prentice Hall, 1993.
- [52] J. R. Deller Jr, J. G. Proakis, and J. H. L. Hansen, *Discrete-Time Processing of Speech Signals*. Macmillan Publishing Company, 1993.
- [53] L. Muda, M. Begam, and I. Elamvazuthi, “Voice recognition algorithms using mel frequency cepstral coefficient (mfcc) and dynamic time warping (dtw) techniques,” *ArXiv*, vol. abs/1003.4083, 2010. [Online]. Available: <https://api.semanticscholar.org/CorpusID:18758518>
- [54] Z. K. Abdul and A. K. Al-Talabani, “Mel frequency cepstral coefficient and its applications: A review,” *IEEE Access*, vol. 10, pp. 122 136–122 158, 2022.
- [55] Y. Liu, Y.-A. Zhang, M. Zeng, and J. Zhao, “A novel distance measure based on dynamic time warping to improve time series classification,” *Information Sciences*, vol. 656, p. 119921, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0020025523015062>

- [56] P. J. Werbos, “Backpropagation through time: What it does and how to do it,” *Proceedings of the IEEE*, vol. 78, no. 10, pp. 1550–1560, 1990.
- [57] R. J. Williams and D. Zipser, “A learning algorithm for continually running fully recurrent neural networks,” *Neural Computation*, vol. 1, no. 2, pp. 270–280, jun 1989.
- [58] Z. Song and L. Ma, “Speech command recognition algorithm based on improved mfcc features,” in *Communications, Signal Processing, and Systems*. Springer, 2024.
- [59] J. O. Smith, *Mathematics of the Discrete Fourier Transform (DFT) with Audio Applications, Second Edition*. W3K Publishing, 2007.
- [60] F. J. Harris, “On the use of windows for harmonic analysis with the discrete fourier transform,” *Proceedings of the IEEE*, vol. 66, no. 1, pp. 51–83, 1978.
- [61] B. Logan, “Mel frequency cepstral coefficients for music modeling,” in *International Symposium on Music Information Retrieval*, vol. 28, 2000, pp. 1–11.
- [62] H. M. S. Naing, Y. Miyanaga, R. Hidayat, and B. Winduratna, “Filterbank analysis of mfcc feature extraction in robust children speech recognition,” 2022.
- [63] J. Wang, M. Xue, R. Culhane, E. Diao, J. Ding, and V. Tarokh, “Speech emotion recognition with dual-sequence lstm architecture,” in *ICASSP 2020 - 2020 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2020, pp. 6474–6478.
- [64] A. Jadhav, V. Kadam, S. Prasad, N. Waghmare, and S. Dhule, “An emotion recognition from speech using lstm,” in *2023 International Conference on Sustainable Computing and Smart Systems (ICSCSS)*, June 2023, pp. 834–842.
- [65] Y. Izumi, H. Nomiya, and T. Hochin, “Construction and evaluation of a speech emotion classifier using lstm,” in *23rd ACIS International Summer Virtual Conference on Software Engineering, Artificial Intelligence, Networking and Parallel/Distributed Computing (SNPD-Summer)*, Kyoto City, Japan, 2022.
- [66] N. S. Halimah, R. Hidayat, and I. W. Mustika, “Lstm architecture valuation in recognizing speech-based emotion,” in *2024 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology (IAICT)*, 2024, pp. 156–161.