

DAFTAR PUSTAKA

- Açik, G., Kamaci, M., Özata, B., & Özen Cansoy, C. E. (2019). Effect of polyvinyl alcohol/chitosan blend ratios on morphological, optical, and thermal properties of electrospun nanofibers. *Turkish Journal of Chemistry*, 43(1), 137–149. <https://doi.org/10.3906/kim-1801-68>
- Agarwal, S., Wendorff, J. H., & Greiner, A. (2008). Use of electrospinning technique for biomedical applications. *Polymer*, 49(26), 5603–5621. <https://doi.org/10.1016/j.polymer.2008.09.014>
- Allmer, J. (2014). *miRNomics: MicroRNA Biology and Computational Analysis*. 1107, 333. <https://doi.org/10.1007/978-1-62703-748-8>
- Anguita, D., Ghelardoni, L., Ghio, A., Oneto, L., & Ridella, S. (2012). The ‘K’ in K-fold cross validation. *ESANN 2012 Proceedings, 20th European Symposium on Artificial Neural Networks, Computational Intelligence and Machine Learning, April*, 441–446.
- Anguita, D., Ghio, A., Ridella, S., & Sterpi, D. (2009). K-Fold Cross Validation for Error Rate Estimate in Support Vector Machines. *International Conference on Data Mining, June 2014*, 291–297.
- Ayodele, T. O. (1994). *X Machine Learning Overview*. 9–19.
- Bi, Q., Goodman, K. E., Kaminsky, J., & Lessler, J. (2019). What is machine learning? A primer for the epidemiologist. *American Journal of Epidemiology*, 188(12), 2222–2239. <https://doi.org/10.1093/aje/kwz189>
- Biau, G., & Scornet, E. (2016). A random forest guided tour. *Test*, 25(2), 197–227. <https://doi.org/10.1007/s11749-016-0481-7>
- Bolto, B., Tran, T., Hoang, M., & Xie, Z. (2009). Crosslinked poly(vinyl alcohol) membranes. *Progress in Polymer Science (Oxford)*, 34(9), 969–981. <https://doi.org/10.1016/j.progpolymsci.2009.05.003>
- Campa-Siqueiros, P., Madera-Santana, T. J., Ayala-Zavala, J. F., López-Cervantes, J., Castillo-Ortega, M. M., & Herrera-Franco, P. J. (2020). Nanofibers of gelatin and polivinyl-alcohol-chitosan for wound dressing

- application: fabrication and characterization. *Polimeros*, 30(1), 1–11.
<https://doi.org/10.1590/0104-1428.07919>
- Carleo, G., Cirac, I., Cranmer, K., Daudet, L., Schuld, M., Tishby, N., Vogt-Maranto, L., & Zdeborová, L. (2019). Machine learning and the physical sciences. *Reviews of Modern Physics*, 91(4), 45002.
<https://doi.org/10.1103/RevModPhys.91.045002>
- Charernsriwilaiwat, N., Rojanarata, T., Ngawhirunpat, T., & Opanasopit, P. (2014). Electrospun chitosan/polyvinyl alcohol nanofibre mats for wound healing. *International Wound Journal*, 11(2), 215–222.
<https://doi.org/10.1111/j.1742-481X.2012.01077.x>
- Chuachamsai, A., Lertviriyasawat, S., & Danwanichakul, panu. (2008). Spinnability and Defect Formation of Chitosan/Poly Vinyl Alcohol Electrospun Nanofibers. *Journal of Science & Technology*, 13(November), 24–29.
https://www.researchgate.net/publication/266873259_Spinnability_and_Defect_Formation_of_ChitosanPoly_Vinyl_Alcohol_Electrospun_Nanofibers
- Czibulya, Z., Cs, A., Ferenc, T., Petra, P., Csarnovics, I., Zelkó, R., & Heged'us, C. (2021). The Effect of the PVA / Chitosan / Citric Acid Ratio on the. *Polimers*, 13(3557), 1–18.
- Das, P., Ojah, N., Kandimalla, R., Mohan, K., Gogoi, D., Dolui, S. K., & Choudhury, A. J. (2018). Surface modification of electrospun PVA/chitosan nanofibers by dielectric barrier discharge plasma at atmospheric pressure and studies of their mechanical properties and biocompatibility. *International Journal of Biological Macromolecules*, 114, 1026–1032.
<https://doi.org/10.1016/j.ijbiomac.2018.03.115>
- Delgado-Rangel, L. H., Hernández-Vargas, J., Becerra-González, M., Martínez-Torres, A., Prokhorov, E., & González Campos, J. B. (2019). Development of Collagen/Poly(vinyl alcohol)/Chondroitin Sulfate and Collagen/Poly(vinyl alcohol)/HA Electrospun Scaffolds for Tissue Engineering. *Fibers and Polymers*, 20(12), 2470–2484. <https://doi.org/10.1007/s12221-019-9341-x>
- Duru Kamaci, U., & Peksel, A. (2020). Fabrication of PVA-chitosan-based

- nanofibers for phytase immobilization to enhance enzymatic activity. *International Journal of Biological Macromolecules*, 164, 3315–3322. <https://doi.org/10.1016/j.ijbiomac.2020.08.226>
- Esmacili, A., & Beni, A. A. (2014). A novel fixed-bed reactor design incorporating an electrospun PVA/chitosan nanofiber membrane. *Journal of Hazardous Materials*, 280, 788–796. <https://doi.org/10.1016/j.jhazmat.2014.08.048>
- Fan, J. P., Luo, J. J., Zhang, X. H., Zhen, B., Dong, C. Y., Li, Y. C., Shen, J., Cheng, Y. T., & Chen, H. P. (2019). A novel electrospun B-CD/CS/PVA nanofiber membrane for simultaneous and rapid removal of organic micropollutants and heavy metal ions from water. *Chemical Engineering Journal*, 378(April), 122232. <https://doi.org/10.1016/j.cej.2019.122232>
- Fathollahipour, S., Abouei Mehrizi, A., Ghaee, A., & Koosha, M. (2015). Electrospinning of PVA/chitosan nanocomposite nanofibers containing gelatin nanoparticles as a dual drug delivery system. *Journal of Biomedical Materials Research - Part A*, 103(12), 3852–3862. <https://doi.org/10.1002/jbm.a.35529>
- Fushiki, T. (2011). Estimation of prediction error by using K-fold cross-validation. *Statistics and Computing*, 21(2), 137–146. <https://doi.org/10.1007/s11222-009-9153-8>
- Huang, M., Li, J., Chen, J., Zhou, M., & He, J. (2018). Preparation of CS/PVA Nanofibrous Membrane with Tunable Mechanical Properties for Tympanic Member Repair. *Macromolecular Research*, 26(10), 892–899. <https://doi.org/10.1007/s13233-018-6127-8>
- Jamnongkan, T., Wattanakornsiri, A., Pansila, P. P., Migliaresi, C., & Kaewpirom, S. (2012). Effect of poly(vinyl alcohol)/chitosan ratio on electrospun-nanofiber morphologies. *Advanced Materials Research*, 463–464(May 2014), 734–738. <https://doi.org/10.4028/www.scientific.net/AMR.463-464.734>
- Jia, Y. T., Gong, J., Gu, X. H., Kim, H. Y., Dong, J., & Shen, X. Y. (2007). Fabrication and characterization of poly (vinyl alcohol)/chitosan blend

- nanofibers produced by electrospinning method. *Carbohydrate Polymers*, 67(3), 403–409. <https://doi.org/10.1016/j.carbpol.2006.06.010>
- Kalantary, S., Jahani, A., Pourbabaki, R., & Beigzadeh, Z. (2019). Application of ANN modeling techniques in the prediction of the diameter of PCL/gelatin nanofibers in environmental and medical studies. *RSC Advances*, 9(43), 24858–24874. <https://doi.org/10.1039/c9ra04927d>
- Karimi, M. A., Pourhakkak, P., Adabi, M., Firoozi, S., Adabi, M., & Naghibzadeh, M. (2015). Using an artificial neural network for the evaluation of the parameters controlling PVA/chitosan electrospun nanofibers diameter. *E-Polymers*, 15(2), 127–138. <https://doi.org/10.1515/epoly-2014-0198>
- Khedri, M., Beheshtizadeh, N., Rostami, M., Sufali, A., Rezvantalab, S., Dahri, M., Maleki, R., Santos, H. A., & Shahbazi, M. A. (2022). Artificial Intelligence Deep Exploration of Influential Parameters on Physicochemical Properties of Curcumin-Loaded Electrospun Nanofibers. *Advanced NanoBiomed Research*, 2(6), 1–10. <https://doi.org/10.1002/anbr.202100143>
- Kheradmandi, M., Vasheghani-Farahani, E., Ghiaseddin, A., & Ganji, F. (2016). Skeletal muscle regeneration via engineered tissue culture over electrospun nanofibrous chitosan/PVA scaffold. *Journal of Biomedical Materials Research - Part A*, 104(7), 1720–1727. <https://doi.org/10.1002/jbm.a.35702>
- Liu, Q., Ouyang, W. C., Zhou, X. H., Jin, T., & Wu, Z. W. (2021). Antibacterial Activity and Drug Loading of Moxifloxacin-Loaded Poly(Vinyl Alcohol)/Chitosan Electrospun Nanofibers. *Frontiers in Materials*, 8(February), 1–9. <https://doi.org/10.3389/fmats.2021.643428>
- Liu, Y., Park, M., Shin, H. K., Pant, B., Park, S. J., & Kim, H. Y. (2014). Preparation and characterization of chitosan-based nanofibers by ecofriendly electrospinning. *Materials Letters*, 132, 23–26. <https://doi.org/10.1016/j.matlet.2014.06.041>
- López-Flores, F. J., Ornelas-Guillén, J. A., Pérez-Nava, A., González-Campos, J. B., & Ponce-Ortega, J. M. (2024). Data-Driven Machine Learning Approach for Modeling the Production and Predicting the Characteristics of Aligned

- Electrospun Nanofibers. *Industrial and Engineering Chemistry Research*, 63(22), 9904–9913. <https://doi.org/10.1021/acs.iecr.4c00075>
- Mata, G. C. da, Morais, M. S., Oliveira, W. P. de, & Aguiar, M. L. (2022). Composition Effects on the Morphology of PVA/Chitosan Electrospun Nanofibers. *Polymers*, 14(22), 1–19. <https://doi.org/10.3390/polym14224856>
- Nasouri, K. (2018). Novel estimation of morphological behavior of electrospun nanofibers with artificial intelligence system (AIS). *Polymer Testing*, 69(June), 499–507. <https://doi.org/10.1016/j.polymertesting.2018.06.001>
- Nata, A., & Suparmadi, S. (2022). Analisis Sistem Pendukung Keputusan Dengan Model Klasifikasi Berbasis Machine Learning Dalam Penentuan Penerima Program Indonesia Pintar. *Journal of Science and Social Research*, 5(3), 697. <https://doi.org/10.54314/jssr.v5i3.1041>
- Niknam, Z., Zebarjad, S. M., & Janghorban, K. (2023). Fabrication and characterization of electrospun PVA/Cs/CNT fibers. *Journal of Ultrafine Grained and Nanostructured Materials*, 56(2), 137–146. <https://doi.org/10.22059/jufgnsm.2023.02.02>
- Nti, I. K., Nyarko-Boateng, O., & Aning, J. (2021). Performance of Machine Learning Algorithms with Different K Values in K-fold CrossValidation. *International Journal of Information Technology and Computer Science*, 13(6), 61–71. <https://doi.org/10.5815/ijitcs.2021.06.05>
- Nurwaha, D., & Wang, X. (2019). Modeling and Prediction of Electrospun Fiber Morphology using Artificial Intelligence Techniques Technology & Optimization. *Global Journal of Technology & Optimization*, 10(1), 1–6.
- Olvera Bernal, R. A., Olekhovich, R. O., & Uspenskaya, M. V. (2023). Chitosan/PVA Nanofibers as Potential Material for the Development of Soft Actuators. *Polymers*, 15(9). <https://doi.org/10.3390/polym15092037>
- Oshiro, T. M., Perez, P. S., & Baranauskas, J. A. (2012). How many trees in a random forest? *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 7376 LNAI(July 2012), 154–168. https://doi.org/10.1007/978-3-642-31537-4_13

- Pervez, M. N., Yeo, W. S., Mishu, M. M. R., Talukder, M. E., Roy, H., Islam, M. S., Zhao, Y., Cai, Y., Stylios, G. K., & Naddeo, V. (2023). Electrospun nanofiber membrane diameter prediction using a combined response surface methodology and machine learning approach. *Scientific Reports*, *13*(1), 1–14. <https://doi.org/10.1038/s41598-023-36431-7>
- Rezaei, A., Katouezadeh, E., & Zebarjad, S. M. (2023). Investigating of the influence of zinc oxide nanoparticles morphology on the properties of electrospun polyvinyl alcohol/chitosan (PVA/CS) nanofibers. *Journal of Drug Delivery Science and Technology*, *86*(June). <https://doi.org/10.1016/j.jddst.2023.104712>
- Rezaei, A., & Zebarjad, S. M. (2024). Evaluation of the effective parameters on the electrospinning of polyvinyl alcohol–chitosan nanofibers using response surface methodology (RSM). *Macromolecular Research*, *0123456789*. <https://doi.org/10.1007/s13233-024-00284-4>
- Roldán, E., Reeves, N. D., Cooper, G., & Andrews, K. (2024). Machine learning to predict morphology, topography and mechanical properties of sustainable gelatin-based electrospun scaffolds. *Scientific Reports*, *14*(1), 1–15. <https://doi.org/10.1038/s41598-024-71824-2>
- Rutledge, G. C., & Fridrikh, S. V. (2007). Formation of fibers by electrospinning. *Advanced Drug Delivery Reviews*, *59*(14), 1384–1391. <https://doi.org/10.1016/j.addr.2007.04.020>
- Sanchez-Alvarado, D. I., Guzmán-Pantoja, J., Páramo-García, U., Maciel-Cerda, A., Martínez-Orozco, R. D., & Vera-Graziano, R. (2018). Morphological study of chitosan/poly (vinyl alcohol) nanofibers prepared by electrospinning, collected on reticulated vitreous carbon. *International Journal of Molecular Sciences*, *19*(6), 1–12. <https://doi.org/10.3390/ijms19061718>
- Sargazi, G., Afzali, D., Mostafavi, A., & Ebrahimipour, S. Y. (2018). Synthesis of CS/PVA Biodegradable Composite Nanofibers as a Microporous Material with Well Controllable Procedure Through Electrospinning. *Journal of Polymers and the Environment*, *26*(5), 1804–1817.

<https://doi.org/10.1007/s10924-017-1080-8>

- Sarma, S., Verma, A. K., Phadkule, S. S., & Saharia, M. (2022). Towards an interpretable machine learning model for electrospun polyvinylidene fluoride (PVDF) fiber properties. *Computational Materials Science*, 213(June), 111661. <https://doi.org/10.1016/j.commatsci.2022.111661>
- Šateikė, J., & Milašius, R. (2019). Formation of nanofibers with PVA/CS solutions via electrospinning technique. *19th World Textile Conference on Textiles at the Crossroads, 11-15 June*, 19–21.
- Sazegar, M., Bazgir, S., & Katbab, A. A. (2020). Preparation and characterization of water-absorbing gas-assisted electrospun nanofibers based on poly(vinyl alcohol)/chitosan. *Materials Today Communications*, 25(February), 101489. <https://doi.org/10.1016/j.mtcomm.2020.101489>
- Shahverdi, F., Barati, A., & Bayat, M. (2022). Effective Methylene Blue Removal from Aqueous Solutions using PVA/Chitosan Electrospun Nanofiber Modified with CeAlO₃ Nanoparticles. *Journal of Water and Environmental Nanotechnology*, 7(1), 55–68. <https://doi.org/10.22090/jwent.2022.01.005>
- Shalev-Shwartz, S., & Ben-David, S. (2013). Understanding machine learning: From theory to algorithms. *Understanding Machine Learning: From Theory to Algorithms*, 9781107057, 1–397. <https://doi.org/10.1017/CBO9781107298019>
- Shiravandi, A., Ashtiani, M. K., & Daemi, H. (2023). Fabrication of affinity-based drug delivery systems based on electrospun chitosan sulfate/poly(vinyl alcohol) nanofibrous mats. *International Journal of Biological Macromolecules*, 252(November 2022), 126438. <https://doi.org/10.1016/j.ijbiomac.2023.126438>
- Singh, P., Sapkal, S., Mendhe, A., Subash, A., & Panda, H. S. (2024). Machine learning-based prediction and experimental validation of electrospun PVDF fibers: unraveling the dynamics and control of the β -phase. *Journal of Materials Science: Materials in Electronics*, 35(16), 1–14. <https://doi.org/10.1007/s10854-024-12831-x>
- Stoica, A. E., Albuleț, D., Bîrcă, A. C., Iordache, F., Ficaș, A., Grumezescu, A.

- M., Vasile, B. Ștefan, Andronescu, E., Marinescu, F., & Holban, A. M. (2023). Electrospun Nanofibrous Mesh Based on PVA, Chitosan, and Usnic Acid for Applications in Wound Healing. *International Journal of Molecular Sciences*, 24(13). <https://doi.org/10.3390/ijms241311037>
- Subeshan, B., Atayo, A., & Asmatulu, E. (2024). Machine learning applications for electrospun nanofibers: a review. In *Journal of Materials Science* (Vol. 59, Issue 31). Springer US. <https://doi.org/10.1007/s10853-024-09994-7>
- Sukpancharoen, S., Wijakmatee, T., Katongtung, T., Ponhan, K., Rattanachoung, N., & Khojitmate, S. (2024). Data-driven prediction of electrospun nanofiber diameter using machine learning: A comprehensive study and web-based tool development. *Results in Engineering*, 24(August), 102826. <https://doi.org/10.1016/j.rineng.2024.102826>
- Svetnik, V., Liaw, A., Tong, C., Christopher Culberson, J., Sheridan, R. P., & Feuston, B. P. (2003). Random Forest: A Classification and Regression Tool for Compound Classification and QSAR Modeling. *Journal of Chemical Information and Computer Sciences*, 43(6), 1947–1958. <https://doi.org/10.1021/ci034160g>
- Teo, W. E., & Ramakrishna, S. (2006). A review on electrospinning design and nanofibre assemblies. *Nanotechnology*, 17(14). <https://doi.org/10.1088/0957-4484/17/14/R01>
- Tonglairoum, P., Sutananta, W., Rojanarata, T., Ngawhirunpat, T., & Opanasopit, P. (2014). Thermally Crosslinked Chitosan-EDTA/PVA Electrospun Nanofiber Mats: Crosslinking Conditions. *Advanced Materials Research*, 1060, 192–195. <https://doi.org/10.4028/www.scientific.net/amr.1060.192>
- Viana, V. R., Ferreira, W. H., Azero, E. G., Dias, M. L., & Andrade, C. T. (2020). Optimization of the Electrospinning Conditions by Box-Behnken Design to Prepare Poly(Vinyl Alcohol)/Chitosan Crosslinked Nanofibers. *Journal of Materials Science and Chemical Engineering*, 08(04), 13–31. <https://doi.org/10.4236/msce.2020.84002>
- Yue, W., Ren, L., Dong, Y., Dan, Y., Cao, Y., Liang, H., Zhu, S., Zhu, L., Liu, F., He, J., Shao, W., & Chen, L. (2024). Green Continuous Electrospinning to

Fabricate Multiscale Chitosan Nanofibers by Regulating of Polyvinyl Alcohol for Mask Filter Applications. *ACS Applied Polymer Materials*, 6(5), 2954–2963. <https://doi.org/10.1021/acsapm.3c03182>

Zhang, X., & Liu, C. A. (2023). Model averaging prediction by K-fold cross-validation. *Journal of Econometrics*, 235(1), 280–301. <https://doi.org/10.1016/j.jeconom.2022.04.007>

Zhao, J., Sun, Z., Shao, Z., & Xu, L. (2016). Effect of surface-active agent on morphology and properties of electrospun PVA nanofibres. *Fibers and Polymers*, 17(6), 896–901. <https://doi.org/10.1007/s12221-016-6163-y>