

DAFTAR PUSTAKA

- Abbott, R., Albach, D., Ansell, S., Arntzen, J. W., Baird, S. J. E., Bierne, N., Boughman, J., Brelsford, A., Buerkle, C. A., Buggs, R., Butlin, R. K., Dieckmann, U., Eroukhanoff, F., Grill, A., Cahan, S. H., Hermansen, J. S., Hewitt, G., Hudson, A. G., Jiggins, C., ... Zinner, D. (2013). Hybridization and speciation. *Journal of Evolutionary Biology*, 26, 229–246.
- Amandita, F. Y., Rembold, K., Vornam, B., Rahayu, S., Siregar, I. Z., Kreft, H., & Finkeldey, R. (2019). DNA barcoding of flowering plants in Sumatra, Indonesia. *Ecology and Evolution*, 9, 1858–1868.
- Argarini, A., Nugroho, H., Purwaningrum, M., & Haryanto, A. (2020). Molecular Bird Sexing on Fischeri Lovebird (*Agapornis fischeri*) by Using Polymerase Chain Reaction. *BIO Web of Conferences*, 20, 04003.
- Asril, M., Lisafitri, Y., & Siregar, B. A. (2022). Antagonism Activity of Phosphate Solubilizing Bacteria Against *Ganoderma philippii* and *Fusarium oxysporum* of Acacia Plants. *Journal of Multidisciplinary Applied Natural Science*, 2, 82–89.
- Bantock, T., Prys-Jones, R., & Lee, P. (2008). New and improved molecular sexing methods for museum bird specimens. *Molecular Ecology Resources*, 8, 519–528.
- Barton, N. H. (2001). The role of hybridization in evolution. *Molecular Ecology*, 10, 551–568.
- Baru M. (2023). suarapapua.com-BKSDA Papua Selamatkan 11 Ekor Cenderawasih dari Tangan Penyelundup. *Suarapapua.Com*.
- Baxevanis, A. D., & Ouellette, B. F. Francis. (2001). *Bioinformatics: a practical guide to the analysis of genes and proteins*. Wiley-Interscience.
- Bishop, K. D., & Van Balen, S. (Bas). (2023). The avifauna of Biak Island, Papua, Indonesia with comments on status, conservation, natural history and taxonomy. *Bulletin of the British Ornithologists' Club*, 143, 3–62.
- BirdLife International. 2018. *Paradisaea minor*. The IUCN Red List of Threatened Species 2018: e.T22706245A130413448. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22706245A130413448.en> . Accessed on 26 March 2024.
- Blom, M. P. K., Peona, V., Prost, S., Christidis, L., Benz, B. W., Jønsson, K. A., Suh, A., & Irestedt, M. (2024). Hybridization in birds-of-paradise: Widespread ancestral gene flow despite strong sexual selection in a lek-mating system. *IScience*, 27.
- Bouckaert, R., Vaughan, T. G., Barido-Sottani, J., Duchêne, S., Fourment, M., Gavryushkina, A., Heled, J., Jones, G., Kühnert, D., De Maio, N., Matschiner, M.,

- Mendes, F. K., Müller, N. F., Ogilvie, H. A., Du Plessis, L., Poppinga, A., Rambaut, A., Rasmussen, D., Siveroni, I., ... Drummond, A. J. (2019). BEAST 2.5: An advanced software platform for Bayesian evolutionary analysis. *PLoS Computational Biology*, 15.
- Cattin, L., Schuerch, J., Salamin, N., & Dubey, S. (2016). Why are some species older than others? A large-scale study of vertebrates. *BMC Evolutionary Biology*, 16.
- Choi, T., & Park, C. (2006). The Effects of Land Use on the Frequency of Mammal Roadkills in Korea. *Journal of the Korean Institute of Landscape Architecture*, 34, 52–58.
- Cita, K., Budi Hernowo, J., Burhanuddin Masyud, D., Sarjana Institut Pertanian Bogor, M., & Departemen Konservasi Sumberdaya Hutan dan Ekowisata Fakultas Kehutanan IPB, D. (2016). Upaya Konservasi Cendrawasih Kecil (*Paradisaea minor* Shaw, 1809) yang Dilakukan oleh Taman Burung TMII DAN MBOF (The Conservation Effort of Lesser Bird of Paradise by TMII Bird Park and MBOF). *Media Konservasi*, 21, 27–35.
- Colombo, G., & Beltramini, M. (2024). *Paradisaea minor*. In *Monaco Nature Encyclopedia*.
- Cooper, W. T., & Forshaw, J. M. (1977). *The Birds of Paradise and Bowerbirds*. Collins.
- Darriba, D., Taboada, G. L., Doallo, R., & Posada, D. (2012). JModelTest 2: More models, new heuristics and parallel computing. *Nature Methods*, 9, 772.
- Dawson, D. A., dos Remedios, N., & Horsburgh, G. J. (2016). A new marker based on the avian spindlin gene that is able to sex most birds, including species problematic to sex with *CHD* markers. *Zoo Biology*, 35, 533–545.
- Di Lorenzo, P., Ceccobelli, S., Panella, F., Attard, G., & Lasagna, E. (2015). The role of mitochondrial DNA to determine the origin of domestic chicken. *World's Poultry Science Journal*, 71, 311–318.
- Diamond, J. (1986). Biology of Birds of Paradise and Bowerbirds. *Annual Review of Ecology and Systematics*, 17, 17–37. <https://about.jstor.org/terms>
- Dietrich, D., Uhl, B., Sailer, V., Holmes, E. E., Jung, M., Meller, S., & Kristiansen, G. (2013). Improved PCR Performance Using Template DNA from Formalin-Fixed and Paraffin-Embedded Tissues by Overcoming PCR Inhibition. *PLoS ONE*, 8.
- Dubiec, A., & Zagalska-Neubauer, M. (2006). Molecular techniques for sex identification in birds. *Biological Lett*, 43, 3–12. <https://www.researchgate.net/publication/241430987>
- Encyclopedia of Life. 2023. Diakses pada 27 Oktober 2023 pada laman <http://eol.org/schema/terms/populationtrend>.

- Ellegren, H. (1996). First gene on the avian W chromosome (*CHD*) provides a tag for universal sexing of non-ratite birds. *Proc R Soc Lond B*, 263, 1635–1644.
- Ericson, P. G., Klopstein, S., Irestedt, M., Nguyen, J. M., & Aa Nylander, J. (2014). Dating the diversification of the major lineages of Passeriformes (Aves). *BMC Evolutionary Biology*, 14. <http://www.biomedcentral.com/1471-2148/14/8>
- Fabre, P.-H., Irestedt, M., Fjeldså, J., Bristol, R., Groombridge, J., Irham, M., & Jonsson, K. (2012). Dynamic colonization exchanges between continents and islands drive diversification in paradise-flycatchers (*Terpsiphone*, *Monarchidae*). *Journal of Biogeography*, 39(1900), 1918.
- Faith, D. P. (1992). Conservation evaluation and phylogenetic diversity. *Biological Conservation*, 61, 1–10.
- Farias, I. P., Ortí, G., Sampaio, I., Schneider, H., & Meyer, A. (2001). The cytochrome b gene as a phylogenetic marker: The limits of resolution for analyzing relationships among cichlid fishes. *Journal of Molecular Evolution*, 53, 89–103.
- Felsenstein, J. (1985). Confidence Limits on Phylogenies: An Approach Using the. *Evolution*, 39, 783–791. <https://www.jstor.org/stable/2408678>
- Fitriana, F., Resita, R., Disastra, Y., Setyorini, D. R., Haryanto, A., & Aziz, F. (2023). Evaluation of primers targeting *chromo helicase DNA-binding* gene (*CHD*) for molecular sexing identification in four bird families. *Livestock and Animal Research*, 21, 14.
- Fridolfsson, A., & Ellegren, H. (1999). A simple and universal methods for molecular sexing of non-ratite birds. . . *J Avian Biol*, 30, 116–121.
- Frith, C. B., & Beehler, B. M. (1998). *The birds of paradise: Paradisaeidae*. Oxford University Press.
- Griffiths, R., Daan, S., & Dijkstra, C. (1996). Sex identification in birds using two CHD genes. *Proc R Soc Lond B*, 263, 1249–1254.
- Griffiths, R., Double, M. C., Orr, K., & Dawson, R. J. (1998a). Short Communication A DNA test to sex most birds. *Molecular Ecology*, 7, 1071–1075.
- Griffiths, R., Double, M., Orr, K., & Dawson, R. (1998b). A DNA test to sex most birds. *Mol Ecol*, 7, 1071–1076.
- Hajibabaei, M., Smith, M. A., Janzen, D. H., Rodriguez, J. J., Whitfield, J. B., & Hebert, P. D. N. (2006). A minimalist barcode can identify a specimen whose DNA is degraded. *Molecular Ecology Notes*, 6, 959–964.
- Hall, R. (2012). Late Jurassic-Cenozoic reconstructions of the Indonesian region and the Indian Ocean. *Tectonophysics*, 570-571, 1-41.

- Hall, T. A. (1999). BioEdit: a user-friendly biological sequence alignment editor and analysis program for windows 95/98/NT. *Nucleic Acids*, 41, 95–98.
- Heads, M. (2001). Birds of paradise, biogeography and ecology in New Guinea: a review. *Journal of Biogeography*, 28, 893–925.
- Heads, M. (2002). Birds of paradise, vicariance biogeography and terrane tectonics in New Guinea. *Journal of Biogeography*, 28, 893–925.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270, 313–321.
- Helm-Bychowski, K., & Cracraft, J. (1993). Recovering Phylogenetic Signal from DNA Sequences: Relationships within the Corvine Assemblage (Class Aves) as Inferred from Complete Sequences of the Mitochondrial DNA Cytochrome-b Gene. *Molecular Biology and Evolution*, 10, 1196–1214. <https://academic.oup.com/mbe/article/10/6/1196/988079>
- Herman, Al-Khairi, H., Wansyah, A. R., Asmania, Utami, R. I., Anzaelina, D. N., Oktaviano, Z., Lestari, W., Adiwirman, & Roslim, D. I. (2023). The Ability of *matK* and *trnL-trnL-trnF Intergenic Spacer* to Discern Certain Species Accessions of the Families Solanaceae and Fabaceae. *Sabrao Journal of Breeding and Genetics*, 55, 97–106.
- Hikmatyar, M. F., Royani, J. I., & Dasumiati. (2015). Isolasi Dan Amplifikasi Dna Keladi Tikus (*Thyponium flagelliform*) Untuk Identifikasi Keragaman Genetik. *Jurnal Bioteknologi & Biosains Indonesia*, 2, 42–48.
- Hoong, L., & Lek, K. (2005). Genetic polymorphisms in mitochondrial DNA hypervariable regions I, II and III of the Malaysian population. *Mitochondrial DNA Types in Malaysia Asia Pacific Journal of Molecular Biology and Biotechnology*, 13, 79–85.
- Irestedt, M., Fjelds, J., Johansson, U. S., & Ericson, P. G. P. (2002). Systematic relationships and biogeography of the tracheophone suboscines (Aves: Passeriformes). *Molecular Phylogenetics and Evolution*, 23, 499–512. www.academicpress.com
- Irestedt, M., Jønsson, K. A., Fjelds, J., Christidis, L., & Ericson, P. G. (2009). An unexpectedly long history of sexual selection in birds-of-paradise. *BMC Evolutionary Biology*, 9, 235.
- Irestedt, M., Ohlson, J. I., Zuccon, D., Källersjö, M., & Ericson, P. G. P. (2006). Nuclear DNA from old collections of avian study skins reveals the evolutionary history of the old world suboscines (Aves, Passeriformes). *Zoologica Scripta*, 35, 567–580.

- ITIS. 2023. *Paradisaea minor*.
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=561810#null. Diakses pada 20 Oktober 2023.
- Ito, H., Sudo-Yamaji, A., Abe, M., Murase, T., & Tsubota, T. (2003). Sex identification by alternative polymerase chain reaction methods in Falconiformes. *Zoological Science*, 20, 339–344.
- Jacques, F., Bolivar, P., Pietras, K., & Hammarlund, E. U. (2023). Roadmap to the study of gene and protein phylogeny and evolution—A practical guide. *PLoS ONE*, 18.
- Jensen, T., Pernasetti, F., & Durrant, B. (2003). Conditions for rapid sex determination in 47 avian species by PCR of genomic DNA from blood, shell-membrane blood vessels, and feathers. *Zoo Biology*, 22, 561–571.
- Johnson, R. N. (2012). *5 Conservation Genetics and Wildlife Forensics of Birds*. John Wiley & Sons, Ltd.
- Kahn, N., John, J., & Quinn, T. (1998). Chromosome-specific intron size differences in the avian *CHDI* gene provide a simple and efficient methods for sex identification in birds. *Auk*, 115, 1074–1078.
- Kress, W. J., & Erickson, D. L. (2007). A Two-Locus Global DNA Barcode for Land Plants: The Coding *rbcL* Gene Complements the Non-Coding *trnH-psbA* Spacer Region. *PLoS ONE*, 2.
- Krocak, A., Wołoszyńska, M., Wierzbicki, H., Kurkowski, M., Grabowski, K. A., Piasecki, T., Galosi, L., & Urantówka, A. D. (2021). New bird sexing strategy developed in the order psittaciformes involves multiple markers to avoid sex misidentification: Debunked myth of the universal DNA marker. *Genes*, 12.
- Kühl, H. S., Bowler, D. E., Bösch, L., Bruelheide, H., Dauber, J., Eichenberg, D., Eisenhauer, N., Fernández, N., Guerra, C. A., Henle, K., Herbinger, I., Isaac, N. J. B., Jansen, F., König-Ries, B., Kühn, I., Nilsen, E. B., Pe'er, G., Richter, A., Schulte, R., ... Bonn, A. (2020). Effective Biodiversity Monitoring Needs a Culture of Integration. *One Earth*, 3, 462–474.
- Kulibaba, RO., & Liashenko, YV. (2021). Analysis of CHD Gene Polymorphism as a Model Object for Molecular Sexing of Eurasian Eagle-Owl (*Bubo bubo*). *Cytology and Genetics*, 55, 324–330.
- Laska, M. S., Hutchins, M., Sheppard, C., Worth, W., Hundgen, K., & Hutchins, M. (1992). Reproduction by captive unplumed male lesser bird of paradise *Paradisaea minor*. Evidence for an alternative mating strategy? *Emu*, 92, 108–111.
- Latupapua, Lesly. (2006). Kelimpahan dan Sebaran Burung Cenderawasih (*Paradisaea apoda*) di Pulau Aru Kabupaten Kepulauan Aru Propinsi Maluku. *Agroforestri*, 1.

- Lee, M.-Y., Kim, Y., & Lee, H. (2008). Application of Two Complementary Molecular Sexing Methods for East Asian Bird Species. *Genes and Genomics*, 30, 365–372. <https://www.researchgate.net/publication/268009681>
- Liu, Y., He, H., Yi, S., Hu, Q., Zhang, W., & Huang, D. (2018). Comparison of different methods for repairing damaged DNA from buffered and unbuffered formalin-fixed tissues. *International Journal of Legal Medicine*, 132, 675–681.
- Lubbe, P., Rawlence, N. J., Kardailsky, O., Robertson, B. C., Day, R., Knapp, M., & Dussex, N. (2022). Mitogenomes resolve the phylogeography and divergence times within the endemic New Zealand Callaeidae (Aves: Passerida). *Zoological Journal of the Linnean Society*, 196, 1451–1463. <https://www.geneious.com>
- Lynch, M., Ackerman, M. S., Gout, J., Long, H., Sung, W., Thomas, W. K., & Foster, P. L. (2016). Genetic drift, selection and the evolution of the mutation rate. *Nature Reviews Genetics*, 17, 704–714.
- Mace, G. M., & Purvis, A. (2008). Evolutionary biology and practical conservation: Bridging a widening gap. *Molecular Ecology*, 17, 9–19.
- Maddison, W. P., & Maddison, D. R. (2023). *Mesquite: a modular system for evolutionary analysis. Version 3.8* <http://www.mesquiteproject.org>.
- Mau, B., & Larget, B. (1999). Bayesian Phylogenetic Inference via Markov Chain Monte Carlo Methods. *Biometrics*, 55, 1–12. <https://academic.oup.com/biometrics/article/55/1/1/7238557>
- Mayr, E. (1963). *Animal species and evolution*. Mass: Belknap Press of Harvard University Press.
- Meyer, A. (1994). Shortcomings of the cytochrome b gene as a molecular marker. *Trend Ecol Evol*, 9, 278–280.
- Newton, C., Graham, A., Heptinstall, L., Powell, S., Summers, C., Kalsheker, N., Smith, J., & Markham, A. (1989). Analysis of any point mutation in DNA. The amplification refractory mutation system (ARMS). *Nucleic Acids Research*, 17, 2503–2516. <https://academic.oup.com/nar/article/17/7/2503/2383131>
- Nicholls, T. J., & Minczuk, M. (2014). In D-loop: 40 years of mitochondrial 7S DNA. *Experimental Gerontology*, 56, 175–181.
- Nunn, G. B., & Cracraft, J. (1996). Phylogenetic Relationships among the Major Lineages of the Birds-of-Paradise (Paradisaeidae) Using Mitochondrial DNA Gene Sequences. *Molecular Phylogenetics and Evolution*, 5, 445–459.
- Prum, R. O., Berv, J. S., Dornburg, A., Field, D. J., Townsend, J. P., Lemmon, E. M., & Lemmon, A. R. (2015). A comprehensive phylogeny of birds (Aves) using targeted next-generation DNA sequencing. *Nature*, 526, 569–573.

- Purwaningrum, M., Nugroho, H. A., Asvan, M., Karyanti, K., Alviyanto, B., Kusuma, R., & Haryanto, A. (2019). Molecular techniques for sex identification of captive birds. *Veterinary World*, 12, 1506–1513.
- Rahayu, D., & Jannah, M. (2019). *DNA Barcode Hewan dan Tumbuhan Indonesia*.
- Rambaut, A. (2019). *FigTree v 1.4.4*. (<http://tree.bio.ed.ac.uk/software/figtree/>).
- Raunsay, E., & Abidondifu, D. (2022). The Abundance Population *Paradisaea minor jobiensis*, Rothschild 1897 in the Barawai Yapen, Papua Province. *Berita Biologi*, 20, 1–12.
- Rozas, J., Ferrer-Mata, A., Sanchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sanchez-Gracia, A. (2017). DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*, 34, 3299–3302.
- Rychlik, W., Spencer, W. J., & Rhoads, R. E. (1990). Optimization of the annealing temperature for DNA amplification in vitro. *Nucleic Acids Research*, 18, 6409.
- Saitou, N., & Nei, M. (1987). The Neighbor-joining Method: A New Method for Reconstructing Phylogenetic Trees'. *Mol Biol Evol*, 4, 406–425. <https://academic.oup.com/mbe/article/4/4/406/1029664>
- Savitri, D., Putri, I., Nugrahani, W. P., Purwaningrum, M., & Haryanto, A. (2021). Molecular bird sexing of sulphur-crested cockatoo (*Cacatua galerita*) by polymerase chain reaction method. *Indonesian Journal of Biotechnology*, 26, 1–6.
- Seidler, NW. (2013). *GAPDH: Biological Properties and Diversity, Advances in Experimental Medicine and Biology*. Springer Science+Business Media Dordrecht. <http://www.springer.com/series/5584>
- Stelbrink, B., Von Rintelen, T., Richter, K., Finstermeier, K., Frahnert, S., Cracraft, J., & Hofreiter, M. (2022). Insights into the geographical origin and phylogeographical patterns of *Paradisaea* birds-of-paradise. *Zoological Journal of the Linnean Society*, 196, 1394–1407. <https://academic.oup.com/zoolinnea/article/196/4/1394/6547518>
- Sumida, M., Kaneda, H., Kato, Y., Kanamori, Y., Yonekawa, H., & Nishioka, M. (2000). Sequence variation and structural conservation in the D-loop region and flanking genes of mitochondrial DNA from Japanese pond frogs. *Genes Genet. Syst*, 75, 79–92.
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38, 3022–3027.
- Thompson, J. D., Higgins, D. G., & Gibson, T. J. (1994). CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence

- weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Research*, 22, 4673–4680.
- Thörn, F., Soares, A. E. R., Müller, I. A., Päckert, M., Frahnert, S., van Grouw, H., Kamminga, P., Peona, V., Suh, A., Blom, M. P. K., & Irestedt, M. (2024). Contemporary intergeneric hybridization and backcrossing among birds-of-paradise. *Evolution Letters*.
- Tsujino, R., Yumoto, T., Kitamura, S., Djamaluddin, I., & Darnaedi, D. (2016). History of forest loss and degradation in Indonesia. *Land Use Policy*, 57, 335–347.
- Utami, N., & Ardiyani, M. (2015). Phylogenetic study of Sumatran impatiens (Balsaminaceae) using nuclear and plastid DNA sequences. *Acta Phytotaxonomica et Geobotanica*, 66, 81–90.
- van Solinge, T. B. (2008). The land of the orangutan and the bird of paradise under threat. In *Global Harms: Ecological Crime and Speciesism* (pp. 51–70). Nova Science Publishers.
- Vera, F., Wajjwalku, W., Yuda, P., & Daryono, B. S. (2021). Short Communication: A new primer set in *CHD1* gene for bird sex identification. *Biodiversitas*, 22, 4977–4982.
- Versmessen, N., Van Simaey, L., Negash, A. A., Vandekerckhove, M., Hulpiau, P., Vaneechoutte, M., & Cools, P. (2024). Comparison of DeNovix, NanoDrop and Qubit for DNA quantification and impurity detection of bacterial DNA extracts. *PLoS ONE*, 19.
- Vinogradov, A. E., & Anatskaya, O. V. (2017). DNA helix: the importance of being AT-rich. *Mammalian Genome*, 28, 455–464.
- Williams, K. E., Huyvaert, K. P., & Piaggio, A. J. (2016). No filters, no fridges: A method for preservation of water samples for eDNA analysis. *BMC Research Notes*, 9.
- Zein, MSA., & Prawiradilaga, DM. (2013). *DNA Barcode Fauna Indonesia*. Prenada Media.
- Zhang, Y., Wu, L., Wang, Z., Wang, J., Roychoudhury, S., Tomasik, B., Wu, G., Wang, G., Rao, X., & Zhou, R. (2022). Replication Stress: A Review of Novel Targets to Enhance Radiosensitivity-From Bench to Clinic. *Frontiers in Oncology*, 12.