

## DAFTAR PUSTAKA

- Amani, M., Ghorbanian, A., Ahmadi, S. A., Kakooei, M., Moghimi, A., Mirmazloumi, S. M., ... & Brisco, B. (2020). Google earth engine *cloud computing* platform for remote sensing big data applications: A comprehensive review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *13*, 5326-5350.
- Afira, N., & Wijayanto, A. W. (2022). Mono-temporal and multi-temporal approaches for burnt area detection using Sentinel-2 satellite imagery (a case study of Rokan Hilir Regency, Indonesia). *Ecological Informatics*, *69*, 101677.
- Anggoro, D. A., & Mukti, S. S. (2021). Performance Comparison of Grid Search and Random Search Methods for Hyperparameter Tuning in Extreme Gradient Boosting Algorithm to Predict Chronic Kidney Failure. *International Journal of Intelligent Engineering & Systems*, *14*(6).
- Belgiu, M., & Drăguț, L. (2016). *Random forest* in remote sensing: A review of applications and future directions. *ISPRS journal of photogrammetry and remote sensing*, *114*, 24-31.
- Belgiu, M., Tomljenovic, I., Lampoltshammer, T. J., Blaschke, T., & Höfle, B. (2014). Ontology-based classification of building types detected from airborne laser scanning data. *Remote Sensing*, *6*(2), 1347-1366.
- Bentéjac, C., Csörgő, A., & Martínez-Muñoz, G. (2021). A comparative analysis of *Gradient boosting* algorithms. *Artificial Intelligence Review*, *54*, 1937-1967.
- BMKG (2019). Kilas Balik 2019: Kejadian Bencana Terkait Cuaca, Iklim, dan Gempabumi. Diakses pada 12 November 2023 dari <https://www.bmkg.go.id/Berita/?p=kilas-balik-2019-kejadian-bencana-terkait-cuaca-iklim-dan-gempabumi&lang=ID>
- BMKG (2023). Data Satelit Terkini, El Nino Akan Berlangsung Hingga Akhir Oktober. Diakses pada 12 November 2023 dari <https://www.bmkg.go.id/berita/?p=data-satelit-terkini-el-nino-akan-berlangsung-hingga-akhir-oktober&lang=ID>
- BNPB (2019). Kerugian Kebakaran Hutan dan Lahan Sepanjang 2019 Capai 75 Triliun. Diakses pada 12 November 2023 dari

<https://bnpb.go.id/berita/kerugian-kebakaran-hutan-dan-lahan-sepanjang-2019-capai-rp-75-triliun>

- Breiman, L. (2001). *Random forests. Machine learning*, 45, 5-32.
- Budi, E. S., Chan, A. N., Alda, P. P., & Idris, M. A. F. (2024). Optimasi Model Machine Learning untuk Klasifikasi dan Prediksi Citra Menggunakan Algoritma Convolutional Neural Network. *Resolusi: Rekayasa Teknik Informatika dan Informasi*, 4(5), 502-509.
- Chen, J., Gong, P., He, C., Pu, R., & Shi, P. (2003). Land-use/land-cover change detection using improved change-vector analysis. *Photogrammetric Engineering & Remote Sensing*, 69(4), 369-379.
- Danoedoro, P (2012)., *Pengantar Penginderaan Jauh Digital*, Penerbit Andi, Yogyakarta.
- ESA (2012). Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services
- Faizal, A., Mutmainna, N., Amran, M. A., Saru, A., Amri, K., & Nessa, M. N. (2023). Application of NDVI Transformation on Sentinel 2A Imagery for mapping mangrove conditions in Makassar City. *Akuatikisile: Jurnal Akuakultur, Pesisir dan Pulau-Pulau Kecil*, 7(1), 59-66.
- Filipponi, F. (2018, March). BAIS2: Burned area index for Sentinel-2. In *Proceedings* (Vol. 2, No. 7, p. 364). MDPI.
- Filipponi, F. (2019). Exploitation of sentinel-2 time series to map burned areas at the national level: A case study on the 2017 italy wildfires. *Remote Sensing*, 11(6), 622.
- Florath, J., & Keller, S. (2022). Supervised *machine learning* approaches on multispectral remote sensing data for a combined detection of fire and burned area. *Remote sensing*, 14(3), 657.
- García, M. L., & Caselles, V. (1991). Mapping burns and natural reforestation using Thematic Mapper data. *Geocarto International*, 6(1), 31-37.
- Gaveau, D. L. A., Descals, A., Salim, M. A., Sheil, D., & Sloan, S. (2021). Refined burned-area mapping protocol using Sentinel-2 data increases estimate of 2019 Indonesian burning. *Earth System Science Data*, 13(11), 5353–5368.

- Giglio, L., Boschetti, L., Roy, D. P., Humber, M. L., & Justice, C. O. (2018). The Collection 6 MODIS burned area mapping algorithm and product. *Remote sensing of environment*, 217, 72-85.
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. (2017). Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote sensing of Environment*, 202, 18-27.
- KLHK (2019). Hutan dan Deforestasi Indonesia Tahun 2019. Diakses pada 12 November 2023 dari <https://ppid.menlhk.go.id/berita/siaran-pers/5398/hutan-dan-deforestasi-indonesia-tahun-2019>
- KLHK (2023). KLHK: Penanganan Karhutla Terpadu Tengah Berlangsung dan Kondisi Kian Membaik. Diakses pada 12 November 2023 dari <https://ppid.menlhk.go.id/berita/siaran-pers/7437/klhk-penanganan-karhutla-terpadu-tengah-berlangsung-dan-kondisi-kian-membaik>
- Kusuma, A. R., Shodiq, F. M., Hazim, M. F., & Laksono, D. P. (2021). Hasil Studi Pola Kebakaran Lahan Gambut melalui Citra Satelit Sentinel-2 dengan Pengimplementasian *Machine learning* Metode *Random forest*: Kajian Literatur. *JGISE: Journal of Geospatial Information Science and Engineering*, 4(2), 81-85.
- Leni, N. (2013). *ANALISIS PERUBAHAN LUASAN TUTUPAN LAHAN WILAYAH PESISIR TIMUR BANYUASIN DENGAN METODE CHANGE VECTOR ANALYSIS* (Doctoral dissertation, Diponegoro University).
- Lestari, A. I., Luhurkinanti, D. L., Fitriyanti, H. I., Harwahyu, R., & Sari, R. F. (2020). *Machine learning* approaches for burned area identification using Sentinel-2 in Central Kalimantan. *Journal of Applied Engineering Science*, 18(2), 207-215.
- Lowe, B., & Kulkarni, A. (2015). Multispectral image analysis using *Random forest*.
- Mitchell, T. M. (1997). *Machine learning*.
- Nasteski, V. (2017). An overview of the supervised *machine learning* methods. *Horizons. b*, 4, 51-62.

- Prabowo, Y., Sakti, A. D., Pradono, K. A., Amriyah, Q., Rasyidy, F. H., Bengkulah, I., ... & Ali, S. (2022). Deep learning dataset for estimating burned areas: Case study, Indonesia. *Data*, 7(6), 78.
- Phan, T. N., Kuch, V., & Lehnert, L. W. (2020). Land cover classification using Google Earth Engine and *random forest* classifier—The role of image composition. *Remote Sensing*, 12(15), 2411.
- PSDAL, P. B., & Pusbangja, L. A. P. A. N. (2009). Pemanfaatan data modis untuk identifikasi daerah bekas terbakar (burned area) berdasarkan perubahan nilai NDVI di Provinsi Kalimantan Tengah tahun 2009. *Jurnal Penginderaan Jauh Vol*, 6(54-64).
- Rahmi, K. I. N., & Febrianti, N. (2020). Pemanfaatan data sentinel-2 untuk analisis indeks area terbakar (burned area). *Jurnal Penginderaan Jauh Indonesia*, 2(1), 1-6.
- Rasyid, F. (2014). Permasalahan dan dampak kebakaran hutan. *Jurnal Lingkaran Widyaiswara*, 1(4), 47-59.
- Rizqika, S. N., Prasetyo, Y., & Yusuf, M. A. (2022). Analisis Akurasi Perbandingan Algoritma Indeks Kebakaran Hutan (NBR, BAIS2, MIRBI, dan NDVI) Berdasarkan Citra Sentinel-2A (Studi Kasus: Taman Nasional Gunung Merbabu Provinsi Jawa Tengah). *Elipsoida: Jurnal Geodesi dan Geomatika*, 5(1), 1-8.
- Saputra, E., Khaira, U., & Abidin, Z. (2021). Implementasi Algoritme *Support vector machines* untuk Klasifikasi Area Terbakar di Lahan Gambut. *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, 10(1), 19-24.
- Stavroudis, D., & Gitas, I. Z. (2023). Object-Based Burned Area Mapping with *Extreme Gradient boosting* Using Sentinel-2 Imagery. *Journal of Geographic Information System*, 15(1), 53-72.
- Sutanto (1994). , *Penginderaan Jauh II*, Gadjah Mada Press, Yogyakarta.
- Suwarsono, et al., (2016). Analisis Karakteristik Temperatur Area Terbakar (Burned Area) Menggunakan Data Landsat-8 TIRS di Kalimantan. *Jurnal Penginderaan Jauh*. Vol.13, No.1. p13- 22.

- Tonini, M., D'Andrea, M., Biondi, G., Degli Esposti, S., Trucchia, A., & Fiorucci, P. (2020). A *machine learning*-based approach for wildfire susceptibility mapping. The case study of the Liguria region in Italy. *Geosciences*, *10*(3), 105.
- Trigg, S., & Flasse, S. (2001). An evaluation of different bi-spectral spaces for discriminating burned shrub-savannah. *International Journal of Remote Sensing*, *22*(13), 2641-2647
- Van der Lindern, S. (2007). Classifying Segmented Hyperspectral Data from a Heterogeneous Urban Environment Using *Support vector machine*. *Journal of Applied Remote Sensing*.
- van Dijk, D., Shoaie, S., van Leeuwen, T., & Veraverbeke, S. (2021). Spectral signature analysis of false positive burned area detection from agricultural harvests using Sentinel-2 data. *International Journal of Applied Earth Observation and Geoinformation*, *97*, 102296.