

## DAFTAR PUSTAKA

- Akdemir M, Kaydu A, Yanlı Y, Özdemir M, Gökçek E, Karaman H (2017). The postdural puncture headache and back pain: The comparison of 26-gauge atraucan and 26-gauge quincke spinal needles in obstetric patients. *Anesth Essays Res*, 11(2):458. doi:10.4103/0259-1162.194591.
- Akyol D, Çelik M, Ay N, Özlem Yıldız G (2024). The Effect of Spinal Needle Type on Post-Dural Puncture Headache in Spinal Anesthesia: Prospective Randomized Study. *Eurasian J Med*, 56(1):42–46. doi:10.5152/eurasianjmed.2024.23223.
- Al-Hashel J, Rady A, Massoud F, Ismail II (2022). Post-dural puncture headache: a prospective study on incidence, risk factors, and clinical characterization of 285 consecutive procedures. *BMC Neurol*, 22(1):1–10. doi:10.1186/s12883-022-02785-0.
- Alatni RI, Alsamani R, Alqefari A (2024). Treatment and Prevention of Post-dural Puncture Headaches: A Systematic Review. *Cureus*, 16(1):1–13.
- Amorim JA, Gomes De Barros M V., Valença MM (2012). Post-dural (post-lumbar) puncture headache: Risk factors and clinical features. *Cephalalgia*, 32(12):916–923.
- Ansari JR, Barad M, Shafer S, Flood P (2021). Chronic disabling postpartum headache after unintentional dural puncture during epidural anaesthesia: a prospective cohort study. *Br J Anaesth*, 127(4):600–607. doi:10.1016/j.bja.2021.05.020.
- Arevalo-Rodriguez I, Ciapponi A, Roqué i Figuls M, Muñoz L, Bonfill Cosp X (2016). Posture and fluids for preventing post-dural puncture headache. *Cochrane Database Syst Rev*, 2016(3).
- Batova R, Georgiev S (2019). Impact of spinal needle design and approach to postdural puncture headache and spinal anesthesia failure in obstetrics. *Anaesthesiol Intensive Ther*, 51(2):77–82. doi:10.5114/ait.2019.86166.
- Benrath J, Kozek-Langenecker S, Hüpfel M, Lierz P, Gustorff B (2006a). Anaesthesia for brachytherapy—5½ yr of experience in 1622 procedures. *Br J Anaesth*, 96(2):195–200. doi:10.1093/bja/aei301.
- Benrath J, Kozek-Langenecker S, Hüpfel M, Lierz P, Gustorff B (2006b). Anaesthesia for

- brachytherapy - 5 1/2 yr of experience in 1622 procedures. *Br J Anaesth*, 96(2):195–200.
- Biswal D, Mishra J, Sahu BP, Jena S, Smruti Ranjan Nayak (2023). Postdural puncture headache incidence with 25G and 27G Quincke needles after spinal anesthesia for elective cesarean section. *Asian J Med Sci*, 14(2):51–54. doi:10.3126/ajms.v14i2.49632.
- Bradbury CL, Singh SI, Badder SR, Wakely LJ, Jones PM (2013). Prevention of post-dural puncture headache in parturients: A systematic review and meta-analysis. *Acta Anaesthesiol Scand*, 57(4):417–430.
- Candido KD, Stevens RA (2003). Post-dural puncture headache: pathophysiology, prevention and treatment. *Best Pract Res Clin Anaesthesiol*, 17(3):451–469. doi:10.1016/S1521-6896(03)00033-8.
- Chargari C, Deutsch E, Blanchard P, Gouy S, Martelli H, Guérin F et al. (2019). Brachytherapy: An overview for clinicians. *CA Cancer J Clin*, 69(5):386–401. doi:10.3322/caac.21578.
- Dahlan MS (2013). *Besar Sampel dan Cara Pengambilan Sampel*, Tiga. Jakarta: Salemba Medika.
- DelPizzo K, Luu T, Fields KG, Sideris A, Dong N, Edmonds C et al. (2020). Risk of Postdural Puncture Headache in Adolescents and Adults. *Anesth Analg*, 131(1):273–279. doi:10.1213/ANE.0000000000004691.
- Despond O, Meuret P, Hemmings G (1998). Postdural puncture headache after spinal anaesthesia in young orthopaedic outpatients using 27-g needles. *Can J Anesth*, 45(11):1106–1109.
- van Dongen RM, Onderwater GLJ, Pelzer N, Zielman R, van Oosterhout WPJ, van Zwet EW et al. (2021). The effect of needle size on cerebrospinal fluid collection time and post-dural puncture headache: A retrospective cohort study. *Headache J Head Face Pain*, 61(2):329–334. doi:10.1111/head.14046.
- Ergün U, Say B, Ozer G, Tunc T, Sen M, Tüfekcioglu S et al. (2008). Intravenous

- theophylline decreases post-dural puncture headaches. *J Clin Neurosci*, 15(10):1102–1104. doi:10.1016/j.jocn.2007.11.001.
- Erol D (2011). The analgesic and antiemetic efficacy of gabapentin or ergotamine/caffeine for the treatment of postdural puncture headache. *Adv Med Sci*, 56(1):25–29. doi:10.2478/v10039-011-0009-z.
- Furman MB, Lee TS, Berkwits LTA-TT- (2013). *Atlas of image-guided spinal procedures*, NV-1 onl. Philadelphia, PA: Elsevier Saunders doi:LK - <https://worldcat.org/title/793326661>.
- Guglielminotti J, Landau R, Li G (2019). Major Neurologic Complications Associated With Postdural Puncture Headache in Obstetrics: A Retrospective Cohort Study. *Anesth Analg*, 129(5):1328–1336. doi:10.1213/ANE.0000000000004336.
- Gupta A, von Heymann C, Magnuson A, Alahuhta S, Fernando R, Van de Velde M et al. (2020). Management practices for postdural puncture headache in obstetrics: a prospective, international, cohort study. *Br J Anaesth*, 125(6):1045–1055.
- Halperin EC, Schmidt-Ullrich RK, Perez C, Brady L (2008). The Discipline of Radiation Oncology. *Princ Pract Radiat Oncol*:1–95.
- Hariyadi S A, Ngurah IGN, Sudadi (2023). Management PDPH (Post Dural Puncture Headache) as a Neurologic Complication After Regional Anaesthesia. *J Komplikasi Anestesi*, 2(3):63–74.
- Hasoon J, Urits I, Berger AA, Viswanath O (2021). Interventional pain management for a patient with chronic post-traumatic headaches after a traumatic brain injury. *Anaesthesiol Intensive Ther*, 53(3):279–280.
- Haus NJ, Kambarami TC, Dyer RA (2013). Spinal anaesthesia for brachytherapy for carcinoma of the cervix: A comparison of two dose regimens of hyperbaric bupivacaine. *South African J Anaesth Analg*, 19(3):154–159.
- Hawkins JL, Koonin LM, Palmer SK, Gibbs CP (1997). Anesthesia-related Deaths during Obstetric Delivery in the United States, 1979–1990. *Anesthesiology*, 86(2):277–284. doi:10.1097/00000542-199702000-00002.

Hunie M, Fenta E, Kibret S, Teshome D (2021). The Current Practice of Spinal Anesthesia in Anesthetists at a Comprehensive Specialized Hospital: A Single Center Observational Study. *Local Reg Anesth*, Volume 14:51–56. doi:10.2147/LRA.S300054.

Irawan D, Taviando D, Surahman E (2013). Kejadian Post Dural Puncture Headache dan Nilai Numeric Rating Scale Pascaseksio Sesarea dengan Anestesi Spinal. *J Anestesi Perioper*, 1(3):183–188.

Iskandar TM, Mexitalia M, Sarjadi, Dharmana E, Pramono N (2011). Respons Histopatologik Karsinoma Serviks Uteri Setelah Pemberian Kemoradiasi. *Media Med Indones*, 45(3):174–180.

Jespersen MS, Jaeger P, Ægidius KL, Fabritius ML, Duch P, Rye I et al. (2020). Sphenopalatine ganglion block for the treatment of postdural puncture headache: a randomised, blinded, clinical trial. *Br J Anaesth*, 124(6):739–747. doi:10.1016/j.bja.2020.02.025.

Jesse CM, Häni L, Fung C, Ulrich CT, Schär RT, Dobrocky T et al. (2022). The impact of spontaneous intracranial hypotension on social life and health-related quality of life. *J Neurol*, 269(10):5466–5473. doi:10.1007/s00415-022-11207-7.

Kamrava M, Banerjee R (2014). Brachytherapy in the treatment of cervical cancer: a review. *Int J Womens Health*:555. doi:10.2147/IJWH.S46247.

Kapan A, Waldhör T, Schiffler T, Beck J, Wöber C (2024). Health-related quality of life, work ability and disability among individuals with persistent post-dural puncture headache. *J Headache Pain*, 25(1):64. doi:10.1186/s10194-024-01765-8.

Kim SH, Kim TW, Shin HE, Lee SB, Ryu DW, Park JW (2019). Are CSF Pressure Factors Related to the Development of Post-dural Puncture Headache? *Front Neurol*, 10. doi:10.3389/fneur.2019.00700.

Lybecker H, Djernes M, Schmidt JF (1995). Postdural puncture headache (PDPH): Onset, duration, severity, and associated symptoms: An analysis of 75 consecutive patients with PDPH. *Acta Anaesthesiol Scand*, 39(5):605–612.

Mahapatra BR, Barik BK, Muraleedharan A, Badajena A, Amritt A, Kanungo S et al. (2021).

High-Dose-Rate Intracavitary Brachytherapy Under Conscious Sedation a Viable Practical Alternative to Spinal Anaesthesia in Carcinoma Cervix: A Retrospective Study in a Tertiary Care Centre in Eastern India. *Cureus*, 13(11):5–13.

Maranhao B, Liu M, Palanisamy A, Monks DT, Singh PM (2021). The association between post-dural puncture headache and needle type during spinal anaesthesia: a systematic review and network meta-analysis. *Anaesthesia*, 76(8):1098–1110. doi:10.1111/anae.15320.

Nair AS, Rayani BK (2017). Sphenopalatine ganglion block for relieving postdural puncture headache: technique and mechanism of action of block with a narrative review of efficacy. *Korean J Pain*, 30(2):93–97. doi:10.3344/kjp.2017.30.2.93.

Olawin AM, Das JM (2024). Spinal Anesthesia [web site]. (<https://www.ncbi.nlm.nih.gov/books/NBK537299/>).

Orbach-Zinger S, Eidelman LA, Livne MY, Matkovski O, Mangoubi E, Borovich A et al. (2021). Long-term psychological and physical outcomes of women after postdural puncture headache. *Eur J Anaesthesiol*, 38(2):130–137. doi:10.1097/EJA.0000000000001297.

Oumer KE, Aychew H, Daniel T, Mekete G, Belete KG, Negash TT (2023). Incidence and associated factors of post-dural puncture headache among orthopaedic patients after spinal anesthesia: a prospective cohort study. *Ann Med Surg*, 85(10):4703–4708.

Plewa MC, McAllister RK (2024). Postdural Puncture Headache. Treasure Island (FL); 2024.

Ranasinghe JS, Steadman J, Toyama T, Lai M (2003). Combined spinal epidural anaesthesia is better than spinal or epidural alone for Caesarean delivery. *Br J Anaesth*, 91(2):299–300. doi:10.1093/bja/aeg596.

Rizki S, Bisri T (2019). Perbandingan Kejadian Post Dural Puncture Headache pada Pasien Seksio Sesarea dengan Anestesi Spinal Menggunakan Teknik Median dan Paramedian. *Maj Anest dan Crit Care*, (38):119–125.

Smith JH, Mac Grory B, Butterfield RJ, Khokar B, Falk BL, Marks LA (2019). CSF Pressure,

Volume, and Post-Dural Puncture Headache: A Case-Control Study and Systematic Review. *Headache J Head Face Pain*, 59(8):1324–1338. doi:10.1111/head.13602.

Vallejo MC, Mandell GL, Sabo DP, Ramanathan S (2000). Postdural Puncture Headache: A Randomized Comparison of Five Spinal Needles in Obstetric Patients. *Anesth Analg*, 91(4):916–920. doi:10.1097/00000539-200010000-00027.

Wang F (2014). Post Dural Puncture Headache – We Can Prevent It. In: Racz GB, Noe CE, editor. Rijeka: IntechOpen; 2014:Ch. 7 doi:10.5772/57408.

Weji BG, Obsa MS, Melese KG, Azeze GA (2020). Incidence and risk factors of postdural puncture headache: prospective cohort study design. *Perioper Med*, 9(1):32. doi:10.1186/s13741-020-00164-2.

Winarno W (2021). Radioterapi Kanker Cervix Dengan Linear Accelerator (LINAC). *J Biosains Pascasarj*, 23(2):75.

Xu H, Liu Y, Song W, Kan S, Liu F, Zhang D et al. (2017). Comparison of cutting and pencil-point spinal needle in spinal anesthesia regarding postdural puncture headache. *Medicine (Baltimore)*, 96(14):e6527. doi:10.1097/MD.0000000000006527.

Zhang Q, Pang SY, Liu CW (2022). Chronic headaches related to post-dural puncture headaches: a scoping review. *Br J Anaesth*, 129(5):747–757. doi:10.1016/j.bja.2022.08.004.