

## DAFTAR PUSTAKA

- Abulhasan, J., & Grey, M. (2017). Anatomy and Physiology of Knee Stability. *Journal of Functional Morphology and Kinesiology*, 2(4), 2-11. <https://doi.org/10.3390/jfmk2040034>
- Adams, B. G., Houston, M. N., & Cameron, K. L. (2021). The Epidemiology of Meniscus Injury. *Sports Medicine and Arthroscopy Review*, 29(3), e24–e33. <https://doi.org/10.1097/JSA.0000000000000329>
- Alici, T., Esenyel, C. Z., Esenyel, M., Imren, Y., Ayanoglu, S., & Cubuk, R. (2011). Relationship between Meniscal Tears and Tibial Slope on the Tibial Plateau. *The Eurasian Journal of Medicine*, 42(3), 146–151. <https://doi.org/10.5152/eajm.2011.35>
- Altinayak, H., & Karatekin, Y. S. (2023). Increased Medial Femoral Condyle Angle and Narrow Intercondylar Notch Are Associated With Medial Meniscus Posterior Root Tear. *Arthroscopy: the journal of arthroscopic & related surgery : official publication of the Arthroscopy Association of North America and the International Arthroscopy Association*, 39(10), 2154–2163. <https://doi.org/10.1016/j.arthro.2023.02.020>
- Baker, P., Reading, I., Cooper, C., & Coggon, D. (2003). Knee disorders in the general population and their relation to occupation. *Occupational and environmental medicine*, 60(10), 794–797. <https://doi.org/10.1136/oem.60.10.794>
- Bojicic, K. M., Beaulieu, M. L., Imaizumi Krieger, D. Y., Ashton-Miller, J. A., & Wojtys, E. M. (2017). Association between lateral posterior tibial slope, body mass index, and ACL injury risk. *Orthopaedic Journal of Sports Medicine*, 5(2), 1-7. <https://doi.org/10.1177/2325967116688664>
- Dahlan, M. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. Sagung Seto.*
- De Smet, A. A. (2012). How I Diagnose Meniscal Tears on Knee MRI. *American Journal of Roentgenology*, 199(3), 481–499. <https://doi.org/10.2214/AJR.12.8663>

- Deng, G. (2023). Causal relationship between obesity and meniscal injuries: Two-sample Mendelian randomization. *Medicine*, 102(48), e36-45. <https://doi.org/10.1097/MD.00000000000036510>
- Deng, X., Hu, H., Song, Q., Zhang, Y., Liu, W., Zhu, L., & Zhang, Y. (2021). The influence of the steep medial posterior tibial slope on medial meniscus tears in adolescent patients: a retrospective case-control study. *BMC Musculoskeletal Disorders*, 22(1), 901-909. <https://doi.org/10.1186/s12891-021-04766-9>
- Fox, A. J. S., Bedi, A., & Rodeo, S. A. (2012). The Basic Science of Human Knee Menisci. *Sports Health: A Multidisciplinary Approach*, 4(4), 340–351. <https://doi.org/10.1177/1941738111429419>
- Gaillard, R., Magnussen, R., Batailler, C., Neyret, P., Lustig, S., & Servien, E. (2019). Anatomic risk factor for meniscal lesion in association with ACL rupture. *J Orthop Surg Res*, 14(1), 242-251. doi: 10.1186/s13018-019-1281-z.
- Haviv, B., Bronak, S., & Thein, R. (2015). Correlation between body mass index and chondral lesions in isolated medial meniscus tears. *Indian journal of orthopaedics*, 49(2), 176–180. <https://doi.org/10.4103/0019-5413.152456>
- Hirtler, L., Röhrich, S., & Kainberger, F. (2016). The Femoral Intercondylar Notch During Life: An Anatomic Redefinition With Patterns Predisposing to Cruciate Ligament Impingement. *American Journal of Roentgenology*, 207(4), 836–845. <https://doi.org/10.2214/AJR.16.16015>
- Jones, J. C., Burks, R., Owens, B. D., Sturdivant, R. X., Svoboda, S. J., & Cameron, K. L. (2012). Incidence and risk factors associated with meniscal injuries among active-duty US military service members. *Journal of athletic training*. 47(1), 67–73. <https://doi.org/10.4085/1062-6050-47.1.67>
- Karimi, E., Norouzian, M., Birjandinejad, A., Zandi, R., & Makhmalbaf, H. (2017). Measurement of posterior tibial slope using magnetic resonance imaging. *Archives of Bone and Joint Surgery*, 5(6), 435-439. <https://doi.org/10.22038/abjs.2017.20411.1534>
- Kolbe R, Schmidt-Hebbel A, Forkel P, Pogorzelski J, Imhoff AB, Feucht MJ. Steep lateral tibial slope and lateral-to-medial slope asymmetry are risk factors for

- concomitant posterolateral meniscus root tears in anterior cruciate ligament injuries. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(8):2585–91.
- Kurzweil, P. R., Cannon, W. D., & DeHaven, K. E. (2018). Meniscus Repair and Replacement. *Sports Medicine and Arthroscopy Review*, 26(4), 160–164. <https://doi.org/10.1097/JSA.0000000000000224>
- Lecouvet, F., Van Haver, T., Acid, S., Perlepe, V., Kirchgessner, T., Vande Berg, B., ... Malghem, J. (2018). Magnetic resonance imaging (MRI) of the knee: Identification of difficult-to-diagnose meniscal lesions. *Diagnostic and Interventional Imaging*, 99(2), 55–64. <https://doi.org/10.1016/j.diii.2017.12.005>
- Liu, F., Yue, B., Gadikota, H. R., Kozanek, M., Liu, W., Gill, T. J., Li, G. (2010). Morphology of the medial collateral ligament of the knee. *Journal of Orthopaedic Surgery and Research*, 5(1), 69-81. <https://doi.org/10.1186/1749-799X-5-69>
- Liu, J. N., Agarwalla, A., Garcia, G. H., Christian, D. R., Gowd, A. K., Yanke, A. B., & Cole, B. J. (2019). Return to Sport and Work After High Tibial Osteotomy With Concomitant Medial Meniscal Allograft Transplant. *Arthroscopy : the journal of arthroscopic & related surgery : official publication of the Arthroscopy Association of North America and the International Arthroscopy Association*, 35(11), 3090–3096. <https://doi.org/10.1016/j.arthro.2019.05.053>
- Luvsannyam, E., Jain, M. S., Leitao, A. R., Maikawa, N., & Leitao, A. E. (2022). Meniscus Tear: Pathology, Incidence, and Management. *Cureus*, 14(5), 21-25. <https://doi.org/10.7759/cureus.25121>
- Maffulli, N., Longo, U., & Campi, S., (2010). Meniscal tears. *Open Access Journal of Sports Medicine*, 45(1), 45-54. <https://doi.org/10.2147/OAJSM.S7753>
- Mameri, E. S., Dasari, S. P., Fortier, L. M., Verdejo, F. G., Gursoy, S., Yanke, A. B., & Chahla, J. (2022). Review of Meniscus Anatomy and Biomechanics. *Current Reviews in Musculoskeletal Medicine*, 15(5), 323–335. <https://doi.org/10.1007/s12178-022-09768-1>

- Marchena-Rodriguez, A., Gijon-Nogueron, G., Cabello-Manrique, D., & Ortega-Avila, A. B. (2020). Incidence of injuries among amateur badminton players: A cross-sectional study. *Medicine*, *99*(18), e19785. <https://doi.org/10.1097/MD.00000000000019785>
- Melugin, H. P., Brown, J. R., Hollenbeck, J. F. M., Fossum, B. W., Whalen, R. J., Ganokroj, P., & Provencher, C. M. T. (2023). Increased Posterior Tibial Slope Increases Force on the Posterior Medial Meniscus Root. *The American journal of sports medicine*, *51*(12), 3197–3203. <https://doi.org/10.1177/03635465231195841>
- Mordecai, S. C., Al-Hadithy, N., Ware, H. E., & Gupte, C. M. (2014). Treatment of meniscal tears: An evidence based approach. *World journal of orthopedics*, *5*(3), 233–241. <https://doi.org/10.5312/wjo.v5.i3.233>.
- Nguyen, J. C., De Smet, A. A., Graf, B. K., & Rosas, H. G. (2014). MR Imaging–based Diagnosis and Classification of Meniscal Tears. *RadioGraphics*, *34*(4), 981–999. <https://doi.org/10.1148/rg.344125202>
- Pache, S., Aman, Z. S., Kennedy, M., Nakama, G. Y., Moatshe, G., Ziegler, C., & LaPrade, R. F. (2018). Posterior Cruciate Ligament: Current Concepts Review. *The archives of bone and joint surgery*, *6*(1), 8–18.
- Pangaud, C., Laumonerie, P., Dagneaux, L., LiArno, S., Wellings, P., Faizan, A., Sharma, A., & Ollivier, M. (2020). Measurement of the Posterior Tibial Slope Depends on Ethnicity, Sex, and Lower Limb Alignment: A Computed Tomography Analysis of 378 Healthy Participants. *Orthopaedic journal of sports medicine*, *8*(1), 2325967119895258. <https://doi.org/10.1177/2325967119895258>
- Parkar, A. P., & Adriaensen, M. E. A. P. M. (2024). ESR essentials: MRI of the knee—practice recommendations by ESSR. *European Radiology*. <https://doi.org/10.1007/s00330-024-10706-7>
- Pribadi, A. W., & Choridah, L. (2021). Korelasi antara citra magnetic resonance imaging (MRI) robekan anterior cruciate ligament (ACL) dan robekan meniskus pada pasien trauma sendi lutut. Thesis. Gadjah Mada University. Indonesia.

- Pillemer, R. (2023). Anatomy and Function of the Knee Joint. *Handbook of Lumbar Spine and Lower Extremity Examination Springer*. 107-123. [https://doi.org/10.1007/978-3-031-37804-1\\_7](https://doi.org/10.1007/978-3-031-37804-1_7).
- Reist, H., Vacek, P., & Endres, N. (2023). Risk Factors for Concomitant Meniscal Injury With Sport-Related Anterior Cruciate Ligament Injury. *Orthopaedic Journal of Sports Medicine*. 11(9), 91-99. doi:10.1177/23259671231196492.
- Rodner, C. M., Adams, D. J., Diaz-Doran, V., Tate, J. P., Santangelo, S. A., Mazzocca, A. D., & Arciero, R. A. (2006). Medial opening wedge tibial osteotomy and the sagittal plane: the effect of increasing tibial slope on tibiofemoral contact pressure. *The American journal of sports medicine*, 34(9), 1431–1441. <https://doi.org/10.1177/0363546506287297>.
- Sastroasmoro, & Ismael, S. (2011). Dasar-dasar metodologi penelitian (4th ed.). Jakarta Sagung Seto.
- Smith, B. E., Thacker, D., Crewesmith, A., & Hall, M. (2015). Special tests for assessing meniscal tears within the knee: a systematic review and meta-analysis. *Evidence Based Medicine*, 20(3), 88–97. <https://doi.org/10.1136/ebmed-2014-110160>
- Snoeker, B. A. M., Bakker, E. W. P., Kegel, C. A. T., & Lucas, C. (2013). Risk Factors for Meniscal Tears: A Systematic Review Including Meta-analysis. *Journal of Orthopaedic & Sports Physical Therapy*, 43(6), 352–367. <https://doi.org/10.2519/jospt.2013.4295>
- Subramanian, S., & Balakrishnan, A. P. (2023). A Study on the Morphometry of a Medial Meniscus in the Knee Joint of Human Cadavers in the South Indian Population. *Cureus*, 15(7), 42-53. <https://doi.org/10.7759/cureus.42753>
- Vaienti, E., Scita, G., Ceccarelli, F., & Pogliacomi, F. (2017). Understanding the human knee and its relationship to total knee replacement. *Acta Biomedica*, 88(2), 6-16. <https://doi.org/10.23750/abm.v88i2-S.6507>
- Venkataraman, S., Ethiraj, P., Shanthappa, A. H., & Vellingiri, K. (2022). Association of Meniscus Injuries in Patients With Anterior Cruciate Ligament Injuries. *Cureus*, 14(6), 21-29. <https://doi.org/10.7759/cureus.25878>

- Verdonk, P. C., Verstraete, K. L., Almqvist, K. F., De Cuyper, K., Veys, E. M., Verbruggen, G., & Verdonk, R. (2006). Meniscal allograft transplantation: long-term clinical results with radiological and magnetic resonance imaging correlations. *Knee surgery, sports traumatology, arthroscopy: official journal of the ESSKA*, 14(8), 694–706. <https://doi.org/10.1007/s00167-005-0033-2>
- Wade, R., Shah, S., Sujith, B. S., Shah, K., Raj, A., & Marathe, N. (2019). High tibial osteotomy in a lax knee: A review of current concepts. *Journal of orthopaedics*, 19, 67–71. <https://doi.org/10.1016/j.jor.2019.10.023>
- Wadhwa, V., Omar, H., Coyner, K., Khazzam, M., Robertson, W., & Chhabra, A. (2016). ISAKOS classification of meniscal tears—illustration on 2D and 3D isotropic spin echo MR imaging. *European Journal of Radiology*, 85(1), 15–24. <https://doi.org/10.1016/j.ejrad.2015.10.022>
- Wang, P., Gao, F., & Sun, W. (2022). Morphometric characteristics of the knee are associated with the injury of the meniscus. *J Orthop Surg Res*. 17(1), 498-509. <https://doi.org/10.1186/s13018-022-03380-2>
- Yan, J., Takeda, S., Fujino, K., Tajima, G., & Hitomi, J. (2012). Anatomical Reconsideration of the Lateral Collateral Ligament in the Human Knee: Anatomical Observation and Literature Review. *Surgical Science*, 03(10), 484–488. <https://doi.org/10.4236/ss.2012.310096>
- Yoo, H., & Marappa-Ganeshan, R. (2021). *Anatomy, Bony Pelvis and Lower Limb, Knee Anterior Cruciate Ligament*. StatPearls.