

DAFTAR PUSTAKA

- Abroms, L. C., Whittaker, R., Free, C., Mendel Van Alstyne, J., & Schindler-Ruwisch, J. M. (2015). Developing and pretesting a text messaging program for Health Behavior Change: Recommended steps. *JMIR mHealth and uHealth*, 3(4). <https://doi.org/10.2196/mhealth.4917>
- Aguilera, A., Hernandez-Ramos, R., Haro-Ramos, A. Y., Boone, C. E., Luo, T. C., Xu, J., Chakraborty, B., Karr, C., Darrow, S., & Figueroa, C. A. (2021). A text messaging intervention (staywell at home) to counteract depression and anxiety during COVID-19 social distancing: Pre-Post Study. *JMIR Mental Health*, 8(11). <https://doi.org/10.2196/25298>
- Agyapong, V. I. O., Hrabok, M., Vuong, W., Shalaby, R., Noble, J. M., Gusnowski, A., Mrklas, K., & Greenshaw, A. J. (2020). Changes in stress, anxiety, and depression levels of subscribers to a daily supportive text message program (Text4Hope) during the COVID-19 pandemic: Cross-sectional survey study. *JMIR Mental Health*, 7(9), e22423. <https://doi.org/10.2196/22423>
- Albrecht, T. L., & Adelman, M. B. (1987). *Communicating social support*. Sage Publications.
- American Psychological Association. (n.d.). *Anxiety*. <https://www.apa.org/topics/anxiety>
- Andrade C. (2021). The Inconvenient Truth About Convenience and Purposive Samples. *Indian journal of psychological medicine*, 43(1), 86–88. <https://doi.org/10.1177/0253717620977000>
- Antelo Ameijeiras, P., & Espinosa, P. (2023). The Influence of Different Types of Social Support in Caregivers of People with Dementia. *International journal of psychological research*, 15(2), 85–93. <https://doi.org/10.21500/20112084.5639>
- Aronson, E., & Carlsmith, J. M. (1968). Experimentation in social psychology. In G. Lindzey & E. Aronson (Eds.), *Handbook of social psychology* (2nd ed., pp. 1–79). Addison-Wesley.
- Battersby, M., Hoffmann, S., Cadilhac, D., Osborne, R., Lalor, E., & Lindley, R. (2009). Getting your life back on track after stroke: A Phase II multi-centered, single-blind, randomized, controlled trial of the Stroke Self-Management Program vs. the Stanford Chronic Condition Self-Management Program or standard care in stroke survivors. *International Journal of Stroke*, 4(3), 137–144. <https://doi.org/10.1111/j.1747-4949.2009.00261.x>
- Beck, A. T., Epstein, N., & Steer, R. A. (1988). An inventory for measuring clinical anxiety: Psychometric properties. *Journal of Consulting and Clinical Psychology*, 56(6), 893–897. <https://doi.org/10.1037//0022-006x.56.6.893>
- Bhattacharjee, M., Vairale, J., Gawali, K., & Dalal, P. M. (2012). Factors affecting burden on caregivers of stroke survivors: Population-based study in Mumbai (India). *Annals of Indian Academy of Neurology*, 15(2), 113–119. <https://doi.org/10.4103/0972-2327.94994>
- Bragstad, L. K., Kirkevold, M., & Foss, C. (2014). The indispensable intermediaries: A qualitative study of informal caregivers' struggle to achieve influence at and after hospital discharge. *BMC Health Services Research*, 14(1), Article 331. <https://doi.org/10.1186/1472-6963-14-331>
- Carver, R., Everson, M., Gabrosek, J., Horton, N., Lock, R., Mocko, M., ... & Wood, B. (2016). Guidelines for assessment and instruction in statistics education (GAISE) college report 2016.
- Clement, S., Schauman, O., Graham, T., Maggioni, F., Evans-Lacko, S., Bezborodovs, N., Morgan, C., Rüsçh, N., Brown, J. S., & Thornicroft, G. (2015). What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and

- qualitative studies. *Psychological medicine*, 45(1), 11–27. <https://doi.org/10.1017/S0033291714000129>
- Cutrona, C. E., & Suhr, J. A. (1992). Controllability of stressful events and satisfaction with spouse support behaviors. *Communication Research*, 19(2), 154–174. <https://doi.org/10.1177/009365092019002002>
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Lawrence Erlbaum Associates.
- Cohen, L., Manion, L., & Morrison, K. (2009). *Research methods in education* (6th ed.). Routledge
- Cousino, M. K., & Hazen, R. A. (2013). Parenting stress among caregivers of children with chronic illness: a systematic review. *Journal of pediatric psychology*, 38(8), 809–828.
- Dour, H. J., Wiley, J. F., Roy-Byrne, P., Stein, M. B., Sullivan, G., Sherbourne, C. D., Bystritsky, A., Rose, R. D., & Craske, M. G. (2013). Perceived social support mediates anxiety and depressive symptom changes following Primary Care Intervention. *Depression and Anxiety*, 31(5), 436–442. <https://doi.org/10.1002/da.22216>
- Eden, J., & Schulz, R. (Eds.). (2016). *Families caring for an aging America*. National Academies Press.
- Ferrell, B., & Wittenberg, E. (2017). A review of family caregiving intervention trials in oncology. *CA: A Cancer Journal for Clinicians*, 67(4), 318–325. <https://doi.org/10.3322/caac.21396>
- George, E. S., Kecmanovic, M., Meade, T., Kolt, G. S., & Sanders, T. (2020). Psychological distress among carers and the moderating effects of social support. *BMC Psychiatry*, 20(1), 154. <https://doi.org/10.1186/s12888-020-02571-7>
- Global stroke fact sheet*. World Stroke Organization. (2022). <https://www.world-stroke.org/publications-and-resources/resources/global-stroke-fact-sheet>
- Guillory, J., Chang, P., Henderson, C. R., Shengelia, R., Lama, S., Warmington, M., Jowza, M., Waldman, S., Gay, G., & Reid, M. C. (2015). Piloting a text message–based social support intervention for patients with chronic pain. *The Clinical Journal of Pain*, 31(6), 548–556. <https://doi.org/10.1097/ajp.000000000000193>
- Grefkes, C., & Fink, G. R. (2020). Recovery from stroke: Current concepts and future perspectives. *Neurology Research and Practice*, 2, 17. <https://doi.org/10.1186/s42466-020-00060-6>
- Harris, A. D., McGregor, J. C., Perencevich, E. N., Furuno, J. P., Zhu, J., Peterson, D. E., & Finkelstein, J. (2006). The use and interpretation of quasi-experimental studies in Medical Informatics. *Journal of the American Medical Informatics Association*, 13(1), 16–23. <https://doi.org/10.1197/jamia.m1749>
- Haro-Ramos, A. Y., Rodriguez, H. P., & Aguilera, A. (2023). Effectiveness and implementation of a text messaging intervention to reduce depression and anxiety symptoms among Latinx and non-Latinx White users during the COVID-19 pandemic. *Behaviour Research and Therapy*, 165, Article 104318. <https://doi.org/10.1016/j.brat.2023.104318>
- Hastjarjo, T. D. (2014). Rancangan eksperimen acak. *Buletin Psikologi*, 22(2), 73–86. <https://doi.org/10.22146/bpsi.6873>
- Haslam, S. A. & McGarty, C. (2019). *Research Methods and Statistics in Psychology* (3rd ed.). Los Angeles: Sage.
- Hayes, A., Dempsey, M., Kells, M., & Murphy, M. (2023). The relationship between social support, coping strategies and psychological distress and positive mental well-being in carers of people with borderline personality disorder. *Borderline Personality Disorder and Emotion Dysregulation*, 10(1). <https://doi.org/10.1186/s40479-023-00237-w>



- Hu, P., Yang, Q., Kong, L., Hu, L., & Zeng, L. (2018). Relationship between anxiety/depression and care burden of the major caregiver of stroke patients. *Medicine*, *97*(40), e12638. <https://doi.org/10.1097/MD.00000000000012638>
- Institute for Health Metrics and Evaluation. (2019). Indonesia. HealthData.org. <https://www.healthdata.org/research-analysis/health-by-location/profiles/indonesia>
- Kazemi, A., Azimian, J., Mafi, M., Allen, K. A., & Motalebi, S. A. (2021). Caregiver burden and coping strategies in caregivers of older patients with stroke. *BMC psychology*, *9*(1), 51. <https://doi.org/10.1186/s40359-021-00556-z>
- Kim, T. K., & Park, J. H. (2019). More about the basic assumptions of t-test: normality and sample size. *Korean journal of anesthesiology*, *72*(4), 331–335. <https://doi.org/10.4097/kja.d.18.00292>
- King, R. B., Ainsworth, C. R., Ronen, M., & Hartke, R. J. (2010). Stroke caregivers: Pressing problems reported during the first months of caregiving. *Journal of Neuroscience Nursing*, *42*(6), 302–311. <https://doi.org/10.1097/JNN.0b013e3181f8a575>
- Kouwenhoven, S. E., Kirkevold, M., Engedal, K., Biong, S., & Kim, H. S. (2011). The lived experience of stroke survivors with early depressive symptoms: A longitudinal perspective. *International Journal of Qualitative Studies on Health and Well-Being*, *6*(4), Article 8491. <https://doi.org/10.3402/qhw.v6i4.8491>
- Laporan Nasional risekdas | Perpustakaan kementerian kesehatan. (2018). <https://perpustakaan.kemkes.go.id/inlislite3/opac/detail-opac?id=11408>
- Lutz, B. J., & Young, M. E. (2010). Rethinking intervention strategies in stroke family caregiving. *Rehabilitation Nursing*, *35*(4), 152–160. <https://doi.org/10.1002/j.2048-7940.2010.tb00041.x>
- Moss, K. O., Kurzawa, C., Daly, B., & Prince-Paul, M. (2019). Identifying and Addressing Family Caregiver Anxiety. *Journal of hospice and palliative nursing : JHPN : the official journal of the Hospice and Palliative Nurses Association*, *21*(1), 14–20. <https://doi.org/10.1097/NJH.0000000000000489>
- Mills, J. (1969). *Experimental social psychology*. Macmillan.
- National Cancer Institute. Caring for the caregiver. 2014. <https://www.cancer.gov/publications/patient-education/caring-for-the-caregiver.pdf>
- Pesantes, M. A., Brandt, L. R., Ipince, A., Miranda, J. J., & Diez-Canseco, F. (2017). An exploration into caring for a stroke-survivor in Lima, Peru: Emotional impact, stress factors, coping mechanisms and unmet needs of informal caregivers. *ENeurologicalSci*, *6*, 33-50.
- Pinquart, M., & Sörensen, S. (2006). Helping caregivers of persons with dementia: which interventions work and how large are their effects?. *International psychogeriatrics*, *18*(4), 577–595. <https://doi.org/10.1017/S1041610206003462>
- Priego-Cubero, E., Orgeta, V., López-Martínez, C., & Del-Pino-Casado, R. (2023). The Relationship between Social Support and Anxiety Symptoms in Informal Carers: A Systematic Review and Meta-Analysis. *Journal of clinical medicine*, *12*(3), 1244. <https://doi.org/10.3390/jcm12031244>
- Radojevic, V., Nicassio, P. M., & Weisman, M. H. (1992). Behavioral intervention with and without family support for rheumatoid arthritis. *Behavior therapy*, *23*(1), 13-30.
- Rosser, B. A., & Eccleston, C. (2011). Smartphone applications for pain management. *Journal of Telemedicine and Telecare*, *17*(6), 308–312. <https://doi.org/10.1258/jtt.2011.101102>
- Salkind, N. J. (Ed.). (2010). Manipulation checks. In *Encyclopedia of research design* (Vol. 2, pp. 776–779). SAGE Publications. <https://doi.org/10.4135/9781412961288.n162>
- Savage, S., & Bailey, S. (2004). The impact of caring on caregivers' mental health: A review of the literature. *Australian Health Review*, *27*(1), 111–117.



UNIVERSITAS
GADJAH MADA

Pengaruh Intervensi Dukungan Sosial dalam bentuk Pesan Teks terhadap Tingkat Kecemasan Caregiver Stroke

GHINAA DURRATUL HIKMAH, Ardian Rahman Afandi, S.Psi., M.Psi., Psikolog

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Skolarus, L. E., Burke, J. F., Brown, D. L., & Freedman, V. A. (2014). Understanding stroke survivorship: Expanding the concept of poststroke disability. *Stroke*, *45*(1), 224–230.
- Steinsheim, G., Malmedal, W., Follestad, T., Olsen, B., & Saga, S. (2023). Factors associated with subjective burden among informal caregivers of home-dwelling people with dementia: a cross-sectional study. *BMC geriatrics*, *23*(1), 644. <https://doi.org/10.1186/s12877-023-04358-3>
- Stratmann, M., Forsell, Y., Möller, J. *et al.* Informal care and the impact on depression and anxiety among Swedish adults: a population-based cohort study. *BMC Public Health* *21*, 1263 (2021). <https://doi.org/10.1186/s12889-021-11246-1>
- Sun, V., Grant, M., Koczywas, M., Freeman, B., Zachariah, F., Fujinami, R., ... & Ferrell, B. (2015). Effectiveness of an interdisciplinary palliative care intervention for family caregivers in lung cancer. *Cancer*, *121*(20), 3737-3745.
- World Health Organization. (2022, October 29). World Stroke Day 2022. World Health Organization. <https://www.who.int/srilanka/news/detail/29-10-2022-world-stroke-day-2022>