

## DAFTAR PUSTAKA

- Acharya, P., Chouhan, K., Weiskirchen, S., Weiskirchen, R. (2021). Cellular Mechanisms of Liver Fibrosis. *Front Pharmacol*, 12, 671640. doi: 10.3389/fphar.2021.671640
- Aguiar, J.A., Riaz, A., Thornburg, B. (2021). Biliary Anatomy. *Semin Intervent Radiol*, 38(3):251-254. doi:10.1055/s-0041-1731085
- Ando, H., Inomata, Y., Iwanaka, T., Kuroda, T., Nio, M., Matsui A., Yoshida, M., The Japanese Biliary Atresia Society. (2020). Clinical practice guidelines for biliary atresia in Japan: A secondary publication of the abbreviated version translated into English. *J Hepatobiliary Pancreat Sci*, 28(1): 55- 61.
- Brahee, D.D., Lampl, B.S. (2022). Neonatal diagnosis of biliary atresia: a practical review and update. *Pediatr Radiol*, 52: 685–692.
- Cavallo, L., Kovar, E.M., Aqul, A., McLoughlin, L., Mittal, N.K., Rodriguez-Baez, N., et al. (2022). The Epidemiology of Biliary Atresia: Exploring the Role of Developmental Factors on Birth Prevalence. *J Pediatr*, 246:89-94.e2. doi:10.1016/j.jpeds.2022.03.038
- Chan, W.K., Chung, P.H.Y., Wong, K.K.Y. (2022). The Value of Hepatic Scintigraphy in the Diagnosis of Biliary Atresia. *Front Pediatr*, 10: 874809.
- Chardot, C., Buet, C., Serinet, M.O., Golmard, J.L., Lachaux, A., Roquelaure, B., Gottrand, F., Broué, P., Dabadie, A., Gauthier, F., Jacquemin, E. (2013) Improving outcomes of biliary atresia: French national series 1986-2009. *J Hepatol*, 58:1209–1217.
- Davenport, M. (2017). Adjuvant therapy in biliary atresia: hopelessly optimistic or potential for change? *Pediatr Surg Int*, 33(12):1263-1273.
- Davenport, M., Muntean, A., & Hadzic, N. (2021). Biliary Atresia: Clinical Phenotypes and Aetiological Heterogeneity. *J Clin Med*, 10(23): 5675.
- Dong, R., Luo, Y., & Zheng, S. (2012).  $\alpha$ -SMA overexpression associated with increased liver fibrosis in infants with biliary atresia. *J Pediatr Gastroenterol Nutr*, 55(6), 653–656. doi: 10.1097/MPG.0b013e3182680be3
- Girard, M., & Panasyuk, G. (2019). Genetics in biliary atresia. *Curr Opin Gastroenterol*, 35(2), 73–81. doi:10.1097/mog.000000000000050

- Gunadi, Gunawan, T.A., Widiyanto, G., Yuanita, A., Mulyani, N.S., Makhmudi, A. (2018). Liver transplant score for prediction of biliary atresia patients' survival following Kasai procedure. *BMC Res Notes*, 11(1):381.
- Han, S.J., Kim, M.J., Han, A., Chung, K.S., Yoon, C.S., Kim, D., Hwang, E.H. (2022) Magnetic Resonance Cholangiography for the Diagnosis of Biliary Aresia. *J Pediatr Surg*, 37(4): 599 – 604.
- Harper, P., Plant, J.W., Unger, D.B. (1990). Congenital biliary atresia and jaundice in lambs and calves. *Aust Vet J*, 67(1), 18–22
- Kelly, D.E., Hansen, M.E.B., Tishkoff, S.A. (2017). Global variation in gene expression and the value of diverse sampling. *Curr Opin Syst Biol*, 1:102-108.
- Kong, M., & Xiang, B. (2021). Identifying Biomarkers to Predict the Prognosis of Biliary Atresia by Weighted Gene Co-Expression Network Analysis. *Frontiers in genet*, 12, 760182. doi: 10.3389/fgene.2021.760182
- Lucas, A. (2023). Hubungan Infeksi CMV Dengan Derajat Fibrosis Hepar Pada Pasien Atresia Bilier Pasca Operasi Kasai Di RSUP Dr. Sardjito. Skripsi. Universitas Gadjah Mada, Yogyakarta.
- Makhmudi, A., Kalim, A.S., Gunadi. (2019). microRNA-21 expressions impact on liver fibrosis in biliary atresia patients. *BMC Res*, 12(1):189.
- Makhmudi, A., Supanji, R., Putra, B.P., Gunadi. (2020). The effect of APTR, Fn14, and CD133 expressions on liver fibrosis in biliary atresia patients. *Pediatr Surg Int*, 36(1):75–79. doi: 10.1007/s00383-019-04582-2.
- Moreira, R.K., Cabral, R., Cowles, R.A., Lobritto, S.J. (2012). Biliary atresia: a multidisciplinary approach to diagnosis and management. *Arch Pathol Lab Med*, 136(7):746-760. doi:10.5858/arpa.2011-0623-RA
- Nagai, H., Hamada, T., Uchida, T., Yamagoe, S., Suzuki, K. (1998). Systemic expression of a newly recognized protein, LECT2, in the human body. *Pathol Int*, 48(11):882–6.
- Schreiber, R.A., Harpavat, S., Hulscher, J.B.F., Wildhaber, B.E. (2022). Biliary Atresia in 2021: Epidemiology, Screening, and Public Policy, *J Clin Med*, 11 (4):999.
- Suominen, S., Lampela, H., Heikkila, P., Lohi, J., Jalanko, H., Pakarinen, M.P. (2014). Myofibroblastic cell activation and neovascularization predict native

- liver survival and development of esophageal varices in biliary atresia. *World J Gastroenterol*, 20(12): 3312 – 3319.
- Tam, P.K.H., Wells, R.G., Tang, C.S.M. et al. (2024). Biliary atresia. *Nat Rev Dis Primers*, 10:47. doi: 10.1038/s41572-024-00533-x
- van Wessel, D.B.E., Boere, T., Hulzebos, C.V., de Kleine, R.H.J., Verkade, H.J., Hulscher, J.B.F. (2017). Preterm Infants With Biliary Atresia: A Nationwide Cohort Analysis From The Netherlands. *J Pediatr Gastroenterol Nutr*, 65(4):370-374. doi:10.1097/MPG.0000000000001692
- Vij, M., Rela, M. (2020). Biliary atresia: pathology, etiology and pathogenesis. *Future Sci OA*, 6(5):FSO466. doi:10.2144/fsoa-2019-0153
- Yamagoe, S., Kameoka, Y., Hashimoto, K., Mizuno, S., Suzuki, K. (1998). Molecular cloning, structural characterization, and chromosomal mapping of the human LECT2 gene. *Genomics*, 48(3):324-329. doi: 10.1006/geno.1997.5198
- Yu, P., Dong, N, Pan, YK, Li, L. (2021). Comparison between cystic biliary atresia and choledochal cyst: A clinical controlled study. *Pediatr Surg Int, in press*. doi: 10.1007/s00383-021-05004-y.
- Zani, A., Quaglia, A., Hadzić, N., Zuckerman, M., Davenport, M. (2015). Cytomegalovirus-associated biliary atresia: An aetiological and prognostic subgroup. *J Pediatr Surg*, 50:1739–1745. doi: 10.1016/j.jpedsurg.2015.03.001.
- Zhou, W., & Zhou, L. (2021). Ultrasound for the Diagnosis of Biliary Atresia: From Conventional Ultrasound to Artificial Intelligence. *Diagnostics (Basel)*, 12(1), 51.
- Zhou, L., Shan Q., Tian, W., Wang, Z., Liang, J, dan Xie, X. (2016). Ultrasound for the diagnosis of biliary atresia: A meta-analysis. *Am J Roentgenol*, 206(5):W73 – W82.