

DAFTAR PUSTAKA

- Al Kaabi N, Zhang Y, Xia S, Yang Y, Al Qahtani MM, Abdulrazzaq N, *et al.* (2021). Effect of 2 Inactivated SARS-CoV-2 Vaccines on Symptomatic COVID-19 Infection in Adults: A Randomized Clinical Trial. *JAMA*. **326** (1): 35–45. doi:10.1001/jama.2021.8565
- Ali, D.M., Zake, L.G. and El Kady, N.K., 2021. Role of Chest Computed Tomography versus Real Time Reverse Transcription Polymerase Chain Reaction for Diagnosis of COVID-19: A Systematic Review and Meta-Analysis. *Interdisciplinary Perspectives on Infectious Diseases*, 2021(1), p.8798575.
- Altawalah, H., 2021. Antibody Responses to Natural SARS-CoV-2 Infection or after COVID-19 Vaccination. *Vaccines* **9**, 910. <https://doi.org/10.3390/vaccines9080910>
- Asia Pacific Cohort Studies Collaboration, 2004. Body mass index and cardiovascular disease in the Asia-Pacific Region: an overview of 33 cohorts involving 310 000 participants. *International journal of epidemiology*, **33**(4), pp.751-758.
- Attias, P., Azzaoui, I., El Karoui, K., De La Selle, A., Sokal, A., Chappert, P., Grimbert, P., Fernandez, I., Bouvier, M., Samson, C., Dahmane, D., Rieu, P., Nizard, P., Fourati, S., Sakhi, H., Mahévas, M., 2022. Immune Responses after a Third Dose of mRNA Vaccine Differ in Virus-Naïve versus SARS-CoV-2– Recovered Dialysis Patients. *Clin. J. Am. Soc. Nephrol.* **17**, 1008–1016. <https://doi.org/10.2215/CJN.00830122>
- Aziz MA, Chalid MT, Saroyo YB, Budayasa AA, *et al.* (2020). Rekomendasi Penanganan Infeksi Virus Corona (COVID-19) pada Maternal (Hamil, Bersalin dan Nifas). Jakarta. Pokja Infeksi Saluran Reproduksi Pengurus Pusat Perhimpunan Obstetri dan Ginekologi Indonesia.
- Azkur AK, Akdis M, Azkur D, *et al.* Immune response to SARS-CoV-2 and mechanisms of immunopathological changes in COVID-19. *Allergy*. 2020;**75**:1564–1581.
- Baden, L.R., El Sahly, H.M., Essink, B., Kotloff, K., Frey, S., Novak, R., Diemert, D., Spector, S.A., Rouphael, N., Creech, C.B. and McGettigan, J., 2021. Efficacy and safety of the mRNA-1273 SARS-CoV-2 vaccine. *New England journal of medicine*, **384**(5), pp.403-416.
- Barton, B. and Peat, J. K. (2014). *Medical Statistics: a guide to SPSS, data analysis, and critical appraisal*. Wiley Blackwell/BMJ Books, Chichester, West Sussex; Hoboken, NJ.

- Benjamanukul, S., Traiyan, S., Yorsaeng, R., Vichaiwattana, P., Sudhinaraset, N., Wanlapakorn, N., Poovorawan, Y., 2022. Safety and immunogenicity of inactivated COVID-19 vaccine in health care workers. *J. Med. Virol.* 94, 1442–1449. <https://doi.org/10.1002/jmv.27458>
- Blakeway, H., Prasad, S., Kalafat, E., Heath, P.T., Ladhani, S.N., Le Doare, K., Magee, L.A., O'brien, P., Rezvani, A., von Dadelszen, P. and Khalil, A., 2022. COVID-19 vaccination during pregnancy: coverage and safety. *American journal of obstetrics and gynecology*, 226(2), pp.236-e1.
- Bradley, B.T., Bryan, A., Fink, S.L., Goecker, E.A., Roychoudhury, P., Huang, M.L., Zhu, H., Chaudhary, A., Madarampalli, B., Lu, J.Y. and Strand, K., 2021. Anti-SARS-CoV-2 antibody levels measured by the AdviseDx SARS-CoV-2 assay are concordant with previously available serologic assays but are not fully predictive of sterilizing immunity. *Journal of Clinical Microbiology*, 59(9), pp.10-1128.
- Breslin N, Baptiste C, Miller R, Fuchs K, Goffman D, Gyamfi-Bannerman C, D'Alton M. Coronavirus disease 2019 in pregnancy: early lessons. *Am J Obstet Gynecol MFM.* 2020 May;2(2):100111. doi: 10.1016/j.ajogmf.2020.100111. Epub 2020 Mar 27. PMID: 32518902; PMCID: PMC7271091.
- Castelo-Branco, C. and Soveral, I., 2014. The immune system and aging: a review. *Gynecological Endocrinology*, 30(1), pp.16-22
- Cheng, Y., Shen, P., Tao, Y., Zhang, W., Xu, B., Bi, Y., Han, Z. and Zhou, Y.H., 2022. Reduced antibody response to COVID-19 vaccine composed of inactivated SARS-CoV-2 in diabetic individuals. *Frontiers in Public Health*, 10, p.1025901.
- Choe, P.G., Hong, J., Park, J., Chang, E., Kang, C.K., Kim, N.J., Lee, C.H., Park, W.B. and Oh, M.D., 2022. Persistent antibody responses up to 18 months after mild severe acute respiratory syndrome coronavirus 2 infection. *The Journal of Infectious Diseases*, 226(7), pp.1224-1230.
- Chvatal-Medina, M., Mendez-Cortina, Y., Patino, P.J., Velilla, P.A. and Rugeles, M.T., 2021. Antibody responses in COVID-19: a review. *Frontiers in immunology*, 12, p.633184.
- Cunningham, F., Leveno, K., Dashe, J., Hoffman, B., Spong, C., Casey, B. (2022) *Williams Obstetrics*. 26th ed, 361. McGraw-Hill Education.
- Collier AY, McMahan K, Yu J, *et al.* Immunogenicity of COVID-19 mRNA Vaccines in Pregnant and Lactating Women. (2021). *JAMA.* ;325(23):2370–2380. doi:10.1001/jama.2021.7563
- Dahlan, M. S. (2016). *Statistik Untuk Kedokteran dan Kesehatan*. Jakarta: Salemba Medika

- Dai, Y.-C., Lin, Y.-C., Ching, L.L., Tsai, J.-J., Ishikawa, K., Tsai, W.-Y., Chen, J.J., Nerurkar, V.R., Wang, W.-K., 2023. Determining the Time of Booster Dose Based on the Half-Life and Neutralization Titers against SARS-CoV-2 Variants of Concern in Fully Vaccinated Individuals. *Microbiol. Spectr.* 11, e04081-22. <https://doi.org/10.1128/spectrum.04081-22>
- Deng, S., Liang, H., Chen, P., Li, Y., Li, Z., Fan, S., Wu, K., Li, X., Chen, W., Qin, Y. and Yi, L., 2022. Viral vector vaccine development and application during the COVID-19 pandemic. *Microorganisms*, 10(7), p.1450.
- Dyer, A.H., Noonan, C., McElheron, M., Batten, I., Reddy, C., Connolly, E., Pierpoint, R., Murray, C., Leonard, A., Higgins, C. and Reilly, P., 2022. Previous SARS-CoV-2 infection, age, and frailty are associated with 6-month vaccine-induced anti-spike antibody titer in nursing home residents. *Journal of the American Medical Directors Association*, 23(3), pp.434-439..
- Germain, S. J., Sacks, G. P., & Sooranna, S. R. (2020). Preeclampsia: An inflammatory imbalance of angiogenic factors. *Frontiers in Immunology*, 11, 1845.
- Ghozali, Imam. 2011. “Aplikasi Analisis Multivariate Dengan Program SPSS”. Semarang: Badan Penerbit Universitas Diponegoro.
- Gray KJ, Bordt EA, Atyeo C, *et al.* (2021). Coronavirus disease 2019 vaccine response in pregnant and lactating women: a cohort study. *Am J Obstet Gynecol.* 2021;225(3):303.e1- 303.e17. doi:10.1016/j.ajog.2021.03.023.
- Gibson, P.G., Qin, L. and Puah, S.H., 2020. COVID-19 acute respiratory distress syndrome (ARDS): clinical features and differences from typical pre-COVID-19 ARDS. *The Medical Journal of Australia*, 213(2), p.54.
- Golec, M., Zembala-John, J., Fronczek, M., Konka, A., Bochenek, A., Wystyrk, K., Botor, H., Zalewska, M., Chrapiec, M., Kasperczyk, S., Brzoza, Z., Bułdak, R.J., 2023. Relationship between anthropometric and body composition parameters and anti-SARS-CoV-2 specific IgG titers in females vaccinated against COVID-19 according to the heterologous vaccination course: A cohort study. *PLOS ONE* 18, e0287128. <https://doi.org/10.1371/journal.pone.0287128>
- Hoang, D.V., Yamamoto, S., Fukunaga, A., Inoue, Y., Mizoue, T. and Ohmagari, N., 2022. Association between metabolic syndrome and humoral immune response to Pfizer–BioNTech vaccine in healthcare workers. *medRxiv*, pp.2022-04.
- Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, *et al.* (2020) Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet*;395(10223):497-506.

Indonesia, Keputusan Presiden Republik Indonesia Nomor 17 Tahun 2023 tentang Penetapan Berakhirnya Status Pandemi *Corona Virus Disease 2019* (COVID-19) di Indonesia. Sekretariat Negara Republik Indonesia. Jakarta,

Jackson, Lisa A.; Anderson, Evan J.; Roupheal, Nadine G.; Roberts, Paul C.; Makhene, Mamodikoe; Coler, Rhea N.; McCullough, Michele P.; Chappell, James D.; Denison, Mark R.; Stevens, Laura J.; Pruijssers, Andrea J. (2020). An mRNA Vaccine against SARS-CoV-2—Preliminary Report. *New England Journal of Medicine*. **383** (20): 1920–1931. doi:10.1056/NEJMoa2022483

Karachaliou, M., Moncunill, G., Espinosa, A. *et al.* SARS-CoV-2 infection, vaccination, and antibody response trajectories in adults: a cohort study in Catalonia. *BMC Med* 20, 347 (2022). <https://doi.org/10.1186/s12916-022-02547-2>

Kashani-Ligumsky, L., Lopian, M., Cohen, R., Senderovich, H., Czeiger, S., Halperin, A., Chaim, A.B., Kremer, I., Lessing, J.B., Somekh, E., Neiger, R., 2021. Titers of SARS CoV-2 antibodies in cord blood of neonates whose mothers contracted SARS CoV-2 (COVID-19) during pregnancy and in those whose mothers were vaccinated with mRNA to SARS CoV-2 during pregnancy. *J. Perinatol.* 41, 2621–2624. <https://doi.org/10.1038/s41372-021-01216-1>

Kementerian Kesehatan Republik Indonesia (2021). Surat Edaran Dirjen Pencegahan dan Pengendalian Penyakit Nomor: HK.02.01/I/2007/2021. Tentang Vaksinasi COVID-19 Bagi Ibu Hamil dan Penyesuaian Skrining dalam Pelaksanaan Vaksinasi COVID-19. Jakarta. Kemenkes RI.

Kementerian Kesehatan Republik Indonesia. (2022). Surat Edaran Dirjen Pencegahan dan Pengendalian Penyakit Nomor:HK.02.02/II/252/2022 Tentang Vaksinasi COVID-19 Dosis Lanjutan (Booster). Jakarta. Kemenkes RI

Kementerian Kesehatan Republik Indonesia, Kementerian Dalam Negeri Republik Indonesia, Tim Pandemi FKM UI, LBM Eijkman, dan Prodia. (2022). Hasil Survei Serologi COVID-19 di Indonesia pada November-Desember 2021. Jakarta. Kemenkes RI

Krajewski, M., Frąckowiak, M., Kubacka, M. and Rogowski, Ł., 2021. The bright side of the crisis. The positive aspects of the COVID-19 pandemic according to the Poles. *European Societies*, 23(sup1), pp.S777-S790.

Kugelman, N., Nahshon, C., Shaked-Mishan, P., Cohen, N., Sher, M.L., Gruber, M., Marom, I., Zolotarevsky, A., Lavie, O., Damti, A., Zilberlicht, A., Bardicef, M., Kedar, R., 2022. Maternal and Neonatal SARS-CoV-2 Immunoglobulin G Antibody Levels at Delivery After Receipt of the BNT162b2 Messenger RNA COVID-19 Vaccine During the Second

Trimester of Pregnancy. JAMA Pediatr. 176, 290.
<https://doi.org/10.1001/jamapediatrics.2021.5683>

Lee SK, Kim JY, Lee M, Gilman-Sachs A, Kwak-Kim J. Th17 and regulatory T cells in women with recurrent pregnancy loss. Am J Reprod Immunol. 2012 Apr;67(4):311-8. doi: 10.1111/j.1600-0897.2012.01116.x. Epub 2012 Mar 1. PMID: 22380579. Lim, W.W., Mak, L., Leung, G.M., Cowling, B.J., Peiris, M., 2021. Comparative immunogenicity of mRNA and inactivated vaccines against COVID-19. Lancet Microbe 2, e423. [https://doi.org/10.1016/S2666-5247\(21\)00177-4](https://doi.org/10.1016/S2666-5247(21)00177-4)

Magon, N. Prasad, S. Mahato, C. Sharma JB. (2022). COVID-19 vaccine and pregnancy: A safety weapon against pandemic, COVID-19 vaccine and pregnancy: A safety weapon against pandemic. Taiwanese Journal of Obstetrics and Gynecology. Vol 61(2), pg 201- 9.

Ministry of Health Singapore. Update on COVID-19 Situation. Dilihat pada 23 Mei 2024. Diakses melalui <https://www.moh.gov.sg/news-highlights/details/update-on-covid-19-situation>

Mor, G., & Cardenas, I. (2010). The immune system in pregnancy: A unique complexity. American Journal of Reproductive Immunology, 63(6), 425-433.

Qi, H., Liu, B., Wang, X. *et al.* The humoral response and antibodies against SARS-CoV-2 infection. *Nat Immunol* **23**, 1008–1020 (2022). <https://doi.org/10.1038/s41590-022-01248-5>

Phoswa, W.N. and Khaliq, O.P., 2020. Is pregnancy a risk factor of COVID-19?. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 252, pp.605-609.

Pieri, M., Nicolai, E., Ciotti, M., Nuccetelli, M., Sarubbi, S., Pelagalli, M. and Bernardini, S., 2022. Antibody response to COVID-19 vaccine: A point of view that can help to optimize dose distribution. *International Immunopharmacology*, 102, p.108406.

Polack FP, Thomas SJ, Kitchin N, Absalon J, Gurtman A, Lockhart S, *et al.* (2020). "Safety and Efficacy of the BNT162b2 mRNA Covid-19 Vaccine". *N Engl J Med.* **383** (27): 2603– 15. doi:10.1056/NEJMoa2034577

Ren L-L, Wang Y-M, Wu Z-Q, Xiang Z-C, Guo L, Xu T, *et al.* (2020) Identification of a novel coronavirus causing severe pneumonia in human: a descriptive study. Chin Med J. 2020; DOI: 10.1097/CM9.0000000000000722.

Rurek M (2024), Mitochondria in COVID-19: from cellular and molecular perspective. Front. Physiol. 15:1406635. doi: 10.3389/fphys.2024.1406635.

Rothan HA, Byrareddy SN. (2020) The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. J Autoimmun.. DOI: 10.1016/j.jaut.2020.102433.

Siddiqi HK, Mehra MR. COVID-19 illness in native and immunosuppressed states: A clinical-therapeutic staging proposal. J Heart Lung Transplant. 2020 May;39(5):405-407.

Silaghi-Dumitrescu, R., Patrascu, I., Lehene, M., Bercea, I., 2023. Comorbidities of COVID-19 Patients. Medicina (Mex.) 59, 1393. <https://doi.org/10.3390/medicina59081393>

Supariasa, IDN ; Bachyar B ; Ibnu F. (2016). *Penilaian Status Gizi*. Edk 2. Jakarta. ECG.

Tanriover MD, Doğanay HL, Akova M, Güner HR, Azap A, Akhan S, *et al.* (2021). "Efficacy and safety of an inactivated whole-virion SARS-CoV-2 vaccine (CoronaVac): interim results of a double-blind, randomised, placebo-controlled, phase 3 trial in Turkey". *The Lancet*. **398** (10296): 213–222. doi:10.1016/S0140-6736(21)01429-X

Urbanowicz, R.A., Tsoleridis, T., Jackson, H.J., Cusin, L., Duncan, J.D., Chappell, J.G., Tarr, A.W., Nightingale, J., Norrish, A.R., Ikram, A., Marson, B., Craxford, S.J., Kelly, A., Aithal, G.P., Vijay, A., Tighe, P.J., Ball, J.K., Valdes, A.M., Ollivere, B.J., 2021. Two doses of the SARS-CoV-2 BNT162b2 vaccine enhance antibody responses to variants in individuals with prior SARS-CoV-2 infection. *Sci. Transl. Med.* 13, eabj0847. <https://doi.org/10.1126/scitranslmed.abj0847>

Vouga, M., Favre, G., Martinez-Perez, O. *et al.* Maternal outcomes and risk factors for COVID-19 severity among pregnant women. (2021) *Sci Rep* **11**, 13898. <https://doi.org/10.1038/s41598-021-92357-y>

Voysey M, Costa Clemens SA, Madhi SA, Weckx LY, Folegatti PM, Aley PK, *et al.* (February 2021). Single-dose administration and the influence of the timing of the booster dose on immunogenicity and efficacy of ChAdOx1 nCoV-19 (AZD1222) vaccine: a pooled analysis of four randomised trials. *Lancet*. 397 (10277): 881–891. [doi:10.1016/S0140-6736\(21\)00432-3](https://doi.org/10.1016/S0140-6736(21)00432-3)

Witka BZ, Wicaksono IA. (2021). *Review Artikel: Perbandingan Efikasi, Efisiensi dan Keamanan Vaksin COVID-19 Yang Akan Digunakan di Indonesia*. Farmaka, Vol.19 (2). Hal 48-58.

World Health Organization 2023 data.who.int, WHO Coronavirus (COVID-19) dashboard > Cases [Dashboard]. Dilihat tanggal 23 Mei 2024. Diakses melalui <https://data.who.int/dashboards/covid19/cases>.

Wu Z, McGoogan JM. Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a

Report of 72314 Cases From the Chinese Center for Disease Control and Prevention. (2020); JAMA. published online February 24. DOI: 10.1001/jama.2020.2648.

Yamamoto, S., Mizoue, T., Tanaka, A., Oshiro, Y., Inamura, N., Konishi, M., Ozeki, M., Miyo, K., Sugiura, W., Sugiyama, H. and Ohmagari, N., 2022. Sex-associated differences between BMI and SARS-CoV-2 antibody titers following the BNT162b2 vaccine. *Obesity*, 30(5), pp.999-1003.

Yang, Yawei J. MD, PhD; Murphy, Elisabeth A. PhD; Singh, Sunidhi BA; Sukhu, Ashley C. BS; Wolfe, Isabel BS; Adurty, Sanjana BA; Eng, Dorothy BA, BS; Yee, Jim BS; Mohammed, Iman BA; Zhao, Zhen PhD; Riley, Laura E. MD; Prabhu, Malavika MD. Association of Gestational Age at Coronavirus Disease 2019 (COVID-19) Vaccination, History of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection, and a Vaccine Booster Dose With Maternal and Umbilical Cord Antibody Levels at Delivery. *Obstetrics & Gynecology* 139(3):p 373-380, March 2022. | DOI: 10.1097/AOG.0000000000004693

Zambrano LD, Ellington S, Strid P, Galang RR, Oduyebo T, Tong VT, Woodworth KR, Nahabedian JF 3rd, Azziz-Baumgartner E, Gilboa SM, Meaney-Delman D. (2020). CDC COVID-19 Response Pregnancy and Infant Linked Outcomes Team. Update: Characteristics of Symptomatic Women of Reproductive Age with Laboratory- Confirmed SARS-CoV-2 Infection by Pregnancy Status - United States, January 22- October 3, 2020. *MMWR Morb Mortal Wkly Rep*;69(44):1641-1647. doi: 10.15585/mmwr.mm6944e3.

Zdanowski, W., & Waśniewski, T. (2021). Evaluation of SARS-CoV-2 Spike Protein Antibody Titers in Cord Blood after COVID-19 Vaccination during Pregnancy in Polish Healthcare Workers: Preliminary Results. In *Vaccines* (Vol. 9, Issue 6). <https://doi.org/10.3390/vaccines9060675>.

Zhang, X., Li, S. and Niu, S., 2020. ACE2 and COVID-19 and the resulting ARDS. *Postgraduate medical journal*, 96(1137), pp.403-407.

Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, *et al.* (2020). A Novel Coronavirus from Patients with Pneumonia in China, 2019. *N Engl J Med*;382(8):727-33.