



## DAFTAR PUSTAKA

- Alifah. 2016. Sumberdaya Tumbuhan dan pemanfaatannya di Situs Gua Here Sorot Entapa dan Kuil Eu Lapa, Pulau Kisar Maluku: Berdasarkan Studi Arkeobotani. Tesis. Yogyakarta: Fakultas Ilmu Budaya, Universitas Gadjah Mada.
- Anggraeni, Simanjuntak, T., Bellwood, P., & Piper, P. (2014). Neolithic foundations in the Karama valley, West Sulawesi, Indonesia. *Antiquity*, 88(341), 740-756. doi:10.1017/S0003598X00050663.
- Anggraeni. (2012). *The Austronesian Migration Hypothesis As Seen From Prehistoric Settlements On The Karama River, Mamuju, West Sulawesi*. Ph.D. thesis. Australian National University, Canberra.
- Arrozain, M. D. (2021). Karakteristik Lingkungan Vegetasi Situs Kendenglembu, Banyuwangi Berdasarkan Analisis Fitolit. Skripsi. Yogyakarta: Universitas Gadjah Mada.
- Austin, D. F. (2007). Water Spinach (*Ipomoea aquatica*, Convolvulaceae): A food gone wild. *Ethnobotany Research and Applications*, 5, 123-146.
- Barreda, V.D., Palazzi, L., Katinas, L., Crisci, J.V., Tellería, M.C., Bremer, K., Passala, G.M., Bechi, F., Corsolini, R., 2012. An extinct Eocene taxon of the daisy family (Asteraceae): evolutionary, ecological and biogeographical implications. *Ann. Bot.* 109 (1), 127–134.
- Birks, H. H., 2001. Plant Macrofossils. In J. P. Smol, H. J. B. Birks & W. M. Last (eds.), 2001. Tracking Environmental Change Using Lake Sediments. Volume 3: Terrestrial, Algal, and Siliceous Indicators. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- CABI Compendium. 2021. *Cyperus compressus* (annual sedge). doi:10.1079/cabicompendium.17494, CABI International.
- Carro, S. C. S., O'Connor, S., Louys, J., Hawkins, S., & Mahirta, M. (2016). Human maritime subsistence strategies in the Lesser Sunda Islands during the



terminal Pleistocene–early Holocene: New evidence from Alor, Indonesia.  
*Quaternary International*, 416, 64-79.

Champion, L., & Fuller, D. Q. (2018). Archaeobotany: methods. In *Oxford Research Encyclopedia of African History*.

Cuthrell, R. (2014). Archaeobotany of Early Agriculture: Macrobotany. In: Smith, C. (eds) *Encyclopedia of Global Archaeology*. Springer, New York, NY. [https://doi.org/10.1007/978-1-4419-0465-2\\_77](https://doi.org/10.1007/978-1-4419-0465-2_77).

Da Silva, O. L. M., Cordeiro, I., & Caruzo, M. B. R. (2016). Seed morphology in Euphorbia and its taxonomic applications: a case study in São Paulo, Brazil. *Brazilian Journal of Botany*, 39, 349-358.

Dasuki, U.A. & Van den Bergh, M.H., 1993. Chrysanthemum coronarium L.. In: Siemonsma, J.S and Piluek, K (Editors): Plant Resources of South-East Asia No 8: Vegetables. PROSEA Foundation, Bogor, Indonesia. Database record: prota4u.org/prosea.

Deng, Z., Hung, H. chun, Carson, M. T., Oktaviana, A. A., Hakim, B., & Simanjuntak, T. 2020. "Validating earliest rice farming in the Indonesian Archipelago." *Scientific Reports*, 10(1), 1-9. <https://doi.org/10.1038/s41598-020-67747-3>.

Dhar, P., Dhar, D. G., Rawat, A. K. S., & Srivastava, S. 2017. Medicinal chemistry and biological potential of Cyperus rotundus Linn.: An overview to discover elite chemotype (s) for industrial use. *Industrial Crops and Products*, 108, 232-247.

Fairbairn, A. (2005). Simple Bucket Flotation and Wet-Sieving in the Wet Tropics. Palaeoworks Technical Papers 4. *Canberra: Palaeoworks, Australian National University*.

Fairbairn, A. S. (2016). Beyond economy: seed analysis in landscape archaeology. In *Handbook of landscape archaeology* (pp. 442-450). Routledge.



Fenner, M., & Thompson, K. (2005). *The ecology of seeds*. Cambridge university press.  
Horridge, A. (1995). The Austronesian conquest of the sea—upwind. *The Austronesians: Historical and comparative perspectives*, 143-160.

Frazão, R., Catarino, S., Goyder, D., Darbyshire, I., Magalhães, M., Romeiras, M., & Romeiras, M. (2019). Species richness and distribution of the largest plant radiation of Angola: Euphorbia (Euphorbiaceae). *Biodiversity and Conservation*, 29, 187 - 206. <https://doi.org/10.1007/s10531-019-01878-6>.

Funk, V.A., Susanna, A., Stuessy, T.F., Robinson, H., 2009. Systematics, evolution and biogeography of Compositae. IAPT, Vienna, pp. 171–192.

Gallaher, T., Peterson, P., Soreng, R., Zuloaga, F., Li, D., Clark, L., Tyrrell, C., Welker, C., Kellogg, E., & Teisher, J. (2022). Grasses through space and time: An overview of the biogeographical and macroevolutionary history of Poaceae. *Journal of Systematics and Evolution*, 60. <https://doi.org/10.1111/jse.12857>.

Geesink, R. 1972. Portulacaceae. *Flora Malesiana-Series 1, Spermatophyta*, 7(1), 121-133.

Heeren Panwar (2023). Taxonomic Notes on an Endemic Variety of Portulaca oleracea [Portulacaceae] Found in India is suppose to Promote as Separate Species Portulaca linearifolia. *International Journal of Current ScienceResearch and Review*, 6(2), 910-917.

Hillman G, Wales S, McLaren F, Butler A (1993) Identifying problematic remains of ancient plant foods: a comparison of the role of chemical, histological and morphological criteria. *World Archaeol* 25: 94–121.

Jonsell, B. (1984). Cruciferae. *Flora Malesiana-Series 1, Spermatophyta*, 10(1), 541-560.

Kern, J. H. (1972). Cyperaceae. *Flora Malesiana-Series 1, Spermatophyta*, 7(1), 435-753.



Kirch, 2021. Macrobotanical Remains from Talepakemalai (Site ECA) and the Case for Lapita Arboriculture. In Bauer, B. S., Kirch, P. V., & Cruz, J. F. S. (2021). Talepakemalai: Lapita and its transformations in the Mussau Islands of Near Oceania. ISD.

Kirkbride Jr, J. H., Gunn, C. R., & Dallwitz, M. J. (2000). Onwards. *Family Guide for Fruits and Seeds: Descriptions, Illustrations, Identification, and Information Retrieval*.

Kühn, U., Bittrich, V., Carolin, R., Freitag, H., Hedge, I. C., Uotila, P., & Wilson, P. G. (1993). Chenopodiaceae. In *Flowering Plants· Dicotyledons: Magnoliid, Hamamelid and Caryophyllid Families* (pp. 253-281). Berlin, Heidelberg: Springer Berlin Heidelberg.

Kynclova, M. (1970). Comparative morphology of achenes of the tribe Anthemideae Cass.(Family Asteraceae) and its taxonomic significance.

Lape, P., Peterson, E., Tanudirjo, D., Shiung, C. C., Lee, G. A., Field, J., & Coster, A. (2018). New data from an open Neolithic site in eastern Indonesia. *Asian Perspectives*, 57(2), 222-243.

Lu, P., Li, Y., Zhang, J. W., Liang, X. Q., Li, Y. Z., & Li, C. S. (2019). Fruits of Scirpus (Cyperaceae) from the early Miocene of Weichang, Hebei Province, North China and their palaeoecological and palaeobiogeographical implications. *Journal of Palaeogeography*, 8, 1-8.

Martin, A. C., & Barkley, W. D. (1961). *Seed Identification Manual*. University of California Press.

Mastebroek, H.D., van Soest, L.J.M. & Siemonsma, J.S., 1996. Chenopodium L. (grain chenopod). In: Grubben, G.J.H. & Partohardjono, S. (Editors): Plant Resources of South-East Asia No 10: Cereals. PROSEA Foundation, Bogor, Indonesia. Database record: [prota4u.org/prosea](http://prota4u.org/prosea).

Matthews, J. F., & Levins, P. A. (1986). The Systematic Significance of Seed Morphology in Portulaca (Portulacaceae) Under Scanning Electron Microscopy. *Systematic Botany*, 11(2), 302–308. <https://doi.org/10.2307/2419120>.



Matthews, P. J., & Gosden, C. (1997). Plant remains from waterlogged sites in the Arawe Islands, West New Britain Province, Papua New Guinea: Implications for the history of plant use and domestication. *Economic Botany*, 51, 121-133.

Miller, N. F. (1989). What mean these seeds: a comparative approach to archaeological seed analysis. *Historical archaeology*, 23(2), 50-59.

Minnis, P. E. (1981). Seeds in archaeological sites: sources and some interpretive problems. *American Antiquity*, 46(1), 143-152.

Monk, K., & De Fretes, Y. (2012). *Ecology of Nusa Tenggara*. Tuttle Publishing.

Musil, A. F. (1963). *Identification of crop and weed seeds* (No. 219). US Department of Agriculture.

Musil, A. F. (1963). *Identification of crop and weed seeds* (No. 219). Agricultural Marketing Service, US Department of Agriculture.

Mustaqim WA, Saputra R, Al Farisy DD, Tianara A, Ahmad RPP, Kartonegoro A, Yudistira YR, Idris AR, Sitepu BS, Randi A & Ardi WH. 2021 onwards. Digital Flora of Indonesia. Facilitated by Tumbuhan Asli Nusantara Foundation. [www.indonesiaplants.org](http://www.indonesiaplants.org).

New York African Burial Ground Archaeology Final Report, Volume 4. Appendices. Appendix G Specialized Analyses of Plant Remains. New South Associates, Inc. , Gerald K. Kelso, Patricia L. Fall, Leslie E. Raymer, William Sandy, Warren R. Perry, Jean Howson, Barbara A. Bianco. In New York African Burial Ground Archaeology Final Report, Volume 4. Appendices. 2006 ( tDAR id: 6726 ) ; doi:10.6067/XCV84748ZD.

Nguyen Nghia Thin & Sosef, M.S.M., 1999. Euphorbia L.. In: de Padua, L.S., Bunyaphraphatsara, N. and Lemmens, R.H.M.J. (Editors): Plant Resources of South-East Asia No 12(1): Medicinal and poisonous plants 1. PROSEA Foundation, Bogor, Indonesia. Database record: [prota4u.org/prosea](http://prota4u.org/prosea).



Oliveira, N. V. 2008. Subsistence Archaeobotany: Food Production and the Agricultural Transition in East Timor. Canberra: Australian National University.

Pahlevani, A. H., & Akhani, H. (2011). Seed morphology of Iranian annual species of Euphorbia (Euphorbiaceae). *Botanical journal of the Linnean Society*, 167(2), 212-234.

Partohardjono, S. & Jansen, P.C.M., 1996. Echinochloa P. Beauvois. In: Grubben, G.J.H. & Partohardjono, S. (Editors): Plant Resources of South-East Asia No 10: Cereals. PROSEA Foundation, Bogor, Indonesia. Database record: [prota4u.org/prosea](http://prota4u.org/prosea).

Patridina, Esa Putra Bayu Gusti Gineung. 2018. Sumber Daya Tumbuhan Dan Pemanfaatannya Di Situs Gua Makpan, Alor, Nusa Tenggara Timur (40.000-2.500 BP). Tesis. Yogyakarta: Fakultas Ilmu Budaya, Universitas Gadjah Mada.

Paz V. 2001. Archaeobotany and cultural transformation: patterns of early plant utilisation in northern Wallacea. PhD thesis, University of Cambridge.

Pearsall, D. M. (2016). *Paleoethnobotany: a handbook of procedures*. Routledge.

Pemerintah Kabupaten Alor. 2024. “Topografi” dalam <https://alorkab.go.id/new/index.php/profil/topografi1>. Diakses pada 28 Maret 2024.

Peris, C. I. L., Rademacher, E. H., & Weijers, D. (2010). Green Beginnings–Pattern Formation in the Early Plant Embryo. *Current topics in developmental biology*, 91, 1-27.

Perry, L. 2020. *Archaeobotany of Early Agriculture: Microbotanical Analysis. Encyclopedia of Global Archaeology* (pp. 493-499).

Peterson, P. M., & Vega, I. S. (2007). Eragrostis (Poaceae: Chloridoideae: Eragrostideae: Eragrostidinae) of Peru 1. *Annals of the Missouri Botanical Garden*, 94(4), 745-790.



POWO (2024). "Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet; <https://powo.science.kew.org/> Diakses pada 2 September 2024.

Prabaningrum, Hesti, Ary Susatyo Nugroho, and Fibria Kaswinarni. "Keanekaragaman tumbuhan yang berpotensi sebagai bahan pangan di cagar alam Gebugan Semarang." *Jurnal Biologi dan pembelajarannya* 5.2 (2018): 26-31.

Pratama, A. W. 2020. "Pemanfaatan Tumbuhan di Situs Doro Mpana, Dompu, Nusa Tenggara Barat Berdasarkan Analisis Fitolit pada Residu Gerabah." Skripsi. Yogyakarta: Fakultas Ilmu Budaya UGM.

Rahardiawan, R., & Purwanto, C. (2014). Struktur Geologi Laut Flores, Nusa Tenggara Timur. *Jurnal Geologi Kelautan*, 12(3), 153-163.

Ruas, M. P., & Bouby, L. (2010). Carbonization, Preservation and Deformation of Carpological Remains. *Palethnologie. Archéologie et sciences humaines*, (2).

Sastrapradja, S., & Afriastini, J. J. 1980. Jenis Rumput Dataran Rendah. Bogor: Lembaga Biologi Nasional - LIPI.

Schlumbaum, A., Tensen, M. & Jaenicke-Després, V. *Ancient Plant DNA in Archaeobotany. Veget Hist Archaeobot* 17, 233–244 (2008). <https://doi.org/10.1007/s00334-007-0125-7>.

Seed Identification Guide. 2018. [www.seedidguide.idseed.org](http://www.seedidguide.idseed.org). Diakses pada 25 Agustus 2024.

Setyawati, T., Narulita, S., Bahri, I. P., & Rahario, G. T. (2015). A guide book to invasive plant species in Indonesia. *Research, development and Innovation Agency. Ministry of Environment and Forestry*.

Setyowati-Indarto, N., & Brink, M. (1999). Desmodium Desv. In *Plant Resources of South-East Asia 12:(1) Medicinal and poisonous plants 1* (pp. 242-250). Backhuys Publishers.



Skočajić, Dragana, and Marija Nešić. "Invasive species: Routes of introduction, establishment, and expansion." *Life on Land* (2021): 571-582.

Sobilik, Kristin D. 2003. *Archaeologist's Toolkit 5: Archaeobiology*. New York: Academic Press.

Struever, S. (1968). Flotation techniques for the recovery of small-scale archaeological remains. *American Antiquity*, 33(3), 353-362.

Sukhorukov, A., Kushunina, M., & Verloove, F. (2016). Notes on Atriplex, Oxybasis and Dysphania (Chenopodiaceae) in west-central tropical Africa.. *Plant Ecology and Evolution*, 149, 249-256. <https://doi.org/10.5091/PLECEVO.2016.1181>.

Tahtiharju, S., Rijkema, S.A., Vetterli, A., Albert, A.V., Teeri, H.T., Elomaa, P., 2012. Evolution and diversification of the CYC/TB1 gene family in Asteraceae—a comparative study in Gerbera (Mutisieae) and Sunflower (Heliantheae). *Mol. Biol. Evol.* 29 (4), 1155–1166.

Tanudirjo, D. A. 2001. Island in Between Prehistory of the Northeastern Indonesian Archipelago. Canberra: ANU.

Taylor, T.M.C., 1983. The Sedge Family (Cyperaceae). Hand Book No.43. Victoria, British Columbia Provincial Museum.

Toxopeus, H.& Jansen, P.C.M., 1993. Brassica L.. In: Siemonsma, J.S and Piluek, K (Editors): Plant Resources of South-East Asia No 8: Vegetables. PROSEA Foundation, Bogor, Indonesia. Database record: [prota4u.org/prosea](http://prota4u.org/prosea).

Trimanto, Danarto, S.A. and Ashrafuzzaman, M. 2019. Ethnobotanical uses of plants by Brangkuah Community of Moyo Island, West Nusa Tenggara, Indonesia. *Journal of Bangladesh Agricultural University*, 17(3): 325–337. <https://doi.org/10.3329/jbau.v17i3.43206>.

Turner, N., Łuczaj, Ł., Migliorini, P., Pieroni, A., Dreon, A., Sacchetti, L., & Paoletti, M. (2011). Edible and Tended Wild Plants, Traditional Ecological



Knowledge and Agroecology. *Critical Reviews in Plant Sciences*, 30, 198 - 225. <https://doi.org/10.1080/07352689.2011.554492>.

Ucchesu, M., Orrù, M., Grillo, O., Venora, G., Paglietti, G., Ardu, A., & Bacchetta, G. (2016). Predictive Method for Correct Identification of Archaeological Charred Grape Seeds: Support for Advances in Knowledge of Grape Domestication Process. *PloS one*, 11(2), e0149814. <https://doi.org/10.1371/journal.pone.0149814>.

Van der Hoek, H.N. & Jansen, P.C.M., 1996. Eragrostis tef (Zuccagni) Trotter. In: Grubben, G.J.H. & Partohardjono, S. (Editors): Plant Resources of South-East Asia No 10: Cereals. PROSEA Foundation, Bogor, Indonesia. Database record: [prota4u.org/prosea](http://prota4u.org/prosea).

Van der Kaars, S., Wang, X., Kershaw, P., Guichard, F., & Setiabudi, D. A. (2000). A Late Quaternary palaeoecological record from the Banda Sea, Indonesia: patterns of vegetation, climate and biomass burning in Indonesia and northern Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 155(1-2), 135-153.

Van der Kaars, W. A. (1989). Aspects of late Quaternary palynology of eastern Indonesian deep-sea cores. *Netherlands journal of sea research*, 24(4), 495-500.

Van Ooststroom, S. J., & Hoogland, R. D. (1948). Convolvulaceae. *Flora Malesiana-Series 1, Spermatophyta*, 4(1), 388-512.

Van Welzen, Peter C., John AN Parnell, and JW Ferry Slik. "Wallace's Line and plant distributions: two or three phytogeographical areas and where to group Java?." *Biological Journal of the Linnean Society* 103.3 (2011): 531-545.

Vandepitte, K., Meyer, T., Helsen, K., Acker, K., Roldán-Ruiz, I., Mergeay, J., & Honnay, O. (2014). Rapid genetic adaptation precedes the spread of an exotic plant species.. *Molecular ecology*, 23 9, 2157-64 . <https://doi.org/10.1111/mec.12683>.

Weiss, E., & Kislev, M. E. (2007). Plant Remains as a Tool For Reconstruction of The Past Environment, Economy, And Society: Archaeobotany in Israel. *Isr. J. Earth Sci*, 56(2-4), 163-173.



Wright, P. (2014). Seeds: Conservation and Preservation. *Encyclopedia of global archaeology*, 6551-6554.

Yulita, K., & Ridwan, R. (2018). Molecular characterization of induced mutation of jewawut (*Setaria italica* ssp. *italica*) from Buru Island, Indonesia using SRAP.. *Biodiversitas*, 19, 1160-1168. <https://doi.org/10.13057/BIODIV/D190352>.

Yunfa, M., Qingquan, M., Xiaomin, F., Xiaoli, Y., Fuli, W., & Chunhui, S. (2011). Origin and development of *Artemisia* (Asteraceae) in Asia and its implications for the uplift history of the Tibetan Plateau: a review. *Quaternary International*, 236(1-2), 3-12.

Zeid, M., Echenique, V., Díaz, M., Pessino, S., & Sorrells, M. E. (2010). *Eragrostis*. In *Wild crop relatives: Genomic and breeding resources: Millets and Grasses* (pp. 135-151). Berlin, Heidelberg: Springer Berlin Heidelberg.

Zhang P.2009. Studies on the origin of *Brassica alboglabra* Bailey. *China Veg.* (14):62–65.