



## DAFTAR PUSTAKA

- [Bappebti] Badan Pengawas Perdagangan Berjangka Komoditi. 2011. Kebutuhan Kedelai Nasional. Tribun news
- [BPS] Badan Pusat Statistik. Produksi Padi, Jagung, dan Kedelai. Berita Resmi Statistik 2019;45.
- Abellan-Schneyder, I., Matchado, M. S., Reitmeier, S., Sommer, A., Sewald, Z., Baumbach, J., ... & Neuhaus, K. 2021. Primer, pipelines, parameters: issues in 16S rRNA gene sequencing. *Msphere*, 6(1), 10-1128.
- Aldrete-Tapia A, Escobar-Ramirez MC, Tamplin ML, Hern\_Andez-Iturriagaa M 2014. High-throughput sequencing of microbial communities in Poro cheese, an artisanal Mexican cheese. *Food Microbiol.* 44: 136–41.
- Ampe, F., ben Omar, N., Moizan, C., Wacher, C., & Guyot, J. P. 1999. Polyphasic study of the spatial distribution of microorganisms in Mexican pozol, a fermented maize dough, demonstrates the need for cultivation-independent methods to investigate traditional fermentations. *Applied and Environmental Microbiology*, 65(12), 5464-5473.
- Apostolakos, I., Paramithiotis, S., & Mataragas, M. 2022. Functional and safety characterization of *Weissella parmesenteroides* strains isolated from dairy products through whole-genome sequencing and comparative genomics. *Dairy*, 3(4), 799-813.
- Asao, T., Kumeda, Y., Kawai, T., Shibata, T., Oda, H., Haruki, K., Nakazawa, H., & Kozaki, S. (2003). An extensive outbreak of staphylococcal food poisoning due to low-fat milk in Japan: Estimation of enterotoxin A in the incriminated milk and powdered skim milk. *Epidemiology & Infection*, 130(1), 33-40.
- Astawan M. 2008. *Khasiat Tempe*. Jakarta (ID) : Gramedia Pustaka Utama.
- Astawan, M., Wresdiyati T., Maknun L. 2017. Tempe: Sumber Zat Gizi dan Komponen Bioaktif untuk Kesehatan. Bogor (ID). IPB Press.



- B. Abraham, S., Al-Marzooq, F., Samaranayake, L., Hamoudi, R. A., Himratul-Aznita, W. H., & Aly Ahmed, H. M. 2024. Molecular analyses indicate profuse bacterial diversity in primary and post-treatment endodontic infections within a cohort from the United Arab Emirates-A preliminary study. *Plos one*, 19(7), e0305537.
- Barus T, Suwanto A, Wahyudi AT, Wijaya H. 2008. Role of bacteria in tempeh bitter taste formation: Microbiological and molecular biological analysis based on 16S rRNA gene. *Microbiol Indones*. 2:17-21.
- Barus, T., Giovania, G., & Lay, B. W. 2020. Lactic acid bacteria from tempeh and their ability to acidify soybeans in tempeh fermentation. *Microbiology Indonesia*, 14(4), 4-4.
- Barus, T., Widyah, W., Wicaksono, W. A., & Prasasty, V. D. 2021. Identifikasi Bakteri yang Berperan dalam Pengasaman Kedelai dalam Fermentasi Tempe Berdasarkan Sekuen 16S rDNA. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 71-77.
- Behjati, S., & Tarpey, P. S. 2013. What is the next generation sequencing? *Archives of Disease in Childhood-Education and morectice*.
- Beiko, R. G. 2015. Microbial malaise: how can we classify the microbiome?. *Trends in microbiology*, 23(11), 671-679.
- Bokulich NA, Joseph ML, Allen G, Benson AK, Mills D. 2013. Next-generation sequencing reveals significant bacterial diversity of botrytized wine. *PLOS One*. 7(5): e36357.
- Braun, M. S., Wang, E., Zimmermann, S., Boutin, S., Wagner, H., & Wink, M. 2019. *Kocuria tytonicola*, new bacteria from the preen glands of American barn owls (*Tyto furcata*). *Systematic and applied microbiology*, 42(2), 198-204.
- Chong, J., Liu, P., Zhou, G., & Xia, J. 2020. Using MicrobiomeAnalyst for comprehensive statistical, functional, and meta-analysis of microbiome data. *Nature protocols*, 15(3), 799-821.
- Cochrane, S. A., & Vedera, J. C. 2016. Lipopeptides from *Bacillus* and *Paenibacillus* spp.: a gold mine of antibiotic candidates. *Medicinal research reviews*, 36(1), 4-31



- Counihan, K. L., Kanrar, S., Tilman, S., & Gehring, A. 2023. Evaluation of long-read sequencing simulators to assess real-world applications for food safety. *Foods*, 13(1), 16.
- D'aes, J., Fraiture, M. A., Bogaerts, B., De Keersmaecker, S. C., Roosens, N. H., & Vanneste, K. 2022. Metagenomic Characterization of Multiple Genetically Modified *Bacillus* Contaminations in Commercial Microbial Fermentation Products. *Life*, 12(12), 1971.
- De Fillippis, F., Eugenio P. & Danilo E. 2016. Metagenomics insight into food fermentations. *Microbial Biotechnology*. 10(1): 91-102.
- Delahaye, C., & Nicolas, J. 2021. Sequencing DNA with nanopores: Troubles and biases. *PloS one*, 16(10), e0257521.
- Diarra, C., Goetz, C., Gagnon, M., Roy, D., & Jean, J. 2023. Biofilm formation by heat-resistant dairy bacteria: multispecies biofilm model under static and dynamic conditions. *Applied and Environmental Microbiology*, 89(10), e00713-23.
- Dong, H., Chen, J., Hastings, A. K., Guo, L., & Zheng, B. 2017. Complete genome sequence and comparative analysis of *Staphylococcus condimenti* DSM 11674, a potential starter culture isolated from soy sauce mash. *Frontiers in Bioengineering and Biotechnology*, 5, 56.
- Faust, K., & Raes, J. 2012. Microbial interactions: from networks to models. *Nature Reviews Microbiology*, 10(8), 538-550.
- Fijałkowski, K., Peitler, D., & Karakulska, J. (2016). Staphylococcal food poisoning. *Polish Journal of Microbiology*, 65(2), 135-142.
- Fusco, V., Quero, G. M., Cho, G. S., Kabisch, J., Meske, D., Neve, H., ... & Franz, C. M. A. P. 2015. The genus Weissella: taxonomy, ecology and biotechnological potential. *Front Microbiol* 6: 155.
- Grady, E. N., MacDonald, J., Liu, L., Richman, A., & Yuan, Z. C. 2016. Current knowledge and perspectives of *Paenibacillus*: a review. *Microbial cell factories*, 15, 1-18.
- Gray, M. W., Sankoff, D., & Cedergren, R. J. 1984. On the evolutionary descent of organisms and organelles: a global phylogeny based on a highly conserved structural core in small subunit ribosomal RNA. *Nucleic Acids Research*, 12(14), 5837-5852.



- Hachmeister, K.A., Fung D.Y.C. 1993. Tempeh: a Mold-Modified Indigenous Fermented Food Made from Soybeans and/or Cereal Grains. *Crit. Rev. Microbiol.* 19(3):137–188.
- Hammes, W. P., Bosch, I., & Wolf, G. 1995. Contribution of *Staphylococcus carnosus* and *Staphylococcus piscifermentans* to the fermentation of protein foods. *Journal of applied bacteriology. Oxford[J. APPL. BACTERIOL.]*, 79.
- Haron, H., & Raob, N. 2014. Changes in macronutrient, total phenolic and anti-nutrient contents during preparation of tempeh. *J. Nutr. Food Sci*, 4(2).
- Hennekinne, J. A., De Buyser, M. L., & Dragacci, S. 2012. *Staphylococcus aureus* and its food poisoning toxins: Characterization and outbreak investigation. *FEMS Microbiology Reviews*, 36(4), 815-836.
- Jung JY, Lee SH, Jeon CO. 2014. Microbial community dynamics during fermentation of doenjang-meju, traditional Korean fermented soybean. *Int J Food Microbiol.* 185: 112–120.
- Kakirde KS, Parsley LC, Liles MR. 2010. Size does matter: Application-driven approaches for soil metagenomics. *Soil Biol Biochem.* 21: 1-13
- Kerkhof, L. J. 2021. Is Oxford Nanopore sequencing ready for analyzing complex microbiomes? *FEMS microbiology ecology*, 97(3), fiab001.
- Keuth S, Bisping B. 1993. Formation of vitamins by pure culture of tempeh molds and bacteria during the tempeh solid substrate fermentation. *J Appl Bacteriol.* 75:427-434.
- Kharnaior, P., & Tamang, J. P. 2022. Metagenomic-metabolomic mining of kinema, a naturally fermented soybean food of the Eastern Himalayas. *Frontiers in Microbiology*, 13, 868383.
- Kim B, Seo WT, Kim WG, Yun HD, Cho KM. 2012. Metagenomics lactic acid bacterial diversity during Mulkimchi fermentation based on 16S rRNA sequence. *J Korean Soc Appl Biol Chem.* 55(6): 787-792.
- Kim, C., Pongpanich, M., & Porntaveetus, T. 2024. Unraveling metagenomics through long-read sequencing: A comprehensive review. *Journal of Translational Medicine*, 22(1), 111.



- Klindworth A., Pruesse E., Schweer T., Peplies J., Quast C., Horn M., & Glockner F.O. 2013. Evaluation of general 16S ribosomal RNA gene PCR primers for classical and next generation sequencing-based diversity studies. *Nucleic Acid Research*. 41(1): 1-11.
- Kusuma, R. D. D., & Dewi, L. 2016. Deteksi Cemaran Coliform dan *Salmonella* sp. Pada Tempe Kedelai dari Kecamatan Sidorejo dan Tingkir, Kota Salatiga.
- Lambert, V.A., Lambert, C.E. 2012. Editorial: Qualitative Descriptive Research: An Acceptable Design. *Pacific Rim International Journal of Nursing Research* 16(4), 255-256.
- Laranjo, M., Potes, M. E., & Elias, M. 2019. Role of starter cultures on the safety of fermented meat products. *Frontiers in microbiology*, 10, 853.
- Le Blanc JG, Laino JE, del Valle MJ, Vannini V, van Sinderen D, Taranto MP, de Valdez GF, de Giori GS, Sesma F. 2011. B-group vitamin production by lactic acid bacteria – current knowledge and potential application. *J Appl Microbiol*. 111: 1297-1309.
- Lee, M. E., Jang, J. Y., Lee, J. H., Park, H. W., Choi, H. J., & Kim, T. W. 2015. Starter cultures for kimchi fermentation. *Journal of Microbiology and Biotechnology*, 25(5), 559-568.
- Lemoinne, A., Dirberg, G., Georges, M., & Robinet, T. 2023. Evaluation of a nanopore sequencing strategy on bacterial communities from marine sediments. *bioRxiv*, 2023-06.
- Li, G., Yuan, Y., Jin, B., Zhang, Z., Murtaza, B., Zhao, H., ... & Xu, Y. 2023. Feasibility insights into the application of *Paenibacillus pabuli* E1 in animal feed to eliminate non-starch polysaccharides. *Frontiers in Microbiology*, 14, 1205767.
- Liu L, Li Y, Hu N, He Y, Pong R, Lin D, Lu L, Law M. 2012. Comparison of next generation sequencing system. *J Biomed Biotechnol*. 2012: 1-11.
- Liu, L., Yang, Y., Deng, Y., & Zhang, T. 2022. Nanopore long-read-only metagenomics enables complete and high-quality genome reconstruction from mock and complex metagenomes. *Microbiome*, 10(1), 209.



- Lu, J., & Salzberg, S. L. 2020. Ultrafast and accurate 16S rRNA microbial community analysis using Kraken 2. *Microbiome*, 8(1), 124.
- Maskar, D. H., Hardinsyah, H., Damayanthi, E., Astawan, M., & Wresdiyati, T. 2015son. Evaluasi kesepadan mutu gizi tempe kedelai pangan rekayasa genetik (PRG) dan non-PRG serta dampak konsumsinya pada tikus percobaan. *Jurnal Gizi dan Pangan*, 10(3).
- Masoudi-Nejad, A., Narimani, Z., Hosseinkhan, N., Masoudi-Nejad, A., Narimani, Z., & Hosseinkhan, N. 2013. Emergence of Next-Generation Sequencing. *Next Generation Sequencing and Sequence Assembly: Methodologies and Algorithms*, 11-39.
- Moreno MF, Leisner JJ, Tee LK, Ley C, Radu S, Rusul G, Vancanneyt M, De Vuyst L. 2002. Microbial analysis of Malaysian tempeh and characterization of two bacteriocins produced by isolates of *Enterococcus faecium*. *J Appl Microbiol*. 92: 789-805.
- Mulyowidarso RK, Fleet GH, Buckle KA. 1990. Association of bacteria with the fungal fermentation of soybean tempe. *J Appl Microbiol*. 68: 43-47.
- Munro, R., Santos, R., Payne, A., Forey, T., Osei, S., Holmes, N., & Loose, M. 2022. minoTour, real-time monitoring and analysis for nanopore sequencers. *Bioinformatics*, 38(4), 1133-1135.
- Norberg, A. N., Norberg, P. R. B. M., Manhães, F. C., Mangiavacchi, B. M., Arêas, J. T. C., Rodrigues, S. J., ... & Boechat, J. C. D. S. 2023. Microbiological and Epidemiological Aspects of Endocarditis Caused by *Rothia* spp.: A Systematic Review. *Journal of Advances in Medicine and Medical Research*, 35(24), 100-127.
- Nout MJR, Kiers JI. 2005. Tempe fermentation, innovation, and functionality: update into the third millenium. *Appl Environ Microbiol*. 98:789-805.
- Nurdini, A. L., Nuraida, L., & Suwanto, A. 2015. Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal*, 22(4), 1668.
- Nurrahman, Astuti, M., Suparmo dan M.H.N.E. Soesatyo. 2012. Peran tempe kedelai hitam dalam meningkatkan aktivitas enzim antioksidan dan daya tahan limfosit terhadap hidrogen peroksida in vivo. Proseding. Seminar Hasilhasil Penelitian UNIMUS, Semarang.



- Odom, A. R., Faits, T., Castro-Nallar, E., Crandall, K. A., & Johnson, W. E. 2023. Metagenomic profiling pipelines improve taxonomic classification for 16S amplicon sequencing data. *Scientific reports*, 13(1), 13957.
- Odum, E. P., & Barrett, G. W. 1971. *Fundamentals of ecology* (Vol. 3, p. 5). Philadelphia: Saunders.
- Pangastuti, A., Alfiyah, R. K., Istiana, N. I., Sari, S. L. A., Setyaningsih, R., Susilowati, A., & Purwoko, T. (2019). Metagenomic analysis of microbial community in over-fermented tempeh. *Biodiversitas Journal of Biological Diversity*, 20(4), 1106-1114.
- Patwardhan, A., Ray, S., & Roy, A. 2014. Molecular markers in phylogenetic studies-a review. *Journal of Phylogenetics & Evolutionary Biology*, 2(2), 131.
- Pradhan, S., Prabhakar, M. R., Karthika Parvathy, K. R., Dey, B., Jayaraman, S., Behera, B., & Paramasivan, B. 2023. Metagenomic and physicochemical analysis of Kombucha beverage produced from tea waste. *Journal of Food Science and Technology*, 60(3), 1088-1096.
- Purwoko, D., Cartealy, I. C., Tajuddin, T., Dinarti, D., dan Sudarsono, S. 2018. Analisis Bioinformatika Berbasis Web Pada Sekuen Genom Parsial Sagu (*Metroxylon sagu* Rottb.). *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*. 5(1): 98.
- Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A.T., & Rusmana, I. 2018. Firmicutes is the predominant bacteria in tempeh. *International Food Research Journal* 25(6): 2313-2320.
- Rantsiou, K., Drosinos, E. H., Gialitaki, M., Urso, R., Krommer, J., Gasparik-Reichardt, J., ... & Cocolin, L. 2005. Molecular characterization of Lactobacillus species isolated from naturally fermented sausages produced in Greece, Hungary and Italy. *Food Microbiology*, 22(1), 19-28.
- Rantsiou, K., Rosalinda U., Lucillia I., Carlo C., Patrizia C., Giuseppe C. & Luca C. 2005. Culture-dependent and independent methods to investigate the microbial ecology of Italian fermented sausages. *Applied and Environmental Microbiology*. 71(4): 1977-1986.
- Ricotta, C., Bacaro, G., Caccianiga, M., Cerabolini, B. E., & Moretti, M. 2015. A classical measure of phylogenetic dissimilarity and its



relationship with beta diversity. *Basic and Applied Ecology*, 16(1), 10-18.

Salwan, R., & Sharma, V. 2018. The role of actinobacteria in the production of industrial enzymes. In *New and future developments in microbial biotechnology and bioengineering* (pp. 165-177). Elsevier.

Santos, A., van Aerle, R., Barrientos, L., & Martinez-Urtaza, J. 2020. Computational methods for 16S metabarcoding studies using Nanopore sequencing data. *Computational and Structural Biotechnology Journal*, 18, 296-305.

Seumahu C. 2012. Analisis metagenome untuk pencirian komunitas bakteri dan fungi pada tempe [disertasi]. Bogor (ID): Sekolah Pascasarjana Institut Pertanian Bogor.

Sharma, R., Garg, P., Kumar, P., Bhatia, S. K., & Kulshrestha, S. 2020. Microbial fermentation and its role in quality improvement of fermented foods. *Fermentation*, 6(4), 106.

Sheka, D., Alabi, N., & Gordon, P. M. 2021. Oxford nanopore sequencing in clinical microbiology and infection diagnostics. *Briefings in bioinformatics*, 22(5), bbaa403.

Shendure, J., Mitra, R. D., Varma, C., & Church, G. M. 2004. Advanced sequencing technologies: Methods and goals. *Nature Reviews Genetics*, 5(5), 335–344.

Song, S., Thomas J. & Masahira H. 2013. Our second genome-human metagenome: how next-generation sequencer changes our life through microbiology. *Advances in Microbial Physiology*, 62: 119-144.

Stevens, B. M., Creed, T. B., Reardon, C. L., & Manter, D. K. 2023. Comparison of Oxford Nanopore Technologies and Illumina MiSeq sequencing with mock communities and agricultural soil. *Scientific Reports*, 13(1), 9323.

Tanasupawat, S., Hashimoto, Y., Ezaki, T., Kozaki, M., & Komagata, K. 1992. *Staphylococcus piscifermentans* sp. nov., from fermented fish in Thailand. *International Journal of Systematic and Evolutionary Microbiology*, 42(4), 577-581.

Utami, D., Melliani, D., Maolana, F., Marliyanti, F. & Hidayat, A. 2021.

Iklim Organisasi Kelurahan Dalam Perspektif Ekologi. *Jurnal*



*Inovasi Penelitian*, 1(12), 2735-2742.

- Valero, M., Fernandez, P. S., & Salmeron, M. C. (2009). Influence of pH, temperature, and NaCl on the growth limits of *Staphylococcus aureus* in an aqueous environment. *International Journal of Food Microbiology*, 129(3), 180-186.
- Van Dijk, E. L., Jaszczyszyn, Y., Naquin, D., & Thermes, C. 2018. The third revolution in sequencing technology. *Trends in Genetics*, 34(9), 666-681.
- Vincent, A. T., Derome, N., Boyle, B., Culley, A. I., & Charette, S. J. 2017. Next-generation sequencing (NGS) in the microbiological world: How to make the most of your money. *Journal of microbiological methods*, 138, 60-71.
- Wang, Y., Zhao, Y., Bollas, A., Wang, Y., & Au, K. F. 2021. Nanopore sequencing technology, bioinformatics and applications. *Nature biotechnology*, 39(11), 1348-1365.
- Wang, Z., Wang, Z., Ji, L., Zhang, J., Zhao, Z., Zhang, R., ... & Chen, L. 2021. A review: Microbial diversity and function of fermented meat products in China. *Frontiers in microbiology*, 12, 645435.
- Winanti, Bintari dan Mustikaningtyas. 2014. Higienitas Produk Tempe berdasarkan Perbedaan Metode Inokulasi. *Unnes Jurnal of Life Science*, 3(1), pp. 39–46.
- YARLINA, V. P., ANDOYO, R., DJALI, M., & LANI, M. N. 2022. Metagenomic Analysis for Indigenous Microbial Diversity in Soaking Process of Making Tempeh Jack Beans (Canavalia Ensiformis). *Current Research in Nutrition & Food Science*, 10(2).
- Yu, H. S., Jang, H. J., Lee, N. K., & Paik, H. D. 2019. Evaluation of the probiotic characteristics and prophylactic potential of Weissella cibaria strains isolated from kimchi. *Lwt*, 112, 108229.
- Zhao D, Lu F, Qiu M, Ding Y, Zhou X. 2016. Dynamics and diversity of microbial community succession of surimi during fermentation with high-throughput sequencing. *J Food Safety*. 308-316.