UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbasi, F., F. Samadi, S. M. Jafari, S. Ramezanpour, and M. S. Shargh. 2019a. Production of omega-3-enriched meat through feeding broilers with ultrasonicated flaxseed oil nanoemulsions: Performance, serum composition, physicochemical properties and oxidative stability. Iranian J. App. Anim. Sci. 9 (3): 487–496.

Abbasi, F., F. Samadi, S. M. Jafari, S. Ramezanpour, and M. S. Shargh. 2019b. Production of omega-3 fatty acid-enriched broiler chicken meat by the application of nanoencapsultsed flaxseed oil prepared via ultrasonication. J. Functional Foods. 57: 373–381.

Abd El-Hack, M. E., M. T. El-Saadony, A. M. Saad, H. M. Salem, N. M. Ashry, M. M. A. Ghanima, M. Shukry, A. A. Swelum, A. E. Taha, A. M. El-Tahan, and S. F. AbuQamar. 2022. Essential oils and their nanoemulsions as green alternatives to antibiotics in poultry nutrition: a comprehensive review. Poult. Sci. 101: 101584.

Abun. 2008. Hubungan mikroflora dengan metabolisme dalam saluran pencernaan unggas dan monogastrik. Makalah Ilmiah. Fakultas Peternakan Universitas Padjadjaran. Bandung.

Acosta, E. 2009. Bioavailability of nanoparticles in nutrient and nutraceutical delivery. Curr. Opin. Colloid Interface Sci. 14 (1): 3–15.

Alagawany. M., S. S. Elnesr, M. R. Farag, M. E. A. El-Hack, R. A. Barkat, A.A. Gabr, M. A. Foda, A. E. Noreldin, A. F. Khafaga, K. El-Sabrout, H. A. M. Elwan, R. Tiwari, M. I. Yatoo, I. Michalak, A. D. Cerbo, and K. Dhama. 2021. Potential role of important nutraceuticals in poultry performance and health A comprehensive review. Res. Vet. Sci.137: 9–29.

Al-Fataftah, A.R. and A. Abdelqader. 2014. Effects of dietary *Bacillus subtilis* on heat-stressed broilers performance, intestinal morphology and microflora composition. Anim. Feed Sci. Technol. 198: 279–285.

Alhakamy, N. A., H. M. Aldawsari, K. M. Hosny, J. Ahmad, S. Akhter, A. K. Kammoun, A. F. Alghaith, H. Z. Asfour, M. W. Al-Rabia, and S. Md. 2020. Formulation design and pharmacokinetic evaluation of docosahexaenoic acid containing self-nanoemulsifying drug delivery system for oral administration. Nanomater. Nanotechnol. 10: 1847980420950988.

Al Hamid, F., J. Leiwakabessy, and A. Bandjar. 2020. Analisis komposisi asam lemak pada minyak kelapa fermentasi dan minyak kelapa tradisional. Sci. Map. J. 2 (1): 24–31.

Altaf, M., B.J. Naveena, M. Venkateshwar, E.V. Kumar, and G. Reddy. 2006. Single step fermentation of starch to L(+) lactic acid by *Lactobacillus* amylophilus GV6 in SSF using inexpensive nitrogen sources to replace peptone and yeast extract Optimization by RSM. Process Biochem. 41 (2): 465–472.

Altan, O., A. Altan, M. Cabuk, and H. Bayraktar. 2000. Effects of heat stress on some blood parameters in broilers. Turkish J. Vet. Animal Sci. 24: 145–148.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

AOAC. 2005. Official Methods of Analysis of AOAC International. In Association of Official Analysis Chemists International. Maryland.

Apajalahti, J., A. Kettunen, and H. Graham. 2004. Characteristics of the gastrointestinal microbial communities, with special reference to the chicken. World's Poult. Sci. J. 60 (2): 223–232.

Apajalahti, J. and K. Vienola. 2016. Interaction between chicken intestinal microbiota and protein digestion. Anim. Feed Sci.Technol. 221: 323–330.

Aprianto, M. A., Muhlisin, A. Kurniawati, C. Hanim, B. Ariyadi, and M. Al Anas. 2023. Effect supplementation of black soldier fly larvae oil (*Hermetia illucens* L.) calcium salt on performance, blood biochemical profile, carcass characteristic, meat quality, and gene expression in fat metabolism broilers. Poult. Sci. 102 (10): 102984.

Ariyadi, B., N. Isobe, and Y. Yoshimura. 2013. Induction of mucin expression by estrogen and lipopolysaccharide in the lower oviductal segments in hens. Poult. Sci. 92 (12): 3205–3213.

Aviagen. 2018. Indian River Broiler management Handbook. Accessed Apr. 2023. https://aviagen.com/assets/Tech_Center/LIR_Broiler/IRBroilerHandbook2018-EN.pdf.

Baba E., T. Ikemoto, T. Fukata, K. Sasai, A. Arakawa, and L.R. McDougald.1997. Clostridial population and the intestinal lesions in chickens infected with *Clostridium perfringen*s and *Eimeria necatrix*. Vet. Microbiol. 54: 301–308.

Bahloul, B. M., A. Lassoued, J. Sequin, R. L. Kuen, H. Dhotel, S. Sfar, and N. Mignet. 2015. Self-emulsifying drug delivery system developed by the HLB-RSM approach: Characterization by transmission electron microscopy and pharmacokinetic study. Inter. J. Pharm. 487 (2): 56-63.

Balakumar, K., C.V. Raghavan, N.T. Selvan, R.H. Prasad, dan S. Abdu. 2013. Self nanoemulsifying drug delivery system (SNEDDS) of rosuvastatin calcium: design, formulation, bioavailability and pharmacokinetic evaluation. Colloids Surf. B. 112: 337-343.

Balnave, D., J. Brake, H. Ahmadi, A. Golian, S. Tesseraud, I. Bouvarel, A. Collin, E. Audouin, S. Crochet, I. Seiliez, C. Leterrier, M. Ghazaghi, M. Mehri, M. Yousef-Elahi, M. Rokouei, W.M. Quinteiro-Filho, A. Ribeiro, V. Ferraz-de-Paula, M.L. Pinheiro, and Q.H. Zheng. 2014. Dietary plant bioactives for poultry health and productivity. Poult. Sci. 51 (4): 461–487.

Barragán, H., M.A. Cerrillo-Soto, J.F. García-Mazcorro, A.S. Juárez-Reyes, and A.Z.M. Salem. 2013. Antibiotics in animal nutrition. In: Nutritional Strategies of Animal Feed Additives.pp.25-64. Nova Science Publisher, New York.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Baskara, A. P., B. Ariyadi, N. D. Dono, R. Martien, and Z. Zuprizal. 2020. Effect of self-nanoemulsifying drug delivery system (SNEDDS) of cinnamon bark essential oil on broiler chicken performance. Livest. Res. Rural Dev. 32: 1–4.

Beg, S. S.S. jena, C. N. Patra, M. Rizwan, S. Swain, J. sruti, M.E.B. rao. B. Singh.2013. Development of solid self-nanoemulsifying granules (SSNEGs) of ondansetron hydrochloride with enhanced bioavailability potential. Coll. Surfaces Biointerfaces. 101: 414–423.

Bennett, A. R., I. Mair, A. Muir, H. Smith, L. Logunova, A. Wolfenden, J. Fenn, A. E. Lowe, J. E. Bradley, K. J. Elsel, and D. J. Thornton. 2024. Sex drives colonic mucin sialylation in wild mice. Sci. Rep.14: 6954.

Bridson, E. Y., 2006. Culture media, The OXOID Manual, 9th edition. Unipath Ltd, Wade Road, Basingstoke, Hampshire RG24 OPW, England.

Bilia, A.R., C. Guccione, B. Isacchi, C. Righeschi, F. Firenzuoli, and M.C. Bergonzi. 2014. Essential oils loaded in nanosystems: A developing strategy for a successful therapeutic approach. Evid Based Complement Alternat. Med. 2014: 651593.

Bogucka J., A. Dankowiakowska, G. Elminowska-Wenda, A. Sobolewska, J. Jankowski, and M. Szpinda M. 2017. Performance and small intestine morphology and ultrastructure of male broilers injected *in ovo* with bioactive substances. Ann. Anim. Sci. 2017: 17.

Brown, and Dellman. 1992. Histologi Veteriner 2 .3rd edition. UI Press. Jakarta.

Brown, E.M., M. Sadarangani, and B.B. Finlay. 2013. The role of the immune system in governing host-microbe interactions in the intestine. Nat. Immunol. 14: 660–667.

Buzea, C., I.I.P. Blandino, and K. Robbie. 2007. Nanomaterial and nanoparticles: sources and toxicity. Biointerphases. 2 (4): 17–71.

Byrd, J.A., B.M. Hargis, D.J. Caldwell, R.H. Bailey, K.L. Herron, J.L. McReynolds, R.L. Brewer, R.C. Anderson, K.M. Bischoff, and T.R. Callaway. 2001. Effect of lactic acid administration in the drinking water during preslaughter feed withdrawal on *Salmonella* and *Campylobacter* contamination of broilers. Poult. Sci. 80: 278–283.

Cabuk, M., M. Bozkurt, A. Alcicek, Y. Akbas, and K. Kucukyilmaz. 2006. Effect of a herbal essential oil mixture on growth and internal organ weight of broilers from young and old breeder flocks. S. Afr. J. Anim. Sci. 36: 135–141.

Cabrera-Trujillo MA, A. Filomena-Ambrosio, M.X. Quintanilla-Carvajal, and L.I. Sotelo-Díaz. 2018. Stability of low-fat oil in water emulsions obtained by ultra turrax, rotor-stator and ultrasound homogenization methods. Int. J. Gastron. Food Sci. 13: 58–64.

Calder, P.C., C.J. Field, and H.S. Gill. 2002. Nutrition and Immune Function. CABI Publishing, New York.

Campbell, T. W. 2015. Exotic animal hematology and cytology. In: Exotic Animal Hematology and Cytology. 4th edition. John Wiley and Sons. New Jersey.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Chakraborty, S., D. Shukla, B. Mishra, and S. Singh. 2009. Lipid - An emerging platform for oral delivery of drugs with poor bioavailability. Eur. J. Pharm. Biopharm. 73 (1): 1–15.

Cheng, G., H. Hao, S. Xie, X. Wang, M. Dai, L. Huang, and Z. Yuan. 2014. Antibiotic alternatives: The substitution of antibiotics in animal husbandry? Front. Microbiol.13: 217.

Chou, T. H., D. S. Nugroho, Y. S. Cheng, and J. Y. Chang. 2020. Development and characterization of nano-emulsions based on oil extracted from black soldier fly larvae. Appl. Biochem. Biotechnol. 191 (1): 331–345.

Chou, T. H., D. S. Nugroho, Y. S. Cheng, and J. Y. Chang, C.H Liang, and M.J. Deng. 2021. Encapsulation and characterization of nanoemulsions based on an anti-oxidative polymeric amphiphile for topical apigenin delivery. Polymers. *13*(7): 1016.

Craven, S.E., N.J. Stern, J.S. Bailey, and N.A. Cox. 2001. Incidence of *Clostridium perfringens* in broiler chickens and their environment during production and processing. Avian Dis. 45: 887–896.

Dabbou, S., F. Gai, I. Biasato, M.T. Capucchio, E. Biasibetti, D. Dezzutto, M. Meneguz, I. Plachà, L. Gasco, and A. Schiavone. 2018. Black soldier fly defatted meal as a dietary protein source for broiler chickens: Effects on growth performance, blood traits, gut morphology and histological features. J. Anim. Sci. Biotechnol. 9 (1): 1–10.

Dabbou, S., A. Lauwaerts, I. Ferrocino, I. Biasato, F. Sirri, M. Zampiga, S. Bergagna, G. Pagliasso, M.E. Gariglio, Colombino, C.G. Narro, F. Gai, M.T. Capucchio, L. Gasco, L. Cocolin, and A. Schiavone. 2021. Modified black soldier fly larva fat in broiler diet: Effects on performance, carcass traits, blood parameters, histomorphological features and gut microbiota. Animals. 11 (6).

Davis, A.K., D.L. Maney, and J.C. Maerz. 2008. The use of leukocyte profiles to measure stress in vertebrates: A review for ecologists. In: Functional Ecology. 22 (5): 760–772.

De Jong, W.H., W.I. Hagens, P. Krystek, M.C. Burger, A. Sips, and R.E. Geertsma. 2008. Particle size-dependent organ distribution of gold nanoparticles after intravenous administration. Biomaterials. 29 (12): 1912–1919.

des Rieux, A., V. Fievez, M. Garinot, Y.J. Schneider, and V. Preat. 2006. Nanoparticles as potential oral delivery systems of proteins and vaccines: A mechanistic approach. J. Controlled Release. 116 (1): 1–27.

Dewanti R., B. Ariyadi, R. Martien, Zuprizal. 2024a. Self nanoemulsifying drug delivery system of black soldier fly (*Hermetia illucens)* oil: optimization, formulation, and characterization. J. Appl. Pharm. Sci. 14 (02): 192–199.

Dewanti R., R. Martien, B. Ariyadi, Zuprizal. 2024b. Nano-emulsified black soldier fly oil concerning performance traits, health, and immunity of broilers. Poult. Sci.103 (10): 104116.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Dibner J.J., Buttin P. 2022. Use of organic acids as a model to study the impact of gut microflora on nutrition and metabolism. J. App. Poult. Res. 11 (4): 453–463.

Dibner, J.J. and J.D. Richards. 2004. The digestive system: Challenges and opportunities. J. Appl. Poult. Res. 13 (1): 86–93.

Diclaro, J.W. and P.E. Kaufman. 2012. Black soldier fly *Hermetia illucens* L. (Insecta : Diptera : Stratiomyidae). University of Florida, IFAS Extension.

Dierick, N.A., J.A. Decuypere, K. Molly, E. Van Beek, and E. Vanderbeke. 2002. The combined use of triacylglycerols containing medium-chain fatty acids (MCFAs) and exogenous lipolytic enzymes as an alternative for nutritional antibiotics in piglet nutrition *in vitro* screening of the release of MCFAs from selected fat sources by . Livest. Prod. Sci. 75 (2): 129–142.

Dono, N. D. 2013. Turmeric (*Curcuma longa* L.) supplementation as an alternative to antibiotics in poultry diets. Wartazoa. 23 (1): 41–49.

Donoghue, D. J. 2003. Antibiotic residues in poultry tissues and eggs: Human health concerns? Poult. Sci. 82(4): 618–621.

Donsì, F. and G. Ferrari. 2016. Essential oil nanoemulsions as antimicrobial agents in food. J. Biotechnol. 233: 106–120.

Duarte-Silva E., L. H. Morais, G. Clarke, W. Savino, and C. Peixoto. 2020. Targeting the gut microbiota in chagas disease: What do we know so far? Front. Microbiol. 11: 1–12.

El-Hack, M.E.A., M.T. El-Saadony, H.M. Salem, A.M. El-Tahan, M.M. Soliman, G.B.A. Youssef, A.E. Taha, S.M. Soliman, A.E. Ahmed, A.F. El-Kott, K.M. Alyaad, A.A. Swelum. 2022. Alternatives to antibiotics for organic poultry production: types, modes of action and impacts on bird's health and production. Poult. Sci. 101 (4): 101696.

Engberg, R.M., M.S. Hedemann, T.D. Leser, and B.B. Jensen. 2000. Effect of zinc bacitracin and salinomycin on intestinal microflora and performance of broilers. Poult. Sci. 79: 1311–1319.

Ensminger, M.E. 1992. Animal Science. Interstate Publishing. Illinois.

EUCAST Definitive Document. 1998. Methods for the determination of susceptibility of bacteria to antimicrobial agents. Terminology. Clin. Microbiol. Infect. 4: 291–296.

Fahmi, M.R., S. Hem, and I.W. Subamia. 2009. Potensi magot untuk peningkatan pertumbuhan dan status kesehatan ikan. J. Ris. Akuakultur. 4 (2): 221–232.

Fascina, V. B., J. R. Sartori, E. Gonzales, F. B. D. Carvalho, I. M. G. P. D. Souza, G. V. Polycarpo, A. C. Stradiotti, and V. C. Pelicia. 2012. Phytogenic additives and organic acids in broiler chicken diets. Rav. Bras. Zootec. 41: 2189–2197.

Fawole, F.J., S.N. Labh, M.S. Hossain, K. Overturf, B.C. Small, T.L. Welker, R.W. Hardy, and V. Kumar. 2021. Insect (black soldier fly larvae) oil as a potential substitute for fish or soy oil in the fish meal-based diet of *Juvenile rainbow* trout (*Oncorhynchus mykiss*). Anim. Nutr. 7 (4): 1360–1370.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Feighner, S.D. and M.P. Dashkevicz. 1987. Subtherapeutic levels of antibiotics in poultry feeds and their effects on weight gain, feed efficiency, and bacterial cholyltaurine hydrolase activity. Appl. Environ. Microbiol. 53: 331–336.

Fischbach, F.T. and M.B. Dunning III. 2015. A Manual of Laboratory and Diagnostic Tests. Wolters Kluwer Health. California.

Fischer, H., N. Romano, N. Renukdas, V. Kumar, A. K. Sinha. 2022. Comparing black soldier fly (*Hermetia illucens*) larvae versus prepupae in the diets of largemouth bass, *Micropterus salmoides*: Effects on their growth, biochemical composition, histopathology, and gene expression. Aquaculture. 546: 737323

Frandson, R.D. 1992. Anatomi dan Fisiologi Ternak. Gadjah Mada University Press, Yogyakarta.

Freel, T.A., A. McComb, and E.A. Koutsos. 2021. Digestibility and safety of dry black soldier fly larvae meal and black soldier fly larvae oil in dogs. Anim. Sci. 99 (3): 1–8.

Gao, J., H.J. Zhang, S.H. Yu, S.G. Wu, I. Yoon, J. Quigley, Y.P. Gao, and G.H. Qi, 2008. Effects of yeast culture in broiler diets on performance and immunomodulatory functions. Poult. Sci. 87 (7): 1377–1384.

Gao, H., X. Li, X. Chen, D. Hai, C. Wei, L. Zhang , and P. Li. 2022. The Functional roles of *Lactobacillus acidophilus* in different physiological and pathological processes. J. Microbiol. Biotechnol. 32 (10): 1226–1233

García, V., P. Catalá-Gregori, F. Hernández, M. D. Megías, and J. Madrid. 2007. Effect of formic acid and plant extracts on growth, nutrient digestibility, intestine mucosa morphology, and meat yield of broilers. J. Appl. Poult. Res. 16 (4): 555–562.

Ghazanfari, S. 2014. Intestinal morphology and microbiology of broiler chicken fed diets containing myrtle (*Myrtus communis*) essential oil supplementation. Iran. J. Appl. Anim. Sci. 4 (3): 549–554.

Ghosh, V., S. Saranya, A. Mukherjee, and N. Chandrasekaran. 2013. Cinnamon oil nanoemulsion formulation by ultrasonic emulsification: Investigation of its bactericidal activity. J. Nanosci. Nanotechnol. 13 (1): 114–122.

Ghosh G., and D. Khan. 2015. Chemotherapeutic impact of natural antioxidant flavonoids gallic acid rutin quercetin and mannitol on pathogenic microbes and their synergistic effect. Int. J. Sci. Technol. Res, 4 (8): 243–256.

Giunti, G., O. Campolo, F. Laudani, and V. Palmeri. 2018. Male courtship behaviour and potential for female mate choice in the black soldier fly *Hermetia illucens L*. (Diptera: Stratiomyidae). Entomol. Gen. 38 (1): 29–46.

Guy, J.S. 1998. Virus infections of the gastrointestinal tract of poultry. Poult. Sci. 77: 1166–1175.

Guyton, A.C. and J.E. Hall. 2016. Textbook of Medical Physiology 13th. In: Department of Physiology and Biophysics. Elsevier Health Sciences, Philadelphia.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Hall, L.H., J. Johnson, I. Watt, A. Tsipa, D.B.O. Connor. 2016. Healthcare staff wellbeing, burnout, and patient safety: A Systematic Review. Plos One. 11 (7): e0159015

Harimurti, S. 2011. Probiotik Bakteri Asam Laktat Indigenous: Pengaruhnya terhadap Ekspresi Biologis Pada Ayam Broiler. Universitas Gadjah Mada Yogyakarta.

Härtle, S., K.E. Magor, T.W. Göbel, F. Davison, and B. Kaspers. 2013. Structure and evolution of avian immunoglobulins. Avian Immunology 2nd edition. Elsevier, London.

Hartinger, K., K. Fröschl, M. A. Ebbing, B. Bruschek-Pfleger, K. Schedle, C. Schwarz, and M. Gierus. 2022. Suitability of *Hermetia illucens* larvae meal and fat in broiler diets: effects on animal performance, apparent ileal digestibility, gut histology, and microbial metabolites. J. Anim. Sci. Biotechnol. 13 (1): 50

Hashemi, S.R. and H. Davoodi. 2010. Phytogenics as new class of feed additive in poultry industry. J. Anim. Vet. Adv. 9: 2295–2304.

Haskell, R.J. 2006. Physical Characterization of Nanoparticles. In : Nanoparticles Technology for Drug Delivery. 1st edition. CRC Press, London.

Hernández, F., V. García, J. Madrid, J. Orengo, P. Catalá, and M.D. Megías. 2006. Effect of formic acid on performance, digestibility, intestinal histomorphology and plasma metabolite levels of broiler chickens. Br. Poult. Sci. 47: 50–56.

Heuel, M., C. Sandrock, F. Leiber, A. Mathys, M. Gold, C. Zurbrügg, I.D.M. Gangnat, M. Kreuzer, and M. Terranova. 2021. Black soldier fly larvae meal and fat can completely replace soybean cake and oil in diets for laying hens. Poult. Sci. 100 (4): 1–11.

Hidayat, M., Z. Zuprizal, F. Nugroho, A. Kusmayadi, and A.K. Wati. 2018. Pengaruh pemberian nanoenkapsulasi ekstrak kunyit cair dalam air minum terhadap kualitas fisik daging ayam broiler. Prosiding Seminar Teknologi Agribisnis Peternakan Fakultas Peternakan Universitas Jenderal Soedirman, Purwokerto.

Holm, M. A., K. B. Barken, L. Yang, M. Klausen, J. S. Webb, S. Kjelleberg, S. Molin, M. Givskov, T.T. Nielsen. 2006. A characterization of DNA release in *Pseudomonas aeruginosa* cultures and biofilms. Mol. Microbiol. 59 (4): 111428

Holzer, M., E. Mayrhuber, H. Danner, and R. Braun. 2003. The role of *Lactobacillus buchneri* in forage preservation. Trends Biotechnol. 21 (6): 282–287.

Hosseini, S. M., M. Chamani, A. Seidavi, A. A. Sadeghi, and Z. Ansari-Pirsaraei. 2017. Effect of feeding thymolina powder on the carcass characteristics and morphology of small intestine in Ross 308 broiler chickens. Acta. Sci. 39: 45–50.

Hugo, W. B., dan A.D. Russel. 2011. Pharmaceutical Microbiology, 8th edition. Blackwell Science, Ltd. United States of America.

Hu, X. and Y. Guo. 2008. Corticosterone administration alters small intestinal morphology and function of broiler chickens. Asian-Australas J. Anim. Sci. 21 (12): 1773–1778.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Ibrahim, S. 2008. Hubungan ukuran-ukuran usus halus dengan berat badan broiler. Jurnal Agripet. 8 (2): 42–46.

Indriati, G., M. Sumitri, and R. Widiana. 2012. Pengaruh air rebusan cacing tanah (*Lumbricus rubellus*) terhadap pertumbuhan bakteri *Escherichia coli*. Prosiding Semirata, Jambi.

Irawan, A.C., D.A. Astuti, I.W.T. Wibawan, and W. Hermana. 2019. Impact of the feeding with the black soldier fly (*Hermetia illucens*) on egg physical quality, egg chemical quality and lipid metabolism of laying hens. J. Physics. 1351: 1–8.

Irawan, A.C., D.A. Astuti, I.W.T. Wibawan, and W. Hermana. 2020. Supplementation of black soldier fly (*Hermetia illucens*) on productivity and blood hematology. Jurnal Ilmu-Ilmu Peternakan. 30 (1): 50–68.

Jawetz, E., J.L Melnick, and E.A. Adelberg. 2001. Mikrobiologi Kedokteran, Edisi XXII. Diterjemahkan oleh Bagian Mikrobiologi Fakultas Kedokteran Universitas Airlangga. Penerbit Salemba Medika, Jakarta.

Jha, S. K., S. Dey, and R. Karki. 2011. Microemulsions potential carrier for improved drug delivery. Asian J. Biomed. Pharm. Sci. 1 (1): 5–9.

Józefiak, D., S. Kaczmarek, and A. Rutkowski. 2010. The effects of benzoic acid supplementation on the performance of broiler chickens. J. Anim. Physiol. Anim. Nutr. 94: 29–34.

Karspers, B., K. A. Schat, T. Gobel, and L. Vervelde. 2021. Avian Immunology 3rd edition. Elsevier, Amsterdam.

Katata-Seru, L., C.L. Thabang, S.A. Oluwole, B. Indra. 2017. Application of taguchi method to optimize garlic essential oil nanoemulsions. J. Mol. Liquids. 244: 279-284.

Khalisanni, K. 2011. An overview of lactic acid bacteria. Int. J. Biosci. 1 (3): 1–13.

Khan R.U. dan S Naz. 2013. The applications of probiotics in poultry production. Worlds Poult. Sci. J. 69 (3): 621–632.

Khonsary, S. 2017. Surgical neurology international, In: Guyton and Hall: Textbook of Medical Physiology. California. 8 (1): 275.

Kierończyk, B., J. Sypniewski, M. Rawski, W. Czekała, S. Swiatkiewicz, and D. Józefiak. 2020. From waste to sustainable feed material: the effect of *Hermetia illucens* oil on the growth performance, nutrient digestibility, and gastrointestinal tract morphometry of broiler chickens. Ann. Anim. Sci. 20 (1): 157–177.

Kim, B., H.T. Bang, J.Y. Jeong, M. Kim, K.H. Kim, J.L. Chun, and S.Y. Ji. 2020a. Evaluation of black soldier fly larvae oil as a dietary fat source in broiler chicken diets. J. Anim. Sci. Technol. 62 (2).

Kim, Y.B., D.H. Kim, S.B. Jeong, J.W. Lee, T.H. Kim, H.G. Lee, and K.W. Lee, 2020b. Black soldier fly larvae oil as an alternative fat source in broiler nutrition. Poult. Sci. 99 (6): 3133–3143.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Kim, B., H. T. Bang, J. Y. Jeong, M. Kim, K. H. Kim, J. L. Chun, and S. Y. Ji. 2021. Effects of dietary supplementation of black soldier fly (*Hermetia illucens)* larvae oil on broiler health. J. Poult. Sci. 58 (4): 222–229.

Kleyn, F. J., and P. V. Chrystal. 2020. Broiler Nutrition. masterclass. Leicestershire. England.

Kokosharov, T. 2001. Some observations on the caecal microflora of the chickens during experimental acute fowl typhoid. Rev. Med. Vet. 152 (7): 531–534.

Kowalska-Krochmal, B., R. Dudek-Wicher. 2021. The minimum inhibitory concentration of antibiotics: Methods, interpretation, clinical relevance. Pathogens. Poult. Sci. 99 (6): 3133–3143.

Kusumawati N, L.J. Bettysri , S. Siswa, dan R.D. Hariadi. 2008. Seleksi Bakteri Asam Laktat Indigenous sebagai Galur Probiotik dengan Kemampuan Menurunkan Kolesterol. Jurnal Mikrobiologi Indonesia. 2 (1) : 120–128.

Landoni, M.F. and G. Albarellos. 2015. The use of antimicrobial agents in broiler chickens. Vet. J. 205 (1): 21–27.

Lay, B.W. 1994. Analisis mikroba di laboratorium. PT Grafindo Persada, Jakarta.

Lemnaru Popa G.M., R.D. Trusca, C.I. Illie, R.E. Tiplea, D. Ficai, O. Oprea, A. Stoica-Guzun, A. Ficai, L.M. Ditu. 2020. Antibacterial activity of bacterial cellulose loaded with bacitracin and amoxilin: *in vitro* studies. Molecules. 25 (18): 4069.

Levine, G.J. 2014. Veterinary hematology and clinical chemistry, 2nd edition. In: M. A. Thrall, W. Glade, W. Robin, Allison, W. Terry. Campbell. Wiley-blackwell, John wiley & sons illinois.

Liang, J., H. Yan, X. Wang, Y. Zhou, X. Gao, P. Puligundla, dan X. Wan. 2017. Encapsulation of *epigallocatechin gallate* in zein/chitosan nanoparticles for controlled applications in food systems. Food Chem. 231: 19–24.

Linden, S. K., P. Sutton, N. G. Karlsson, V. Korolik, and M. A. McGuckin. 2008. Mucin in the mucosal barrier to infection. J. Mucosal Immunol. 1: 183–197.

Li, J., D. J. McClements, and L. A. McLandsborough. 2001. Interaction between emulsion droplets and *Escherichia coli* cells. J. Food Sci. 66 (4): 570–574.

Lorain V. 2005. Antibiotic in Laboratory Medicine. 5th edition. Williams and Wilkins Co: London.

Lovland, A. and M. Kaldhusdal. 2001. Severely impaired production performance in broiler flocks with high incidence of *Clostridium perfringens*-associated hepatitis. Avian Pathol. 30: 73–81.

Madigan, M.T., J.M. Martinko, K.S. Bender, and D.H. Buckley. 2014. Brock Biology of Microorganisms, 14th edition. Pearson education, Glenview.

Maesaroh, U., R. Martien, N.D. Dono, and Z. Zuprizal. 2019. Antibacterial activity and characterization of *Annona muricata* L leaf extract-nanoparticles against *Escherichia coli* FNCC-0091 and *Salmonella thyphimurium* FNCC-0050. IOP Conference Series: Earth and Environmental Science: 1–6.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Martien, R., A. Adhyatmika, V. Farid, and D.P. Sari. 2012. Technology developments nanoparticles as drug delivery systems. Majalah Farmaseutik. 8: 133–144.

Maroof, K., T. Oka, M. Fujihara, and T. Bung. 2017. Effect of supplemental Japanese pepper seed on the palatability of feed in chicks. J. Poult. Sci. 54: 278–281.

Mason, T.G., J.N. Wilking, K. Meleson, C.B. Chang, and S.M. Graves. 2006. Nanoemulsions: formation, structure, and physical properties. J. Condens. Matter Phys.18 (41).

Masoud Eid, A. M., N. A. Elmarzugi, H. A. El-Enshasy, and O. M. Arafat. 2013. A novel *Swietenia macrophylla* oil self-nanoemulsifying system: development and evaluation. Int. J. Pharm. Res. 5 (3): 639–644.

Mattu, B. and A. Chauhan. 2013. Lactic acid bacteria and its use in probiotics. J. Bioremed. Biodeg. 4 (8): 1–6.

McClements, D.J. and J. Rao. 2011. Food-grade nanoemulsions: formulation, fabrication, properties, performance, biological fate, and potential toxicity. In Crit. Rev. Food Sci. Nutr. 51 (4): 285–330.

McClements, D.J. 2012. Nanoemulsions versus microemulsions: terminology, differences, and similarities. J. Soft Matter. 8 (6): 1719–1729.

Mela, E. and D.S. Bintang, 2021. Virgin coconut oil (VCO): pembuatan, keunggulan, pemasaran dan potensi pemanfaatan pada berbagai produk pangan. Jurnal Penelitian dan Pengembangan Pertanian. 40 (2): 103–110.

Mohanraj, V.J. and Y. Chen. 2007. Nanoparticles - a review. Trop. J. Pharm. Res. 5 (1): 561–573.

Mohite P, T. Rajput, R. Pandhare, A. Sangale, S. Singh, and B.G. Prajapati. 2023. Nanoemulsion in management of colorectal cancer: challenges and future prospects. Nanomanuf. 3 (2): 13966.

Montes de Oca-Ávalos JM, R.J. Candal, and M.L. Herrera. 2017. Nanoemulsions: stability and physical properties. Curr. Opin. Food Sci. 16: 1–6.

Morales G, P. Sierra, Mancilla, A. Parades, L.A. Loyola, O. Gallardo, dan J. Borquez. 2003. Secondary metabolites from four medicinal plants from Northern Chile, antimicrobial activity, and biotoxicity against *Artemia salina*. J. Chile Chem. 48 (2).

Moyes, P., and M. Schulte. 2008. Principles of Animal Phisiology 2nd edition. Amazon, Washington.

Mudalige T, H. Qu, D. Van Haute, S.M. Ansar, A. Paredes, dan T. Ingle. 2019. Characterization of nanomaterials: Tools and challenges. Nanomaterials for food applications. 1: 313–53.

Murdock, R.C., L. Braydich-Stole, A.M. Schrand, J.J. Schlager, and S.M. Hussain. 2008. Characterization of nanoparticle dispersion in solution prior to in vitro exposure using dynamic light scattering tehnique. Toxicol. Sci. 101: 239–253.

Nanocomposix. 2012. Zeta Potential Analysis of Nanoparticles. Nanocomposix

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Publications.

Narkhede, R., K. Gujar, and V. Gambhire. 2014. Design and evaluation of self-nanoemulsifying drug delivery systems for nebivolol hydrochloride. Asian J. Pharm. 8 (3): 200–209.

Nasr A, A. Gardouh, and M. Ghorab. 2016. Novel solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of olmesartan medoxomil: Design, formulation, pharmacokinetic and bioavailability evaluation. Pharmaceutics. 8 (3): 1–29.

Neethirajan S. and D.S.Jayas. 2011. Nanotechnology for the food and bioprocessing industries. Food Bioproc. Tech. 4 (1): 39–47.

Nitbani, F.O., Jumina, and P.J.P. Tjitda. 2022. Minyak Kelapa. CV. Budi Utama, Yogyakarta.

Novarianto, H. 2015. Kandungan asam laurat pada berbagai varietas kelapa sebagai bahan baku VCO. Jurnal Penelitian Tanaman Industri. 13 (1): 28–33.

Novilla, A., P. Nursidika, and W. Mahargyani. 2017. Komposisi asam lemak minyak kelapa murni (virgin coconut oil) yang berpotensi sebagai anti kandidiasis. EduChemia Jurnal Kimia dan Pendidikan. 2 (2): 161–173.

Ollinger, M., K. H. Lim, and T. Knott. 2024. Incentives for Salmonella control in chicken broiler: Why the sampling protocol matters. Food Control. 15

Park, S. I., B.S. Chang, and S.M. Yoe. 2014. Detection of antimicrobial substances from larvae of the black soldier fly, *Hermetia illucens* (Diptera: Stratiomyidae). Entomol. Res. 44 (2): 58–64.

Parmar, N., N. Singla, S. Amin, and K. Kohli. 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self nanoemulsifying drug delivery system. Colloids Surf. B. 86 (2): 327–338.

Pathan, I.B. and C.M. Setty. 2012. Nanoemulsion system for transdermal delivery of tamoxifen citrate: design, characterization, effect of penetration enhancers and in vivo studies. Digest. J. Nanomater Biostruct. 7 (4): 1373–1387.

Patterson, P.H., N. Acar, A.D. Ferguson, L.D. Trimble, H.B. Sciubba, and E.A. Koutsos. 2021. The impact of dietary black soldier fly larvae oil and meal on laying hen performance and egg quality. Poult. Sci. 100 (8): 101272.

Pedro, A. S., I. E. Santo, C. V. Silva, C. Detoni, and E. Albuquerque. 2013. The use of nanotechnology as an approach for essential oil-based formulations with antimicrobial activity. Curr. Res.Technol. Educ. Topics Appl. Microbiol. Microbial. Biotechnol. 2: 1364–1374.

Pelczar, J. Michael, dan E. C. S., Chan. 2008. Dasar-Dasar Mikrobiologi Jilid I. UI Press. Jakarta.

Pelicano, E. R. L., P. A. Souza, H. B. A. Souza, D. F. Figueiredo, M. M. Boiago, S. R. Carvalho, and V. F. Bordon. 2005. Intestinal mucosa development in broiler chickens fed natural growth promoter. Braz. J. Poult. Sci. 7: 221–229.

Pertiwi, D.D.R., R. Murwani, and T. Yudiarti. 2017. Bobot relatif saluran pencernaan ayam broiler yang diberi tambahan air rebusan kunyit dalam air minum. Indonesian J. Anim. Sci. 19 (2): 61–65.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Popović, M., M. Grdiša, and T.M. Hrženjak. 2005. Glycolipoprotein G-90 obtained from the earthworm *Eisenia foetida* exerts antibacterial activity. Council Archive. 75: 119–128.

Porter, Jr. R.E. 1998. Bacterial enteritides of poultry. Poult. Sci. 77: 1159–1165.

Prajapati, B. G., B. Prajapati, and D. Khun. 2023a. Formulation and evaluation of self-nanoemulsifying drug delivery system for improved oral delivery of exemestane hydrochloride. IP. Int. J. Compr. Adv. Pharmacol. 8 (1): 42–48.

Prajapati, B. G., H. Paliwal, and P. A. Syah. 2023b. In vitro characterization of self-emulsifying drug delivery system-based lipsticks loaded with ketoconazole. Future J. Pharm. Sci. 9 (1): 35.

Pratiwi, L., A. Fudholi, R. Martien, and S. Pramono. 2016. Design and optimization of self-nanoemulsifying drug delivery systems (SNEDDS) of ethyl acetate fraction from mangosteen peel (*Garcinia mangostana, L*.). Int. J. Pharmtech Res. 9 (6): 380–387.

Prawirokusumo, S. 1990. Ilmu Gizi Komparatif. BPFE, Yogyakarta.

Premlatha, M. 2019. Microbial resistance to antibiotics. In: Bacterial Adaptation to Co-resistance. Springer, Singapore.

Rachmawati, H., C. Reker-Smit, M.N. Lub-de Hooge, A. Van Loenen-Weemaes, K. Poelstra, and L. Beljaars. 2007. Chemical modification of interleukin-10 with mannose 6-phosphate groups yields a liver-selective cytokine. Drug Metab. Dispos. 35 (5): 814–821.

Rawski, M., J. Mazurkiewicz, B. Kierończyk, and D. Józefiak. 2020. Black soldier fly full-fat larvae meal asalternative to fish meal and fish oil in siberian sturgeon nutrition: The effects on physical properties of the feed, animal growth performance, and feed acceptance and utilization. Animals.10 (11): 1–19.

Ren Y., Y. Tian, M. Hou, Y. Zhao, J. Li, U. Aftab, X. Rousseau, R. Jiang, X. Kang, Y. Tian, and Y. Gong. 2023. Evaluation of stimbiotic on growth performance and intestinal development of broilers fed corn- or wheat-based diets. Poult. Sci. 102 (12): 103094.

Reynolds, D.L. 2003. Multicausal enteric diseases. In: Diseases of Poultry, 11th edition., eds. Y.M. Saif, H.J. Barnes, J.R. Glisson, A.M. Fadly, L.R. McDougald, and Swayne DE, pp. 1169–1170. Iowa State University Press, Ames.

Rinttilä, T. and J. Apajalahti. 2013. Intestinal microbiota and metabolites-Implications for broiler chicken health and performance. J. Appl. Poult. Res. 22 (3): 647–658.

Rosita, N., Q. A'yunin, and E. Hendradi. 2019. Karakter solid lipid nano particle (sln) ubiquinon (q10) dengan beda jenis kosurfaktan: poloxamer 188, lesitin, propilen glikol. Jurnal Farmasi dan Ilmu Kefarmasian Indonesia. 6 (1): 17–24.

Rowe, R.C., P.J. Sheskey, and M.E. Quinn. 2009. Handbook Pharmaceutical Excipient, 6th edition : The Pharmaceutical Press and The American Pharmacist Association. London.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Roy R.D., F.W. Edens, C.R. Parkhurst, M.A. Qureshi, and G.B. Havenstein. 2002. Influence of a propionic acid feed additive on performance of turkey poults with experimentally induced poult enteritis and mortality syndrome. Poult. Sci. 81: 951–957.

RStudio Team. 2021. Integrated Development Environment for R (4.0.5 pkg). RStudio IPBC. Tersedia di http://www.rstudio.com/(Diakses tanggal 15 Maret 2021).

Runho, R.C., N.K Sakomura, S. Kuana, D. Banzatto, O.M. Junqueira, and J.H. Stringhini. 1997. Use of an organic acid (*Fumaric acid*) in broiler rations. J. Braz. Soc. Anim. Sci. 26: 1183–1191.

Salim H. M., K. S. Huque, K. M. Kamaruddin, and M. A. H. Beg. 2018. Global restriction of using antibiotic growth promoters and alternative strategies in poultry production. Sci. Prog. 101 (1): 52–75.

Sanaji, J. B., M.S. Krismala, and F.R. Liananda. 2019. Ibuprofen the effect of tween 80 concentration as a surfactant on nanoemulgel ibuprofen ' s physical characteristics. Medical J. Indones. 6 (2): 88–91.

Sandasi M, C.M. Leonard, dan A.M Viljoen. 2010. The *in vitro* antibiofilm activity of selected culinary herbs and medicinal plants against *Listeria monocytogenes*. Lett. Appl. Microbiol. 50 (1): 30–5.

Santos, F.B.O., B.W. Sheldon, A.A. Santos, and P.R. Ferket. 2008. Influence of housing system, grain type, and particle size on *salmonella* colonization and shedding of broilers fed triticale or corn-soybean meal diets. Poult. Sci. 87 (3): 405420.

São Pedro A, I. Santo, C. Silva, C. Detoni, dan E. Albuquerque. 2013. The use of nanotechnology as an approach for essential oil-based formulations with antimicrobial activity. Microbial patogens and strategies for combating them. Formatex. 2: 1364–1374.

Savale, S. K. 2015. A Review - Self nanoemulsifying drug delivery system (SNEDDS). Int. J. Res. Pharm. Nano Sci. 4 (6): 385–397.

Schiavone, A., S. Dabbou, M. De Marco, M. Cullere, I. Biasato, E. Biasibetti, M. T. Capucchio, S. Bergagna, D. Dezzutto, M. Meneguz, F. Gai, A. D. Zotte, and L. Gasco. 2017. Partial or total replacement of soybean oil by black soldier fly larvae (*Hermetia illucens* L.) fat in broiler diets: Effect on growth performances, feed-choice, blood traits, carcass characteristics and meat quality. Ital. J. Anim. Sci. 16 (1): 93–100.

Schiavone, A., S. Dabbou, M. De Marco, M. Cullere, I. Biasato, E. Biasibetti, M.T. Capucchio, S. Bergagna, D. Dezzutto, M. Meneguz, F. Gai, A. Dalle Zotte, and L. Gasco. 2018. Black soldier fly larva fat inclusion in finisher broiler chicken diet as an alternative fat source. Animal. 12 (10): 2032–2039.

Shakeel, F., N. Haq, M. Ali, F.K. Alanazi, Alsarra, A. Ibrahim. 2013. Impact of viscosity and refractive index on droplet size and zeta potential of model o/w and w/o nanoemulsion. Current Nanoscience. 9 (2): 248–253.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Shanmugam, S., K. Thandavan, S. Gandhi, S. Sethuraman, J.B.B. Rayappan, and U.M.Krishnan. 2011. Development and evaluation of a highly sensitive rapid response enzymatic nanointerfaced biosensor for detection of putrescine. Analyst. 136: 5234–5240.

Sheppard, D.C., G.L. Newton, S.A. Thompson, and S. Savage. 1994. A value added manure management system using the black soldier fly. Bioresour. Technol. 50 (3): 275–279.

Sheppard, D.C., J.K. Tomberlin, J.A. Joyce, B.C. Kiser, and S.M. Sumner. 2002. Rearing methods for the black soldier fly (diptera: Stratiomyidae). J. Med. Entomol. 39 (4): 695–698.

Sim, Y., D. Kim, S.J. Pyo, H.Y. Sohn, C. Jung, D.K. Kim, and Y.E. Cho. 2020. Oils from *Tenebrio molitor* and *Hermetia illucens* prevent binge alcohol-induced gut leakiness and hepatic inflammation. J. Korean Soc. Food Sci. Nutr. 49 (11): 1175–1183.

Sklan, D., M. Shelly, B. Makovsky, A. Geyra, E. Klipper, and A. Friedman. 2003. The effect of chronic feeding of diacetoxyscirpenol and T-2 toxin on performance, health, small intestinal physiology and antibody production in turkey poults. Br. Poult. Sci. 44: 46–52.

Sklan, D. 2004. Early gut development: the interaction between feed, gut health and immunity. Page 9-31 in Interfacing Immunity, Gut health and Performance. I. A. Tucker and J. A. Taylor-Pickard, eds. Nottingham University Press, Nottingham.

Smagieł, R., K. Ognik, E. Cholewińska, A. Stępniowska, P. Listos, B. Tykałowski, D. Mikulski, A. Koncicki, J. Jankowski. 2023. The effect of early administration of antibiotics or feeding a diet containing a coccidiostat on inflammatory responses and the morphological structure of selected organs of the immune system in young meat-type turkeys. Poult. Sci. 102 (9): 102876.

Solè, I., C.M. Pey, A. Maestro, C. González, M. Porras, C. Solans, and J.M. Gutiérrez. 2010. Nano-emulsions prepared by the phase inversion composition method: preparation variables and scale up. J. Colloid Interface Sci. 344 (2): 417–423.

Spranghers, T., J. Michiels, J. Vrancx, A. Ovyn, M. Eeckhout, P. De Clercq, and S. De Smet. 2018. Gut antimicrobial effects and nutritional value of black soldier fly (*Hermetia illucens* L.) prepupae for weaned piglets. Anim. Feed Sci. Technol. 235: 33–42.

Stanley, D., R.J. Hughes, and R.J. Moore. 2014. Microbiota of the chicken gastrointestinal tract: influence on health, productivity, and disease. Applied Microbiology and Biotechnology. 98 : 4301–4310.

Steel, R. G. D., dan J. H. Torrie. 1995. Prinsip dan Prosedur Statistika. Edisi ke-4. Gramedia Pustaka Utama, Jakarta.

Sugiharto, S. 2016. Role of nutraceuticals in gut health and growth performance of poultry. J. Saudi Soc. Agr. Sci. 15 (2): 99–111.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Sujadi, S., H.A. Hasibuan, H.Y. Rahmadi, and A.R. Purba. 2016. Komposisi asam lemak dan bilangan IOD minyak dari sembilan varietas kelapa sawit dxp komersial di PPKS. Jurnal Penelitian Kelapa Sawit. 24 (1): 1–11.

Sumampouw, O. J. 2013. Uji *in vitro* aktivitas antibakteri dari daun sirih. Jurnal Biomedik. 2 (3): 187–193.

Sypniewski, J., B. Kierończyk, A. Benzertiha, Z. Mikołajczak, E. Pruszyńska-Oszmałek, P. Kołodziejski, M. Sassek, M. Rawski, W. Czekała, and D. Józefiak. 2020. Replacement of soybean oil by *Hermetia illucens* fat in turkey nutrition: effect on performance, digestibility, microbial community, immune and physiological status and final product quality. Br. Poult. Sci. 61 (3): 294–302.

Talegaonkar, S., A. Azeem, F. Ahmad, R. Khar, S. Pathan, and Z. Khan. 2008. Microemulsions: a novel approach to enhanced drug delivery. Recent Patents on Drug Delivery and Formulation. 2 (3): 238–257.

Tamimi, N., A.M. Nafchi, H.H Moghaddam, dan H. Baghaie. 2023. The effects of nano zinc oxide shape on optical characteristics of tapioca starch films and in vitro escherichia coli microbial growth kinetics. J. Chem. Health Risks. 13 (1): 145–155.

Tekeli, A., H. R. Kutlu, L. Celik, and F. Doran. 2010. Determination of the effects of Z. officinale and propolis extracts on intestinal microbiology and histological characteristics in broilers. Int. J. Poult. Sci. 9 (9): 898–906.

Tiihonen K., A. C. Ouwehand, and N. Rautonen. 2010. Human intestinal microbiota and healthy ageing. Ageing Res. Rev. 9 (2): 107–116.

Tizard, I. 2018. Veterinary Immunology, 10th edition. Elsevier, Missouri.

Tomberlin, J.K., P.H. Adler, and H.M. Myers. 2009. Development of the black soldier fly (Diptera: Stratiomyidae) in relation to temperature. Environ. Entomol. 38 (3): 930–934.

Torok, V.A., R.J. Hughes, K. Ophel-Keller, M. Ali, and R. MacAlpine. 2009. Influence of different litter materials on cecal microbiota colonization in broiler chickens. Poult. Sci. 88 (12): 2474–2481.

Tortora, J. and Gerard. 2016. Microbiology an introduction. Pearson. Boston.

Tuttle, A.R., N.D. Trahan, and M.S. Son. 2021. Growth and maintenance of *Escherichia coli* laboratory strains. Curr. Protoc. 1 (1): 20.

Ujilestari, T., N.D. Dono, B. Ariyadi, R. Martien, and Z. Zuprizal. 2018. Formulation and characterization of self-nano emulsifying drug delivery systems of lemongrass (*Cymbopogon citratus*) essential oil. Mal. J. Fund. Appl. Sci. 14 (3): 360–363.

Ujilestari, T., R. Martien, B. Ariyadi, N.D. Dono, and Z. Zuprizal. 2018. Self-nanoemulsifying drug delivery system (SNEDDS) of *Amomum compactum* essential oil: design, formulation, and characterization. J. Appl. Pharm. Sci. 8 (6): 14–21.

Ujilestari, T., B. Ariyadi, R. Martien, Z. Zuprizal, and N. D. Dono. 2019. Optimization of self-nanoemulsifying drug delivery systems of lemongrass (*Cymbopogon citratus*) essential oil. Int. J. Appl. Pharm. 11 (1): 144–149.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Ullah S., J. Zhang, B. Xu, A. F. Tegomo, G. Sagada, L. Zheng, L.Wang, Q. Shao. 2022. Effect of dietary supplementation of lauric acid on growth performance, antioxidative capacity, intestinal development and gut microbiota on black sea bream (*Acanthopagrus schlegelii*). Plos One. 17 (1): e0262427.

Vandamme, T.F. and N. Anton. 2010. Low-energy nanoemulsification to design veterinary controlled drug delivery devices. Int. J. Nanomedicine. 5 (1): 867–873.

Vermeulen, B., P. De Backer, and J.P. Remon. 2002. Drug administration to poultry. Adv. Drug Deliv. Rev. 54 (6): 795–803.

Villar, I.D., C.R. Zamarreno, and J. Corres. 2012. Nano-materials and nano-structures for chemical and biological optical sensors. Optochemical Nanosensors 307**–**384.

Wang, L., J. Dong, J. Chen, J. Eastoe, and X. Li. 2009a. Design and optimization of a new self-nanoemulsifying drug delivery system. J. Colloid Interface Sci. 330 (2): 443–448.

Wang, L., J. Dong, J. Chen, J. Eastoe, and X. Li. 2009b. Journal of colloid and interface science design and optimization of a new self-nanoemulsifying drug delivery system. J. Colloid Interface Sci. 330 (2): 4438.

Weiss, J. D., K. J. Wardrop, and O. W. Schalm. 2010. Schalm's Veterinary Hematology 6th edition. Willey-Blackwell. Iowa.

Winarti L, Suwaldi, R. Martien R, and L. Hakim. 2016. Formulation of self-nanoemulsifying drug delivery system of Bovine serum albumin using HLB (Hydrophilic-Lypophilic Balance) approach. Indonesian J. Pharm. 27 (3): 117–127.

Wiwiek I.A, S.S.J. Martodihardjo, and I.G.M.M. Ngurah Budiana. 2017. Preparation and *in vitro* characterization of Self-nano emulsifying system of c- phenylcalix-[4]-Resorcinaryl octacinnamate and C-Methylcalix-[4]-Resorcinaryl octabenzoate as ultraviolet absorbers. Bali Med. J. 6 (3): 569–577.

Woodley, N.E. 2001. A Word Catalog of The Stratiomyidae (Insecta:Diptera). North American Dipterists' Society. America.

World Health Organization. 2003. Impacts of antimicrobial growth promoter termination in Denmark. In Document WHO/CDS/CPE/ZFK/2003.1. pp. 1–57. WHO, Foulum, Denmark.

Yang, Y., P.A. Iji, and M. Choct. 2009. Dietary modulation of gut microflora in broiler chickens: A review of the role of six kinds of alternatives to in-feed antibiotics. Worlds Poult. Sci. J. 65 (1): 97–114.

Yang, S. and M. Yu. 2021. Role of goblet cells in intestinal barrier and mucosal immunity. J. Inflamm. Res. 14: 3171–3183.

Yegani, M. and D.R. Korver. 2008. Factors affecting intestinal health in poultry. Poult. Sci. 87 (10): 2052–2063.

Yoon, B. K., J. A. Jackman, E. R. Valle-González, and N. J. Cho. 2018. Antibacterial free fatty acids and monoglycerides: Biological activities, experimental testing, and therapeutic applications. Int. J. Mol. Sci.19 (4): 1114.

UNIVERSITAS
GADJAH MADA
Potensi minyak magot (Hermetia illucens) dengan nanoteknologi sebagai pengganti antibiotic growth promoter pada pakan unggas
Ratih Dewanti, Prof. Dr. Ir. Zuprizal, DEA., IPU., ASEAN Eng; Dr. rer. nat. Ronny Martien, M. Si; drh. Bambang Ariya
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, J., L. Huang, J. He, J.K. Tomberlin, J. Li, C. Lei, M. Sun, Z. Liu, and Z. Yu. 2010. An artificial light source influences mating and oviposition of black soldier flies, *Hermetia illucens*. J. Insect Sci. 10 (1): 1–7.

Zhang, J., Q. Peng, S. Shi, Q. Zhang, X. Sun, T. Gong, and Z. Zhang. 2011. Preparation, characterization, and in vivo evaluation of a self-nanoemulsifying drug delivery system (SNEDDS) loaded with morin-phospholipid complex. Int. J. Nanomedicine. 6 (1): 3405–3414.

Zhao, Y., C. Wang, A.H.L. Chow, K. Ren, T. Gong, Z. Zhang, and Y. Zheng. 2010. Self-nanoemulsifying drug delivery system (SNEDDS) for oral delivery of Zedoary essential oil: formulation and bioavailability studies. Int. J. Pharm. 383 (1–2): 170–177.