

## DAFTAR PUSTAKA

- AbdelRahman, M. A. E., Saleh, A. M., & Arafat, S. M. (2022). Assessment of land suitability using a soil-indicator-based approach in a geomatics environment. *Scientific Reports*, 12(1), Article 1. <https://doi.org/10.1038/s41598-022-22727-7>
- Aboelghar, M., Arafat, S., Abo Yousef, M., El-Shirbeny, M., Naeem, S., Massoud, A., & Saleh, N. (2011). Using SPOT data and leaf area index for rice yield estimation in Egyptian Nile delta. *The Egyptian Journal of Remote Sensing and Space Science*, 14(2), 81–89. <https://doi.org/10.1016/j.ejrs.2011.09.002>
- Achanta, R., Shaji, A., Smith, K., Lucchi, A., Fua, P., & Süsstrunk, S. (2012). SLIC Superpixels Compared to State-of-the-Art Superpixel Methods. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 34(11), 2274–2282. <https://doi.org/10.1109/TPAMI.2012.120>
- Achanta, R., & Susstrunk, S. (2017). Superpixels and Polygons Using Simple Non-iterative Clustering. *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 4895–4904. <https://doi.org/10.1109/CVPR.2017.520>
- Acharki, S. (2022). PlanetScope contributions compared to Sentinel-2, and Landsat-8 for LULC mapping. *Remote Sensing Applications: Society and Environment*, 27, 100774. <https://doi.org/10.1016/j.rsase.2022.100774>
- Akpoti, K., Kabo-bah, A. T., & Zwart, S. J. (2019). Agricultural land suitability analysis: State-of-the-art and outlooks for integration of climate change analysis. *Agricultural Systems*, 173, 172–208. <https://doi.org/10.1016/j.agsy.2019.02.013>
- Al-Bakri, J., Suleiman, A., Abdulla, F., & Ayad, J. (2011). Potential impact of climate change on rainfed agriculture of a semi-arid basin in Jordan. *Physics and Chemistry of the Earth, Parts A/B/C*, 36(5–6), 125–134. <https://doi.org/10.1016/j.pce.2010.06.001>
- Ali, A. M., Savin, I., Poddubskiy, A., Abouelghar, M., Saleh, N., Abutaleb, K., El-Shirbeny, M., & Dokukin, P. (2021a). Integrated method for rice cultivation monitoring using Sentinel-2 data and Leaf Area Index. *The Egyptian Journal of Remote Sensing and Space Science*, 24(3), 431–441. <https://doi.org/10.1016/j.ejrs.2020.06.007>
- Ali, A. M., Savin, I., Poddubskiy, A., Abouelghar, M., Saleh, N., Abutaleb, K., El-Shirbeny, M., & Dokukin, P. (2021b). Integrated method for rice cultivation monitoring using Sentinel-2 data and Leaf Area Index. *The Egyptian Journal of Remote Sensing and Space Science*, 24(3), 431–441. <https://doi.org/10.1016/j.ejrs.2020.06.007>
- Ali, S., & Salman, S. (2015a). *Memperkirakan Hasil Pertanian Padi Selatan Irak menggunakan citra Landsat*.
- Ali, S., & Salman, S. S. (2015b). *Estimating the Yield of Rice Farms in Southern Iraq using Landsat images*. 6(8).
- Ancin-Murguzur, F. J., Taff, G., Davids, C., Tømmervik, H., Mølmann, J., & Jørgensen, M. (2019). Yield Estimates by a Two-Step Approach Using Hyperspectral Methods in Grasslands at High Latitudes. *Remote Sensing*, 11(4), 400. <https://doi.org/10.3390/rs11040400>
- Antralina, M., Yuwariah, Y., & Simarmata, T. (2022). EFFECT OF WATER LEVEL MANAGEMENT ON YIELD OF LOWLAND RICE IN SOBARI SYSTEM. *Ecodevelopment*, 2(2).
- Antrop, M. (1998). Landscape change: Plan or chaos? *Landscape and Urban Planning*, 41(3–4), 155–161. [https://doi.org/10.1016/S0169-2046\(98\)00068-1](https://doi.org/10.1016/S0169-2046(98)00068-1)

- Arjasakusuma, S. (2015). *Estimasi Produksi Padi Ditinjau Dari Aspek Kesesuaian Lahan Menggunakan Analisis Decision Tree Dengan Citra Ali Di Sebagian Kab. Magelang, Jawa Tengah* [Tesis]. Universitas Gadjah Mada.
- Arjasakusuma, S., Danoedoro, P., Herumurti, S., Nugroho, Y. A., & Aryaguna, P. A. (2017). LAND-SOIL CHARACTERISTICS FOR MAPPING PADDY CROPPING INTENSITY USING DECISION TREE ANALYSIS FROM SINGLE DATE ALI IMAGERY IN MAGELANG, CENTRAL JAVA, INDONESIA. *Geoplanning: Journal of Geomatics and Planning*, 4(2), 187. <https://doi.org/10.14710/geoplanning.4.2.187-200>
- Aronoff, S. (1993). *Geographic Information System: A Management Perspective*. WDL Publisher.
- Astungkara, T. (2014). Evaluasi Kesesuaian Lahan Pertanaman Padi Sawah Irigasi Kelompok Tani Mekar Desa Tulung Balak Kecamatan Batanghari Nuban Kabupaten Lampung Timur. *Jurnal Agrotek Tropika*, 2(3), 509–513.
- Aswin, M. R., & Murti BS, S. H. (2016). Estimasi Produksi Padi Berbasis Pemrosesan Citra Landsat 8 OLI di Kabupaten Ponorogo. *Jurnal Bumi Indonesia*, 5(4).
- Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian. (2016). *Petunjuk Teknis Pedoman Kesesuaian Lahan untuk Komoditas Pertanian Strategis Tingkat Semi Detail Skala 1:50.000*. Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian.
- Bambaradeniya, C. N., & Amerasinghe, F. P. (2004). *Biodiversity associated with the rice field agroecosystem in Asian countries: A brief review*.
- Bannari, A., Morin, D., Bonn, F., & Huete, A. R. (1995). A review of vegetation indices. *Remote Sensing Reviews*, 13(1–2), 95–120. <https://doi.org/10.1080/02757259509532298>
- Banowati, E., & Sriyanto. (2013). *Geografi Pertanian*. Penerbit Ombak Dua.
- Barber, A. J., Crow, M. J., & Milson, J., S. (2005). Sumatra: Geology, Resources and Tectonic Evolution. *Geological Society, London, Memoirs*, 31(1).
- Batchelor, W. D., Basso, B., & Paz, J. O. (2002). Examples of strategies to analyze spatial and temporal yield variability using crop models. *European Journal of Agronomy*, 18(1–2), 141–158.
- Belgiu, M., & Drăguț, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>
- Birth, G. S., & McVey, G. R. (1968). Measuring the color of growing turf with a reflectance spectrophotometer 1. *Agronomy Journal*, 60(6), 640–643.
- Blaschke, T. (2010). Object based image analysis for remote sensing. *ISPRS Journal of Photogrammetry and Remote Sensing*, 65(1), 2–16. <https://doi.org/10.1016/j.isprsjprs.2009.06.004>
- Boschetti, M., Stroppiana, D., Brivio, P. A., & Bocchi, S. (2009). Multi-year monitoring of rice crop phenology through time series analysis of MODIS images. *International Journal of Remote Sensing*, 30(18), 4643–4662. <https://doi.org/10.1080/01431160802632249>
- BPP Buleleng. (2016). *Rotasi tanam*. <https://distan.bulelengkab.go.id/informasi/detail/artikel/rotasi-tanam-86>
- BPS. (2018). *JK Sampaikan Hasil KSA - Berita*. <https://www.bps.go.id/id/news/2018/10/24/245/jk-sampaikan-hasil-ksa.html>
- BPS. (2021). *Ringkasan Eksekutif Luas Panen dan Produksi Padi*. Badan Pusat Statistik.
- Breiman, L. (2001). Random Forest. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>

- Caparas, M., Zobel, Z., Castanho, A. D. A., & Schwalm, C. R. (2021). Increasing risks of crop failure and water scarcity in global breadbaskets by 2030. *Environmental Research Letters*, 16(10), 104013. <https://doi.org/10.1088/1748-9326/ac22c1>
- Chen, J., Lin, H., Huang, C., & Fang, C. (2009). The relationship between the leaf area index (LAI) of rice and the C-band SAR vertical/horizontal (VV/HH) polarization ratio. *International Journal of Remote Sensing*, 30(8), 2149–2154.
- Chen, N., Yu, L., Zhang, X., Shen, Y., Zeng, L., Hu, Q., & Niyogi, D. (2020). Mapping Paddy Rice Fields by Combining Multi-Temporal Vegetation Index and Synthetic Aperture Radar Remote Sensing Data Using Google Earth Engine Machine Learning Platform. *Remote Sensing*, 12(18), 2992. <https://doi.org/10.3390/rs12182992>
- Cheng, E., Zhang, B., Peng, D., Zhong, L., Yu, L., Liu, Y., Xiao, C., Li, C., Li, X., Chen, Y., Ye, H., Wang, H., Yu, R., Hu, J., & Yang, S. (2022). Wheat yield estimation using remote sensing data based on machine learning approaches. *Frontiers in Plant Science*, 13. <https://www.frontiersin.org/articles/10.3389/fpls.2022.1090970>
- Choudhary, K., Shi, W., Dong, Y., & Paringer, R. (2022). Random Forest for rice yield mapping and prediction using Sentinel-2 data with Google Earth Engine. *Advances in Space Research*, 70(8), 2443–2457. <https://doi.org/10.1016/j.asr.2022.06.073>
- Cotter, J., Davies, C., Nealon, J., & Roberts, R. (2010). Area Frame Design for Agricultural Surveys. In R. Benedetti, M. Bee, G. Espa, & F. Piersimoni (Eds.), *Agricultural Survey Methods* (1st ed., pp. 169–192). Wiley. <https://doi.org/10.1002/9780470665480.ch11>
- Dairina, I., & Harini, R. (2024). Cropland Conversion and Its Effect on Rice Production in Lampung Province, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1313(1), 012030. <https://doi.org/10.1088/1755-1315/1313/1/012030>
- Dairina, I., Murti, S. H., & Harini, R. (2024). Application remote sensing for rice yield estimation: A methodology review. In C. M. Roelfsema, A. Besse Rimba, S. Arjasakusuma, & A. Blanco (Eds.), *Eighth Geoinformation Science Symposium 2023: Geoinformation Science for Sustainable Planet* (p. 26). SPIE. <https://doi.org/10.1117/12.3009589>
- Damayanti, F. (2023). *Estimasi Produksi Padi Dan Perhitungan Logistik Pangan Berdasarkan Klasifikasi Berbasis Objek Citra Spot-7 Di Kapanewon Dlingo Tahun 2021* [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/222640>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. ANDI.
- Dela Torre, D. M. G., Gao, J., & Macinnis-Ng, C. (2021). Remote sensing-based estimation of rice yields using various models: A critical review. *Geo-Spatial Information Science*, 24(4), 580–603. <https://doi.org/10.1080/10095020.2021.1936656>
- Dinas Ketahanan Pangan, Provinsi Lampung. (2018). *Jenis-Jenis Padi*. <https://www.dinastph.lampungprov.go.id/detail-post/jenis-jenis-padi>
- Djaenudin, D., Hidayat, A., & Suhardjo, H. (2003). *Petunjuk teknis evaluasi lahan untuk komoditas pertanian*.
- Dong, J., & Xiao, X. (2016). Evolution of regional to global paddy rice mapping methods: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, 119, 214–227. <https://doi.org/10.1016/j.isprsjprs.2016.05.010>
- E. D. Chaves, M., C. A. Picoli, M., & D. Sanches, I. (2020). Recent Applications of Landsat 8/OLI and Sentinel-2/MSI for Land Use and Land Cover Mapping: A Systematic Review. *Remote Sensing*, 12(18), 3062. <https://doi.org/10.3390/rs12183062>

- El Behairy, R. A., El Baroudy, A. A., Ibrahim, M. M., Mohamed, E. S., Kucher, D. E., & Shokr, M. S. (2022). Assessment of Soil Capability and Crop Suitability Using Integrated Multivariate and GIS Approaches toward Agricultural Sustainability. *Land*, 11(7), Article 7. <https://doi.org/10.3390/land11071027>
- Embree, G. (2022, August 19). *The Role of Remote Sensing in Vegetation Studies*. ArcGIS StoryMaps. <https://storymaps.arcgis.com/stories/c0273a886b41446d87114dd8fab88939>
- EOS Data Analytics. (2022, December 15). *GIS For Agriculture: Solutions, Applications, Benefits*. <https://eos.com/blog/gis-in-agriculture/>
- Espe, M. B., Cassman, K. G., Yang, H., Guilpart, N., Grassini, P., Van Wart, J., Anders, M., Beighley, D., Harrell, D., Linscombe, S., McKenzie, K., Mutters, R., Wilson, L. T., & Linquist, B. A. (2016). Yield gap analysis of US rice production systems shows opportunities for improvement. *Field Crops Research*, 196, 276–283. <https://doi.org/10.1016/j.fcr.2016.07.011>
- Estes, J. E., & Star, J. (1990). *Geographic Information Systems: An Introduction*. Prentice Hall.
- Falah, W. A. (1995). Pengenalan Geografis Kawasan Lampung (Satu Kajian Ringkas). *Berkala Arkeologi*, 15(3), 168–172. <https://doi.org/10.30883/jba.v15i3.689>
- FAO. (2011). *Land Cover Classification System*. <https://www.fao.org/3/x0596e/X0596e01e.htm>
- Farmonov, N., Amankulova, K., Szatmári, J., Urinov, J., Narmanov, Z., Nosirov, J., & Mucsi, L. (2023). Combining PlanetScope and Sentinel-2 images with environmental data for improved wheat yield estimation. *International Journal of Digital Earth*, 16(1), 847–867. <https://doi.org/10.1080/17538947.2023.2186505>
- Ferretti, C. G. (2019). Relationship between the geology, soil assessment, and terroir of Gewürtztraminer vineyards: A case study in the Dolomites of northern Italy. *CATENA*, 179, 74–84. <https://doi.org/10.1016/j.catena.2019.03.044>
- Frazier, A. E., & Hemingway, B. L. (2021). A Technical Review of Planet Smallsat Data: Practical Considerations for Processing and Using PlanetScope Imagery. *Remote Sensing*, 13(19), 3930. <https://doi.org/10.3390/rs13193930>
- Fu, Y., Huang, J., Shen, Y., Liu, S., Huang, Y., Dong, J., Han, W., Ye, T., Zhao, W., & Yuan, W. (2021). A Satellite-Based Method for National Winter Wheat Yield Estimating in China. *Remote Sensing*, 13(22), Article 22. <https://doi.org/10.3390/rs13224680>
- Gao, J. (2009). *Digital analysis of remotely sensed imagery*. McGraw Hill.
- Gnyp, M. L., Miao, Y., Yuan, F., Ustin, S. L., Yu, K., Yao, Y., Huang, S., & Bareth, G. (2014). Hyperspectral canopy sensing of paddy rice aboveground biomass at different growth stages. *Field Crops Research*, 155, 42–55. <https://doi.org/10.1016/j.fcr.2013.09.023>
- Gumma, M. K., Thenkabail, P. S., Maunahan, A., Islam, S., & Nelson, A. (2014a). Mapping seasonal rice cropland extent and area in the high cropping intensity environment of Bangladesh using MODIS 500m data for the year 2010. *ISPRS Journal of Photogrammetry and Remote Sensing*, 91, 98–113. <https://doi.org/10.1016/j.isprsjprs.2014.02.007>
- Gumma, M. K., Thenkabail, P. S., Maunahan, A., Islam, S., & Nelson, A. (2014b). Mapping seasonal rice cropland extent and area in the high cropping intensity environment of Bangladesh using MODIS 500m data for the year 2010. *ISPRS Journal of Photogrammetry and Remote Sensing*, 91, 98–113. <https://doi.org/10.1016/j.isprsjprs.2014.02.007>
- Gunay, D. (2023, September 14). Random Forest. *Medium*. <https://medium.com/@denizgunay/random-forest-af5bde5d7e1e>



- Hafif, B. (2016). Optimasi Potensi Lahan Kering Untuk Pencapaian Target Peningkatan Produksi Padi Satu Juta Ton Di Provinsi Lampung. *Jurnal Penelitian dan Pengembangan Pertanian*, 35(2), 81. <https://doi.org/10.21082/jp3.v35n2.2016.p81-88>
- Hardjowigeno, S., & Widiatmaka. (2007a). *Evaluasi Kesesuaian Lahan & Perencanaan Tataguna Lahan*. Gadjah Mada University Press.
- Hardjowigeno, S., & Widiatmaka. (2007b). *Evaluasi Kesesuaian Lahan dan Perencanaan Tataguna Lahan*. Gadjah Mada University Press.
- Hazelton, P., & Murphy, B. (2007). *Interpreting Soil Test Results: What Do All the Numbers Mean?* CSIRO Publishing. <https://doi.org/10.1071/9780643094680>
- Hoang-Phi, P., Nguyen-Kim, T., Nguyen-Van-Anh, V., Lam-Dao, N., Le-Van, T., & Pham-Duy, T. (2021). Rice yield estimation in An Giang province, the Vietnamese Mekong Delta using Sentinel-1 radar remote sensing data. *IOP Conference Series: Earth and Environmental Science*, 652(1), 012001. <https://doi.org/10.1088/1755-1315/652/1/012001>
- Hogarth, P. J. (2017). Mangrove Ecosystems ☆. In *Reference Module in Life Sciences* (p. B9780128096338022093). Elsevier. <https://doi.org/10.1016/B978-0-12-809633-8.02209-3>
- Horie, T., Yajima, M., & Nakagawa, H. (1992). Yield forecasting. *Agricultural Systems*, 40(1–3), 211–236.
- Horler, D. N. H., Dockray, M., & Barber, J. (1983). The red edge of plant leaf reflectance. *International Journal of Remote Sensing*, 4(2), 273–288. <https://doi.org/10.1080/01431168308948546>
- Hossain, M. D., & Chen, D. (2019). Segmentation for Object-Based Image Analysis (OBIA): A review of algorithms and challenges from remote sensing perspective. *ISPRS Journal of Photogrammetry and Remote Sensing*, 150, 115–134. <https://doi.org/10.1016/j.isprsjprs.2019.02.009>
- Hu, J., Zhang, S., Yang, S., Cornelis, W. M., Qi, S., Jiang, Z., Qiu, H., & Xu, Y. (2024). Balance rice high-yielding, high-quality and high-economic by changing the irrigation and fertilization management for sustainable production in China. *Environmental and Experimental Botany*, 220, 105675. <https://doi.org/10.1016/j.envexpbot.2024.105675>
- Huang, H., & Roy, D. P. (2021). Characterization of PlanetScope-0 PlanetScope-1 surface reflectance and normalized difference vegetation index continuity. *Science of Remote Sensing*, 3, 100014. <https://doi.org/10.1016/j.srs.2021.100014>
- Huang, S., Tang, L., Hupy, J. P., Wang, Y., & Shao, G. (2021). A commentary review on the use of normalized difference vegetation index (NDVI) in the era of popular remote sensing. *Journal of Forestry Research*, 32(1), 1–6. <https://doi.org/10.1007/s11676-020-01155-1>
- Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309.
- Huete, A. R., & Liu, H. Q. (1994). An error and sensitivity analysis of the atmospheric-and soil-correcting variants of the NDVI for the MODIS-EOS. *IEEE Transactions on Geoscience and Remote Sensing*, 32(4), 897–905.
- Ji, Z., Pan, Y., Zhu, X., Wang, J., & Li, Q. (2021). Prediction of Crop Yield Using Phenological Information Extracted from Remote Sensing Vegetation Index. *Sensors (Basel, Switzerland)*, 21(4), 1406. <https://doi.org/10.3390/s21041406>
- Juniyanti, L., Prasetyo, L. B., Aprianto, D. P., Purnomo, H., & Kartodihardjo, H. (2020). Perubahan Penggunaan dan Tutupan Lahan, Serta Faktor Penyebabnya di Pulau Bengkalis, Provinsi Riau (periode 1990-2019). *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*

- (*Journal of Natural Resources and Environmental Management*), 10(3), 419–435.  
<https://doi.org/10.29244/jpsl.10.3.419-435>
- Katz, J. J., Norris, J. R., Shipman, L. L., Thurnauer, M. C., & Wasielewski, M. R. (1978). Chlorophyll function in the photosynthetic reaction center. *Annual Review of Biophysics and Bioengineering*, 7(1), 393–434.
- Kaushik, S. K. (2021). Crop Health Assessment Using Sentinel-1 SAR Time Series Data in a Part of Central India. *Remote Sensing in Earth Systems Sciences*, 4, 217–234.
- Kementerian Pertanian RI. (2020). *Fase Pertumbuhan Tanaman Padi*. Fase Pertumbuhan Tanaman Padi. <http://cybex.pertanian.go.id/artikel/92434/-fase-pertumbuhan-tanaman-padi/>
- Kementerian PUPR. (2016). *Survei Kesesuaian Lahan Diklat Teknis Perencanaan Irigasi Tingkat Dasar*. Kementerian PUPR.
- Kementerian PUPR. (2019). *Modul Pengenalan Sistem Irigasi*. Kementerian Pekerjaan Umum dan Perumahan Rakyat Direktorat Sumber Daya Air.
- Khanal, S., Kc, K., Fulton, J. P., Shearer, S., & Ozkan, E. (2020). Remote Sensing in Agriculture—Accomplishments, Limitations, and Opportunities. *Remote Sensing*, 12(22), 3783.  
<https://doi.org/10.3390/rs12223783>
- Khoirurrisqy, Y., Sasongko, R., Utami, N. L. E., Irbah, A., & Arjasakusuma, S. (2023). Machine Learning-Based Rice Field Mapping in Kulon Progo using a Fusion of Multispectral and SAR Imageries. *Forum Geografi*, 37(2), 134–148.
- Knipling, E. B. (1970). Physical and physiological basis for the reflectance of visible and near-infrared radiation from vegetation. *Remote Sensing of Environment*, 1(3), 155–159.  
[https://doi.org/10.1016/S0034-4257\(70\)80021-9](https://doi.org/10.1016/S0034-4257(70)80021-9)
- Kocur-Bera, K. (2016). Determinants of agricultural land price in Poland – a case study covering a part of the Euroregion Baltic. *Cahiers Agricultures*, 25(2), 25004.  
<https://doi.org/10.1051/cagri/2016013>
- Kosmowski, F., Chamberlin, J., Ayalew, H., Sida, T., Abay, K., & Craufurd, P. (2021). How accurate are yield estimates from crop cuts? Evidence from smallholder maize farms in Ethiopia. *Food Policy*, 102, 102122. <https://doi.org/10.1016/j.foodpol.2021.102122>
- Kuenzer, C., & Knauer, K. (2013). Remote sensing of rice crop areas. *International Journal of Remote Sensing*, 34(6), 2101–2139. <https://doi.org/10.1080/01431161.2012.738946>
- Kusumaningrum, S. I. (2019). Pemanfaatan Sektor Pertanian Sebagai Penunjang Pertumbuhan Perekonomian Indonesia. *Jurnal Transaksi*, 11(1), 80–89.
- Kusumawardani, R., & Widjojo, S. (2013). Inventarisasi Produksi Padi Dengan Menggunakan Data Citra Modis Di Kabupaten Lebak, Provinsi Banten. *Globe*, 15(1), 12–22.
- Li, H., Zech, J., Ludwig, C., Fendrich, S., Shapiro, A., Schultz, M., & Zipf, A. (2021). Automatic mapping of national surface water with OpenStreetMap and Sentinel-2 MSI data using deep learning. *International Journal of Applied Earth Observation and Geoinformation*, 104, 102571. <https://doi.org/10.1016/j.jag.2021.102571>
- Li, T., Hasegawa, T., Yin, X., Zhu, Y., Boote, K., Adam, M., Bregaglio, S., Buis, S., Confalonieri, R., Fumoto, T., Gaydon, D., Marcaida, M., Nakagawa, H., Oriol, P., Ruane, A. C., Ruget, F., Singh, B., Singh, U., Tang, L., ... Bouman, B. (2015). Uncertainties in predicting rice yield by current crop models under a wide range of climatic conditions. *Global Change Biology*, 21(3), 1328–1341. <https://doi.org/10.1111/gcb.12758>
- Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). *Remote sensing and image interpretation*. John Wiley & Sons.

- Lillesand, T. M., Dulbahri, Sutanto, & Kiefer, R. W. (1993). *Penginderaan Jauh dan Interpretasi Citra* (2nd ed.). Gadjah Mada University Press.
- Lobell, D. B., & Burke, M. B. (2010). On the use of statistical models to predict crop yield responses to climate change. *Agricultural and Forest Meteorology*, 150(11), 1443–1452. <https://doi.org/10.1016/j.agrformet.2010.07.008>
- Longley, P. A., Goodchild, M. F., Maguire, D. J., & Rhind, D. W. (2005). *Geographical Information Systems and Science*. John Wiley & Sons.
- Lu, G. Y., & Wong, D. W. (2008). An adaptive inverse-distance weighting spatial interpolation technique. *Computers & Geosciences*, 34(9), 1044–1055. <https://doi.org/10.1016/j.cageo.2007.07.010>
- Maghfiroh, Z. L. D., & Tafakresnanto, C. (2021). *Bentuk lahan menentukan kesesuaian lahan dan produktivitas lahan di kabupaten Probolinggo, Jawa Timur*.
- Mangunsukardjo, K. (1986). *Interpretasi Citra Untuk Inventarisasi Sumberdaya Lahan*. Fakultas Geografi Universitas Gadjah mada.
- Matarira, D., Mutanga, O., Naidu, M., & Vizzari, M. (2022). Object-Based Informal Settlement Mapping in Google Earth Engine Using the Integration of Sentinel-1, Sentinel-2, and PlanetScope Satellite Data. *Land*, 12(1), 99. <https://doi.org/10.3390/land12010099>
- McCoy, R. M. (2005). *Field methods in remote sensing*. Guilford Press.
- Moningka, N., Naharia, O., & Lihang, A. (2021). The Effect of Land Preparation and Irrigation Technology on The Growth of Rice Fields. *International Journal of Biochemistry, Bioinformatics and Biotechnology Studies*.
- Mosleh, M., Hassan, Q., & Chowdhury, E. (2015). Application of Remote Sensors in Mapping Rice Area and Forecasting Its Production: A Review. *Sensors*, 15(1), 769–791. <https://doi.org/10.3390/s150100769>
- Moulin, S., Bondeau, A., & Delecolle, R. (1998). Combining agricultural crop models and satellite observations: From field to regional scales. *International Journal of Remote Sensing*, 19(6), 1021–1036. <https://doi.org/10.1080/014311698215586>
- Mubyarto. (1986). *Pengantar Ekonomi Pertanian*. LPSE.
- Muhammad, A. M., Rombang, J. A., & Saroinsong, F. B. (n.d.). *IDENTIFIKASI JENIS TUTUPAN LAHAN DI KAWASAN KPHP POIGAR DENGAN METODE MAXIMUM LIKELIHOOD*.
- Mursalim, M. K. N., & Verdian, I. (2020). Analisis Perbandingan Kinerja Metode Superpixel dan Gradien berbasis Edge Detector pada Pendeteksian Objek Bergerak. *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, 8(2), 362. <https://doi.org/10.26760/elkomika.v8i2.362>
- Murti, S. H. (2014). *Pemodelan Spasial untuk Estimasi Produksi Padi dan Tembakau berdasarkan Citra Multiresolusi: Kasus Produksi Padi di Kabupaten Wonosobo dan Sragen serta Produksi Tembakau di Kabupaten Temanggung Provinsi Jawa Tengah* [Disertasi, Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/67644>
- Naveh, Z. (1987). Landscape ecology, management and conservation of European and Levant Mediterranean uplands. In J. D. Tenhunen, F. M. Catarino, O. L. Lange, & W. C. Oechel (Eds.), *Plant Response to Stress* (pp. 641–657). Springer. [https://doi.org/10.1007/978-3-642-70868-8\\_44](https://doi.org/10.1007/978-3-642-70868-8_44)
- Otukei, J. R., & Blaschke, T. (2010). Land cover change assessment using decision trees, support vector machines and maximum likelihood classification algorithms. *International Journal of Applied Earth Observation and Geoinformation*, 12, S27–S31. <https://doi.org/10.1016/j.jag.2009.11.002>

- Pamungkas, R. E. (2019). *Pemanfaatan Citra Landsat 8 OLI untuk Estimasi Produksi Padi dengan Menggunakan Transformasi Spektral Indeks Vegetasi di Kabupaten Sleman* [Skripsi]. Universitas Gadjah Mada.
- Patel, N. K., Singh, T. P., Sahai, B., & Patel, M. S. (1985). Spectral response of rice crop and its relation to yield and yield attributes. *International Journal of Remote Sensing*, 6(5), 657–664. <https://doi.org/10.1080/01431168508948488>
- Pauleit, S., Ennos, R., & Golding, Y. (2005). Modeling the environmental impacts of urban land use and land cover change—A study in Merseyside, UK. *Landscape and Urban Planning*, 71(2–4), 295–310. [https://doi.org/10.1016/S0169-2046\(04\)00083-0](https://doi.org/10.1016/S0169-2046(04)00083-0)
- Picoli, M. C. A., Radoux, J., Tong, X., Bey, A., Rufin, P., Brandt, M., Fensholt, R., & Meyfroidt, P. (2022). UNSUPERVISED SEGMENTATION OF SMALLHOLDER FIELDS IN MOZAMBIQUE USING PLANETSCOPE IMAGERY. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLIII-B3-2022, 975–981. <https://doi.org/10.5194/isprs-archives-XLIII-B3-2022-975-2022>
- Pingali, P. L., Hossain, M., & Gerpacio, R. V. (1997). *Asian rice bowls: The returning crisis?* Int. Rice Res. Inst.
- Planet Team. (2021). *PlanetScope—Earth Online*. About PlanetScope. <https://earth.esa.int/eogateway/missions/planetscope>
- Planet Team. (2024). *Lingkup Planet*. <https://developers.planet.com/docs/data/planetscope/>
- Pritchett, C., Smith, N., Jumpasut, A., Fernandez-Saldivar, J., & Zuleta, I. (2021). The Spectral Response of Planet Doves: Pre-launch Method and Results. *MDPI*.
- Putra, M. A. B., Nuarsa, I. W., & Adnyana, I. W. S. (2018). Estimasi Produksi Padi dengan Analisis Citra Satelit Landsat 8 di Kabupaten Klungkung Provinsi Bali. *ECOTROPHIC : Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 12(1), 93. <https://doi.org/10.24843/EJES.2018.v12.i01.p12>
- Rahman, Md. M., Kamruzzaman, M., Shahid, S., Thorp, K. R., Rahaman, H., Shahriyar, Md. M., Islam, A. K. M. S., & Huda, Md. D. (2023). A GIS Framework to Demarcate Suitable Lands for Combine Harvesters Using Satellite DEM and Physical Properties of Soil. *Journal of Geovisualization and Spatial Analysis*, 7(2), 27. <https://doi.org/10.1007/s41651-023-00156-y>
- Rana, V. K., & Venkata Suryanarayana, T. M. (2020). Performance evaluation of MLE, RF and SVM classification algorithms for watershed scale land use/land cover mapping using sentinel 2 bands. *Remote Sensing Applications: Society and Environment*, 19, 100351. <https://doi.org/10.1016/j.rsase.2020.100351>
- Razi, F., & Wahyuni, S. (2022). ANALISIS FAKTOR-FAKTOR YANG MEMPENGARUHI KESEJAHTERAAN PETANI PADI SAWAH (*Oryza sativa*, L). *JURNAL AGRO NUSANTARA*, 2(2), 90–96. <https://doi.org/10.32696/jan.v2i2.1498>
- Richardson, A. J., & Wiegand, C. L. (1977). Distinguishing vegetation from soil background information. *Photogrammetric Engineering and Remote Sensing*, 43(12), 1541–1552.
- Ritung, S., Nugroho, K., Mulyani, A., & Suryani, E. (2011). Petunjuk teknis evaluasi lahan untuk komoditas pertanian (Edisi revisi). *Balai Besar Penelitian Dan Pengembangan Sumberdaya Lahan Pertanian, Badan Penelitian Dan Pengembangan Pertanian, Bogor*, 168.
- Rock, B. N., Vogelmann, J. E., Williams, D. L., Vogelmann, A. F., & Hoshizaki, T. (1986). Remote detection of forest damage. *Bioscience*, 36(7), 439–445.



- Rosyadi, Y. (2022). *Estimasi Produksi Padi dengan Citra Sentinel-2 Ditinjau Dari Aspek Kesesuaian Lahan di Sebagian Wilayah Kabupaten Kulonprogo, Yogyakarta* [Skripsi, Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/210884>
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1974). Monitoring vegetation systems in the Great Plains with ERTS. *NASA Spec. Publ*, 351(1), 309.
- Roy, D. P., Huang, H., Houborg, R., & Martins, V. S. (2021). A global analysis of the temporal availability of PlanetScope high spatial resolution multi-spectral imagery. *Remote Sensing of Environment*, 264, 112586. <https://doi.org/10.1016/j.rse.2021.112586>
- Safutra, I. (2018, October 23). *Salah Hitung Produksi Beras sejak 1997, JK Merasa Bersalah—Jawa Pos*. Salah Hitung Produksi Beras sejak 1997, JK Merasa Bersalah - Jawa Pos. <https://www.jawapos.com/humaniora/0136612/salah-hitung-produksi-beras-sejak-1997-jk-merasa-bersalah>
- Sakamoto, T., Yokozawa, M., Toritani, H., Shibayama, M., Ishitsuka, N., & Ohno, H. (2005). A crop phenology detection method using time-series MODIS data. *Remote Sensing of Environment*, 96(3–4), 366–374. <https://doi.org/10.1016/j.rse.2005.03.008>
- Santoso. (2002). *Buku Latihan SPSS*. Elex Media Komputindo.
- Savary, S., Castilla, N. P., Elazegui, F. A., & Teng, P. S. (2005). Multiple effects of two drivers of agricultural change, labour shortage and water scarcity, on rice pest profiles in tropical Asia. *Field Crops Research*, 91(2–3), 263–271. <https://doi.org/10.1016/j.fcr.2004.07.017>
- Sawah dalam Tata Guna Lahan: Hearing before the Himpunan Mahasiswa Ilmu Tanah, Senat Mahasiswa Fakultas Pertanian UPN, Ceramah Ilmiah Sehari bertema Pencetakan Lahan Sawah Sebagai Salah Satu Alternatif Kebijakan Dalam Pengembangan Tata Guna Lahan* (1992).
- Schiewe, J., & Ehlers, M. (2005). A novel method for generating 3D city models from high resolution and multi-sensor remote sensing data. *International Journal of Remote Sensing*, 26(4), 683–698. <https://doi.org/10.1080/01431160512331316829>
- Sethy, P. K., Barpanda, N. K., Rath, A. K., & Behera, S. K. (2020). Image processing techniques for diagnosing rice plant disease: A survey. *Procedia Computer Science*, 167, 516–530.
- Shafizadeh-Moghadam, H., Khazaei, M., Alavipanah, S. K., & Weng, Q. (2021). Google Earth Engine for large-scale land use and land cover mapping: An object-based classification approach using spectral, textural and topographical factors. *GIScience & Remote Sensing*, 58(6), 914–928. <https://doi.org/10.1080/15481603.2021.1947623>
- Shao, Y., Fan, X., Liu, H., Xiao, J., Ross, S., Brisco, B., Brown, R., & Staples, G. (2001). Rice monitoring and production estimation using multitemporal RADARSAT. *Remote Sensing of Environment*, 76(3), 310–325. [https://doi.org/10.1016/S0034-4257\(00\)00212-1](https://doi.org/10.1016/S0034-4257(00)00212-1)
- Sheykhmousa, M., Mahdianpari, M., Ghanbari, H., Mohammadimanesh, F., Ghamisi, P., & Homayouni, S. (2020). Support Vector Machine Versus Random Forest for Remote Sensing Image Classification: A Meta-Analysis and Systematic Review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 13, 6308–6325. <https://doi.org/10.1109/JSTARS.2020.3026724>
- Simatupang, P., & Irawan, B. (2002). Pengendalian Konversi Lahan Pertanian: Tinjauan Ulang Kebijakan Lahan Pertanian Abadi. *Prosiding Seminar Nasional Multifungsi Dan Konversi Lahan Pertanian*, 67–83.
- Siyal, A. A., Dempewolf, J., & Becker-Reshef, I. (2015a). Rice yield estimation using Landsat ETM + Data. *Journal of Applied Remote Sensing*, 9(1), 095986. <https://doi.org/10.1117/1.JRS.9.095986>

- Siyal, A. A., Dempewolf, J., & Becker-Reshef, I. (2015b). Rice yield estimation using Landsat ETM + Data. *Journal of Applied Remote Sensing*, 9(1), 095986. <https://doi.org/10.1117/1.JRS.9.095986>
- Soil, N. C. on, Terrain (Australia), & Publishing, C. (2009). *Australian soil and land survey field handbook* (Issue 1). CSIRO PUBLISHING.
- Son, N. T., Chen, C. F., Chen, C. R., Minh, V. Q., & Trung, N. H. (2014). A comparative analysis of multitemporal MODIS EVI and NDVI data for large-scale rice yield estimation. *Agricultural and Forest Meteorology*, 197, 52–64. <https://doi.org/10.1016/j.agrformet.2014.06.007>
- Stuckenberg, T., Much, Z., & van Niekerk, A. (2013). Multi-temporal Remote Sensing Land-cover Change Detection for Biodiversity Assessment in the Berg River Catchment. *South African Journal of Geomatics*, 2(3).
- Sugiyono, I. (2015). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Penerbit Alfabeta.
- Sulaiman, Y., & Maftu'ah, E. (2021). *Mengelola Sawah Rawa Pasang Surut*. UB Press.
- Suprihatin, A., & Amirullah, J. (2020). Pengaruh Pola Rotasi Tanaman terhadap Perbaikan Sifat Tanah Sawah Irigasi. *Jurnal Sumberdaya Lahan*, 12(1), 49. <https://doi.org/10.21082/jsdl.v12n1.2018.49-57>
- Suryono, H., Kuswanto, H., & Iriawan, N. (2022). Rice phenology classification based on random forest algorithm for data imbalance using Google Earth engine. *Procedia Computer Science*, 197, 668–676. <https://doi.org/10.1016/j.procs.2021.12.201>
- Sutanto. (1994). *Penginderaan Jauh Jilid 1*. Gadjah Mada University Press.
- Suwargana, N. (2013). Resolusi Spasial, Temporal dan Spektral Pada Citra Satelit Landsat, SPOT dan IKONOS. *Jurnal WIDIYA*, 1(2), 167–174.
- Suyoto. (2018, October 26). Salah Data Produksi Padi dan Perlunya Simtapat | The Indonesian Institute. *The Indonesian Institute*. <https://www.theindonesianinstitute.com/salah-data-produksi-padi-dan-perlunya-simtapat/>
- Svoboda, J., Štych, P., Laštovička, J., Paluba, D., & Kobliuk, N. (2022). Random Forest Classification of Land Use, Land-Use Change and Forestry (LULUCF) Using Sentinel-2 Data—A Case Study of Czechia. *Remote Sensing*, 14(5), 1189. <https://doi.org/10.3390/rs14051189>
- Trigunasih, N. M., & Wiguna, P. P. K. (2020). Land Suitability For Rice Field And Conservation Planning In Ho Watershed, Tabanan Regency, Bali Province, Indonesia. *Geographia Technica*, 15(1), 124–131. [https://doi.org/10.21163/GT\\_2020.151.11](https://doi.org/10.21163/GT_2020.151.11)
- USDA. (2016). *USDA ERS - Precision Agriculture Technologies and Factors Affecting Their Adoption*. <https://www.ers.usda.gov/amber-waves/2016/december/precision-agriculture-technologies-and-factors-affecting-their-adoption/>
- Utomowati, R. (2012). *Pemanfaatan Citra Digital Landsat 7 ETM+ dan Sistem Informasi Geografis untuk Kajian Spasial Estimasi Produksi Padi Kabupaten Sragen, Provinsi Jawa Tengah* [Tesis, Universitas Gadjah Mada]. [https://etd.repository.ugm.ac.id/home/detail\\_pencarian/54197](https://etd.repository.ugm.ac.id/home/detail_pencarian/54197)
- Van Niel, T. G., & McVicar, T. R. (2001). Remote Sensing ff Rice-Based Irrigated Agriculture: A Review. *Cooperative Research Centre for Sustainable Rice Production*, 7(3), R126. [https://doi.org/10.1016/S0960-9822\(97\)70976-X](https://doi.org/10.1016/S0960-9822(97)70976-X)
- Verde, N., Kokkoris, I. P., Georgiadis, C., Kaimaris, D., Dimopoulos, P., Mitsopoulos, I., & Mallinis, G. (2020). National Scale Land Cover Classification for Ecosystem Services

- Mapping and Assessment, Using Multitemporal Copernicus EO Data and Google Earth Engine. *Remote Sensing*, 12(20), 3303. <https://doi.org/10.3390/rs12203303>
- Verde, N., Mallinis, G., Tsakiri-Strati, M., Georgiadis, C., & Patias, P. (2018). Assessment of Radiometric Resolution Impact on Remote Sensing Data Classification Accuracy. *Remote Sensing*, 10(8), 1267. <https://doi.org/10.3390/rs10081267>
- Verhoeven, G. & Jo Loenders. (2006). Looking through Black-Tinted Glasses – A Remotely Controlled Infrared Eye in the Sky. *From Space to Place. 2nd International Conference on Remote Sensing in Archaeology Proceedings of the 2nd International Workshop*.
- Viera, A. J., & Garrett, J. M. (2005). Understanding interobserver agreement: The kappa statistic. *Fam Med*, 37(5), 360–363.
- Wang, H., Chen, J., Wu, Z., & Lin, H. (2012). Rice heading date retrieval based on multi-temporal MODIS data and polynomial fitting. *International Journal of Remote Sensing*, 33(6), 1905–1916.
- Weiss, M., Jacob, F., & Duveiller, G. (2020). Remote sensing for agricultural applications: A meta-review. *Remote Sensing of Environment*, 236, 111402. <https://doi.org/10.1016/j.rse.2019.111402>
- Wibowo, A. (2020). *Manajemen Pengelolaan Air Pada Pertanaman Padi Sawah*. <http://pertanian.magelangkota.go.id/informasi/teknologi-pertanian/352-manajemen-pengelolaan-air-pada-pertanaman-padi-sawah>
- Wicaksono, P., Maishella, A., Lazuardi, W., & Muhammad, F. H. (2022). Consistency assessment of multi-date PlanetScope imagery for seagrass percent cover mapping in different seagrass meadows. *Geocarto International*, 37(27), 15161–15186. <https://doi.org/10.1080/10106049.2022.2096122>
- William, C. R., & Clark. (2010). *Principles of Landscape Ecology* | *Learn Science at Scitable*. The Nature Education Knowledge Project. <https://www.nature.com/scitable/knowledge/library/principles-of-landscape-ecology-13260702/>
- Woolley, J. T. (1971). Reflectance and transmittance of light by leaves. *Plant Physiology*, 47(5), 656–662.
- Xiao, X., Boles, S., Froking, S., Salas, W., Moore Iii, B., Li, C., He, L., & Zhao, R. (2002). Observation of flooding and rice transplanting of paddy rice fields at the site to landscape scales in China using VEGETATION sensor data. *International Journal of Remote Sensing*, 23(15), 3009–3022.
- Yang, L., Wang, L., Abubakar, G. A., & Huang, J. (2021). High-Resolution Rice Mapping Based on SNIC Segmentation and Multi-Source Remote Sensing Images. *Remote Sensing*, 13(6), 1148. <https://doi.org/10.3390/rs13061148>
- Zhou, X., Zheng, H. B., Xu, X. Q., He, J. Y., Ge, X. K., Yao, X., Cheng, T., Zhu, Y., Cao, W. X., & Tian, Y. C. (2017). Predicting grain yield in rice using multi-temporal vegetation indices from UAV-based multispectral and digital imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, 130, 246–255.
- Zuhri, M. (2018). Alih Fungsi Lahan Pertanian di Pantura Jawa Tengah (Studi Kasus Kabupaten Brebes). *Jurnal Litbang Provinsi Jawa Tengah*, 16(1), 119–130. <https://doi.org/10.36762/litbangjateng.v16i1.756>
- Zulfajri, P. D., & Murti, S. H. (2021). Estimasi Produksi Padi Di Sebagian Wilayah Kabupaten Pidie Menggunakan Pendekatan Spasial Ekologis. *Seminar Nasional Geografi IV Magister Geografi*.

