UNIVERSITAS
GADJAH MADA
**Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid
Hipertensi di RSUP DR. Sardjito Yogyakarta**
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abuyousef, S., Alnaimi, S., Omar, N.E., Elajez, R., Elmekaty, E., Abdelfattah-Arafa, E., dkk., 2024. Early predictors of intensive care unit admission among COVID-19 patients in Qatar. *Frontiers in Public Health*, **12**: .

Al Omair, O.A., Essa, A., Elzorkany, K., Shehab-Eldeen, S., Alarfaj, H.M., Alarfaj, S.M., dkk., 2023a. Factors Affecting Hospitalization Length and in-Hospital Death Due to COVID-19 Infection in Saudi Arabia: A Single-Center Retrospective Analysis. *International Journal of General Medicine*, **16**: 3267–3280.

Al Omair, O.A., Essa, A., Elzorkany, K., Shehab-Eldeen, S., Alarfaj, H.M., Alarfaj, S.M., dkk., 2023b. Factors Affecting Hospitalization Length and in-Hospital Death Due to COVID-19 Infection in Saudi Arabia: A Single-Center Retrospective Analysis. *International Journal of General Medicine*, **16**: 3267–3280.

AlKhafaji, D., Al Argan, R., Albahrani, S., Al Elq, A., Albaker, W., Al-Hariri, M., dkk., 2022. The impact of obesity on hospitalized patients with COVID-19 infection in the Eastern Province of Saudi Arabia. *Journal of Medicine and Life*, **15**: 425–432.

Alrashed, A.A., 2021. Severity of COVID-19 infection in ACEI/ARB users in specialty hospitals: A retrospective cohort study. *Journal of Infection and Public Health*, **14**: 726–733.

Altunkaya, J., Piernas, C., Pouwels, K.B., Jebb, S.A., Clarke, P., Astbury, N.M., dkk., 2024. Associations between BMI and hospital resource use in patients hospitalised for COVID-19 in England: a community-based cohort study. *The Lancet Diabetes & Endocrinology*, **12**: 462–471.

Azzolina, D., Comoretto, R., Lanera, C., Berchialla, P., Baldi, I., dan Gregori, D., 2022. COVID-19 hospitalizations and patients' age at admission: The neglected importance of data variability for containment policies. *Frontiers in Public Health*, **10**: 1002232.

Badan Penelitian dan Pengembangan Kesehatan Kementerian RI, 2018. Hasil Utama RISKESDAS 2018.

Bae, J.H., Choi, S.K., Kim, N.H., Lee, J., dan Kim, S.G., 2021. Use of Renin-Angiotensin-Aldosterone System Inhibitors and Severe COVID-19 Outcomes in Patients with Hypertension: A Nationwide Cohort Study. *Diabetes & Metabolism Journal*, **45**: 430–438.

Baksh, M., Ravat, V., Zaidi, A., dan Patel, R.S., 2020. A Systematic Review of Cases of Acute Respiratory Distress Syndrome in the Coronavirus Disease 2019 Pandemic. *Cureus*, **12**: e8188.

Baslilar, S. dan Saylan, B., 2021. Patients with hypertension hospitalized with COVID-19 pneumonia using angiotensinconverting enzyme inhibitors and angiotensin II receptor blockers or other antihypertensives: retrospective analysis of 435 patients. *Annals of Saudi medicine*, **41**: 268–273.

Batiha, G.E.-S., Gari, A., Elshony, N., Shaheen, H.M., Abubakar, M.B., Adeyemi, S.B., dkk., 2021. Hypertension and its management in COVID-19 patients:

UNIVERSITAS GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

The assorted view. *International Journal of Cardiology Cardiovascular Risk and Prevention*, **11**: 200121.

Battistoni, A., Michielon, A., Marino, G., dan Savoia, C., 2020. Vascular Aging and Central Aortic Blood Pressure: From Pathophysiology to Treatment. *High Blood Pressure & Cardiovascular Prevention: The Official Journal of the Italian Society of Hypertension*, **27**: 299–308.

Bauer, A.Z., Gore, R., Sama, S.R., Rosiello, R., Garber, L., Sundaresan, D., dkk., 2021. Hypertension, medications, and risk of severe COVID-19: A Massachusetts community-based observational study. *Journal of Clinical Hypertension (Greenwich, Conn.)*, **23**: 21–27.

Bellani, G., Laffey, J.G., Pham, T., Fan, E., Brochard, L., Esteban, A., dkk., 2016. Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. *JAMA*, **315**: 788–800.

Bestari, M.G., Tommy, S., dan Lulu Ayu, N., 2022. Laboratory risk factors for mortality in severe and critical COVID-19 patients admitted to the ICU. F1000Research.

Bozkurt, B., Kovacs, R., dan Harrington, B., 2020. Joint HFSA/ACC/AHA Statement Addresses Concerns Re: Using RAAS Antagonists in COVID-19. *Journal of Cardiac Failure*, **26**: 370.

Braude, P., Carter, B., Short, R., Vilches-Moraga, A., Verduri, A., Pearce, L., dkk., 2020. The influence of ACE inhibitors and ARBs on hospital length of stay and survival in people with COVID-19. *International Journal of Cardiology. Heart & Vasculature*, **31**: 100660.

Broaddus, V., Ernst, J., King, T., Lazarus, S., Sarmiento, K., et al., 2021. 'Murray & Nadel's Textbook of Respiratory Medicine, 2-Volume Set - 7th Edition', . URL: https://shop.elsevier.com/books/murray-and-nadels-textbook-of-respiratory-medicine-2-volume-set/broaddus/978-0-323-65587-3 (diakses tanggal 27/8/2023).

Burhan, E., Susanto, A.D., Nasution, S.A., Ginanjar, E., Pitoyo, W., Susilo, A., dkk., n.d. Perhimpunan Dokter Paru Indonesia (PDPI) Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI) Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia (PAPDI) Perhimpunan Dokter Anestesiologi dan Terapi Intensif Indonesia 176.

Burhan, E., Susanto, A.D., Nasution, S.A., Ginanjar, E., Pitoyo, W., Susilo, A., dkk., n.d. Pedoman Tatalaksana COVID-19 Edisi-4. *Perhimpunan Dokter Paru Indonesia (PDPI) Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (PERKI) Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia (PAPDI) Perhimpunan Dokter Anestesiologi dan Terapi Intensif Indonesia (PERDATIN)*, .

Butler, M.J., Best, J.H., Mohan, S.V., Jonas, J.A., Arader, L., dan Yeh, J., 2023. Mechanical ventilation for COVID-19: Outcomes following discharge from inpatient treatment. *PLOS ONE*, **18**: .

Caillon, A., Zhao, K., Klein, K.O., Greenwood, C.M.T., Lu, Z., Paradis, P., dkk., 2021. High Systolic Blood Pressure at Hospital Admission Is an Important

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Risk Factor in Models Predicting Outcome of COVID-19 Patients. *American Journal of Hypertension*, **34**: 282–290.

Cao, B., Wang, Y., Wen, D., Liu, W., Wang, J., Fan, G., dkk., 2020. A Trial of Lopinavir-Ritonavir in Adults Hospitalized with Severe Covid-19. *The New England Journal of Medicine*, **382**: 1787–1799.

CDC. 2020. Interim clinical guidance for management of patients with confirmed coronavirus disease (COVID-19). Accessed: April 18, 2020: https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-guidancemanagement-patients.html.

Chan, J.F.-W., Kok, K.-H., Zhu, Z., Chu, H., To, K.K.-W., Yuan, S., dkk., 2020. Genomic characterization of the 2019 novel human-pathogenic coronavirus isolated from a patient with atypical pneumonia after visiting Wuhan. *Emerging Microbes & Infections*, **9**: 221–236.

Channappanavar, R., Fett, C., Mack, M., Ten Eyck, P.P., Meyerholz, D.K., dan Perlman, S., 2017. Sex-Based Differences in Susceptibility to Severe Acute Respiratory Syndrome Coronavirus Infection. *Journal of Immunology (Baltimore, Md.: 1950)*, **198**: 4046–4053.

Chatterjee, S., Nalla, L.V., Sharma, M., Sharma, N., Singh, A.A., Malim, F.M., dkk., 2023. Association of COVID-19 with Comorbidities: An Update. *ACS Pharmacology & Translational Science*, **6**: 334–354.

Chaturvedi, R., Lui, B., Aaronson, J.A., White, R.S., dan Samuels, J.D., n.d. COVID-19 complications in males and females: recent developments. *Journal of Comparative Effectiveness Research*, **11**: 689–698.

Chen, G., 2020. Clinical and immunological features of severe and moderate coronavirus disease 2019. *Journal of Clinical Investigation*, **130**: 2620–2629.

Chen, L., Chen, J., Wu, Y., Zhong, J., Zhou, F., Liu, Y., dkk., 2021. Clinical Characteristics and Outcomes of Hypertensive Patients Infected with COVID-19: A Retrospective Study. *International Journal of General Medicine*, **Volume 14**: 4619–4628.

Chen, R., Yang, J., Gao, X., Ding, X., Yang, Y., Shen, Y., dkk., 2020. Influence of blood pressure control and application of renin-angiotensin-aldosterone system inhibitors on the outcomes in COVID-19 patients with hypertension. *The Journal of Clinical Hypertension*, **22**: 1974–1983.

Chen, T., Wu, D., Chen, H., Yan, W., Yang, D., Chen, G., dkk., 2020. Clinical characteristics of 113 deceased patients with coronavirus disease 2019: retrospective study. *BMJ*, **368**: m1091.

Choksi, T.T., 2021. Outcomes of Hospitalized COVID-19 Patients Receiving Renin Angiotensin System Blockers and Calcium Channel Blockers. *American Journal of Nephrology*, **52**: 250–260.

Cure, E. dan Cumhur Cure, M., 2020. Angiotensin-converting enzyme inhibitors and angiotensin receptor blockers may be harmful in patients with diabetes during COVID-19 pandemic. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, **14**: 349–350.

UNIVERSITAS GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Dana, R., Bannay, A., Bourst, P., Ziegler, C., Losser, M.-R., Gibot, S., dkk., 2021. Obesity and mortality in critically ill COVID-19 patients with respiratory failure. *International Journal of Obesity*, **45**: 2028–2037.

Dinas Kesehatan Kota Yogyakarta, 2023. 'Profil Kesehatan Kota Yogyakarta 2023', . URL: https://kesehatan.jogjakota.go.id/berita/id/470/profil-kesehatan-kota-yogyakarta-tahun-2023/ (diakses tanggal 31/8/2023).

DiPiro, J.T., Yee, G.C., dan Posey, L.M., 2020. *Pharmacotherapy: A Pathophysiologic Approach, Eleventh Edition*, 11th edition. ed. McGraw Hill / Medical.

Docherty, A.B., 2020. Features of 20 133 UK patients in hospital with covid-19 using the ISARIC WHO Clinical Characterisation Protocol: Prospective observational cohort study. *The BMJ*, **369**: .

EMA, 2020. 'Coronavirus disease (COVID-19)', , *Text*, *European Medicines Agency*. URL: https://www.ema.europa.eu/en/human-regulatory/overview/public-health-threats/coronavirus-disease-covid-19 (diakses tanggal 14/2/2022).

Faes, C., S, A., D, V.B., G, M., E, V., dan N, H., 2020. Time between Symptom Onset, Hospitalisation and Recovery or Death: Statistical Analysis of Belgian COVID-19 Patients. *International journal of environmental research and public health*, **17**: .

Fang, L., Karakiulakis, G., dan Roth, M., 2020. Are patients with hypertension and diabetes mellitus at increased risk for COVID-19 infection? *The Lancet. Respiratory Medicine*, **8**: e21.

Felice, C., Nardin, C., Di Tanna, G.L., Grossi, U., Bernardi, E., Scaldaferri, L., dkk., 2020. Use of RAAS inhibitors and risk of clinical deterioration in COVID-19: results from an Italian cohort of 133 hypertensives. *American Journal of Hypertension*, hpaa096.

Fernández-Ruiz, I., 2020. RAAS inhibitors do not increase the risk of COVID-19. *Nature Reviews. Cardiology*, **17**: 383.

Faes, C., Abrams, S., Van Beckhoven, D., Meyfroidt, G., Vlieghe, E., Hens, N., dkk., 2020. Time between Symptom Onset, Hospitalisation and Recovery or Death: Statistical Analysis of Belgian COVID-19 Patients. International Journal of Environmental Research and Public Health, 17: 7560.

Fosbøl, E.L., Butt, J.H., Østergaard, L., Andersson, C., Selmer, C., Kragholm, K., dkk., 2020a. Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. *JAMA*, **324**: 168–177.

Fosbøl, E.L., Butt, J.H., Østergaard, L., Andersson, C., Selmer, C., Kragholm, K., dkk., 2020b. Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. *JAMA*, **324**: 168–177.

Gallo, G., Calvez, V., dan Savoia, C., 2022. Hypertension and COVID-19: Current Evidence and Perspectives. *High Blood Pressure & Cardiovascular Prevention*, **29**: 115–123.

Gao, C., Cai, Y., Zhang, K., Zhou, L., Zhang, Y., Zhang, X., dkk., 2020. Association of hypertension and antihypertensive treatment with COVID-

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

19 mortality: a retrospective observational study. *European Heart Journal*, **41**: 2058–2066.

Gao, Y.-D., Ding, M., Dong, X., Zhang, J.-J., Kursat Azkur, A., Azkur, D., dkk., 2021. Risk factors for severe and critically ill COVID-19 patients: A review. *Allergy*, **76**: 428–455.

García-Posada, M., Aruachan-Vesga, S., Mestra, D., Humánez, K., Serrano-Coll, H., Cabrales, H., dkk., 2021. Clinical outcomes of patients hospitalized for COVID-19 and evidence-based on the pharmacological management reduce mortality in a region of the Colombian Caribbean. *Journal of Infection and Public Health*, **14**: 696–701.

Gebhard, C.E., Hamouda, N., Gebert, P., Regitz-Zagrosek, V., Gebhard, C., Bengs, S., dkk., 2022. Sex versus gender-related characteristics: which predicts clinical outcomes of acute COVID-19? *Intensive Care Medicine*, **48**: 1652–1655.

Gomez, J.M.D., Du-Fay-de-Lavallaz, J.M., Fugar, S., Sarau, A., Simmons, J.A., Clark, B., dkk., 2021. Sex Differences in COVID-19 Hospitalization and Mortality. *Journal of Women's Health (2002)*, **30**: 646–653.

Gong, J., Sun, Y., dan Xie, L., 2021. ACEI/ARB Drug Therapy in COVID-19 Patients: Yes Or No? *Journal of Translational Internal Medicine*, **9**: 8–11.

Goyal, P., 2020. Clinical characteristics of COVID-19 in New York City. *New England Journal of Medicine*, **382**: 2372–2374.

Grasselli, G., Greco, M., Zanella, A., Albano, G., Antonelli, M., Bellani, G., dkk., 2020. Risk Factors Associated With Mortality Among Patients With COVID-19 in Intensive Care Units in Lombardy, Italy. *JAMA internal medicine*, **180**: 1345–1355.

Guo, T., Fan, Y., Chen, M., Wu, X., Zhang, L., He, T., dkk., 2020. Cardiovascular Implications of Fatal Outcomes of Patients With Coronavirus Disease 2019 (COVID-19). *JAMA cardiology*, **5**: 811–818.

Hakeam, H.A., 2021. Association of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Blockers With Severity of COVID-19: A Multicenter, Prospective Study. *Journal of Cardiovascular Pharmacology and Therapeutics*, **26**: 244–252.

Hamada, S., Suzuki, T., Tokuda, Y., Taniguchi, K., dan Shibuya, K., 2023. Comparing clinical outcomes of ARB and ACEi in patients hospitalized for acute COVID-19. *Scientific Reports*, **13**: 11810.

Hayden, M.R., 2020. Endothelial activation and dysfunction in metabolic syndrome, type 2 diabetes and coronavirus disease 2019. *The Journal of International Medical Research*, **48**: 300060520939746.

Herrmann, J., Adam, E.H., Notz, Q., Helmer, P., Sonntagbauer, M., Ungemach-Papenberg, P., dkk., 2020. COVID-19 Induced Acute Respiratory Distress Syndrome—A Multicenter Observational Study. *Frontiers in Medicine*, **7**:

Hippisley-Cox, J., Young, D., Coupland, C., Channon, K.M., Tan, P.S., Harrison, D.A., dkk., 2020. Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. *Heart (British Cardiac Society)*, **106**: 1503–1511.

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Ho, C. dan Lee, P.-C., 2022. COVID-19 Treatment—Current Status, Advances, and Gap. *Pathogens*, **11**: 1201.

Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., dkk., 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet (London, England)*, **395**: 497–506.

Huang, Z., Cao, J., Yao, Y., Jin, X., Luo, Z., Xue, Y., dkk., 2020. The effect of RAS blockers on the clinical characteristics of COVID-19 patients with hypertension. *Annals of Translational Medicine*, **8**: 430.

Hur, K., Price, C.P.E., Gray, E.L., Gulati, R.K., Maksimoski, M., Racette, S.D., dkk., 2020. Factors Associated With Intubation and Prolonged Intubation in Hospitalized Patients With COVID-19. *Otolaryngology--Head and Neck Surgery: Official Journal of American Academy of Otolaryngology-Head and Neck Surgery*, **163**: 170–178.

Iaccarino, G., 2020. Age and multimorbidity predict death among COVID-19 Patients: Results of the SARS-RAS study of the Italian society of hypertension. *Hypertension*, **76**: .

Iaccarino, G., Grassi, G., Borghi, C., Carugo, S., Fallo, F., Ferri, C., dkk., 2020. Gender differences in predictors of intensive care units admission among COVID-19 patients: The results of the SARS-RAS study of the Italian Society of Hypertension. *PloS One*, **15**: e0237297.

Jackson, B.R., 2021. Predictors at Admission of Mechanical Ventilation and Death in an Observational Cohort of Adults Hospitalized with Coronavirus Disease 2019. *Clinical Infectious Diseases*, **73**: .

Jeffery, M.M., Cummins, N.W., Dempsey, T.M., Limper, A.H., Shah, N.D., dan Bellolio, F., 2021. Association of outpatient ACE inhibitors and angiotensin receptor blockers and outcomes of acute respiratory illness: a retrospective cohort study. *BMJ Open*, **11**: e044010.

Jung, S.-Y., Choi, J.C., You, S.-H., dan Kim, W.-Y., 2020. Association of Renin-angiotensin-aldosterone System Inhibitors With Coronavirus Disease 2019 (COVID-19)- Related Outcomes in Korea: A Nationwide Population-based Cohort Study. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, **71**: 2121–2128.

Kabia, A.U., 2022. The effects of hypertension on the prognosis of coronavirus disease 2019: a systematic review and meta-analysis on the interactions with age and antihypertensive treatment. *Journal of Hypertension*, **40**: 2323–2336.

Kämpe, J., Bohlin, O., Jonsson, M., Hofmann, R., Hollenberg, J., Wahlin, R.R., dkk., 2023. Risk factors for severe COVID-19 in the young—before and after ICU admission. *Annals of Intensive Care*, **13**: 31.

Kamyshnyi, A., Krynytska, I., Matskevych, V., Marushchak, M., dan Lushchak, O., 2020. Arterial Hypertension as a Risk Comorbidity Associated with COVID-19 Pathology. *International Journal of Hypertension*, **2020**: 8019360.

Kemenkes RI, 2023. 'Peta Sebaran', . URL: https://covid19.go.id/id/peta-sebaran (diakses tanggal 8/8/2023).

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Kuba, K., Imai, Y., Rao, S., Gao, H., Guo, F., Guan, B., dkk., 2005. A crucial role of angiotensin converting enzyme 2 (ACE2) in SARS coronavirus-induced lung injury. *Nature Medicine*, **11**: 875–879.

Kulkarni, S., Jenner, B.L., dan Wilkinson, I., 2020. COVID-19 and hypertension. *Journal of the Renin-Angiotensin-Aldosterone System*, **21**: 1470320320927851.

Kumar, S., 2022. Safety of ACEi and ARB in COVID-19 management: A retrospective analysis. *Clinical Cardiology*, **45**: 759–766.

Kumar, S., Nikravesh, M., Chukwuemeka, U., Randazzo, M., Flores, P., Choday, P., dkk., 2022. Safety of ACEi and ARB in COVID-19 management: A retrospective analysis. *Clinical Cardiology*, **45**: 759–766.

Lafaurie, M., Martin-Blondel, G., Delobel, P., Charpentier, S., Sommet, A., dan Moulis, G., 2021a. Outcome of patients hospitalized for COVID-19 and exposure to angiotensin-converting enzyme inhibitors and angiotensin-receptor blockers in France: results of the ACE-CoV study. *Fundamental & Clinical Pharmacology*, **35**: 194–203.

Lee, I.T., Nakayama, T., Wu, C.-T., Goltsev, Y., Jiang, S., Gall, P.A., dkk., 2020. ACE2 localizes to the respiratory cilia and is not increased by ACE inhibitors or ARBs. *Nature Communications*, **11**: 5453.

Lee, K.-Y., 2015. A Common Immunopathogenesis Mechanism for Infectious Diseases: The Protein-Homeostasis-System Hypothesis. *Infection & Chemotherapy*, **47**: 12–26.

Lescure, F.-X., Bouadma, L., Nguyen, D., Parisey, M., Wicky, P.-H., Behillil, S., dkk., 2020. Clinical and virological data of the first cases of COVID-19 in Europe: a case series. *The Lancet. Infectious Diseases*, **20**: 697–706.

Lewnard, J.A., Liu, V.X., Jackson, M.L., Schmidt, M.A., Jewell, B.L., Flores, J.P., dkk., 2020. Incidence, clinical outcomes, and transmission dynamics of severe coronavirus disease 2019 in California and Washington: prospective cohort study. *BMJ*, m1923.

Li, G., Hu, R., dan Zhang, X., 2020. Antihypertensive treatment with ACEI/ARB of patients with COVID-19 complicated by hypertension. *Hypertension Research*, 1–3.

Li, J., Wang, X., Chen, J., Zhang, H., dan Deng, A., 2020. Association of Renin-Angiotensin System Inhibitors With Severity or Risk of Death in Patients With Hypertension Hospitalized for Coronavirus Disease 2019 (COVID-19) Infection in Wuhan, China. *JAMA cardiology*, **5**: 825–830.

Li, M., 2021. The association of COVID-19 occurrence and severity with the use of angiotensin converting enzyme inhibitors or angiotensin-II receptor blockers in patients with hypertension. *PLoS ONE*, **16**: .

Li, M., Wang, Y., Ndiwane, N., Orner, M., Palacios, N., Mittler, B., dkk., 2021. The association of COVID-19 occurrence and severity with the use of angiotensin converting enzyme inhibitors or angiotensin-II receptor blockers in patients with hypertension. *PLOS ONE*, **16**: e0248652.

Li, X., 2020. Risk factors for severity and mortality in adult COVID-19 inpatients in Wuhan. *Journal of Allergy and Clinical Immunology*, **146**: 110–118.

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Liabeuf, S., Moragny, J., Bennis, Y., Batteux, B., Brochot, E., Schmit, J.L., dkk., 2021. Association between renin-angiotensin system inhibitors and COVID-19 complications. *Eur Heart J Cardiovasc Pharmacother*, 426–434.

Liu, X., Zhou, H., Zhou, Y., Wu, X., Zhao, Y., Lu, Y., dkk., 2020. Risk factors associated with disease severity and length of hospital stay in COVID-19 patients. *The Journal of Infection*, **81**: e95–e97.

Liu, Y., Huang, F., Xu, J., Yang, P., Qin, Y., Cao, M., dkk., 2020. Anti-hypertensive Angiotensin II receptor blockers associated to mitigation of disease severity in elderly COVID-19 patients.

Long, H., Li, J., Li, R., Zhang, H., Ge, H., Zeng, Hui, dkk., 2022. Plasma glucose levels and diabetes are independent predictors for mortality in patients with COVID-19. *Epidemiology and Infection*, **150**: e106.

Lukito, A.A. dan Harmeiwaty, E., 2019. Konsensus Penatalaksanaan Hipertensi 2019. *Perhimpunan Dokter Hipertensi Indonesia*, .

Ma, Y., Zhang, Y., Li, S., Yang, H., Li, H., Cao, Z., dkk., 2021. Sex Differences in Association Between Anti-Hypertensive Medications and Risk of COVID-19 in Middle-Aged and Older Adults. *Drugs & Aging*, **38**: 921–930.

Ma, Z., 2021. Does taking an angiotensin inhibitor increase the risk for COVID-19? – a systematic review and meta-analysis. *Aging*, **13**: 10853–10865.

Marfella, R., Paolisso, P., Sardu, C., Bergamaschi, L., D'Angelo, E.C., Barbieri, M., dkk., 2020. Negative impact of hyperglycaemia on tocilizumab therapy in Covid-19 patients. *Diabetes & Metabolism*, **46**: 403–405.

Mehta, N., 2020. Association of Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers with Testing Positive for Coronavirus Disease 2019 (COVID-19). *JAMA Cardiology*, **5**: 1020–1026.

Mehta, N., Kalra, A., Nowacki, A.S., Anjewierden, S., Han, Z., Bhat, P., dkk., 2020. Association of Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers With Testing Positive for Coronavirus Disease 2019 (COVID-19). *JAMA cardiology*, **5**: 1020–1026.

Meijs, D.A.M., van Bussel, B.C.T., Stessel, B., Mehagnoul-Schipper, J., Hana, A., Scheeren, C.I.E., dkk., 2022. Better COVID-19 Intensive Care Unit survival in females, independent of age, disease severity, comorbidities, and treatment. *Scientific Reports*, **12**: 734.

Meng, J., 2020. Renin-angiotensin system inhibitors improve the clinical outcomes of COVID-19 patients with hypertension. *Emerging Microbes and Infections*, **9**: 757–760.

Meng, J., Xiao, G., Zhang, J., He, X., Ou, M., Bi, J., dkk., 2020. Renin-angiotensin system inhibitors improve the clinical outcomes of COVID-19 patients with hypertension. *Emerging Microbes & Infections*, **9**: 757–760.

Mirjalili, M., Dehghani, M., Raadabadi, M., Madadizadeh, F., Sharifyazdi, M., Shojaefar, H., dkk., 2023. Factors Associated with Length of Hospital Stays in COVID-19 Patients in Yazd Province Hospitals. *Journal of Health Sciences & Surveillance System*, **11**: 614–619.

UNIVERSITAS
GADJAH MADA
**Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid
Hipertensi di RSUP DR. Sardjito Yogyakarta**
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Mollazehi, M. dan Mohammad, M., 2020. '(PDF) Modeling Survival Time to Recovery from COVID-19: A Case Study on Singapore', . URL: https://www.researchgate.net/publication/340292434_Modeling_Survival_Time_to_Recovery_from_COVID-19_A_Case_Study_on_Singapore (diakses tanggal 28/9/2024).

Moriconi, D., Masi, S., Rebelos, E., Virdis, A., Manca, M.L., De Marco, S., dkk., 2020. Obesity prolongs the hospital stay in patients affected by COVID-19, and may impact on SARS-COV-2 shedding. *Obesity Research & Clinical Practice*, **14**: 205–209.

Mughal, M.S., Kaur, I.P., Jaffery, A.R., Dalmacion, D.L., Wang, C., Koyoda, S., dkk., 2020. COVID-19 patients in a tertiary US hospital: Assessment of clinical course and predictors of the disease severity. *Respiratory Medicine*, **172**: 106130.

Najafi, N., 2023. The effect of ACE inhibitors and ARBs on outcomes in hospitalized patients with COVID-19. *Irish Journal of Medical Science*, **192**: 1517–1523.

Najafi, N., Davoudi, A., Izadyar, H., Alishahi, A., Mokhtariani, A., Soleimanpourian, B., dkk., 2022. The effect of ACE inhibitors and ARBs on outcomes in hospitalized patients with COVID-19. *Irish Journal of Medical Science*, 1–7.

Negreira-Caamaño, Martin, Piqueras-Flores, J., Martínez-DelRio, J., Nieto-Sandoval-Martin-DeLaSierra, P., Aguila-Gordo, D., Mateo-Gomez, C., dkk., 2020. Impact of Treatment with Renin-Angiotensin System Inhibitors on Clinical Outcomes in Hypertensive Patients Hospitalized with COVID-19. *High blood pressure & cardiovascular prevention : the official journal of the Italian Society of Hypertension*, **27**: 561–568.

Nemati, H., Ramezani, M., Najafi, F., Sayad, B., Nazeri, M., dan Sadeghi, M., 2020. Evaluation of Angiotensin-converting Enzyme 2 (ACE2) in COVID-19: A Systematic Review on All Types of Studies for Epidemiologic, Diagnostic, and Therapeutic Purposes. *Open Access Macedonian Journal of Medical Sciences*, **8**: 84–91.

Nguyen, N.T., Chinn, J., De Ferrante, M., Kirby, K.A., Hohmann, S.F., dan Amin, A., 2021. Male gender is a predictor of higher mortality in hospitalized adults with COVID-19. *PloS One*, **16**: e0254066.

Nouh, M.A., Elgamal, A.A., Ali, H.R., dan Elkhayat, M.M., 2024. Predictors of ICU Admission in Covid 19 Patients. *Afro-Egyptian Journal of Infectious and Endemic Diseases*, **14**: 21–31.

Nozari, F. dan Hamidizadeh, N., 2022. The Effects of Different Classes of Antihypertensive Drugs on Patients with COVID-19 and Hypertension: A Mini-Review. *International Journal of Hypertension*, **2022**: e5937802.

Oflar, E., 2022. The Effect of Renin-Angiotensin Blockers on COVID-19 Related Mortality: A Tertiary Center's Experience. *Cor et Vasa*, **64**: 277–281.

Oussalah, A., Gleye, S., Clerc Urmes, I., Laugel, E., Callet, J., Barbé, F., dkk., 2020. Long-term ACE Inhibitor/ARB Use Is Associated With Severe Renal Dysfunction and Acute Kidney Injury in Patients With Severe COVID-19: Results From a Referral Center Cohort in the Northeast of

UNIVERSITAS GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

France. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, **71**: 2447–2456.

Pan, W., Zhang, J., Wang, M., Ye, J., Xu, Y., Shen, B., dkk., 2020. Clinical Features of COVID-19 in Patients With Essential Hypertension and the Impacts of Renin-angiotensin-aldosterone System Inhibitors on the Prognosis of COVID-19 Patients. *Hypertension*, **76**: 732–741.

Parasher, A., 2021. COVID-19: Current understanding of its Pathophysiology, Clinical presentation and Treatment. *Postgraduate Medical Journal*, **97**: 312–320.

Patel, A.B. dan Verma, A., 2020. COVID-19 and Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers: What Is the Evidence? *JAMA*, **323**: 1769–1770.

Peckham, H., de Gruijter, N.M., Raine, C., Radziszewska, A., Ciurtin, C., Wedderburn, L.R., dkk., 2020. Male sex identified by global COVID-19 meta-analysis as a risk factor for death and ITU admission. *Nature Communications*, **11**: 6317.

PERKI, 2015. Pedoman Tatalaksana Hipertensi pada Penyakit Kardiovaskular.

Perrotta, M., Lori, A., Carnevale, L., Fardella, S., Cifelli, G., Iacobucci, R., dkk., 2018. Deoxycorticosterone acetate-salt hypertension activates placental growth factor in the spleen to couple sympathetic drive and immune system activation. *Cardiovascular Research*, **114**: 456–467.

Pfortmueller, C.A., Spinetti, T., Urman, R.D., Luedi, M.M., dan Schefold, J.C., 2021. COVID-19-associated acute respiratory distress syndrome (CARDS): Current knowledge on pathophysiology and ICU treatment – A narrative review. *Best Practice & Research. Clinical Anaesthesiology*, **35**: 351–368.

Pijls, B.G., Jolani, S., Atherley, A., Derckx, R.T., Dijkstra, J.I.R., Franssen, G.H.L., dkk., 2021. Demographic risk factors for COVID-19 infection, severity, ICU admission and death: a meta-analysis of 59 studies. *BMJ Open*, **11**: e044640.

Pourbagheri-Sigaroodi, A., Bashash, D., Fateh, F., dan Abolghasemi, H., 2020. Laboratory findings in COVID-19 diagnosis and prognosis. *Clinica Chimica Acta; International Journal of Clinical Chemistry*, **510**: 475–482.

Pranata, R., 2020. The use of renin angiotensin system inhibitor on mortality in patients with coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, **14**: 983–990.

Priyatno, Dwi. 2013. Analisis Korelasi,Regresi,dan Multivariate dengan SPSS, Gava Media, Yogyakarta, Indonesia.

Radzikowska, U., Ding, M., Tan, G., Zhakparov, D., Peng, Y., Wawrzyniak, P., dkk., 2020. Distribution of ACE2, CD147, CD26, and other SARS-CoV-2 associated molecules in tissues and immune cells in health and in asthma, COPD, obesity, hypertension, and COVID-19 risk factors. *Allergy*, **75**: 2829–2845.

Raimondi, F., Novelli, L., Ghirardi, A., Russo, F.M., Pellegrini, D., Biza, R., dkk., 2021. Covid-19 and gender: lower rate but same mortality of severe

UNIVERSITAS
GADJAH MADA
**Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid
Hipertensi di RSUP DR. Sardjito Yogyakarta**
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

disease in women—an observational study. *BMC Pulmonary Medicine*, **21**: 96.

Rajpal, A., Rahimi, L., dan Ismail-Beigi, F., 2020. Factors leading to high morbidity and mortality of COVID -19 in patients with type 2 diabetes. *Journal of Diabetes*, **12**: 895–908.

Ran, J., Song, Y., Zhuang, Z., Han, L., Zhao, S., Cao, P., dkk., 2020. Blood pressure control and adverse outcomes of COVID-19 infection in patients with concomitant hypertension in Wuhan, China. *Hypertension Research*, **43**: 1267–1276.

Richardson, S., 2020. Presenting Characteristics, Comorbidities, and Outcomes among 5700 Patients Hospitalized with COVID-19 in the New York City Area. *JAMA - Journal of the American Medical Association*, **323**: 2052–2059.

Rico-Mesa, J.S., 2020. Outcomes in Patients with COVID-19 Infection Taking ACEI/ARB. *Current Cardiology Reports*, **22**: .

Rodilla, E., 2021. Impact of Arterial Stiffness on All-Cause Mortality in Patients Hospitalized With COVID-19 in Spain. *Hypertension*, **77**: 856–867.

Roncon, L., Zuin, M., Rigatelli, G., dan Zuliani, G., 2020. Diabetic patients with COVID-19 infection are at higher risk of ICU admission and poor short-term outcome. *Journal of Clinical Virology: The Official Publication of the Pan American Society for Clinical Virology*, **127**: 104354.

Rossi, G.P., Sanga, V., dan Barton, M., 2020. Potential harmful effects of discontinuing ACE-inhibitors and ARBs in COVID-19 patients. *eLife*, **9**: e57278.

Savoia, C., 2021. Hypertension, a moving target in COVID-19: Current views and perspectives. *Circulation Research*, **128**: 1062–1079.

Semenzato, L., Botton, J., Drouin, J., Cuenot, F., Dray-Spira, R., Weill, A., dkk., 2021. Chronic diseases, health conditions and risk of COVID-19-related hospitalization and in-hospital mortality during the first wave of the epidemic in France: a cohort study of 66 million people. *The Lancet Regional Health. Europe*, **8**: 100158.

Sharma, R., Kumar, A., Majeed, J., Thakur, A.K., dan Aggarwal, G., 2022. Drugs acting on the renin-angiotensin-aldosterone system (RAAS) and deaths of COVID-19 patients: a systematic review and meta-analysis of observational studies. *The Egyptian heart journal : (EHJ) : official bulletin of the Egyptian Society of Cardiology*, **74**: 64.

Shimizu, Y., 2020. Understanding the immunopathogenesis of COVID-19: Its implication for therapeutic strategy. *World Journal of Clinical Cases*, **8**: 5835–5843.

Simonnet, A., Chetboun, M., Poissy, J., Raverdy, V., Noulette, J., Duhamel, A., dkk., 2020. High Prevalence of Obesity in Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) Requiring Invasive Mechanical Ventilation. *Obesity (Silver Spring, Md.)*, **28**: 1195–1199.

Smits, S.L., Lang, A. de, Brand, J.M.A. van den, Leijten, L.M., IJcken, W.F. van, Eijkemans, M.J.C., dkk., 2010. Exacerbated Innate Host Response to

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

SARS-CoV in Aged Non-Human Primates. *PLOS Pathogens*, **6**: e1000756.

Sommer, P., Lukovic, E., Fagley, E., Long, D.R., Sobol, J.B., Heller, K., dkk., 2020. Initial Clinical Impressions of the Critical Care of COVID-19 Patients in Seattle, New York City, and Chicago. *Anesthesia and Analgesia*, **131**: 55–60.

South, A.M., Diz, D.I., dan Chappell, M.C., 2020. COVID-19, ACE2, and the cardiovascular consequences. *American Journal of Physiology. Heart and Circulatory Physiology*, **318**: H1084–H1090.

Sun, X., Wang, T., Cai, D., Hu, Z., Chen, J., Liao, H., dkk., 2020. Cytokine storm intervention in the early stages of COVID-19 pneumonia. *Cytokine & Growth Factor Reviews*, **53**: 38–42.

Suryantoro, S.D., Thaha, M., Hayati, M.R., Yusuf, M., Pikir, B.S., dan Susilo, H., 2021. Correlation between anti-hypertensive drugs and disease progression among moderate, severe, and critically ill COVID-19 patients in the second referral hospital in Surabaya: A retrospective cohort study.

Tadic, M., Saeed, S., Grassi, G., Taddei, S., Mancia, G., dan Cuspidi, C., 2021. Hypertension and COVID-19: Ongoing Controversies. *Frontiers in Cardiovascular Medicine*, **8**: .

Thiruvengadam, G., Lakshmi, M., dan Ramanujam, R., 2021. A Study of Factors Affecting the Length of Hospital Stay of COVID-19 Patients by Cox-Proportional Hazard Model in a South Indian Tertiary Care Hospital. *Journal of Primary Care & Community Health*, **12**: 21501327211000231.

Tzotzos, S.J., Fischer, B., Fischer, H., dan Zeitlinger, M., 2020. Incidence of ARDS and outcomes in hospitalized patients with COVID-19: a global literature survey. *Critical Care (London, England)*, **24**: 516.

Ullah, W., Roomi, S., Nadeem, N., Saeed, R., Tariq, S., Ellithi, M., dkk., 2021. Impact of Body Mass Index on COVID-19-Related In-Hospital Outcomes and Mortality. *Journal of Clinical Medicine Research*, **13**: 230–236.

Viveiros, A., Rasmuson, J., Vu, J., Mulvagh, S.L., Yip, C.Y.Y., Norris, C.M., dkk., 2021. Sex differences in COVID-19: candidate pathways, genetics of ACE2, and sex hormones. *American Journal of Physiology - Heart and Circulatory Physiology*, **320**: H296–H304.

Wang, J.J., Edin, M.L., Zeldin, D.C., Li, C., Wang, D.W., dan Chen, C., 2020. Good or bad: Application of RAAS inhibitors in COVID-19 patients with cardiovascular comorbidities. *Pharmacology & Therapeutics*, **215**: 107628.

Wang, T., Tang, R., Ruan, H., Chen, R., Zhang, Z., Sang, L., dkk., 2021a. Predictors of fatal outcomes among hospitalized COVID-19 patients with pre-existing hypertension in China. *The Clinical Respiratory Journal*, **15**: 915–924.

Wang, T., Tang, R., Ruan, H., Chen, R., Zhang, Z., Sang, L., dkk., 2021b. Predictors of fatal outcomes among hospitalized COVID-19 patients with pre-existing hypertension in China. *The Clinical Respiratory Journal*, **15**: 915–924.

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Wasityastuti, W., Dhamarjati, A., dan Siswanto, S., 2020. Immunosenescence and the Susceptibility of the Elderly to Coronavirus Disease 2019 (COVID-19). *Jurnal Respirologi Indonesia*, **40**: 182–191.

WHO, 2023. 'Weekly epidemiological update on COVID-19 - 17 August 2023', . URL: https://www.who.int/publications/m/item/weekly-epidemiological-update-on-covid-19---17-august-2023 (diakses tanggal 27/8/2023).

WHO 2023, 2023, n.d. 'Tracking SARS-CoV-2 variants', . URL: https://www.who.int/activities/tracking-SARS-CoV-2-variants (diakses tanggal 20/2/2023).

Wrapp, D., Wang, N., Corbett, K.S., Goldsmith, J.A., Hsieh, C.-L., Abiona, O., dkk., 2020. Cryo-EM structure of the 2019-nCoV spike in the prefusion conformation. *Science (New York, N.Y.)*, **367**: 1260–1263.

Wu, C., Chen, X., Cai, Y., Xia, J., Zhou, Xing, Xu, S., dkk., 2020. Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Internal Medicine*, **180**: 934–943.

Wu, Z. dan McGoogan, J.M., 2020. Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention. *JAMA*, **323**: 1239–1242.

Xu, J., 2020. Use of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in context of COVID-19 outbreak: a retrospective analysis. *Frontiers of Medicine*, **14**: 601–612.

Xu, J., Huang, C., Fan, G., Liu, Z., Shang, L., Zhou, F., dkk., 2020. Use of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in context of COVID-19 outbreak: a retrospective analysis. *Frontiers of medicine*, **14**: 601–612.

Yang, G., Tan, Z., Zhou, L., Yang, M., Peng, L., Liu, J., dkk., 2020. Effects of Angiotensin II Receptor Blockers and ACE (Angiotensin-Converting Enzyme) Inhibitors on Virus Infection, Inflammatory Status, and Clinical Outcomes in Patients With COVID-19 and Hypertension: A Single-Center Retrospective Study. *Hypertension (Dallas, Tex.: 1979)*, **76**: 51–58.

Ye, Z., Zhang, Y., Wang, Y., Huang, Z., dan Song, B., 2020. Chest CT manifestations of new coronavirus disease 2019 (COVID-19): a pictorial review. *European Radiology*, **30**: 4381–4389.

Yi, H., 2020. 2019 Novel Coronavirus Is Undergoing Active Recombination. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*, **71**: 884–887.

Zaenab, A., Jose, V., Cynthia, C.-J., MPH, Yousuf, Z., Claudia, M., dkk., 2021. The Effects of Co-morbidities on COVID-19 Patients Admitted to the Hospital. *Family Medicine & Medical Science Research*, **10**: 1–7.

Zhang, C., Wu, Z., Li, J.-W., Zhao, H., dan Wang, G.-Q., 2020. Cytokine release syndrome in severe COVID-19: interleukin-6 receptor antagonist tocilizumab may be the key to reduce mortality. *International Journal of Antimicrobial Agents*, **55**: 105954.

UNIVERSITAS
GADJAH MADA
Hubungan Terapi ACEI/ARB dan Non-ACEI/ARB Terhadap Luaran Klinis Pasien COVID-19 Disertai Komorbid Hipertensi di RSUP DR. Sardjito Yogyakarta
Siti Olega Adawiyah Murni, Prof. Dr. apt. Tri Murti Andayani, Sp.FRS
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, G., Wu, Y., Xu, R., dan Du, X., 2021. Effects of renin-angiotensin-aldosterone system inhibitors on disease severity and mortality in patients with COVID-19: A meta-analysis. *Journal of Medical Virology*, **93**: 2287–2300.

Zhang, J.-J., Cao, Y.-Y., Tan, G., Dong, X., Wang, B.-C., Lin, J., dkk., 2021. Clinical, radiological, and laboratory characteristics and risk factors for severity and mortality of 289 hospitalized COVID-19 patients. *Allergy*, **76**: 533–550.

Zhang, P., Zhu, L., Cai, J., Lei, F., Qin, J.-J., Xie, J., dkk., 2020a. Association of Inpatient Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers With Mortality Among Patients With Hypertension Hospitalized With COVID-19. *Circulation Research*, **126**: 1671–1681.

Zhang, P., Zhu, L., Cai, J., Lei, F., Qin, J.-J., Xie, J., dkk., 2020b. Association of Inpatient Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers With Mortality Among Patients With Hypertension Hospitalized With COVID-19. *Circulation Research*, **126**: 1671–1681.

Zhang, Y., Li, H., Zhang, Jian, Cao, Y., Zhao, X., Yu, N., dkk., 2020. The clinical characteristics and outcomes of patients with diabetes and secondary hyperglycaemia with coronavirus disease 2019: A single-centre, retrospective, observational study in Wuhan. *Diabetes, Obesity & Metabolism*, **22**: 1443–1454.

Zhao, W., Zha, X., Wang, N., Li, D., Li, A., dan Yu, S., 2021. Clinical Characteristics and Durations of Hospitalized Patients With COVID-19 in Beijing: A Retrospective Cohort Study.

Zhong, Y., Zhao, L., Wu, G., Hu, C., Wu, Chenfang, Xu, M., dkk., 2020. Impact of renin–angiotensin system inhibitors use on mortality in severe COVID-19 patients with hypertension: a retrospective observational study. *Journal of International Medical Research*, **48**: 0300060520979151.

Zhou, F., Yu, T., Du, R., Fan, G., Liu, Y., Liu, Z., dkk., 2020. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *Lancet (London, England)*, **395**: 1054–1062.

Zhou, P., Yang, X.-L., Wang, X.-G., Hu, B., Zhang, L., Zhang, W., dkk., 2020. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature*, **579**: 270–273.