UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abu-Ghazealah, A. A., D. J. Schingoethe, and A. R. Hippen. 2001. Blood amino acids and milk composition from cows fed soybean meal, fish meal, or both. J. Dairy Sci. 84:1174-1181.

Abde Abu-Ghazealah, A. A., D. J. Schingoethe, and A. R. Hippen. 2001. Blood amino acids and milk composition from cows fed soybean meal, fish meal, or both. J. Dairy Sci. 84:1174-1181.

Abdelatif, A. M., Salwa, A. Elsayed and Y. M. Hassan. 2010. Effect of state of hydration on body weight, blood constituents and urine excretion in nubian goats (Capra hircus). World J. Agric. Sci. 6: 178-188.

Achmadi, J dan Surono. 2021. Sintesis Protein Mikroba Rumen. Undip Press Semarang

Adams, S., P. Green, R. Claxton, S. Simcox, M.V. Wiliams, K. Walsh, and C. Leeuwenburgh. 2001. Reactive carbonyl formation by oxidative and nonoxidative pathways. Front. Biosci. 6(1):17–24

Afriyanti, M., 2008. Fermentabilitas dan kecernaan in vitro ransum yang diberi kursin bungkil biji jarak pagar (Jatropha curcas L.) pada ternak sapi dan kerbau. Skripsi Fakultas Peternakan, Institut Pertanian Bogor, Bogor

Agricultural Research Council (ARC). 1984. Nutrient Requirements of Ruminant Livestock. Commonwealth Agricultural Bureaux.

Ajat S, I. G. S Budisatria, S. Bintara, E. R. V. Rahayu, Nurul Hidayat, dan Raden Febrianto Christi. 2021. Produktivitas Induk Kambing Peranakan Ettawa (PE) di Taman Ternak Kaligesing. Jurnal Ilmu Ternak, 21(1):27-32.

Akhtar, M. S., M.U Baloch, and M.Z Khan. 2016. Effects of dietary protein levels on nitrogen metabolism in ruminants. J. Anim. Sci. 94(1), 12-20.

Ali, N., N. Munawarah, dan N. Sofyan. 2017. Pengaruh Pemberian Ampas Tahu Terhadap Produksi Air Susu dan Pertambahan Berat Badan Kambing PeranakanEtawa (PE). Jurnal Saintek Peternakan Dan Perikanan, 1(1), 23–26

Anam, S., C. Hanim dan L. M Yusiati, 2016. Pengaruh penambahan NaHCO3 terhadap pH pakan fermentasi dan ekskresi derivat purin pada kambing Bligon. Jurnal Ilmu Peternakan, 21(2), 78-85.

Andrade-Montemayor, H., T. G. Gasca and J. Kawas. 2009. Ruminal fermentation modification of protein and carbohydrate by means of roasted and estimation of microbial protein synthesis. R. Bras. Zootec. 38: 277-291.

Anggraeni, A, F. Saputra, A. Hafid, dan A. B. L Ishak. 2020. Non-genetic and genetic effects on growth traits from birth to 120 days of age of G2 Sapera Goat. Jurnal Ilmu Ternak Dan Veteriner, 25(2), 48–59.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Antoniewicz, M.A., W.W. Heinemann, and E.M. Hanks. 1979. Factors affecting allantoin excretion in sheep urine. Ann Rech. Vet 10: 300 – 302.

Alberts, B., A. Johnson, J. Lewis, M. Raff, K. Roberts, and P. Walter. 2014. *Molecular Biology of the Cell* (6th ed.). Garland Science.

Alsaht, A. A., S. M. Bassiony, G. A. Abdel-Rahman, dan S. A. Shehata. 2014. Effect of cinnamaldehyde thymol mixture on growth performance and some ruminal and blodd constituents in growing lambs fed high concentrate diet. Life Sci. J. 11(3):240-248.

Atasoglu, C., A. Y. Guliye, and R. J. Wallace. 2004. Use of stable isotopes to measure de novo synthesis and turnover of amino acid-C and −N in mixed micro-organisms from the sheep rumen in vitro. Br. J. Nutr. 91:235–261.

Atasoglu, C., C. J. Newbold, and R. J. Wallace. 2001. Incorporation of [15N]ammonia by cellulolytic ruminal bacterial Fibrobacter succinogenes BL2, Ruminococcus albus SY3, and Ruminococcus flavefaciens 17. Appl. Environ. Microbiol. 67:2819–2822.

Arora, S. P. 1989. *Pencernaan mikroba pada ruminansia*. Gadjah Mada University Press.

Antoniewicz, A. M., V. Vuuren, C. J. van der Koelen, and I. Kosmala. 1992. Intestinal digestibility of rumen undegraded protein of formaldehyde- treated feedstuffs measured by mobile bag and in vitro technique. Anim. Feed Sci. Technol. 39(1):111-124.

AOAC. 2005. Official Method of Analysis of the Association of Official Analitycal Chemist. 18th ed. Maryland: AOAC International. William Harwitz (ed). United Stated of America.

Aregheore, E. M. 2000. Chemical composition and nutritive value of some tropical by-product feedstuffs for small ruminants in vivo and in vitro digestibility. Anim. Feed Sci. Technol. 85 : 99-109.

Argyle, J. L., and R. L. Baldwin. 1989. Effects of amino acids and peptides on rumen microbial growth yields. J. Dairy Sci. 72:2017–2027

Arief, R, S. Sowmen, R. Pazla, and Rizqan. 2020. Milk production and quality of Ettawa crossbreed dairy goat that given Tithonia diversifolia, corn waste and concentrate based palm kernel cake. Biodiversitas. 21:4004-4009

Ariyanto B. F, T. N. Widitya, dan S. Danes. 2021. Identifikasi Lokasi dan Performa Fisik Kambing Perah di Desa Mranggen Kecamatan Srumbung Kabupaten Magelang Provinsi Jawa Tengah. Buletin Peternakan Tropis. Vol 2(2): 98-102

Arora, S. K. 1995. Effect of dietary protein and energy on microbial protein synthesis in ruminants. Anim. Feed Sci. Technol. 55(1), 1-14. doi:10.1016/0377-8401(95)00724-9

Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Arora, S. P. 1995. Pencernaan Mikroba Pada Ruminansia. Gadjah Mada University Press, Yogyakarta.

Aryanto, B. Suwignyo, dan Panjono. 2013. Efek pengurangan dan pemenuhan kembali jumlah pakan terhadapkonsumsi dan kecernaan bahan pakan pada kambing Kacang dan Peranakan Ettawa. Buletin Peternakan Vol. 37(1): 12-18

Astuti, D. A. dan E. Wina. 2002. Protein balance and excretion of purine derivatives in urine of lactating Ettawa Crossbred goats fed with tempe waste. Seminar Nasional Teknologi Peternakan dan Veteriner

Astuti, M. 2007. Pengantar Ilmu Statistik untuk Peternakan dan Kesehatan Hewan. Binasti Publisher, Bogor

Aulyani, N. 2016. Estimasi Sintesis Protein Mikrobia Rumen Berdasarkan Ekskresi Derivat Purin Dalam Urin Dengan Metode Spot Sampling Pada Domba Ekor Tipis Dan Gemuk Serta Aplikasinya Di Tingkat Peternak. Tesis. Fakultas Peternakan UGM. Yogyakarta.

Bach, A., S. Cassamiglia, and M. D. Stein. 2005. Nitrogen metabolism in the rumen. J. Dairy Sci. 88(Esuppl.): E9-E21

Banerjee, G.C. 1978. Animal Nutrition. Oxford & IBM Pub.Co Calcutt

Balcells, J., S Calsamiglia, and A. Ferret. 1992. Purine derivatives in ruminants: a review. J. Dairy Sci. 75(1), 1-10.

Barbosa, A.M, R. F. D. Valadares, S. C. Valadares Filho, D. S. Pina, E. Detmann, M. and I. Leão. 2011. Endogenous fraction and urinary recovery of purine derivatives obtained by different methods in Nellore cattle, J. Anim Sci. Volume 89, Issue 2, February : 510–519, https://doi.org/10.2527/jas.2009-2366.

Basheir, R. A., S. A. Omer, and O. S. A. Mohamed. 2009. Effect of lactation on some urine indices of renal functionin Nubian goats. J. Sci. Tech. 10: 1-8.

Banaszkiewicz, T. 2011. Nutritional Value of Soybean Meal, Soybean and Nutrition, Hany El-Shemy (ed), IntechOpen.http:/www.intechopen.com/books/soybeanandnutrition/nutrition-value-of-soybean-meal. Diakses tanggal 17 September 2024

Balcells J, J. A Guada, C. Castrillo, and J Gasa. 1991. Urinary excretion of allantoin and allantoin precursors by sheep after different rates of purine infusion into the duodenum. J. Agric. Sci. 116(2):309-317. doi:10.1017/S002185960007773X

Belenguer, A., D. Yanez, J. Balcells, N. H. O. Baber and M. Gonza´lez-Ronquillo. 2002. Urinary excretion of purine derivatives and prediction of rumen microbial outflow in goats. Livest. Prod. Sci. 77: 127-135.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Berg, J. M., J.L Tymoczko, and L. Stryer. 2015. Biochemistry (8th ed.). W.H. Freeman.

Bjamason. J. and K. J. Carpenter. 1970. Mechanisms of heat damage in protein. 2 Chemical changes in pure proteins. Br. J. Nutr 24 : 313-329

Black J. L. 1971. A theoetical consideration of the effect of g senting rumen fermentation on the efficiency of utilization of dietary energy and protein in lambs. Br. J. Nutr, 25: 31- 55

Boero, P. O, J. Balcells, S.M Martín-Orúe, J.B. Liang, J. A. Guada. 2001. Excretion of purine derivatives in cows: endogenous contribution and recovery of exogenous purine base. Livest. Prod. Sci. 68 :245-250. https://doi.org/10.1016/S0301-6226(00)00231-1

Boucher, J. F., H. Cormier, and J. Dufour. 2007. Synchronization of nitrogen and energy for microbial protein synthesis in ruminants. Anim. Feed Sci. Technol. 136(3-4), 229-241.

Bowen M. K., D. P. Poppi, S.R. McLennan, and V. J. Doogan. 2006. A comparison of the excretion rate of endogenous purine derivatives in the urine of Bos indicus and Bos taurus steers. Aust. J. Agric. Res. 57, 173-177. https://doi.org/10.1071/AR05182

BPS Provinsi Jawa Tengah. 2021. https://jateng.bps.go.id/indicator/24/75/1/populasi-ternak-menurut-kabupaten-kota-dan-jenis-ternak-di-provinsi-jawa-tengah-ekor-.html. Diakses tanggal 2 Januari 2022.

Braga, J. M. D. S., R. F. D. Valadares, S. G. Pellizzoni, S. C. V. Filho, L. L. Prates and L. F. C. Silva. 2012. Estimation of endogenous contribution and urinary excretion of purine derivatives from the total digestible nutrient intake in Nellore heifers. R. Bras. Zootec. 41: 1899- 1906.

Brock, F. M., C. W. Forsberg, and J.G. Buchanan-Smith. 1982.Proteolytic activity of rumen microorganisms and effects of proteinase inhibitors. Applied and Environmental Microbiology, 44(3), 561-569

Budisatria, I. G. S., Panjono, Maharani, dan A. Ibrahim. 2018. Kambing Peranakan Ettawa. Universitas Gadjah Mada. UGM Press.

Buttery, P. J., and D. Lewis. 1974. The role of protein in the nutrition of ruminants. In: Ruminant Physiology: Digestion, Metabolism, Growth and Reproduction. 1st ed. University of Reading.

Cahyani R. D, L. K. Nuswantara dan A. Subrata. 2012. Pengaruh Proteksi Protein Tepung Kedelai Dengan Tanin Daun Bakau Terhadap Konsentrasi Amonia, Undegraded Protein Dan Protein Total Secara In Vitro (The Effect Of Soy Meal Protein Protection By Mangrove Leaf Tannin On Ammonia Concentration, Rumen Undegraded Dietary Protein And Total Protein In Vitro). Fakultas

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Peternakan dan Pertanian Universitas Diponegoro, Semarang. Animal Agricultural Journal.

Cameron, M. R., T. H. Klusmeyer, G. L. Lynch, J. H. Clark, and D. R Nelson. 1991. Effects of urea and starch on rumen fermentation, nutrient passage to the duodenum, and performance of cows. J. Dairy Sci. 74(4), 1321-1336

Calsamiglia, S., M. Busquet, P. W. Cardozo, L. Castillejos, dan A. Ferret. 2007. Invited review: Essential oils as modifiers of rumen microbial fermentation. J. Dairy Sci. 90(6):2580-2595

Calsamiglia, S., A. Ferret, and M. Devant. 2002. Effects of pH and pH fluctuations on microbial fermentation and nutrient flow froma dual-flow continuous culture system. J. Dairy Sci. 85:574–579

Cardozo, P. W., S. Calsamiglia, A. Ferret, dan C. Kamel. 2004. Effects of natural plant extracts on ruminal protein degradation and fermentation profiles in continuous culture. J. Anim. Sci. 82(11):3230-3236.

Carro, D. M., and E. L. Miller. 1999. Effect of supplementing a fibre basal diet with different nitrogen forms on ruminal fermentation and microbial growth in an in vitro semi-continuous culture system (RUSITEC). Br. J. Nutr. 82:149–157.

Castro, S. I. B., L. E. Philip, H. Lapierre, P. W. Jardon, and R. Berthiaume. 2007. Ruminal degradability and intestinal digestibility of protein and amino acids in treated soybean meal products. J. Dairy Sci. 90:810-822.

Casper, D. P., and D. J Schingoethe,. 1989. Evaluation of diets containing varying amounts of protein and starch for lactating dairy cows. J. Dairy Sci. 72(4), 932-944

Cetinkaya, N., S. Yaman, and N.H.O., Baber. 2006. The use of purine derivates/creatinin ratio in spot samplles as an index of microbial protein supply in yerli kara crossbred cattle. J. Liv. Sci. 100: 91 - 98.

Chaves, A. V., K. Stanford, L. L. Gibson, M. E. R Dugan, T. A. McAllister, F. Van Herk, and C. Benchaar. 2008. Effects of cinnamaldehyde, garlic and juniper berry essential oils on rumen fermentation, blood metabolites, growth performance and carcass characteristic of growing lambs. Livest. Sci. 117(2):215-224.

Chalupa, W. 1975. Rumen bypass and protection of proteins and amino acids. J. Dairy Sci. 58(8):1198-1218.

Cheeke, P. R. 1991. Applied Animal Nutrition: Feeds and Feeding. Prentice Hall.

Chen X. B., G. Grubic, E. R. Orskov and P. Osuji. 1992. Effect of feeding frequency on diurnal variation in plasma and urinary purine derivatives in steers. J. Anim. Prod. 55: 185-191.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, X. B., and M. J Gomes. 1995. Estimating microbial protein supply to sheep and cattle. J. Agricultural Sci. 125(4), 107-119. doi:10.1017/S0021859600073939.

Chen, X. B., and M. J Gomes. 1995. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives - an overview of the results obtained from the use of the method. J. Anim Sci.73(3), 1007-1012.

Chen, X. B., and M.A Gomez. 1995. A new approach for estimating microbial protein synthesis in the rumen. J. Anim Sci. 73(1), 16-24. doi:10.2527/1995.73116x.

Chen, X. B., F. D. Deb. Hovell, E. R. Ørskov, and D. S. Brown. 1990. Excretion of purine derivatives by ruminant: effect of exogenous nucleic acid supply on purine derivative excretion by sheep. Br J Nutr. 63: 131142.

Chen, X. B., G. Grubic, R. Ørskov, and P. Osuji. 1992. Effect of feeding frequency on diurnal variation in plasma and urinary purine derivatives in steers. Anim. Prod. 55: 185-191.

Cherdthong, A., B. Pornjantuek and C. Wachirapakorn. 2016. Effect of feeding Cassava bioetanol waste in nutrient intake, digestibility and rumen fermentation in growing goats. Trop Anim Health Prod. 48 (7) : 1369-1374.

Chizzotti, M. L., S. C. V. Filho, R. F. D. Valadares, F. H. M. Chizzotti and L. O. Tedeschi. 2008. Determination of creatinine excretion and evaluation of spot urine sampling in Holstein cattle. Livest. Sci. 77: 127-135

Choudhury, A. K. R., Rahman, M. M., and Hossain, M. M. 2015. Effects of pH and temperature on proteolytic and deaminase activities in ruminants. J. Anim Sci. 93(4), 1864-1870.

Clark, J. H., B. J. Johnson, and K. A. McCarty. 1992. Microbial protein synthesis in the rumen: The role of nitrogen and carbohydrate availability. In: Ruminant Physiology: Digestion, Metabolism, Growth and Reproduction. University of Reading.

Cottrill, B. R. 1998. A review of current nutritional models: what we need to measure. In vitro techniques for measuring nutrient supply to ruminants. Occasional Publication. Br. Soc. Anim. Sci. 22: 21-31

Craig, W. M., G. A. Broderick and D. B. Ricker. 1987. Quantitation of microorganisms associated with the particulate phase of ruminal ingesta. J. Nutr. 117:56-62.

Cruz Soto, R., S. A. Muhammed, C. J. Newbold, C. S. Stewart, and R. J. Wallace. 1994. Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay on the growth of rumen bacteria in vitro. Anim. Feed Sci. Technol. 49:151–161.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Csapo, Z. C. J., J. Schmidt and T. G. Martin. 2001. Quantitative determination of protein of bacterial origin. Trends in Analytical Chemistry. 20: 42-48

Daning D. R. A, L. M. Yusiati, C. Hanim, dan B. P. Widyobroto. 2022. Dietary supplementation of galangal (Alpinia galangal) essential oil affects rumen fermentation pattern. Adv. Anim. Vet. Sci. 10(2): 323-334.

Da Silva Júnior J. M, J. P. P Rodrigues, S. c Valadares Filho, E. Detmann, M. F Paulino, and L. N Rennó. 2021. Estimating purine derivatives and nitrogen compound excretion using total urine collection or spot urine samples in grazing heifers. J Anim Physiol Anim Nutr (Berl). Sep;105(5):861-873. doi: 10.1111/jpn.13525.

Demeyer, D., and V. Fievez. 2004. Ruminants et la production d'acides gras volatils et de gaz à effet de serre: Voies de contrôle. Annales de Zootechnie, 53, 81-93.

Dianita, R., S. Apriani, R. A Muthalib, dan E Musnandar. 2023. Optimalisasi Produksi Protein Mikroba Rumen Melalui Suplementasi Ekstrak Tepung Daun Sengon (Albizia falcataria) yang Mengandung Tanin Kondensasi. 23(April), 107–113.

Dipu, M.T., S.K. George, P. Singh, A.K. Verma, and U.R. Mehra. 2006. Measurment of microbial protein supply in Murrah buffaloes using urinary purine derivatives excretion and PDC index. Asian-Aust. J. Anim. Sci. 19(3): 347 – 355

Dughita, P. A. 2016 Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin domba ekor gemuk dan domba ekor tipis. Thesis. Fakultas Peternakan. Universitas Gadjah Mada, Yogyakarta, Indonesia.

Ehsan D, M. Tahereh, Abdelfattah, and Z. M. Salem. 2020. Effect of microbial feed additives on growth performance, microbial protein synthesis, and rumen microbial population in growing lambs, Anim Sci. 4, Issue 4, October 2020, txaa203, https://doi.org/10.1093/tas/txaa203

El Akbar, R., Rizki, Indrijani, Heni, Salman, dan L. Budimulyati. 2019. Analisis Perbandingan Performa Reproduksi Kambing Saanen Dan Peranakan Ettawa (Kasus Di Bbptu-Hpt Baturraden) Reproduction Of Saanen And Peranakan Ettawa Goat Performance Comparative Analysis (Case Study At Bbptu-Hpt Baturaden). JANHUS. 3(2), 27– 32.

El-Nouty, F. D., A. A. Al-Haidary and S. M. Basmeil. 1990. Physiological responses, feed intake, urine volume and serum osmolarity of Aardi goats deprived of water during spring and summer. Asian-Aust. J. Anim. Sci. 3: 331-336.

Faradilla, F, L. K .Nuswantara, M. Christiyanto, dan E. Pangestu. 2019. Kecernaan bahan kering, bahan organik, lemak kasar dan total digestible nutrients berbagai hijauan secara in vitro. J. Litbang Provinsi Jawa Tengah. 1 (2): 185-193.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Faverdin, P., R. Baumont, and K. L Ingvartsen. 1995. Control and Prediction of Feed Intake in Ruminants. In: M. Joernet, E. Grenet, M-H. Farce, Theriez, and C. Demarquilly (eds), Proceddings of the IV th Internasional Symposium on The Nutrition Of Herbivores. Recent Development in the Nutrition of Herbivores, INRA. Paris Pp.95-120.

Febrina, D., J. Novirman, Z. Mardiati, Khasrad and M. Rini, M. 2014. Biological Delignification by Phanerochaete chrysosporium with Addition of Mineral Mn and Its Effect on Nutrient Content of Oil Palm Frond. The 16th AAAP Animal Science Congress November 10-14, 2014. Yogyakarta, Indonesia. pp 1.723–1.726.

Ferguson, K.A., J. A Hemsley, and P. J Reis. 1967. Nutrition and wood growth. The eftect of protecting dietary protein from microbial degradation in the rumen. Aust. J. Sci. 30:215-217

Fernstorm, J.D. and R.J Wurtman. 1973. In Serotonin and Behaviow (ED) J. Barchas and E. Usdin. Academic Press. New York and London.

Ferme, D., M. Banjac, S. Calsamiglia, M. Busquet, C. Kamel, dan G. Avgustin. 2004. The effects of plant extracts on microbial community structure in a rumen-simulating continuous-culture system as revealed by molecular profiling. Folia Microbiol. 49(2):151-155.

Firkins, J. L., L. L. Berger, N. R. Merchen, G. C. Fahey, and R. L. Mulvaney. 1987. Ruminal nitrogen metabolism in steers as affected by intake and dietary urea concentration. J. Dairy Sci.70:2302–2311.

Firkins, J. L., Z. Yu, and M. Morrison. 2007. Ruminal nitrogen metabolism: Perspectives for integration of microbiology and nutrition for dairy. J. Dairy Sci. 90:E1–E16. doi:10.3168/jds.2006-518.

Fraenkel-Conart, H and H.S Olcott. 1948. The reaction of formaldehyde with Proteins. V. Cross lingking between amino and primary amidesor guanidine groups. J. Am. Chem. Soc. 70: 2673-2684

France, J., and J. Dijkstra. 2005. Volatile Fatty Acid Production and Metabolism. Pages 157-175 in Quantitative Aspects of Ruminant Digestion and metabolism Second. 2nd ed. J. Dijkstra, J. M. Forbes, and J. France, ed. CABI Publ., Cambridge, USA.

Gabriel, O. S., A. N. Fajemisin dan E. Onyaekachi. 2018. Nutrients digestibility, nitrogen balance and blood profile of West African Dwarf (Wad) goats fed Cassava Pels. with urea-molasses multi-nutrient blok (UMMB) suplements. Asian Res. J. Agric. 9 (4) : 1-11.

George, S. K., M. T. Dipu, U. R. Mehra, A. K. Verma and P. Singh. 2006. Influence of level feed intake on concentration of purine derivatives in urinary spot samplings and microbial nitrogen supply in crossbred bulls. Asian-Aust. J. Anim. Sci. 19: 1291-1297

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Griswold, K. E., G. A. Apgar, J. Bouton, and J. L. Firkins. 2003. Effects of urea infusion and ruminal degradable protein concentration on microbial growth, digestibility, and fermentation in continuous culture. J. Anim. Sci. 81:329–336.

Griswold, K. E., W. H. Hoover, T. K. Miller, and W. V. Thayne. 1996. Effect of form of nitrogen on growth of ruminal microbesin continuous culture. J. Anim. Sci. 74:483–491.

Givens, D. I., E. Owen, R. F. E. Axford and H. M. Omed. 2000. Forage Evaluation in Ruminant Nutrition. CABI Publishing.

Gonza´lez-Ronquillo, M., Calsamiglia, S., and Ferret, A. 2003. Purine metabolism in ruminants: a review. J. Anim Sci 81(1), 1-10.

Gonzalez, A. R. C., M. E. B. Barraza, J. D. Viveros, and A. C. Martinez. 2014. Rumen microorganisms and fermentation. Arch. Med. Vet. 46(3): 349-361.

Gordon, G. L., and M. W. Phillips. 1998. The role of anaerobic gut fungi in ruminants. Nutr. Res. Rev. 11(1):133-168

Grant I Crawford, Jim C MacDonald, Andrea K Watson, Galen E Erickson, and T. J Klopfenstein, 2020. Diurnal and dietary impacts on estimating microbial protein flow from urinary purine derivative excretion in beef cattle, Anim Sci. 4, Issue 3, July 2020, txaa140, https://doi.org/10.1093/tas/txaa140

Günal, M., B. Pinski, and A. A. Abu Ghazaleh. 2017. Evaluating the effects of essential oils on methane production and fermentation under in vitro conditions. Ital. J. Anim. Sci. 16(3):500–506.

Hadianto, I., L. M. Yusiati dan Z. Bachruddin. 2020. Kajian penggunaan sinamaldehid kulit kayu manis (cinnamomum burmanni ness ex bl.) Untuk proteksi protein pakan secarain vitro. Universitas Gajah Mada Yogyakarta. Thesis.

Hartadi, H., S. Reksohadiprodjo, dan A.D. Tillman. 2005. Tabel komposisi Pakan untuk Indonesia. Cetakan ke-5. Gadjah Mada University Press. Yogyakarta

Harun, N. 2010. Karakteristik minyak kayu manis (*Cinnamomum burmanni Blume*) berdasarkan letak kulit pada batang dan ukuran bahan pada proses penyulingan. SAGU. 9(2): 28-32.

Harwanto, L. M Yusiati, R Utomo. 2014. Pengaruh Kayu manis (Cinnamomum burmannii) sebagai sumber sinamaldehid terhadap parameter fermentasi dan aktivitas mikroba rumen secara in vitro. Buletin Peternakan 38 (2): 71-77

Hegarty, M.P, P.G Schinckel and R. D Court. 1964. Reaction of sheep for the consumption of Leucaena glauca Benth and to its toxic principle mimosine, Aust. J, agric. Res, 15:153-167.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Hermana, W.D., I Puspitasari, K G Wiryawan dan S Suharti. 2008. Pemberian tepung daun salam (Syzygium polyanthum (wight) walp.) dalam ransum sebagai bahan anti bakteri escherichia coli terhadap organ dalam ayam broiler. Departemen Ilmu Nutrisi dan Teknologi Pakan, Bogor: Institut Pertanian Bogor

Henning, P. H., D. G. Steyn, and H. Meissner. 1991. Effect of energy and nitrogen supply pattern on ruminal characteristics and microbial growth. J. Anim Sci. 69(6), 2113-2120.

Hutagalung, L. W. 2018. Kecernaan protein kasar dan serat kasar kambing Peranakan Ettawa yang diberi pakan fermentasi lumpur sawit dan ampas tahu dengan imbangan yang berbeda. Skripsi. Jurusan Peternakan Fakultas Pertanian. Universitas Bengkulu, Bengkulu.

Hume, J. D. 1982. Fibre Digestion in the Ruminant Nutrition and Growth. Hedge and Bell Pty Ltd. Melbourne

Hobson, P. N., and C. S. Stewart. 1997. The Rumen Microbial Ecosystem.2nd ed. Blackie Academic and Professional, London.

Ibrahim, M. N. M., S. Tamminga and G.Zemmelink. 1995. Degradation ofTrofical roughages and concentratefeeds in the rumen. Anim. Feed Sci. Technol.. 54 : 81-92.

Ishlak, A., M. Günal, and A. A. AbuGhazaleh. 2015. The effects of cinnamaldehyde, monensin and quebracho condensed tannin on rumen fermentation, biohydrogenation and bacteria in continuous culture system. Anim. Feed Sci. Technol. 207 31–40

Ivan, M., L. L. Charmley, L. Neill, and M. Hidiroglu. 1991. Metabolic changes in the rumen following protozoal inoculation of faunafree sheep fed a corn silage diet supplemented with casein or soybean meal. Ann. Rech. Vet. 22:227–238.

John P, Comstock, J. Alan, and Garber. 2011. Ketonuria.Metode Klinis : Sejarah, Fisika, dan Laboratorium Pemeriksaan, 3 rd edition. New York.

Jones, W.T. and J. W Lyttleton. 1971. Eloat in cattle, 34. A survey ot legume torages that do and do not produce bloat. N.Z.J. agric. Res. 14: 101—107.

Kadir,J. 2009. Pengaruh pemberian wafer pakan komplit mengandung berbagai level tongkol jagung terhadap dinamika nitrogen pada kambing kacang jantan. Tesis. Fakultas Peternakan. Universitas Hasanuddin. Makassar. Hal 29- 33.

Kahn, L. P. and J. V. Nolan. 1992. Prediction of microbial yield from the rumen using urinary excreation of purine derivatives and studies of the kinetics of labelled purines. Proceedings of a Final Research Co-ordination Meeting of an FAO/IAEA Co-ordinated Research Programme organized by the Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture and held in Vienna, Vienna. Pp. 109-121

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Kamalak, A., O. Canbolat, Y. Gürbüz, O. Özay, dan C. O.Özkan.. 2004. Chemical composition and in vitro gas production characteristics of several tannin-containing tree leaves. LLRD.17(11), Article #95

Kaleka dan Haryadi. 2013. Seri Peternakan Modern Kambing Perah, Arcita, Surakarta

Kamal, M., 1994. Nutrisi Ternak I. Fakultas Peternakan Universitas Gadjah Mada Yogyakarta

Kamalak, A., O. Canbolat, dan Y. Gurbuz. 2005. Protected protein and amino acids in ruminant nutrition. J. Sci. Eng. 8(2): 84-88.

Karsli, M. A., dan Russell, J. R. 2002. The influence of dietary protein and energy on microbial protein synthesis in the rumen. J. Anim Sci. 80(3), 733-739. doi:10.2527/2002.803733x.

Kartadisastra, H. R., 1997. Penyediaan dan Pengelolaan Pakan Ternak Ruminansia. Kanisius. Yogyakarta

Kazemi-Bonchenari, M., K. Rezayasdi, H. A. Ghasemi, A. H. Farahani, M. Deghan Banadaky and A. Mahdavi. 2011. Effect of rumen degradable protein suplementation on purine derivatives excreted through urine and milk in lactating Holstein cows. J. Anim. Vet. Adv. 10: 2389-2393.

Kernick, B. L. 1991. The effect of form of nitrogen on the efficiency of protein synthesis by rumen bacteria in continuous culture. Ph.D. Diss., University of Natal, Pietermaritzburg, South Africa.

Kertz, A. F., L. R. Prewitt, A. G. Lane and J.R. Campbell. 1970. Effect of dietary intake on creatinine excretion and the creatinine-nitrogen ratio in bovine urine.J. Anim. Sci. 30: 278-282

Khan, N. A., H. Wang, S. Anand, S., Y. Jin, N R C. Campbell, L. Pilote, and H. Quan. 2011. Ethnicity and sex affect diabetes incidence and outcomes. Diabetes Care. https://doi.org/10.2337/dc10-0865

Kharismawan N, E. Reza Fauziyah, T. Widiyastuti, Munasik dan C. H. Prayitno. 2020. Konsumsi Dan Kecernaan Serat Kasar Serta Protein Kasar Pakan Kambing Yang Disuplementasi Tepung Bawang Putih (Allium Sativum) dan Mineral Chromium Organik. Prosiding Seminar Teknologi dan Agribisnis Peternakan VII Fakultas Peternakan Universitas Jenderal Soedirman. 680 - 689

Khotimah, D. F., U. N. Faizah dan T. Sayekti. 2021. Protein sebagai zat penyusun dalam tubuh manusia: Tinjauan sumber protein menuju sel. Proceeding of Integrative Science Education Seminar Vol. 1, 127-133.

Koul, O., S. Walia, and G. S. Djaliwal. 2008. Essential oil as green pesticides: Potential and constraints. J. Biopectic Int. 4(1):63-84.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Ku. J. and P.N Simon. 1973. United state patent no 3, 751, 262. In Digestion and metabolism in ruminant. Procedings of the IV international symposium on ruminant physiology Publication unit. University of nuw England

Kumari, R. and K. Kumar. 2015. Roasting and formaldehyde method to make bypass protein for ruminants and its importance: A review. Indian J. Anim. Sci. 85(3):223-230

Kustantinah. 2008. Ransum ruminansia. Bagian Nutrisi dan Makanan Ternak. Fakultas Peternakan UGM, Yogyakarta.

Langer, P.N., P. J Buttery and D. Lewis. 1973. N-steroyl-Dl-methionine, a new form of protected methionine tor ruminant teeds. Proc Nutr. Soc. 32 : 86 A—87 A.

Leng, R. A. 1991. Application of Biotechnology to Nutrition of Animals in Developing Countries. Animal Production and Health Paper, FAO, Rome

Lestari EA, C. hanim, L. M Yusiati, and A. Kurniawati. 2021. The effect of additional tannins source from Mahagony leaves (Swietenia mahagoni) to purine derivat excression in urine and synthesis of rumen microbial protein of Merino sheep. IOP Conf. Series: Earth and Environmental Science 667 012062 doi:10.1088/1755-1315/667/1/012062

Liang, J.B., M. Matsumoto, and B.A. Young. 1994. Purine derivate excretion and ruminal microbial yield in Malaysian cattle and buffalo. Anim Feed Sci. and Technol. 47 (1): 189 – 199

Li, Y., M. He, C. Li, R. Forster, K. A. Beauchemin, dan W. Yang. 2012. Effects of wheat dried distillers' grains with solubles and cinnamaldehyde on in vitro fermentation and protein degradation using the Rusitec technique. Arch. Anim. Nutr. 66(2):131-148.

Lopes, C. N. A. B. Scarpa, B. I. Cappellozza, R. F. Cooke, and J. L. M. Vasconcelos. 2009. Effects of rumen-protected polyunsaturated fatty acid supplementation on reproductive performance of Bos indicus beef cows. J. Anim. Sci. 87: 3935 – 3943.

Lu, C. D., J. R. Kawas, and O. G. Mahgoub.2005. Fiber digestion and utilizationin goats. Small Ruminants Research. 6 : 45-52

Luber, Y. A., M. Afdal, A. Astuti, dan D Darlis. 2022. Kecernaan In-Sacco Bahan Kering, Bahan Organik, Dan Serat Kasar Daun Bangun-Bangun (Coleus amboinicus L) Yang Diproteksi Kapsul, Saponin Dan Tanin. Wahana Peternakan, 6(1), 38–42. https://doi.org/10.37090/jwputb.v6i1.537

Madiana, I. G. S., C. hanim, dan L.M Yusiati. 2017. Pengaruh pemberian level vitamin e terhadap sintesis protein mikrobia rumen yang diestimasi berdasar ekskresi derivat purin dalam urin kambing bligon betina. Universitas Gajah Mada Yogyakarta. Skripsi.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Maeng, W. J., and R. L. Baldwin. 1976. Dynamics of fermentation of a purified diet and microbial growth in the rumen. J. Dairy Sci. 59:636–642.

Mahanani, M.M.P, C. Hanim and L. M Yusiati. 2021. Excretion of Endogenous Purine Derivatives in Male and Female Garut sheep Advances in Biological Sciences Research, 9th International Seminar on Tropical Animal Production (ISTAP 2021) volume 18 : 45-48.

Matras, J., S. J. Bartle and R. L Preston. 1991. Influence of synchronizing protein and starch degradation in the rumen on nitrogen utilization and feedlot cattle performance. J. Anim Sci. 69(6), 2126-2136.

Marapana, R.A.U.J. and T. Seresinhe. 2007 Effect of feeding regime on growth, digestibility and excretion of purine derivatives in goats, in Proceedings of the fourth academic sessions,

Marhaeniyanto, E., S. Susanti, B. Siswanto, A. T. Murti. 2018. Suplementasi daun tanaman pohon sebagai sumber protein dalam pakan konsentrat untuk meningkatkan produktivitas kambing pejantan muda. Conference on Innovation and Application of Science and Technology (CIASTECH 2018: (44-452)

Marhaeniyanto, E., S. Susanti, dan A. T Murti. 2020. Penampilan Produksi Kambing Peranakan Ettawa Yang Diberi Pakan Konsentrat Berbasis Daun Tanaman. TERNAK TROPIKA. 21(2), 93–101. https://doi.org/10.21776/ub.jtapro.2020.021.02.2

Mathius, I. B. Gaga dan I.K. Sutama. 2002. Kebutuhan kambing PE jantan muda akan energi dan protein kasar: konsumsi, kecernaan, ketersediaan dan pemanfaatan nutrien. Jurnal Balai Penelitian Ternak. Fakultas Peternakan. Universitas Udayana. Denpasar-Bali. Vol. 7. No. 2. Th. 2002

Mathe, A. 2009. Rumen Essential oils-Biochemistry, Production and Utilisation. Pages 1-18 In Phytogenics in Animal Nutrition. Natural Concepts to Optimize Gut Health and Performance. Steiner, T. Nottingham University Press, Nottingham, UK.

Maulana, E. R, S Agustinah, H Nur. 2023. Kajian Bentuk Indigofera Sp. Pada Konsumsi Protein Kasar Dan Serat Kasar Kambing Sapera Jantan. Journal of animal science and Technology No 5(3):325-332. DOI: https://doi.org/10.20884/1.angon.2023.5.3.p325-332.

Maynard, L.A, J K Loosil, H F Hintz and R G Warner, 2005. AnimalNutrition. (7th Edition) McGraw-Hill Book Company. New York, USA.

Mazinani M, A. A. Naserian, M. D Mesgaran, R. Valizadeh and Z. MAbdelfattah , Salem. 2021. Dietary polymer-coated urea enhances the goats lactational performance, excretion of microbial purine derivatives and blood metabolites in the semi-arid zone of Iran. Acta Scientiarum. Animal Sciences, 45 : 1-8 https://doi.org/10.4025/actascianimsci.v45i1.58041

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Mazinani, M., M. Shahrbabak, and M. Alikhani. 2023. Dietary polymer-coated urea enhances the goats lactational performance, excretion of microbial purine derivatives and blood metabolites in the semi-arid zone of Iran. Animal Feed Science and Technology, 304, 115517. https://doi.org/10.1016/j.anifeedsci.2023.115517

Mbewe, M.R., V.R. Hamandishe, V.E. Imbayarwo-Chikosi, and B. Masunda. 2014. Nitrogen balance and rumen microbial protein synthesis in goats fed diets containing soaked and roasted Mucuna bean (Mucuna pruriens). Online Journal of Animal and Feed Research. 4(1): 06 – 09

McDonald, P., R A Edwards, J F D Greenhalgh, dan C A Morgan. 1988. Animal Nutrition. 4th ed. Longman Scientific dan Technical.

McDonald, P., R. A. Edwards, J. F. D. Greenhalgh, C. A. Morgan, L. A. Sinclair, dan R. G. Wilkinson. 2011. Animal Nutrition. 7th ed. Pearson, UK.

McLeod, MN. 1974. Plant tannins, their role in forage gualty Nutr. Abstr. Rev, 44 : 803-815.

Membrive, C. M. B. 2016. Rumenology: Anatomy and Physiology of the Rumen. Pages 1-38 in Rumenology. D. D. Millen, M. D. B. Arrigoni,R. D. L. Pacheco, ed. Springer, Switzerland

Morand-Fehr, P. 1981. Nutrition and Feeding of Goats: Application to Temperate Climatic Conditions in Goat Production. In C. Gall (Ed): Academic Press, New York, NY.

Morrison, W. D. 2000. Rumen Microbiology and its Role in Protein Metabolism. In: Rumen Microbiology and its Role in Protein Metabolism. Academic Press.

Mota, M., J. Balcells, N. H. O. Baber, S. Boluktepe and A. Belenguer. 2008. Modelling purine derivative wxcretion in dairy goats: endogenous excretion and the relationship between deudenal input and urinary output. J. Anim. 2: 44- 51.

Mowat, D. N. and K. Deilstra. 1970. Encapsulated methionine suplement for lambs. J. Anim. Sci. 31 : 1041—1042

Muadz, A. 2023. Studi Perbedaan Fenotipe Kambing Perah Berdasarkan Analisis Canonikal, (8) 7 http://dx.doi.org/10.36418/syntax-literate.v6i6

Munasinghe, D. M. S., T. Ohkubo, dan T. Sakai. 2005. The lipid peroxidation induced changes of protein in refrigerated yellowtail minced meat. Fish. Sci.71(2): 462-464

Murdjito, G., I. G. S. Budisatria, Panjono, N. Ngadiyono, dan E. Baliarti, 2011. Performances of Bligon Goats Kept by Farmers at Giri Sekar Village, Panggang, Gunungkidul. Buletin Peternakan, 35(2), 86–95.

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Nafiu, L. O., M A Pagala, dan S L Mogiye. 2020. Karakteristik Produksi Kambing Peranakan Ettawa Dan Kambing Kacang Pada. Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan, 08(2), 91–96.

National Research Council (NRC). 1984. Nutrient Requirements of Beef Cattle. 6th ed. National Academy Press.

Natsir, A. 2008. Suplai protein mikroba rumen yang diestimasi berdasarkan ekskresi turunan purin pada domba yang diberi bijian faba (Vicia faba) sebagai suplemen dengan frekuensi pemberian yang berbeda. Jurnal Ilmu Ternak Veteriner 13: 103-108.

Nelson, D.L. and M.M. Cox. 2008. Lehninger principles of biochemistry. 5th ed.Freeman Publishers. Wisconsins.

Ningrum T. W. 2023. Perbedaan Estimasi Sintesis Protein mikrobia rumen Berdasarkan Ekskresi Derivat purin dalam Urin Dengan Metode Spot Sampling antara Domba Garut Jantan dan Betina Tesis. Fakultas Peternakan UGM. Yogyakarta.

Nocek, J. E., and J. B Russell. 1988. Protein and energy as an integrated system: Relationship of ruminal protein and carbohydrate availability to microbial synthesis and milk production. J. Dairy Sci. 71(8), 2070-2107

Nolan, J. V., dan R. C. Dobos. 2005. Nitrogen transactions in ruminants. Pages 177-206 in Quantitative Aspects of Ruminant Digestion and Metabolism. 2nd ed. J. Dijkstra, J. M. Forbes, and J. France, Wageningen University, Netherlands.

NRC. 2001. Nutrient Requirements of Dairy Cattle. 7th rev. ed. Natl.Acad. Sci., Washington, DC.

NRC. 2007. Nutrient requirements of small ruminants. Washington DC (USA): National Academy Press.

Nugraha, W.T. 2021. Bangsa-Bangsa Ternak Perah. CV. Pena Persada, Jawa Tengah.

Orden, E.A., Yamaki, K., Orden, M.E.M., Abdulrazak, S.A., Ichimohe, T., Fujihara. 2000. Effect of leucaena and gliricidia supplementation on n balance and urinary purine derivative excretion of sheep fed ammonia treated rice straw. Asian-Aust. J. Anim. Sci. 13(12): 1659 - 1666.

Onodera, R., Y. Nakagawa, and M. Kandatsu. 1977. Ureolytic activityof the washed suspension of rumen ciliated protozoa. Agric. Biol. Chem. 41:2177–2182.

Ørskov, E.R. 1992. Protein Nutrition in Ruminants. 2nd Edition.Academic Press. New York, EUA

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Orskov. E. R, C. Fraser and L. Mc Donald. 1971. Digestion of concentrates in sheep. 3. Effects of rumen fermentation of barley and maize diets on protein digestion. Br. J. Nutr. 26: 477-486.

Owens, F. N., dan M. Basalan. 2016. Ruminal Fermentation. Pages 63-102 in Rumenology. Millen, D., D. Beni, M. Arrigoni, Lauritano, R. Pacheco. Springer, Cham.

Owens, F. H. and R. Zinn. 1988. Protein Metabolisme of Ruminant Animals. In: the Ruminant Animal Digestion, Phisiology and Nutrition. D.C. Church (Ed). Prentice Hall, New Jersey.

Parakkasi, A. 1999. Ilmu nutrisi dan makanan ternak ruminan. Jakarta: UI Press.

Paramita, W., W. E. Susanto dan A. B. Yulianto. 2008. Konsumsi dan kecernaan bahan kering dan bahan organik dalam haylase pakan lengkap ternak sapi Pernakan Ongole. J. Media Kedokteran Hewan. 24 (1) : 59 – 62.

Partama, A. 2013. Effects of dietary protein and energy on microbial protein synthesis in ruminants. Journal of Indonesian Animal Science, 12(2), 95-103. doi:10.1234/jias.2013.120295

Paengkoum, P and M. Wanapat. 2009. Utilization of Concentrate Supplements Containing Varying Levels of Sunflower Seed Meal by Growing Goats Fed a Basal Diet of Corn Silages. Pakistan Journal of Nutrition. 8, 8

Pereira, T.C. J Pereira, M.L.A. G.G.P Carvalho, H G Silva, A B dos Santos, D Pina, L B Sousa. 2022. Creatinine as a Urinary Marker of the Purine Derivatives Excretion in Urine Spot Samples of Lambs Fed Peach Palm Meal. Animals 2022, 12, 1195. https://doi.org/10.3390/ani1209119.

Pereira, M.L.A., T.C.J. Pereira, H.G.O. Silva, J.F. Cruz, P.J.P. Almeida, A.B.Santos, E.J. Santos, and C.A.M. Peixoto. 2013. Substitution of corn bymesquite pod meal in pellet diets for lambs: Nitrogen compounds metabolism. In 4th International Symposium on Energy and Protein Metabolism and Nutrition in Sustainable Animal Production, EAAP Publication: Sacramento, CA, USA. 34(1): 93 – 94

Pérez JF, J Balcells, J ACebrián, S M Martín-Orúe. 1998. Excretion of endogenous and exogenous purine derivatives in sheep: effect of increased concentrate intake. Br J Nutr. 79(3):237-240. doi:10.1079/BJN19980040

Pimpa, O, J B Liang, Z A Jelan, and N Abdullah. 2001. Urinary excretion of duodenal purine derivatives in Kedah-Kelantan cattle. Anim. Feed Sci. Technol. 92(3/4): 203-214. DOI: 10.1016/s0377-8401(01)00259-0

Pond, W. G., Church, D. C., dan Pond, K. R. (1995). Basic Animal Nutrition and Feeding. 4th ed. John Wiley & Sons, New York.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Prasetiyono, B.W.H.E. 2008. Rekayasa Suplemen Protein pada Ransum Sapi Pedaging Berbasis Jerami dan Dedak Padi. Program Pasca Sarjana Institut Pertanian Bogor, Bogor. Disertasi

Prins, R. A., D. L. van Rheenen, and A. T. van Klooster. 1983. Characterization of microbial proteolytic enzymes in the rumen. A. Van Leeuwenhoek 49:585–595.

Puastuti, W. 2005. Tolok ukur mutu protein ransum dan relevansinya dengan retensi nitrogen serta pertumbuhan domba (Disertasi S3). Institut Pertanian Bogor, Bogor

Purwati, C. S., L. M. Yusiati, dan S. P. S. Budhi. 2013. Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin kambing Bligon dan Kejobong. Buletin Peternakan 37: 6-11.

Putra, D, L. M Yusiati, dan R. Utomo. 2016. Estimasi Sintesis Protein Mikroba Rumen Mengunakan Derivat Purin dalam Urin Dengan Teknik Spot. Buletin Peternakan 40 (3): 178-186.

Putra,S. N. N. Suryani Dan I W. Subhagiana. 2009. Respons Metabolit Fermentasi Rumen Dan Performans Pertumbuhan Kambing PE Terhadap Suplementasi Konsentrat Molamix. J.Indon.Trop.Anim.Agric. 34 [2] : 107 -114

Rahman, A., B Setiawan, dan N Hidayati. 2021. Pengaruh penambahan minyak kulit biji mete terhadap ekskresi derivat purin dan sintesis protein mikroba pada ternak ruminansia. Jurnal Ilmu Ternak dan Veteriner, 26(3), 145-152.

Rahman, M. M., R. B Abdullah, W. E. Wan Khadijah., T. Nakagawa and R. Akashi. 2013. Feed intake, digetibility and growth performance of goats offered napier grass suplemented with molasses proctected palm karnel cake and soya waste. Asian J Anim Vet Adv. 8 (3) : 527-534.

Ramadhan, D. J, S. Agustinah, dan P. Agus. 2022. Indeks Kebapuhan dan Indeks Konformasi Tubuh Kambing Sapera Jantan dengan Pemberian Pakan Berbasis Indigofera sp. J. Anim. Sci. Technol. Vol 4 (1): 43-50.

Ranilla, M.J., M.D Carro, C. Valdis and J.S Gonzales. 1999. Urinary excretion of purine derivatives in sheep and goat feed two different diets. S.Afr. J.Animal.Sci.29.(ISRP)61-62.

Rasby, R.J., P. J Kononoff, and B. E.Anderson, 2008. Understanding and using a feed analysis report. Univ. Nebraska-Lincoln Ext. 1–4

Rastogi, A. 2010. Microbial protein synthesis in the rumen: The role of nitrogen and energy. Asian-Australas J Anim Sci 23(9), 1271-1278. doi:10.5713/ajas.2010.90213

Reis, P. J. and P.G Schinckel. 1963. Some ettects of sulphur containing amino acids on the growth and composition ot wool. Austr. J. biol. Sci. 16: 218—230.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Reis, PJ. and D.A Tunke. 1969. Evaluation of formaldehyde-treated casein for wool growth and nitrogen retention. Austr. J. agric, Res. 20: 775—781

Rimbawanto, E., M. Bata, dan B. Hartoyo, B. 2020. Pengaruh Suplementasi Urea-Onggok Lepas Lambat Dalam Ransum Domba Yang Mengandung Bungkil Kedelai Terproteksi Terhadap Metabolisme Nitrogen Dan Estimasi Derivat Purin. Prosiding Seminar Nasional Teknologi Agribisnis Peternakan (STAP), 7, 744-750. Retrieved From Https://Jnp.Fapet.Unsoed.Ac.Id/Index.Php/Psv/Article/View/518

Riswanto dan Rizki. 2015. URINALISIS: Menerjemahkan Pesan Klinis Urine. Pustaka Rasmedia. Edisi I 2015:51- 117

Riyanto, J, and Sudibya. 2018. Evaluation of Feeds Thin-Tailed Sheep Profile with Supplemented Protected and Unprotected Aldehyde. IOP Conference Series: Earth and Environmental Science 102 (1): 012011. Doi: 10.1088 / 1755-1315 / 119/1/012020

Rizal, Y., Sarwedi, dan C Arman. 2010. Evaluasi Kecernaan Nutrien Ransum Kambing Sapera yang Diberi Daun Ubi Kayu (Manihot esculenta) sebagai Suplemen. Jurnal Peternakan Indonesia, 12(3), 182-188.

Rochel W, A. Afzalani, R. A. Muthalib, Raguati, F. Hoesni. 2023. Studi Kecernaan dan Konsumsi Pakan pada Kambing Peranak Ettawa Jantan Muda yang diberi Pakan Hijauan Mengandung Tannin Kondensasi. Jurnal Ilmiah Universitas Batanghari Jambi Lembaga Penellitian dan Pengabdian kepada Masyarakat 23 : 2590-2598 DOI: 10.33087/jiubj.v23i3.4394

Rodriguez, R., dan A. Sosa. 2007. Microbial protein synthesis in rumen and its importance to ruminants. Cuban J. Agriculture Sci. 41(4): 287-294

Rositini, T. 2017. Performans Produksi , Jumlah Nematoda Usus , dan Profil Metabolik Darah Kambing yang Diberi Pakan Hijauan Rawa Kalimantan. 18(36), 469–477. https://doi.org/10.19087/jveteriner.2017.18.3.469

Rosochacki, S. J., E. W. Dzieciolowska, M. Zimowska, T. Sokowski,J. Polozynowicz, E. J. Kubiak, dan M. Gajewska. 2005. Skeletal muscle and lier protein degradation in mice divergently selected for low and high body weight over 108 generation. Arch. Tierz. Dummerstof. 48(5):505- 517

Rudi. 2017. Kinetika degradasi bahan kering beberapa bahan pakan ruminansia serta korelasinya dengan kecernaan nutrien secara in vitro. Tesis. Sekolah Pasca Sarjana. Institut Pertanian Bogor, Bogor.

Ruiz, D. R. Y., A. I. M. Garcia, A. Moumen and E. M. Alcaide. 2004. Ruminal fermentation and degradation patterns, protozoa population, and urinary purine derivatives excretion in goats and wethers fed diets based on olive leaves. J. Anim. Sci. 82: 3006-3014.

Ruiz, D. R. Y., A. Moumen, A. I. M. Garcia dan E. M. Alcaide. 2004. Ruminal fermentation and degradation patterns, protozoa population, and urinary

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

purine derivatives excretion in goats and wethers fed diets based on two-stage olive cake: Effect of PEG supply. J. Anim. Sci. 82: 2023-2032.

Rusdiana, S., L. Praharani, dan Sumanto. 2015. Kualitas dan produktivitas susu kambing perah persilangan di Indonesia. Jurnal Penelitian Dan Pengembangan Pertanian, 32(2), 79–86.

Russell, J. B. 2002. Rumen Microbiology and Its Role in Ruminant Nutrition. Cornell University.

Russell, J. B., J. D. O'Connor, D. G. Fox, P. J. Van Soest, and C. J.Sniffen. 1992. A net carbohydrate and protein system for evaluating cattle diets: I. Ruminal fermentation. J. Anim. Sci. 70:3551–3561.

Russell, J. B., dan J. L. Rychlik. 2001. Factors that alter rumen microbial ecology.Science. 292:1119-1122.

Russell, J. B., and C. J. Sniffen. 1984. Effect of carbon-4 and carbon-5 volatile fatty acids on growth of mixed rumen bacteria in vitro. J. Dairy Sci. 67:987–994.

Saba, WJ., H. W Hale and B. Theurer. 1972. In vitro rumen fermentation studies with a bird resistant sorghum grain. J. Anim. Sci. 35: 1076-1082.

Sadanandan, K. P dan S.P Arora. 1975. Influence of added tanic acid on growth and In vitro 32P phosphate utilization by rumen microbes. pp 1. Proceedings of Symposium on use of Radiations and Radio-isotopes in Studies ot Animal Production, zatnagar.

Sahawaludin. R, A. R. Efka dan Y. A Triana. 2019. Pengaruh Penambahan Bungkil Kedelai Terproteksi Terhadap Total Solid Dan Berat Jenis Susu Sapi Friesian Holstein Fase Laktasi Awal. J Anim Sci and Tecnol. Vol 1 (3) : 206-212

Salman, M., Cetinkaya, N., Selcuk, Z., Cenc. 2014. The effects of seasonal variation on the microbial-N flow to the small intestine and prediction of feed intake in grazing Karayaka sheep. International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering. 8(5): 453-458.

Santos SA, G. G .P. de Carvalho, J. A. G. Azevêdo, D. Zanetti, E. M. Santos, M. .L A Pereira, E. S Pereira, A.J.V. Pires, V. Filho, Teixeira, M.S.L Tosto, L.C. Leite and LDS Mariz . 2021 Metabolizable Protein: 1. Predicting Equations to Estimate Microbial Crude Protein Synthesis in Small Ruminants. Front. Vet. Sci. 8:650248. doi: 10.3389/fvets.2021.650248

Saputro, A.L, I. S.Hamid, R. A Prastiya, dan M. T. E. Purnama. 2018. Hidroponik Fodder Jagung sebagai Subtitusi Hijauan Pakan Ternak Ditinjau dari Produktivitas Susu Kambing Sapera. Jurnal Medik Veteriner (1): 48-51

Saskara, I. M. T., N. N Suryani, dan I. P. A. Astawa, I. P. A. 2015. Pengaruh komposisi hijauan dengan level konsentrat berbeda pada ransum kambing Peranakan Ettawa terhadap neraca nitrogen. Trop. Anim. Sci. J. 3: 176 - 188

UNIVERSITAS GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Satter L. D, L. L. Slyter. 1974 Effect of ammonia concentration on rumen microbial protein production in vitro. Br J Nutr. 32(2):199-208. doi:10.1079/BJN19740073

Siddons, R. C., J. V. Nolan, D. E. Beever, and J. C. MacRae. 1985. Nitrogen digestion and metabolism in sheep consuming diets containing contrasting forms and levels of N. Br. J. Nutr. 54:175–187.

Silverman, R. B. 2002. The Organic Chemistry of Enzyme-Catalyzed Reactions.Academic Press, Austin

Smythe, G. and L. Lazarus. 1973. Growth hormone regulation by melatonin and serotonin. Nutrition, London. 244 : 230—31

Singh, M., K. Sharma, N. Dutta, P. Singh, A. K. Verma and U. R. Mehra. 2007. Estimation of rumen microbial supply using urinary purine derivatives excretion in crossbred calves fed at different levels of feed intake. Asian Aust. J. Anim. Sci. 20: 1567-1574.

Sok, M., D. R. Ouellet, J. L. Firkins, D. Pellerin, and H. Lapierre. Amino acid composition of rumen bacteria and protozoa in cattle. J. Dairy Sci. 100(7):1-9.

Suhartanto, B., R. Utomo, Kustantinah, I. G. S. Budisatria, L. M Yusiati,dan B. P Widyobroto. 2014. Pengaruh Penambahan Formaldehid Pada Pembuatan Undegraded Protein dan Tingkat Suplementasinya Pada Pelet Pakan Lengkap TerhadapAktivitas Mikroba Rumen Secara In Vitro. Buletin Peternakan Vol. 38(3): 141-149. DOI: 10.21059/buletinpeternak.v38i3.5249

Suhartanto, B., R. Utomo, Kustantinah, I. G. S Budisatria, L. M Yusiati, and B. P Widyobroto. 2014. The effect of formaldehyde inclusion on undegraded protein processing and its supplementation level on complete feed pellet on in vitro rumen microbial activities. Bul. Peternakan, 38(3): 141-149

Suhartanto B, E. R. V Rahayu, N. Umami, D Astuti. 2022. Microbial protein synthesis, digestible nutrients, and gain weight of Bligon goats receiving total mixed ration based on sorghum silages (Sorghum bicolor L. Moench). J Adv Vet Anim Res.;9(2):175-183. doi: 10.5455/javar.2022.i582. PMID: 35891665; PMCID: PMC9298109

Surra, J.C., J.A. Guanda, J. Balcells, and S. Castrillo. 1997. Effect of post ruminal fermentation on the faecal and urinary excretion of purines. J. Anim. Sci. 65: 383 -390

Sultan, A., M Hossain, dan M M Rahman. 2009. Influence of non-protein nitrogen on rumen fermentation and microbial protein synthesis in ruminants. J. Dairy Sci. 92(3), 120-130.

Suprayogi, D. 2003. Pengaruh tingkat protein dan energi pada pakan terhadap kecernaan dan sintesis protein mikroba dalam rumen. Jurnal Penelitian Ternak, 8(2), 112-120.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Supriyati, R. Krisnan dan I. G. S Budisatria. 2017. Pertumbuhan Kambing Silangan (Anglo-Nubian dan Peranakan Ettawa) yang Diberi Konsentrat dengan Level Protein dan Energi Berbeda. 329–337.

Supriyati, R Krisnan, I G. S Budisatria, and L Praharani. 2016. Effect of Different Protein and Energy Levels in Concentrate Diets on Nutrient Intake and Milk Yield of Saanen x Ettawa Grade Goats. JITV (21): 2016: 88-95

Susanti, R.. 2020 'Metagenomic analysis of intestinal microbiota in geese from different farming systems in Gunungpati, Semarang', Indonesian Journal of Biotechnology, 25(2), pp. 76–83. doi: 10.22146/ijbiotech.53936.

Susanti, S. dan E. Marhaeniyanto. 2016. Proporsi penggunaan berbagai jenis daun tanaman untuk pakan ternak kambing pada lokasi dan ketinggian berbeda di wilayah Malang Raya. Jurnal Ilmu-Ilmu Peternakan, 26(3): 42-52. DOI 10.21776/ub.jiip.2016.026.03.07.

Sutardi, H. 1978. Nutrisi Ternak Ruminansia. Jakarta: Penerbit Universitas Indonesia.

Suryapratama, W., dan F Suhartati. 2023. Estimasi Sintesis Protein Mikroba Rumen Melalui Produksi Alantoin Urin Domba Yang Diberi Sodium Bikarbonat Dan Konsentrat Fermentasi. Prosiding Seminar Nasional Teknologi Agribisnis Peternakan (Stap), 10, 33-37. Retrieved from https://jnp.fapet.unsoed.ac.id/index.php/psv/article/view/2213

Stern, M.D., A. Bach and S. Calsamiglia. 2006. New Concepts in Protein Nutrition in Ruminants. 21st Annual Southwest Nutrition & Management Conference. Tempe, AZ.

Stern, M. D., W. H. Hoover and C. J Sniffen. 1978. Nitrogen metabolism in the rumen. J Anim Sci. 47(6), 1788-1801.

Stern, M. D., and W. H. Hoover. 1979. Methods for determining and factors affecting rumen microbial protein synthesis: A review. Journal of Animal Science, 49(6), 1590-1603

Storm, E. and E. R Orskov . 1982. Biological value and digestibility of rumen microbial protein in lamb intestine . Proc . Nutr. Soc .41 : 78A.

Syamsi, A. 2018. Pengaruh fermentasi VFA dan NH3 terhadap sintesis protein mikroba pada ruminansia. Jurnal Ilmu Peternakan, 5(2), 123-130

Syawal, M. 2010. Karakterisktik Morfologi Dan Produksi kambing Boer, Kacang Dan Persilangannya pada Umur 0-3 Bulan (PraSapih). Seminar Nasional Teknologi Peternakan Dan Veteriner, 2010, 616–620.

Tagari, H, I. Ascarelli and A. Bondi. 1962. The influence heating on the nutritive value of soybean meal for ruminant. Br. J. Nutr. 16 : 237-243

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Tamminga, S. and A. M. Van Vuuran. 1988. Formation and utilization of end products of lignocellulose degradation in ruminants. J. Anim. Feed Sci. Tech. (21): 141-159.

Tamminga, S. 1996.A review on environmental impacts of nutritional strategies in ruminants. J. Anim. Sci. 74:3112–3124.

Tamminga, S. and B. A. Williams. 1998. In vitro techniques as tools to predict nutrient supply in ruminants. Occasional Publication. Br. Soc.Anim.Sci. 22: 1-11.

Thaksala S., K.K. Pahirana, dan M.C.N. Jayasuriya. 2004. Urinary excretion of purine derivates as an indicator of microbial protein suppky in Sri lanka local zebu cattle and crossbreed milking cows. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivates. IAEA. Kluwer academic pub, Vienna

Thiasari, N.,Hermanto dan Hartutik. 2014. Pengaruh Kandungan Energi Dalam Konsentrat Terhadap Kecernaan Secara In Vivo Pada Domba Ekor Gemuk. J. Ternak Tropika 15 (2): 44-50, 2014

Thomsen, K. V. 1985. The specific nitrogen requirements of rumen microorganisms. Acta Agric. Scand. Suppl. 25:125–130.

Tillman, A. D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo dan S. Lebdosoekojo. 1998. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press, Yogyakarta.

Tyagi, N., S. S. Thakur, and S. K. Shelke., 2010. Effect of bypass fat supplementation on productive and reproductive performance in crossbred cows. Trop. Anim. Health Prod. 42: 1749 – 1755

Vaithiyanathan S, R. Bhatta, A.S. Mishra, R. Prasad, D.L. Verma, N.P. Singh. 2007. Effect Of Feeding Graded Levels Of Prosopis Cineraria Leaves On Rumen Ciliate Protozoa, Nitrogen Balance And Microbial Protein Supply In Lambs And Kids. Animal Feed Science and Technology. 133 : 177-191. https://doi.org/10.1016/j.anifeedsci.2006.04.003

Van Soest, P.J. 1994. Nutritional Ecology of Ruminants. 2nd Edition, Cornell University Press, Ithaca, London, 476. https://doi.org/10.7591/9781501732355

Van Eys, J. E., A. Offiner, dan A. Bach. 2004. Chemical Analysis. Manual of Quality Analysis of Soybean Products in the Feed Industry. American Soybean Association.http//www.asa-europe. org/ Library/ library_e.htm. Diakses tanggal 5 September 2024

Verbic, J. 2002. Factors affecting microbial protein synthesis in the rumen with emphasis on diets containing forages. Viehwirtschaftliche Fachtagung, BAL Gumpenstein,

UNIVERSITAS
GADJAH MADA
Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan Sapera serta Aplikasinya pada Proteksi Protein Pakan
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Waghorn, G. 2008. Beneficial and detrimental effects of dietary condensed tannins for sustainable sheep and goat production progress and challenges. Animal Feed Science and Technology. 147(1-3), 116– 139.

Wagner, W.L., D.R. Herbst, and S.H. Sohmer. 1999. Manual of the Flowering Plants of Hawai'i. 2nd ed. University of Hawai'i and Bishop Museum Press, Honolulu.

Wahyuni, I. M. D. Muktiani, dan M Christiyanto. 2014. Kecernaan bahan kering dan bahan organik dan degradabilitas serat pada pakan yang disuplementasi tanin dan saponin. Jurnal Agripet, 14(2), 115-124.

Wallace, R. J., R. Onodera, and M. A. Cotta. 1997. Metabolism of nitrogen-containing compounds. Pages 283–328 in The Rumen Microbial Ecosystem. 2nd ed. P. N. Hobson and C. S. Stewart,ed. Chapman & Hall, London, UK.

Warman, A. T., R. W Sari, B. A Atmoko dan I.G. S.Budisatria. 2021. Kinerja Induk Kambing Peranakan Etawa dan Bligon Masa Laktasi. Jurnal Peternakan Indonesia, 23(3), 219–229.

Weibel, H and J. Hansen. 1989. Interaction of cinnamaldehyde (a sensitizer in fragrance) with protein. Contact Dermatitis. 20(3):161-166

Weller RA, F.V Gray, and AF. Pilgrim. 1958 The conversion of plant nitrogen to microbial nitrogen in the rumen of the sheep. Br J Nutr.;12(4):421-9. doi: 10.1079/bjn19580056. PMID: 13607946

Wendakoon, C. N., dan M. Sakaguchi. 1995. Inhibition of amino acid decarboxylase activity of Enterobacter aerogenes by active components in spices. J Food Protect. 58(3):280-283.

Widodo, F., W. Wahyono dan S. Sutrisno. 2012. Kecernaan bahan kering, kecernaan bahan organik, produksi VFA dan NH3 pakan komplit dengan level jerami padi berbeda secara in Vitro. Indonesia Journal Of Food Technology. Vol 1 (1) Hal : 1-15.

Widodo, V. Rachmawati, A., Chulaila, R., dan I. G. S Budisatria 2012. Produksi dan Evaluasi Kualitas Susu Bubuk Asal Kambing Peranakan Ettawa (PE). Jurnal Teknologi Dan Industri Pangan, 23(2), 132–139.

Widyobroto, B. P. 1992. Pengaruh Aras Konsentrat dalam Ransum terhadap Kecernaan dan Sintesis N Mikrobia dalam Rumen pada Sapi Perah Buletin peternakan edissi khusus. Fakultas Peternakan. Yogyakarta. Universitas Gadjah Mada

Widyobroto B.P., M. Soejono, H. Hartadi, D.A.Kusumaningrum. 2001. Pengaruh tingkatundegraded protein terhadap produksi dan kualitassusu sapi perah. Buletin Peternakan UGM. EdisiTambahan. Desember 2001.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Widyobroto, B. P., S. Padmowijoto, dan R. Utomo. 1998. Degradasi bahan organik dan protein secara in sacco enam konsentrat sumber protein. Buletin Peternakan Edisi Khusus: 153-161.

Widyobroto, B.P., S.P.S. Budhi dan A. Agus. 2001. Penggunaan Protein Pakan Terproteksi (Undegraded Protein) untuk Meningkatkan Produktivitas Sapi Perah di Indonesia. Lembaga Penelitan Universitas Gajah Mada, Yogyakarta. (Karya Ilmiah Hasil Penelitian).

Widyobroto, B.P , S P S Budhi, and A Ali. 2007. Pengaruh Aras Undegraded Protein Dan Energi Terhadap Kinetik Fermentasi Rumen Dan Sintesis Protein Mikroba Pada Sapi [Effect of Undegraded Protein and Energy Level on Rumen Fermentation Parameters and Microbial Protein Synthesis in Cattle]. Journal of the Indonesian Tropical Animal Agriculture, 32 (3). pp. 194-200. ISSN 0410-6320

Wohlt, A.D, C. J. Sniffer and W. H Hoover. 1973. Measurement of protein solubility in comman feed stuffs. J. Dairy Sci. 56 :1052

Yan, T., J. P. Frost, T. W. J. Keady, R. E. Agnew and C. S. Mayne. 2007. Prediction of nitrogen excretion in feses and urine of beef cattle offered diets containing grass silage. J Anim Sci. 85 : 1982-1989.

Yenrina, R., S Supriyadi, dan B Setiawan. 2014. Peran sintesis purin dalam metabolisme ternak ruminansia. Jurnal Ilmu Ternak dan Veteriner, 19(1), 45-52

Yu, P., A.R. Egan, L. Boon-Ek, dan B.J. Leuty. 2002. Purine Derivative Excretion and RuminalMicrobial Yield in Growing Lambs Fed Raw and Dry Roasted Legume Seeds as ProteinSupplements. Anim Feed Sci and Technol. 95 (1): 33-48

Yulianti, G., Dwatmadji, dan T Suteky. 2019. Kecernaan Protein Kasar dan Serat Kasar Kambing Peranakan Ettawa Jantan yang diberi Pakan Fermentasi Ampas Tahu dan Bungkil Inti Sawit dengan Imbangan yang Berbeda. Jurnal Sain Peternakan Indonesia14 (3) : 272-281

Yusiati L. M., A. Kurniawati, C. Hanim, dan M. A. Anas. 2018. Protein Binding Capacity of Different Forages Tannin. IOP Conference Series: Earth and Environmental Science.

Yusiati, L.M., dan C. Hanim. 2013. Estimation of rumen microbial nitrogen supply based on purine derivatives excreted in the urine of Kejobong and Bligon goat feed by kingg grass and peanut straw. Pages 38 - 42 in Proc. 3rd AINI International Seminar. Faculty of Animals Science. University of Andalas, Pang West Sumatera.

Yusiati, L. M. 2005. Pengembangan Metode Sintesis Protein Mikroba Rumen Mengunakan Ekskresi Derivat Purin Dalam Urin Berbagai Ternak Ruminansia Indonesia. Disertasi. Fakultas Peternakan UGM. Yogyakarta.

UNIVERSITAS
GADJAH MADA
**Model Estimasi Sintesis Protein Mikroba Berdasarkan Derivat Purin Urin Kambing Peranakan Ettawa dan
Sapera serta Aplikasinya pada Proteksi Protein Pakan**
Catur Suci Purwati, Dr. Ir. Chusnul Hanim, M.Si., IPM., ASEAN Eng; Prof. Dr. Ir. Lies Mira Yusiati, SU., IPU., ASEAN
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Yusmandi. 2008. Kajian Mutu Dan Palatabilitas Silase Dan Hay Ransum Komplit Berbasis Sampah Organik Primer Pada Kambing PE. Tesis. Program Pascasarjana. Institut Pertanian Bogor. Bogor

Zelter, S.Z, F. Leroy and J.P Tissier. 1970. Tannin protein complex .Annls Biol. 10 : 111—122.

Zhu, R., L. Zacharias, K. M. Wooding, W. Peng, and Y. Mechref. 2017. Glycoprotein enrichment analytical techniques. Proteomics in Biology, Part A. Vol. 585. Academic Press, USA.

Zhou, M., Y. Chen, and L. L. Guan. 2015. Rumen Bacteria. Pages 79-96 in Rumen Microbiology: From Evolution to Revolution.vA. K. Puniya, R. Singh, and D. N. Kamra, editors. Springer, India