

DAFTAR PUSTAKA

- Albano, C., Karam, A., Domínguez, N., Sánchez, Y., González, J., Aguirre, O., & Cataño, L. (2005). Thermal, mechanical, morphological, thermogravimetric, rheological and toxicological behavior of HDPE/seaweed residues composites. *Composite Structures*, 71(3–4), 282–288. <https://doi.org/10.1016/j.compstruct.2005.09.036>.
- AOAC. 1990. Official Methods of Analysis the Association. 15th. Ed. AOAC. Virginia: AOAC Inc. Arlington.
- Assadad, L. (2009). Pemanfaatan Limbah Industri Karaginan. *Squalen Vol. 4 No. 3*, 4(3), 93–98.
- ASTM Standard. (2014). D638 – 14. Standard Test Method for Tensile Properties of Plastics. *American Society for Testing and Materials*, (New York). <https://doi.org/10.1520/D0638-14>.
- ASTM Standard. (1998). D570 - 98. Standard Test Method for Water Absorption of Plastics. *American Society for Testing and Materials*, (New York).
- ASTM Standard. (2020). D792 - 20. Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement. *American Society for Testing and Materials*, (New York). <https://doi.org/10.1520/D0792-20>.
- ASTM Standard. (2009). D2734 - 09. Standard Test Methods for Void Content of Reinforced Plastics. *American Society for Testing and Materials*, (New York).
- Atmadja, W. S. (1996). *Pengenalan jenis-jenis rumput laut Indonesia*. Jakarta: Jakarta : Puslitbang Oseanologi-LIPI.
- Azam, F. A. A., Royan, N. R. R., Yuhana, N. Y., Radzuan, N. A. M., Ahmad, S., & Sulong, A. B. (2020). Fabrication of porous recycled HDPE biocomposites foam: Effect of rice husk filler contents and surface treatments on the mechanical properties. *Polymers*, 12(2). <https://doi.org/10.3390/polym12020475>.
- Azzouz, L. (2020). Development and Characterisation of Novel Biocomposites Fabricated Using Natural Fibres and Rapid Prototyping Technology. *A Doctoral Thesis by Lyes Azzouz*, (May), 225.
- Baghel, R. S., Reddy, C. R. K., & Pal, R. (2021). Seaweed-based cellulose : Applications , and future perspectives. *Carbohydrate Polymers*, 267(March), 118241. <https://doi.org/10.1016/j.carbpol.2021.118241>.
- Basmal, J., Utomo, B.S.B., Sedayu, B. B. (2009). Mutu Semi Refined Carrageenan (SRC) yang Diproses Menggunakan Air Limbah Pengolahan SRC yang Didaur Ulang. Jakarta: Jurnal Pasca Panen dan Bioteknologi Kelautan dan Perikanan Vol.4 No.1.
- Bazan, P., Mierzwiński, D., Bogucki, R., & Kuciel, S. (2020.). Bio-Based Polyethylene Composites with Natural Fiber : Mechanical, Thermal, and Ageing Properties. *Materials*. <https://www.mdpi.com/1996-1944/13/11/2595>.



- Boey, J.Y., Lee, C.K., Tay, G. S. (2022). Factors Affecting Mechanical Properties of Reinforced Bioplastics : A Review. *Polymers*, 14 (3737), 1–28.
- Boujelben, M., Abid, M., Kharrat, M., & Dammak, M. (2021). Production and mechanical characterization of LLDPE biocomposite filled with almond shell powder. *Polymers and Polymer Composites*, 29(4), 271–276. <https://doi.org/10.1177/0967391120910869>.
- BSN. (2015). Standar Nasional Indonesia - SNI 8154-2015 : Komposit Kayu Plastik. Badan Standarisasi Nasional Indonesia. Jakarta.
- BSN. (2006). Standar Nasional Indonesia - SNI 03-2105-2006 : Papan Partikel. Badan Standarisasi Nasional Indonesia. Jakarta.
- Campo, V. L., Kawano, D. F., Braz, D., & Carvalho, I. (2009). Carrageenans : Biological properties , chemical modifications and structural analysis – A review. *Carbohydrate Polymers*, 77(2), 167–180. <https://doi.org/10.1016/j.carbpol.2009.01.020>.
- Carvalho, H., Salman, H., & Leite, M. (2018). Natural Fibre Composites and Their Applications : A Review, 1–20. <https://doi.org/10.3390/jcs2040066>.
- Chandrasekaran, S., Izquierdo, A. C., Castaing, R., Kandola, B., & Scott, J. L. (2023). Facile preparation of flame - retardant cellulose composite with biodegradable and water resistant properties for electronic device applications. *Scientific Reports*, 1–12. <https://doi.org/10.1038/s41598-023-30078-0>.
- Etale, A., Onyianta, A. J., Turner, S. R., & Eichhorn, S. J. (2023). Cellulose : A Review of Water Interactions , Applications in Composites , and Water Treatment. *Chemical Reviews*, 123, 2016–2048. <https://doi.org/10.1021/acs.chemrev.2c00477>.
- Failu, I., Supriyono, E., & Suseno, S. H. (2016). Peningkatan kualitas karagenan rumput laut *Kappaphycus alvarezii* dengan metode budidaya keranjang jaring, 15(2), 124–131. <https://doi.org/10.19027/jai.15.2.124-131>.
- Fermi, A., Marti, A., & Escalante-garci, Z. Y. (2021). Improved extraction of carrageenan from red seaweed (*Chondracantus canaliculatus*) using ultrasound-assisted methods and evaluation of the yield , physicochemical properties and functional groups, 30, 901–910. <https://doi.org/10.1007/s10068-021-00935-7>.
- Ferreira, D. P., Cruz, J., & Fangueiro, R. (2019). *Surface modification of natural fibers in polymer composites. Green Composites for Automotive Applications*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-102177-4.00001-X>.
- Fithriani, D., Nurbayasari, R., Sedayu, B. B. (2007). Ekstraksi Selulosa dari Limbah Pembuatan Karaginan. *Jurnal Pasca Panen dan Bioteknologi Kelautan dan Perikanan* Vol. 2 No.2.
- Ganesan, A. R., Shanmugam, M., & Bhat, R. (2018). Producing novel edible films from semi refined carrageenan (SRC) and ulvan polysaccharides for potential food applications, #pagerange#. <https://doi.org/10.1016/j.ijbiomac.2018.02.089>.
- Giles, H. F. (2005). *Extrusion : The Definitive Processing Guide and Handbook*. William Andrew Publishing.

- Gourmelon, G. (2015). Global Plastic Production Rises, Recycling Lags | Worldwatch Institute. *WorldWatch Institute*, 1–7.
- Haslianti. (2013). Pemanfaatan Limbah Karaginan *Kappaphycus alvarezii* Doty dalam Proses Pembuatan Bioetanol. *Thesis*.
- Hernandez-carmona, G., Freile-pelegrin, Y., & Garibay, E. H. (2013). *Conventional and alternative technologies for the extraction of algal polysaccharides*. <https://doi.org/10.1533/9780857098689.3.475>.
- Ivleva, N. P., Wiesheu, A. C., & Niessner, R. (2010). *Chemie. Microplastic in Aquatic Ecosystems 2*.
- JIS Standard (2003). A 5908. Particleboards. Japanese Industrial Standar (Japan).
- Joutey, N. T., Bahafid, W., Sayel, H., & Ghachtouli, N. El. (2013). Biodegradation : Involved Microorganisms and Genetically Engineered Microorganisms. In *INTECH - Biodegradation-Life of Science* (pp. 289–230). Intech. <https://doi.org/http://dx.doi.org/10.5772/56194>.
- Jumaidin, R., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. (2017). Characteristics of *Eucheuma cottonii* waste from East Malaysia : physical , thermal and chemical composition Characteristics of *Eucheuma cottonii* waste from East Malaysia : physical , thermal. *European Journal of Phycology*, 00(00), 1–8. <https://doi.org/10.1080/09670262.2016.1248498>.
- Jumaidin, R., Sapuan, S. M., Jawaid, M., Ishak, M. R., & Sahari, J. (2017). Effect of seaweed on mechanical, thermal, and biodegradation properties of thermoplastic sugar palm starch/agar composites. *International Journal of Biological Macromolecules*, 99, 265–273. <https://doi.org/10.1016/j.ijbiomac.2017.02.092>.
- Jumaidin, R., Adam, N.W., Ilyas, R.A., Hussin, M.S.F., Taha, M.M., Mansor, M.R., Azlan, U.A., Yob, M.S., (2019). Water Transport and Physical Properties of Sugarcane Bagasse Fibre Reinforced Thermoplastic Potato Starch Biocomposite. *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*. 61(2) 273-281.
- Kahlil, A., Hazwan, C.M., Khairunnisa, A.R., Owolibi, F.A.T., Aznisa, M., Rizal, S., Fazita, R.M.N., Paridah, M. T. (2018). Development and Characterization of Bamboo Fibre Reinforced Biopolymer films. *Materials Research Express*, 5(December 2016), 11–14. <https://doi.org/10.1088/2053-1591/aad2a0>.
- Kazemi, H., Mighri, F., & Rodrigue, D. (2022). A Review of Rubber Biocomposites Reinforced with Lignocellulosic Fillers.
- Kementerian Kelautan dan Perikanan. (2021). Laporan Kinerja 2021 Kementerian Kelautan dan Perikanan, 31.
- Khanam, P. N., Almaadeed, M. A., Ouederni, M., Harkin-jones, E., Mayoral, B., Hamilton, A., & Sun, D. (2016). Melt processing and properties of linear low density polyethylene-graphene nanoplatelet composites. *Vacuum*, 130, 63–71. <https://doi.org/10.1016/j.vacuum.2016.04.022>.



- Knutsen, S. H., Usov, A. I., Rollema, H. S., & Cerezo, A. S. (2002). H and ¹³C high resolution NMR spectroscopy of carrageenans : application in research and, *13*, 73–92.
- Laftah, W. A., & Majid, R. A. (2019). Development of bio-composite film based on high density polyethylene and oil palm mesocarp fibre. *SN Applied Sciences*, *1*(11), 1–7. <https://doi.org/10.1007/s42452-019-1402-7>.
- Li, X., Panigrahi, S., & Tabil, L. G. (2013). A Study on Flax Fiber-Reinforced Polyethylene Biocomposites, (May 2014). <https://doi.org/10.13031/2013.27454>.
- Liu, K. (2019). Effects of sample size, dry ashing temperature and duration on determination of ash content in algae and other biomass. *Algal Research*, *40*(March), 101486. <https://doi.org/10.1016/j.algal.2019.101486>.
- Loppies, J.E. & Yumas, M. (2017). Pemanfaatan Limbah Cair Industri Rumput Laut sebagai Pupuk Organik Cair untuk Tanaman Pertanian. *Jurnal Industri Hasil Perikanan*, *12* No.2, 66–75.
- Luty'nski, M., Sakiewicz, P., Luty'nska, S. (2019). Characterization of Diatomaceous Earth and Halloysite Resources of Poland. *Minerals*, *9*. <https://doi.org/10.3390/min9110670>.
- Madera-Santana, T. J., Freile-Pelegri, Y., Encinas, J. C., Ríos-Soberanis, C. R., & Quintana-Owen, P. (2015). Biocomposites based on poly(lactic acid) and seaweed wastes from agar extraction: Evaluation of physicochemical properties. *Journal of Applied Polymer Science*, *132*(31), 1–8. <https://doi.org/10.1002/app.42320>.
- Maharany, F., Nurjanah, Suwandi, R., Anwar, E., Hidayat, T. (2017). Kandungan Senyawa Bioaktif Rumput Laut *Padina australis* dan *Euclima cottonii* Sebagai Bahan Baku Krim Tabir Surya Bioactive Compounds of Seaweed *Padina australis* and *Euclima cottonii* as Sunscreen Raw Materials. *JPHPI*, *20* (1), 10–17.
- Materials, P. M. (1985). Standard Test Method for Water Absorption of Plastics 1, *16*, 1–4.
- Mulyo, S., Respati, B., Purwanto, H., Fakhruddin, I., & Prayitno, P. (2021). Mechanical Engineering for Society and Industry Tensile Strength and Density Evaluation of Composites from Waste Cotton Fabrics and High-Density Polyethylene (HDPE): Contributions to the Composite Industry and a Cleaner Environment, *1*(1), 41–48.
- Munifah, I., & Irianto, H. E. (2018). Characteristics of Solid Waste Agar Industries. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, *13*(3), 125–132.
- Nabinejad, O., Sujana, D., Rahman, M. E., & Davies, I. J. (2017). Effect of filler load on the curing behavior and mechanical and thermal performance of wood flour filled thermoset composites, *164*. <https://doi.org/10.1016/j.jclepro.2017.07.036>.
- Oluwasina, O. O., Akinyele, B. P., Olusegun, S. J., & Oluwasina, O. O. (2021). Evaluation of the effects of additives on the properties of starch - based bioplastic film. *SN Applied Sciences*, *3*(4), 1–12. <https://doi.org/10.1007/s42452-021-04433-7>.



- Ortiz, J., Romero, N., Robert, P., Araya, J., Lopez-Herna'ndez, J., Bozzo, C., Navarrete, E., Osorio, A., Rios, A. (2006). Food Chemistry Dietary fiber , amino acid , fatty acid and tocopherol contents of the edible seaweeds *Ulva lactuca* and *Durvillaea antarctica*, 99, 98–104. <https://doi.org/10.1016/j.foodchem.2005.07.027>.
- Pan, D., Su, F., Liu, C., & Guo, Z. (2020). Research progress for plastic waste management and manufacture of value-added products. *Advanced Composites and Hybrid Materials*, 3(4), 443–461. <https://doi.org/10.1007/s42114-020-00190-0>.
- Pasanda, O.S.R., Azis, A., Alam, S., Ruso, S., Anjani, N., A. R. (2019). Evaluasi Perlakuan dengan Ultrasonik pada Proses Hidrolisis Limbah Padat Rumput Laut *Euचेuma Cottonii*. *Prosiding Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat, 2019*, 100–104.
- Popineau, V., Céline, A., Gall, M. L., Martineau, L., Baley, C., & Duigou, A. L. (2021). Vacuum-Bag-Only (VBO) Molding of Flax Fiber-reinforced Thermoplastic Composites for Naval Shipyards. *Applied Composite Materials*, (0123456789). <https://doi.org/10.1007/s10443-021-09890-2>.
- Porse, H., & Rudolph, B. (2017). The seaweed hydrocolloid industry: 2016 updates, requirements, and outlook, 2187–2200. <https://doi.org/10.1007/s10811-017-1144-0>.
- Radzi, A.M., Sapuan, S.M., Jawaid, M., Mansor, M.R. (2019). Water absorption, thickness swelling and thermal properties of roselle/sugar palm fibre reinforced thermoplastic polyurethane hybrid composites. *Journal of Materials Research and Technology*. 8(5): 3988–3994.
- Rajasulochana, P., Krishnamoorthy, P., & Dhamotharan, R. (2010). Amino Acids, Fatty Acids And Minerals in *Kappaphycus* sps . *ARPN Journal of Agricultural and Biological Science*, 5(5), 1–12.
- Reichert, C. L., Bugnicourt, E., Coltelli, M., Cinelli, P., Lazzeri, A., Canesi, I., Schmid, M. (2020). Bio-Based Packaging: Materials, Modifications, Industrial Applications and Sustainability. *Polymers*, 12 (1558), 1–35.
- Ritter de Souza Barnasky, R., Bayestorff da Cunha, A., Dantas de Oliveira, A., Andreia Brand, M., Escobar Hochmuller da Silva, G., Muller de Souza, L., & Buss, R. (2020). High density polyethylene matrix composite as reinforcing agent in medium density fiberboards. *Journal of Composite Materials*, 54(28), 4369–4385. <https://doi.org/10.1177/0021998320931913>.
- Royse, S. E. (2012). Fabrication and Characterization of Biocomposites from Polylactic Acid and Bamboo Fibers. *Thesis*.
- Sathish, T., Mohanavel, V., Raja, T., Djearamane, S., Velmurugan, P., Nasif, O., Ravichandran, M. (2021). Influence of compression molding process parameters in mechanical and tribological behavior of hybrid polymer matrix composites. *Polymers*, 13(23). <https://doi.org/10.3390/polym13234195>.



- Sdrobis, A., Darie, R.N., Totolin, M., Gazacu, G., Vasile, C. (2012). Low density polyethylene composites containing cellulose pulp fibers, *43*, 1873–1880. <https://doi.org/10.1016/j.compositesb.2012.01.064>.
- Sedayu, B. B., Widiyanto, T. N., Basmal, J., & Bandol Utomo, B. S. (2008). Pemanfaatan Limbah Padat Pengolahan Rumput Laut *Gracilaria* sp. untuk Pembuatan Papan Partikel. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, *3*(1), 1. <https://doi.org/10.15578/jpbkp.v3i1.5>.
- Shamsuri, A. A. (2015). Compression Moulding Technique for Manufacturing Biocomposite Products, *5*(3), 23–26.
- Sosiati, H., Khunaefi, I.A., Diputra, G. A. (2022). Changes in the properties of kenaf / silica / epoxy hybrid composites by variations in silica particle sizes and contents Changes in the properties of kenaf / silica / epoxy hybrid composites by variations in silica particle sizes and contents. *Journal of Physics: Conference Series*, *2498* (2023). <https://doi.org/10.1088/1742-6596/2498/1/012043>.
- Vishnu, K. S., Anuroop, P. A., Anto, L. P., Mathew, L., & Shunmugesh, K. (2019). Areca fiber reinforced LLDPE biocomposite. *Materials Today: Proceedings*, *24*, 1924–1931. <https://doi.org/10.1016/j.matpr.2020.03.619>.
- Wagner, J. R., Mount, E. M., & Giles, H. F. (2014). Processing Conditions. *Extrusion*, 181–192. <https://doi.org/10.1016/b978-1-4377-3481-2.00014-4>.
- Wenno, M. R., Thenu, J. L., & Cristina Lopulalan, C. G. (2012). Karakteristik Kappa Karaginan dari *Kappaphycus alvarezii* Pada Berbagai Umur Panen. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, *7*(1), 61. <https://doi.org/10.15578/jpbkp.v7i1.69>.
- Wiratmaja, I. G., Bagus, I. G., Kusuma, W., & Winaya, I. N. S. (2011). Pembuatan Etanol Generasi Kedua Dengan Memanfaatkan Limbah Rumput Laut *Eucheuma Cottonii* Sebagai Bahan Baku, *5*(1).
- Wandowski, T., Malinowski, P., Skarbek, L., Ostachowicz, W. (2016). Moisture detection in carbon fiber reinforced polymer composites using electromechanical impedance technique. *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, *230*(2), 331-336. <https://doi.org/10.1177/0954406215574239>.
- Wypych, G. (2014). Handbook of Antiblocking, Release, and Slip Additives. *ChemTec Publishing*. Toronto. <https://doi.org/10.1016/C2014-0-00975-6>.
- Xu, H., Xie, H., Shan, W., & Wang, W. (2022). Development of a Novel Extrusion Process for Preparing Rice Straw / LLDPE Composites. <https://doi.org/10.32604/jrm.2022.023959>.
- Yahaya, R., Sapuan, S.M., Jawaid, M., Leman, Z., Zainudin, E.S. (2015). Effect of fibre orientations on the mechanical properties of kenaf- aramid hybrid composites. *Defence Technology*. *12*(1). <http://dx.doi.org/doi:10.1016/j.dt.2015.08.005>.



Yalley, T. B., Kassegn, E., Aregawi, S., & Gebresias, A. (2020). Study on effect of process parameters on tensile properties of compression molded natural fiber reinforced polymer composites. *SN Applied Sciences*, 2(3), 1–8. <https://doi.org/10.1007/s42452-020-2101-0>.

Zuhudi, N.ZM., Zulkifli, A.F., Zulkifli, M., Yahaya, A.N.A., Nur, N.M., Aris, K.D.M. (2021). Void and Moisture Content of Fiber Reinforced Composites. *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 87(3), 78-93.

Zulferiyenni & Hidayati, S. (2016). Sifat Kimia Limbah Padat Rumput Laut Hasil Pemurnian Menggunakan H₂O₂ dan NaOH. *Prosiding Seminar Nasional Pengembangan Teknologi Pertanian Politeknik Negeri Lampung*, (September), 141–148. DOI: 10.37934/arfmts.87.3.7893.