UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

[1] World Health Organization, "Mental health: strengthening our response," 2018, accessed: 2020-02-27. [Online]. Available: https://www.who.int/news-room/fact-sheets/detail/mental-health-strengthening-our-response

[2] WHO, "Suicide Worldwide in 2019 | Global Health Estimates," pp. 1–35, 2019, accessed: 2020-02-27. [Online]. Available: https://www.who.int/teams/mental-health-and-substance-use/suicide-data

[3] Kemenkes RI, "Hasil Riset Kesehatan Dasar Tahun 2018," pp. 1689–1699, 2019, accessed: 2020-02-27. [Online]. Available: https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-riskesdas-2018_1274.pdf

[4] J. R. Fisher and M. Cabral de Mello, "Using the world health organization's 4s-framework to strengthen national strategies, policies and services to address mental health problems in adolescents in resource-constrained settings," *International Journal of Mental Health Systems*, vol. 5, no. 1, p. 23, 2011.

[5] R. C. Kessler and R. G. Frank, "The impact of psychiatric disorders on work loss days," *Psychological Medicine*, vol. 27, no. 4, p. S0033291797004807, jul 1997.

[6] E. S. Salama, R. A.El-Khoribi, M. E.Shoman, and M. A.Wahby, "EEG-Based Emotion Recognition using 3D Convolutional Neural Networks," *International Journal of Advanced Computer Science and Applications*, vol. 9, no. 8, pp. 329–337, 2018.

[7] S. Lyubomirsky, L. King, and E. Diener, "The Benefits of Frequent Positive Affect: Does Happiness Lead to Success?" *Psychological Bulletin*, vol. 131, no. 6, pp. 803–855, 2005.

[8] P. A. Abhang, B. W. Gawali, and S. C. Mehrotra, *Introduction to EEG and Speech-Based Emotion Recognition*, 1st ed. Elsevier, 2016.

[9] D. L. Roter, R. M. Frankel, J. A. Hall, and D. Sluyter, "The expression of emotion through nonverbal behavior in medical visits: Mechanisms and outcomes," *Journal of General Internal Medicine*, vol. 21, no. SUPPL. 1, pp. 28–34, jan 2006.

[10] G. Chanel, J. J. Kierkels, M. Soleymani, and T. Pun, "Short-term emotion assessment in a recall paradigm," *International Journal of Human-Computer Studies*, vol. 67, no. 8, pp. 607–627, aug 2009.

[11] D. W. Prabowo, H. A. Nugroho, N. A. Setiawan, and J. Debayle, "A systematic literature review of emotion recognition using EEG signals," *Cognitive Systems Research*, vol. 82, p. 101152, dec 2023.

[12] P. Philippot, G. Chapelle, and S. Blairy, "Respiratory feedback in the generation of emotion," *Cognition and Emotion*, vol. 16, no. 5, pp. 605–627, aug 2002.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[13] G. Wu, G. Liu, and M. Hao, "The analysis of emotion recognition from GSR based on PSO," in *2010 International Symposium on Intelligence Information Processing and Trusted Computing*. IEEE, oct 2010, pp. 360–363.

[14] C. Jing, G. Liu, and M. Hao, "The research on emotion recognition from ECG signal," in *2009 International Conference on Information Technology and Computer Science*, vol. 1. IEEE, jul 2009, pp. 497–500.

[15] T. Song, W. Zheng, C. Lu, Y. Zong, X. Zhang, and Z. Cui, "MPED: A multi-modal physiological emotion database for discrete emotion recognition," *IEEE Access*, vol. 7, pp. 12 177–12 191, 2019.

[16] A. Dzedzickis, A. Kaklauskas, and V. Bucinskas, "Human Emotion Recognition: Review of Sensors and Methods," *Sensors*, vol. 20, no. 3, p. 592, jan 2020.

[17] J. C. Quiroz, E. Geangu, and M. H. Yong, "Emotion recognition using smart watch sensor data: Mixed-design study," *JMIR Mental Health*, vol. 5, no. 3, p. e10153, aug 2018.

[18] I. Walker, M. Deisenroth, and F. Aldo, "Deep Convolutional Neural Networks for Brain Computer Interface using Motor Imagery," Ph.D. dissertation, Imperial College London, 2015. [Online]. Available: https://www.doc.ic.ac.uk/~mpd37/theses/DeepEEG_IanWalker2015.pdf

[19] S. Koelstra, C. Mühl, M. Soleymani, J. S. Lee, A. Yazdani, T. Ebrahimi, T. Pun, A. Nijholt, and I. Patras, "DEAP: A database for emotion analysis; Using physiological signals," *IEEE Trans. Affect. Comput.*, vol. 3, no. 1, pp. 18–31, 2012.

[20] S. Sanei and J. Chambers, *EEG Signal Processing*. John Wiley & Sons Ltd, sep 2007.

[21] W. L. Zheng and B. L. Lu, "Investigating Critical Frequency Bands and Channels for EEG-Based Emotion Recognition with Deep Neural Networks," *IEEE Trans. Auton. Ment. Dev.*, vol. 7, no. 3, pp. 162–175, 2015.

[22] R.-N. Duan, J.-Y. Zhu, and B.-L. Lu, "Differential entropy feature for EEG-based emotion classification," in *2013 6th International IEEE/EMBS Conference on Neural Engineering (NER)*. IEEE, nov 2013, pp. 81–84.

[23] M. M. Hassan, M. G. R. Alam, M. Z. Uddin, S. Huda, A. Almogren, and G. Fortino, "Human emotion recognition using deep belief network architecture," *Information Fusion*, vol. 51, no. November 2018, pp. 10–18, nov 2019.

[24] W. Klonowski, "Everything you wanted to ask about EEG but were afraid to get the right answer," *Nonlinear Biomedical Physics*, vol. 3, no. 1, may 2009.

[25] H. Liu, Y. Zhang, Y. Li, and X. Kong, "Review on emotion recognition based on electroencephalography," *Frontiers in Computational Neuroscience*, vol. 15, oct 2021.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[26] F. Lotte, L. Bougrain, A. Cichocki, M. Clerc, M. Congedo, A. Rakotomamonjy, and F. Yger, "A review of classification algorithms for EEG-based brain–computer interfaces: a 10 year update," *Journal of Neural Engineering*, vol. 15, no. 3, p. 031005, apr 2018.

[27] A. Kachenoura, L. Albera, L. Senhadji, and P. Comon, "Ica: a potential tool for bci systems," *IEEE Signal Processing Magazine*, vol. 25, no. 1, pp. 57–68, 2008.

[28] B. Blankertz, R. Tomioka, S. Lemm, M. Kawanabe, and K. robert Muller, "Optimizing spatial filters for robust EEG single-trial analysis," *IEEE Signal Processing Magazine*, vol. 25, no. 1, pp. 41–56, 2008.

[29] S. Morales and M. E. Bowers, "Time-frequency analysis methods and their application in developmental EEG data," *Developmental Cognitive Neuroscience*, vol. 54, p. 101067, apr 2022.

[30] P. Boonyakitanont, A. Lek-uthai, K. Chomtho, and J. Songsiri, "A review of feature extraction and performance evaluation in epileptic seizure detection using EEG," *Biomedical Signal Processing and Control*, vol. 57, p. 101702, mar 2020.

[31] C. Uyulan and T. T. Erguzel, "Analysis of time – frequency EEG feature extraction methods for mental task classification," *International Journal of Computational Intelligence Systems*, vol. 10, no. 1, p. 1280, 2017.

[32] R. Wang, J. Wang, H. Yu, X. Wei, C. Yang, and B. Deng, "Power spectral density and coherence analysis of alzheimer's EEG," *Cognitive Neurodynamics*, vol. 9, no. 3, pp. 291–304, dec 2014.

[33] Z. Huang and M. Wang, "A review of electroencephalogram signal processing methods for brain-controlled robots," *Cognitive Robotics*, vol. 1, pp. 111–124, 2021.

[34] R. ul Alam, H. Zhao, A. Goodwin, O. Kavehei, and A. McEwan, "Differences in power spectral densities and phase quantities due to processing of EEG signals," *Sensors*, vol. 20, no. 21, p. 6285, nov 2020.

[35] A. Ameera, A. Saidatul, and Z. Ibrahim, "Analysis of EEG spectrum bands using power spectral density for pleasure and displeasure state," *IOP Conference Series: Materials Science and Engineering*, vol. 557, no. 1, p. 012030, jun 2019.

[36] M. Kıymık, İ. Güler, A. Dizibüyük, and M. Akın, "Comparison of STFT and wavelet transform methods in determining epileptic seizure activity in EEG signals for real-time application," *Computers in Biology and Medicine*, vol. 35, no. 7, pp. 603–616, oct 2005.

[37] N. Bajaj, "Wavelets for EEG analysis," in *Wavelet Theory*. IntechOpen, feb 2021.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[38] J. Chen, H. Li, L. Ma, and F. Soong, "DEEMD-SPP: A novel framework for emotion recognition based on EEG signals," *Frontiers in Psychiatry*, vol. 13, apr 2022.

[39] Y.-H. Wang, C.-H. Yeh, H.-W. V. Young, K. Hu, and M.-T. Lo, "On the computational complexity of the empirical mode decomposition algorithm," *Physica A: Statistical Mechanics and its Applications*, vol. 400, pp. 159–167, apr 2014.

[40] F. OK and R. Rajesh, "Empirical mode decomposition of EEG signals for the effectual classification of seizures," in *Advances in Neural Signal Processing*. IntechOpen, sep 2020.

[41] A. Al-Nafjan, "Feature selection of EEG signals in neuromarketing," *PeerJ Computer Science*, vol. 8, p. e944, apr 2022.

[42] X. Xu, X. Nie, J. Zhang, and T. Xu, "Multi-level attention recognition of EEG based on feature selection," *International Journal of Environmental Research and Public Health*, vol. 20, no. 4, p. 3487, feb 2023.

[43] V. Harpale and V. Bairagi, "An adaptive method for feature selection and extraction for classification of epileptic EEG signal in significant states," *Journal of King Saud University - Computer and Information Sciences*, vol. 33, no. 6, pp. 668–676, jul 2018.

[44] O. Faust, Y. Hagiwara, T. J. Hong, O. S. Lih, and U. R. Acharya, "Deep learning for healthcare applications based on physiological signals: A review," *Computer Methods and Programs in Biomedicine*, vol. 161, pp. 1–13, jul 2018.

[45] K. Singh, M. K. Ahirwal, and M. Pandey, "Subject wise data augmentation based on balancing factor for quaternary emotion recognition through hybrid deep learning model," *Biomedical Signal Processing and Control*, vol. 86, p. 105075, sep 2023.

[46] Y. Jiang, S. Xie, X. Xie, Y. Cui, and H. Tang, "Emotion recognition via multiscale feature fusion network and attention mechanism," *IEEE Sensors Journal*, vol. 23, no. 10, pp. 10 790–10 800, may 2023.

[47] I. M. A. Wirawan, R. Wardoyo, D. Lelono, and S. Kusrohmaniah, "Continuous capsule network method for improving electroencephalogram-based emotion recognition," *Emerging Science Journal*, vol. 7, no. 1, pp. 116–134, nov 2023.

[48] S. Liu, Y. Zhao, Y. An, J. Zhao, S.-H. Wang, and J. Yan, "GLFANet: A global to local feature aggregation network for EEG emotion recognition," *Biomedical Signal Processing and Control*, vol. 85, p. 104799, aug 2023.

[49] Z. Zhang, Y. Liu, and S. hua Zhong, "GANSER: A self-supervised data augmentation framework for EEG-based emotion recognition," *IEEE Transactions on Affective Computing*, vol. 14, no. 3, pp. 2048–2063, jul 2022.

[50] Y. Li, J. Chen, F. Li, B. Fu, H. Wu, Y. Ji, Y. Zhou, Y. Niu, G. Shi, and W. Zheng, "GMSS: Graph-based multi-task self-supervised learning for EEG

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

emotion recognition," *IEEE Transactions on Affective Computing*, pp. 1–1, 2022.

[51] L. Gong, M. Li, T. Zhang, and W. Chen, "EEG emotion recognition using attention-based convolutional transformer neural network," *Biomedical Signal Processing and Control*, vol. 84, p. 104835, jul 2023.

[52] Z. Li, E. Zhu, M. Jin, C. Fan, H. He, T. Cai, and J. Li, "Dynamic domain adaptation for class-aware cross-subject and cross-session EEG emotion recognition," *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 12, pp. 5964–5973, dec 2022.

[53] C. W. Dawson, *Projects in computing and information systems*, 2nd ed. Harlow [u.a.]: Pearson Education Limited, 2009, literaturverz. S. 270 - 273.

[54] K. Natarajan, R. A. U, F. Alias, T. Tiboleng, and S. K. Puthusserypady, "Nonlinear analysis of EEG signals at different mental states," *BioMedical Engineering OnLine*, vol. 3, no. 1, mar 2004.

[55] R. Acharya U., O. Faust, N. Kannathal, T. Chua, and S. Laxminarayan, "Non-linear analysis of eeg signals at various sleep stages," *Computer Methods and Programs in Biomedicine*, vol. 80, no. 1, pp. 37–45, Oct. 2005.

[56] H. Poikonen, T. Zaluska, X. Wang, M. Magno, and M. Kapur, "Nonlinear and machine learning analyses on high-density eeg data of math experts and novices," *Scientific Reports*, vol. 13, no. 1, May 2023.

[57] J.-P. Eckmann, S. O. Kamphorst, and D. Ruelle, "Recurrence Plots of Dynamical Systems," *Europhys. Lett.*, vol. 4, no. 9, pp. 973–977, nov 1987.

[58] Y. Zhang, Y. Hou, K. OuYang, and S. Zhou, "Multi-scale signed recurrence plot based time series classification using inception architectural networks," *Pattern Recognition*, vol. 123, p. 108385, Mar. 2022.

[59] B. A. Kitchenham and S. Charters, "Guidelines for performing Systematic Literature Reviews in Software Engineering," Tech. Rep. EBSE 2007-001, 2007.

[60] N. Lim, "Cultural differences in emotion: differences in emotional arousal level between the east and the west," *Integrative Medicine Research*, vol. 5, no. 2, pp. 105–109, jun 2016.

[61] O. Al Zoubi, M. Awad, and N. K. Kasabov, "Anytime multipurpose emotion recognition from EEG data using a Liquid State Machine based framework," *Artificial Intelligence in Medicine*, vol. 86, pp. 1–8, mar 2018.

[62] J. Chen, D. Jiang, Y. Zhang, and P. Zhang, "Emotion recognition from spatiotemporal EEG representations with hybrid convolutional recurrent neural networks via wearable multi-channel headset," *Computer Communications*, vol. 154, pp. 58–65, mar 2020.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[63] H. Chao and Y. Liu, "Emotion Recognition From Multi-Channel EEG Signals by Exploiting the Deep Belief-Conditional Random Field Framework," *IEEE Access*, vol. 8, pp. 33 002–33 012, 2020.

[64] R. Alazrai, R. Homoud, H. Alwanni, and M. Daoud, "EEG-Based Emotion Recognition Using Quadratic Time-Frequency Distribution," *Sensors*, vol. 18, no. 8, p. 2739, aug 2018.

[65] S.-H. Kim, H.-J. Yang, N. A. T. Nguyen, S. K. Prabhakar, and S.-W. Lee, "Wedea: A new eeg-based framework for emotion recognition," *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 1, pp. 264–275, jan 2022.

[66] X. Du, C. Ma, G. Zhang, J. Li, Y.-K. Lai, G. Zhao, X. Deng, Y.-J. Liu, and H. Wang, "An efficient LSTM network for emotion recognition from multichannel EEG signals," *IEEE Transactions on Affective Computing*, vol. 13, no. 3, pp. 1528–1540, jul 2022.

[67] X. Lin, J. Chen, W. Ma, W. Tang, and Y. Wang, "EEG emotion recognition using improved graph neural network with channel selection," *Computer Methods and Programs in Biomedicine*, vol. 231, p. 107380, apr 2023.

[68] J. Cheng, M. Chen, C. Li, Y. Liu, R. Song, A. Liu, and X. Chen, "Emotion recognition from multi-channel eeg via deep forest," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 2, pp. 453–464, feb 2021.

[69] C. Li, Z. Zhang, R. Song, J. Cheng, Y. Liu, and X. Chen, "EEG-based emotion recognition via neural architecture search," *IEEE Transactions on Affective Computing*, pp. 1–1, 2021.

[70] C. Li, X. Lin, Y. Liu, R. Song, J. Cheng, and X. Chen, "EEG-based emotion recognition via efficient convolutional neural network and contrastive learning," *IEEE Sensors Journal*, vol. 22, no. 20, pp. 19 608–19 619, oct 2022.

[71] C. Li, B. Wang, S. Zhang, Y. Liu, R. Song, J. Cheng, and X. Chen, "Emotion recognition from EEG based on multi-task learning with capsule network and attention mechanism," *Computers in Biology and Medicine*, vol. 143, p. 105303, apr 2022.

[72] C. Li, Z. Zhang, X. Zhang, G. Huang, Y. Liu, and X. Chen, "EEG-based emotion recognition via transformer neural architecture search," *IEEE Transactions on Industrial Informatics*, vol. 19, no. 4, pp. 6016–6025, apr 2023.

[73] M. Asadur Rahman, M. Foisal Hossain, M. Hossain, and R. Ahmmed, "Employing PCA and t-statistical approach for feature extraction and classification of emotion from multichannel EEG signal," *Egyptian Informatics Journal*, vol. 21, no. 1, pp. 23–35, mar 2020.

[74] W. Zheng, "Multichannel EEG-Based Emotion Recognition via Group Sparse Canonical Correlation Analysis," *IEEE Trans. Cogn. Dev. Syst.*, vol. 9, no. 3, pp. 281–290, sep 2017.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[75] M. yu Zhong, Q. yu Yang, Y. Liu, B. yu Zhen, F. da Zhao, and B. bei Xie, "EEG emotion recognition based on TQWT-features and hybrid convolutional recurrent neural network," *Biomedical Signal Processing and Control*, vol. 79, p. 104211, jan 2023.

[76] X. Xing, Z. Li, T. Xu, L. Shu, B. Hu, and X. Xu, "SAE+LSTM: A New Framework for Emotion Recognition From Multi-Channel EEG," *Front. Neurorobot.*, vol. 13, no. June, pp. 1–14, jun 2019.

[77] Z.-T. Liu, Q. Xie, M. Wu, W.-H. Cao, D.-Y. Li, and S.-H. Li, "Electroencephalogram Emotion Recognition Based on Empirical Mode Decomposition and Optimal Feature Selection," *IEEE Trans. Cogn. Dev. Syst.*, vol. 11, no. 4, pp. 517–526, dec 2019.

[78] M. A. Asghar, M. J. Khan, Fawad, Y. Amin, M. Rizwan, M. Rahman, S. Badnava, and S. S. Mirjavadi, "EEG-Based Multi-Modal Emotion Recognition using Bag of Deep Features: An Optimal Feature Selection Approach," *Sensors*, vol. 19, no. 23, p. 5218, nov 2019.

[79] H. Yang, J. Han, and K. Min, "A Multi-Column CNN Model for Emotion Recognition from EEG Signals," *Sensors*, vol. 19, no. 21, p. 4736, oct 2019.

[80] R. Alhalaseh and S. Alasasfeh, "Machine-Learning-Based Emotion Recognition System Using EEG Signals," *Computers*, vol. 9, no. 4, p. 95, nov 2020.

[81] Z.-M. Wang, S.-Y. Hu, and H. Song, "Channel Selection Method for EEG Emotion Recognition Using Normalized Mutual Information," *IEEE Access*, vol. 7, pp. 143 303–143 311, 2019.

[82] H. Chao, L. Dong, Y. Liu, and B. Lu, "Improved Deep Feature Learning by Synchronization Measurements for Multi-Channel EEG Emotion Recognition," *Complexity*, vol. 2020, pp. 1–15, mar 2020.

[83] Y. Dong and F. Ren, "Multi-reservoirs EEG signal feature sensing and recognition method based on generative adversarial networks," *Comput. Commun.*, vol. 164, no. October, pp. 177–184, dec 2020.

[84] V. Doma and M. Pirouz, "A comparative analysis of machine learning methods for emotion recognition using EEG and peripheral physiological signals," *J. Big Data*, vol. 7, no. 1, p. 18, dec 2020.

[85] A. Topic and M. Russo, "Emotion recognition based on EEG feature maps through deep learning network," *Engineering Science and Technology, an International Journal*, vol. 24, no. 6, pp. 1442–1454, dec 2021.

[86] D. Priyasad, T. Fernando, S. Denman, S. Sridharan, and C. Fookes, "Affect recognition from scalp-EEG using channel-wise encoder networks coupled with geometric deep learning and multi-channel feature fusion," *Knowledge-Based Systems*, vol. 250, p. 109038, aug 2022.

[87] L. Feng, C. Cheng, M. Zhao, H. Deng, and Y. Zhang, "EEG-based emotion recognition using spatial-temporal graph convolutional LSTM with attention

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

mechanism," *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 11, pp. 5406–5417, nov 2022.

[88] A. Samavat, E. Khalili, B. Ayati, and M. Ayati, "Deep learning model with adaptive regularization for EEG-based emotion recognition using temporal and frequency features," *IEEE Access*, vol. 10, pp. 24 520–24 527, 2022.

[89] S. Ma, J. Cui, and C.-L. Chen, "An improved bi-lstm eeg emotion recognition algorithm," *Journal of Network Intelligence*, 2022.

[90] S. B. Wankhade and D. D. Doye, "Hybrid hunt-based deep convolutional neural network for emotion recognition using EEG signals," *Computer Methods in Biomechanics and Biomedical Engineering*, vol. 25, no. 12, pp. 1311–1331, jan 2022.

[91] Z. Bai, J. Liu, F. Hou, Y. Chen, M. Cheng, Z. Mao, Y. Song, and Q. Gao, "Emotion recognition with residual network driven by spatial-frequency characteristics of EEG recorded from hearing-impaired adults in response to video clips," *Computers in Biology and Medicine*, vol. 152, p. 106344, jan 2023.

[92] E. Vafaei, F. N. Rahatabad, S. K. Setarehdan, and P. Azadfallah, "Extracting a novel emotional EEG topographic map based on a stacked autoencoder network," *Journal of Healthcare Engineering*, vol. 2023, pp. 1–19, jan 2023.

[93] S. Hwang, K. Hong, G. Son, and H. Byun, "Learning CNN features from DE features for EEG-based emotion recognition," *Pattern Anal. Appl.*, vol. 23, no. 3, pp. 1323–1335, aug 2019.

[94] X. Liu, T. Li, C. Tang, T. Xu, P. Chen, A. Bezerianos, and H. Wang, "Emotion Recognition and Dynamic Functional Connectivity Analysis Based on EEG," *IEEE Access*, vol. 7, pp. 143 293–143 302, 2019.

[95] S. B. Khojasteh and H. K. Ornek, "TheRobust EEG based emotion recognition using deep neural network," *International Journal of Intelligent Systems and Applications in Engineering*, vol. 9, no. 4, pp. 191–197, dec 2021.

[96] W. Guo, G. Li, J. Lu, and J. Yang, "Singular learning of deep multilayer perceptrons for EEG-based emotion recognition," *Frontiers in Computer Science*, vol. 3, dec 2021.

[97] Q. M. ul Haq, L. Yao, W. Rahmaniar, Fawad, and F. Islam, "A hybrid hand-crafted and deep neural spatio-temporal EEG features clustering framework for precise emotional status recognition," *Sensors*, vol. 22, no. 14, p. 5158, jul 2022.

[98] H. Cizmeci, C. Ozcan, and R. Durgut, "Channel selection and feature extraction on deep EEG classification using metaheuristic and welch PSD," *Soft Computing*, vol. 26, no. 19, pp. 10 115–10 125, aug 2022.

[99] H. Zeng, Q. Wu, Y. Jin, H. Zheng, M. Li, Y. Zhao, H. Hu, and W. Kong, "Siam-GCAN: A siamese graph convolutional attention network for EEG emotion recognition," *IEEE Transactions on Instrumentation and Measurement*, vol. 71, pp. 1–9, 2022.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[100] M. Miao, L. Zheng, B. Xu, Z. Yang, and W. Hu, "A multiple frequency bands parallel spatial–temporal 3d deep residual learning framework for EEG-based emotion recognition," *Biomedical Signal Processing and Control*, vol. 79, p. 104141, jan 2023.

[101] R. Ramos, J. A. Olvera-López, and I. Olmos, "Analysis of eeg signal processing techniques based on spectrograms," *Res. Comput. Sci.*, vol. 145, pp. 151–162, 2017. [Online]. Available: https://api.semanticscholar.org/CorpusID:195591666

[102] M. C. Ng, J. Jing, and M. B. Westover, "A primer on EEG spectrograms," *Journal of Clinical Neurophysiology*, vol. 39, no. 3, pp. 177–183, sep 2022.

[103] G. Ruffini, D. Ibañez, M. Castellano, L. Dubreuil-Vall, A. Soria-Frisch, R. Postuma, J.-F. Gagnon, and J. Montplaisir, "Deep learning with EEG spectrograms in rapid eye movement behavior disorder," *Frontiers in Neurology*, vol. 10, jul 2019.

[104] A. Shankar, H. K. Khaing, S. Dandapat, and S. Barma, "Analysis of epileptic seizures based on EEG using recurrence plot images and deep learning," *Biomedical Signal Processing and Control*, vol. 69, no. June, p. 102854, aug 2021.

[105] T. Arias-Vergara, P. Klumpp, J. C. Vasquez-Correa, E. Nöth, J. R. Orozco-Arroyave, and M. Schuster, "Multi-channel spectrograms for speech processing applications using deep learning methods," *Pattern Analysis and Applications*, vol. 24, no. 2, pp. 423–431, sep 2020.

[106] N. Marwan, M. C. Romano, M. Thiel, and J. Kurths, "Recurrence plots for the analysis of complex systems," *Physics Reports*, vol. 438, no. 5-6, pp. 237–329, jan 2007.

[107] M. Aslan, "CNN based efficient approach for emotion recognition," *J. King Saud Univ. - Comput. Inf. Sci.*, aug 2021.

[108] P. Pandey and K. R. Seeja, "Subject independent emotion recognition system for people with facial deformity: an EEG based approach," *J. Ambient Intell. Humaniz. Comput.*, vol. 12, no. 2, pp. 2311–2320, feb 2020.

[109] N. Marwan and J. Kurths, "Nonlinear analysis of bivariate data with cross recurrence plots," *Physics Letters A*, vol. 302, no. 5-6, pp. 299–307, sep 2002.

[110] W. Huang, G. Yan, W. Chang, Y. Zhang, and Y. Yuan, "EEG-based classification combining bayesian convolutional neural networks with recurrence plot for motor movement/imagery," *Pattern Recognition*, vol. 144, p. 109838, dec 2023.

[111] Q. He, F. Yu, J. Chang, and C. Ouyang, "Fuzzy granular recurrence plot and quantification analysis: A novel method for classification," *Pattern Recognition*, vol. 139, p. 109456, jul 2023.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[112] Y. Jeon and S. J. Kang, "Multi-slice nested recurrence plot (MsNRP): A robust approach for person identification using daily ECG or PPG signals," *Engineering Applications of Artificial Intelligence*, vol. 126, p. 106799, nov 2023.

[113] A. Zhang, L. Su, Y. Zhang, Y. Fu, L. Wu, and S. Liang, "EEG data augmentation for emotion recognition with a multiple generator conditional wasserstein GAN," *Complex & Intelligent Systems*, vol. 8, no. 4, pp. 3059–3071, apr 2022.

[114] B. Boashash, L. Boubchir, and G. Azemi, "A methodology for time-frequency image processing applied to the classification of non-stationary multichannel signals using instantaneous frequency descriptors with application to newborn EEG signals," *EURASIP Journal on Advances in Signal Processing*, vol. 2012, no. 1, may 2012.

[115] M. S. Khan, N. Salsabil, M. G. R. Alam, M. A. A. Dewan, and M. Z. Uddin, "CNN-XGBoost fusion-based affective state recognition using EEG spectrogram image analysis," *Scientific Reports*, vol. 12, no. 1, aug 2022.

[116] A. G. Habashi, A. M. Azab, S. Eldawlatly, and G. M. Aly, "Generative adversarial networks in EEG analysis: an overview," *Journal of NeuroEngineering and Rehabilitation*, vol. 20, no. 1, apr 2023.

[117] P. Isola, J.-Y. Zhu, T. Zhou, and A. A. Efros, "Image-to-image translation with conditional adversarial networks," in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. IEEE, jul 2017, pp. 5967–5976.

[118] Q. Liu, J. Hao, and Y. Guo, "Eeg data augmentation for emotion recognition with a task-driven gan," *Algorithms*, vol. 16, no. 2, p. 118, Feb. 2023.

[119] D. W. Prabowo, H. A. Nugroho, N. A. Setiawan, and J. Debayle, *An Advanced Data Augmentation Scheme on Limited EEG Signals for Human Emotion Recognition*. Springer Nature Singapore, 2023, pp. 391–409.

[120] M. P. Kalashami, M. M. Pedram, and H. Sadr, "Eeg feature extraction and data augmentation in emotion recognition," *Computational Intelligence and Neuroscience*, vol. 2022, pp. 1–16, Mar. 2022.

[121] M. A. Lones, "How to avoid machine learning pitfalls: a guide for academic researchers," *arXiv*, Aug. 2021.

[122] Z. Gao, W. Dang, X. Wang, X. Hong, L. Hou, K. Ma, and M. Perc, "Complex networks and deep learning for eeg signal analysis," *Cognitive Neurodynamics*, vol. 15, no. 3, pp. 369–388, Aug. 2020.

[123] I. Stancin, M. Cifrek, and A. Jovic, "A review of eeg signal features and their application in driver drowsiness detection systems," *Sensors*, vol. 21, no. 11, p. 3786, May 2021.

[124] C. S. Silveira, J. S. Cardoso, A. L. Lourenço, and C. Ahlström, "Importance of subject-dependent classification and imbalanced distributions in driver sleepiness detection in realistic conditions," *IET Intelligent Transport Systems*, vol. 13, no. 2, pp. 347–355, Oct. 2018.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[125] Q. Zhao, H. Peng, B. Hu, L. Li, Y. Qi, Q. Liu, and L. Liu, *Towards an Efficient and Accurate EEG Data Analysis in EEG-Based Individual Identification*. Springer Berlin Heidelberg, 2010, pp. 534–547.

[126] J. C. Bublitz, "Privacy concerns in brain–computer interfaces," *AJOB Neuroscience*, vol. 10, no. 1, pp. 30–32, Jan. 2019.

[127] F. Schiliro, N. Moustafa, and A. Beheshti, "Cognitive privacy: Ai-enabled privacy using eeg signals in the internet of things," in *2020 IEEE 6th International Conference on Dependability in Sensor, Cloud and Big Data Systems and Application (DependSys)*. IEEE, Dec. 2020.

[128] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016. [Online]. Available: http://www.deeplearningbook.org

[129] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *arXiv*, 2015.

[130] A. G. Howard, M. Zhu, B. Chen, D. Kalenichenko, W. Wang, T. Weyand, M. Andreetto, and H. Adam, "Mobilenets: Efficient convolutional neural networks for mobile vision applications," *arXiv*, 2017.

[131] G. Huang, Z. Liu, L. V. D. Maaten, and K. Q. Weinberger, "Densely connected convolutional networks," in *2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*. IEEE, jul 2017.

[132] Y. LeCun, L. Bottou, Y. Bengio, and P. Haffner, "Gradient-based learning applied to document recognition," *Proc. IEEE*, vol. 86, no. 11, pp. 2278–2324, 1998.

[133] Y. Sasaki, "The truth of the f-measure," *Teach tutor mater*, vol. 1, no. 5, pp. 1–5, 2007.

[134] J. Cohen, "A coefficient of agreement for nominal scales," *Educational and Psychological Measurement*, vol. 20, no. 1, pp. 37–46, apr 1960.

[135] J. R. Landis and G. G. Koch, "The measurement of observer agreement for categorical data," *Biometrics*, vol. 33, no. 1, p. 159, mar 1977.

[136] Q. McNemar, "Note on the sampling error of the difference between correlated proportions or percentages," *Psychometrika*, vol. 12, no. 2, pp. 153–157, jun 1947.

[137] A. Y. Al Hammadi, C. Y. Yeun, E. Damiani, P. D. Yoo, J. Hu, H. K. Yeun, and M.-S. Yim, "Explainable artificial intelligence to evaluate industrial internal security using eeg signals in iot framework," *Ad Hoc Networks*, vol. 123, p. 102641, Dec. 2021.

[138] F. Wilcoxon, "Individual comparisons by ranking methods," *Biometrics Bulletin*, vol. 1, no. 6, p. 80, dec 1945.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[139] A. Poncet, D. S. Courvoisier, C. Combescure, and T. V. Perneger, "Normality and sample size do not matter for the selection of an appropriate statistical test for two-group comparisons," *Methodology*, vol. 12, no. 2, pp. 61–71, Apr. 2016.

[140] S. G. Kwak and J. H. Kim, "Central limit theorem: the cornerstone of modern statistics," *Korean Journal of Anesthesiology*, vol. 70, no. 2, p. 144, 2017.

[141] H. Ha, V. Nguyen, H. Zhang, and A. v. d. Hengel, "Provably efficient bayesian optimization with unbiased gaussian process hyperparameter estimation," Jun. 2023.

[142] K. Swersky, J. Snoek, and R. P. Adams, "Multi-task bayesian optimization," in *Advances in Neural Information Processing Systems*, C. Burges, L. Bottou, M. Welling, Z. Ghahramani, and K. Weinberger, Eds., vol. 26. Curran Associates, Inc., 2013. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2013/file/f33ba15effa5c10e873bf3842afb46a6-Paper.pdf

[143] Y. Mei, T. Lan, M. Imani, and S. Subramaniam, *A Bayesian Optimization Framework for Finding Local Optima in Expensive Multimodal Functions*. IOS Press, Sep. 2023.

[144] D. J. McFarland and J. R. Wolpaw, "Brain-computer interfaces for communication and control," *Communications of the ACM*, vol. 54, no. 5, pp. 60–66, may 2011.

[145] R. A. Ramadan, S. Refat, M. A. Elshahed, and R. A. Ali, "Basics of Brain Computer Interface," in *Intelligent Systems Reference Library*, 2015, vol. 74, pp. 31–50.

[146] F. Lotte, "A Tutorial on EEG Signal-processing Techniques for Mental-state Recognition in Brain–Computer Interfaces," in *Guide to Brain-Computer Music Interfacing*, E. R. Miranda and J. Castet, Eds. London: Springer London, 2014, pp. 133–161.

[147] A. Craik, Y. He, and J. L. Contreras-Vidal, "Deep learning for electroencephalogram (EEG) classification tasks: a review," *Journal of Neural Engineering*, vol. 16, no. 3, p. 031001, apr 2019.

[148] G. Pfurtscheller and C. Neuper, "Motor imagery and direct brain-computer communication," *Proceedings of the IEEE*, vol. 89, no. 7, pp. 1123–1134, jul 2001.

[149] R. G. Andrzejak, K. Lehnertz, F. Mormann, C. Rieke, P. David, and C. E. Elger, "Indications of nonlinear deterministic and finite-dimensional structures in time series of brain electrical activity: Dependence on recording region and brain state," *Physical Review E*, vol. 64, no. 6, p. 61907, nov 2001.

[150] M. Teplan, "Fundamentals of EEG measurement," *Measurement science review*, vol. 2, no. 2, pp. 1–11, 2002.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[151] S. Katsigiannis and N. Ramzan, "DREAMER: A Database for Emotion Recognition Through EEG and ECG Signals from Wireless Low-cost Off-the-Shelf Devices," *IEEE Journal of Biomedical and Health Informatics*, vol. 22, no. 1, pp. 98–107, jan 2018.

[152] J. A. Miranda-Correa, M. K. Abadi, N. Sebe, and I. Patras, "AMIGOS: A dataset for affect, personality and mood research on individuals and groups," *IEEE Transactions on Affective Computing*, vol. 12, no. 2, pp. 479–493, apr 2018.

[153] D. H. Hockenbury and S. E. Hockenbury, *Discovering Psychology*, 5th ed. New York: Worth Publishers, 2009.

[154] I. B. Mauss and M. D. Robinson, "Measures of emotion: A review," *Cognition and Emotion*, vol. 23, no. 2, pp. 209–237, feb 2009.

[155] S. M. Alarcao and M. J. Fonseca, "Emotions recognition using EEG signals: A survey," *IEEE Transactions on Affective Computing*, vol. 10, no. 3, pp. 374–393, jul 2017.

[156] E. Claparède, "Feelings and emotions," in *Feelings and Emotions: The Wittenberg Symposium.* Clark Univ. Press, 1928, pp. 124–139.

[157] W. B. Cannon, "The james-lange theory of emotions: A critical examination and an alternative theory," *The American Journal of Psychology*, vol. 39, no. 1/4, p. 106, dec 1927.

[158] M. Asada, "Development of artificial empathy," *Neuroscience Research*, vol. 90, pp. 41–50, jan 2015.

[159] R. Plutchik, "The nature of emotions," *American Scientist*, vol. 89, no. 4, pp. 344–350, 2001.

[160] P. Ekman, "Basic Emotions," in *Encyclopedia of Personality and Individual Differences.* USA: Wiley, 1999, pp. 45–60.

[161] J. A. Russell, "A circumplex model of affect." *Journal of Personality and Social Psychology*, vol. 39, no. 6, pp. 1161–1178, 1980.

[162] D. O. Bos, "EEG-based emotion recognition," *The Influence of Visual and Auditory Stimuli*, pp. 1–17, 2006.

[163] D. Kollias, P. Tzirakis, M. A. Nicolaou, A. Papaioannou, G. Zhao, B. Schuller, I. Kotsia, and S. Zafeiriou, "Deep affect prediction in-the-wild: Aff-wild database and challenge, deep architectures, and beyond," *International Journal of Computer Vision*, vol. 127, no. 6-7, pp. 907–929, 2019.

[164] D. Kollias and S. Zafeiriou, "Exploiting multi-CNN features in CNN-RNN based Dimensional Emotion Recognition on the OMG in-the-wild Dataset," *IEEE Transactions on Affective Computing*, no. Automated Perception of Human Affect from Longitudinal Behavioral Data, pp. 1–12, 2019.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[165] M. F. Bear, B. W. Connors, and M. A. Paradiso, *Neurociências: desvendando o sistema nervoso*, 4th ed. Artmed, 2017, vol. 25, no. 3.

[166] J. Phillips, R. Leahy, J. Mosher, and B. Timsari, "Imaging neural activity using MEG and EEG," *IEEE Engineering in Medicine and Biology Magazine*, vol. 16, no. 3, pp. 34–42, may 1997.

[167] H. Ullah, M. Uzair, A. Mahmood, M. Ullah, S. D. Khan, and F. A. Cheikh, "Internal emotion classification using EEG signal with sparse discriminative ensemble," *IEEE Access*, vol. 7, pp. 40 144–40 153, 2019.

[168] A. Mert and A. Akan, "Emotion recognition from EEG signals by using multivariate empirical mode decomposition," *Pattern Analysis and Applications*, vol. 21, no. 1, pp. 81–89, 2018.

[169] B. Rohrer, "How do convolutional neural networks work? Data Science and Robots Blog," 2016. [Online]. Available: https://e2eml.school/how_convolutional_neural_networks_work.html

[170] Michael Negnevitsky, *Artificial intelligence a guide to intelligent systems*, 2nd ed. Addison Wesley, 2004.

[171] Y. Wang, Z. Huang, B. McCane, and P. Neo, "EmotioNet: A 3-D Convolutional Neural Network for EEG-based Emotion Recognition," in *2018 International Joint Conference on Neural Networks (IJCNN)*, vol. 2018-July. IEEE, jul 2018, pp. 1–7.

[172] L. Santamaria-Granados, M. Munoz-Organero, G. Ramirez-Gonzalez, E. Abdulhay, and N. Arunkumar, "Using deep convolutional neural network for emotion detection on a physiological signals dataset (AMIGOS)," *IEEE Access*, vol. 7, pp. 57–67, 2019.

[173] Y. Cimtay and E. Ekmekcioglu, "Investigating the Use of Pretrained Convolutional Neural Network on Cross-Subject and Cross-Dataset EEG Emotion Recognition," *Sensors*, vol. 20, no. 7, p. 2034, apr 2020.

[174] I. J. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, "Generative Adversarial Networks," *Science Robotics*, vol. 3, no. January, pp. 2672–2680, jun 2014.

[175] Coursera, "Generative Adversarial Networks (GANs)," accessed: 2020-01-17. [Online]. Available: https://www.coursera.org/specializations/generative-adversarial-networks-gans

[176] T. Zhang, J. Cheng, H. Fu, Z. Gu, Y. Xiao, K. Zhou, S. Gao, R. Zheng, and J. Liu, "Noise adaptation generative adversarial network for medical image analysis," *IEEE Transactions on Medical Imaging*, vol. 39, no. 4, pp. 1149–1159, apr 2020.

[177] O. Ronneberger, P. Fischer, and T. Brox, "U-net: Convolutional networks for biomedical image segmentation," in *Lecture Notes in Computer Science*. Springer International Publishing, may 2015, vol. 9351, pp. 234–241.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[178] J. Debayle, N. Hatami, and Y. Gavet, "Classification of time-series images using deep convolutional neural networks," in *Tenth International Conference on Machine Vision (ICMV 2017)*, no. April 2018. SPIE, apr 2018, p. 23.

[179] B. Shahriari, K. Swersky, Z. Wang, R. P. Adams, and N. de Freitas, "Taking the human out of the loop: A review of bayesian optimization," *Proceedings of the IEEE*, vol. 104, no. 1, pp. 148–175, jan 2016.

[180] T. G. Dietterich, "Approximate statistical tests for comparing supervised classification learning algorithms," *Neural Computation*, vol. 10, no. 7, pp. 1895–1923, oct 1998.

[181] R. A. Fisher, "Statistical methods for research workers," in *Springer Series in Statistics*. Springer New York, 1992, pp. 66–70.

[182] H. R. Markus, S. Cross, A. Fiske, C. Gilligan, T. Givon, C. Kanagawa, J. Kihlstrom, and J. Miller, "Culture and self," in *Handbook of Cultural Sociology*. Routledge, sep 2010, vol. 98, no. 2, pp. 247–256.

[183] S. E. Cross, E. E. Hardin, and B. Gercek-Swing, "The What, How, Why, and Where of Self-Construal," *Personality and Social Psychology Review*, vol. 15, no. 2, pp. 142–179, may 2011.

[184] S. Harada, H. Hayashi, and S. Uchida, "Biosignal data augmentation based on generative adversarial networks," in *2018 40th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, vol. 2018-July. IEEE, jul 2018, pp. 368–371.

[185] Y. Luo, L.-Z. Zhu, and B.-L. Lu, "A GAN-based data augmentation method for multimodal emotion recognition," in *Advances in Neural Networks – ISNN 2019*. Springer International Publishing, 2019, vol. 11554, pp. 141–150.

[186] A. Aljohani and N. Alharbe, "Generating synthetic images for healthcare with novel deep pix2pix gan," *Electronics*, vol. 11, no. 21, p. 3470, Oct. 2022.

[187] K. Laxman, S. R. Dubey, B. Kalyan, and S. R. V. Kojjarapu, *Efficient High-Resolution Image-to-Image Translation Using Multi-Scale Gradient U-Net*. Springer International Publishing, 2022, pp. 33–44.

[188] Y. Skandarani, P.-M. Jodoin, and A. Lalande, "Gans for medical image synthesis: An empirical study," *Journal of Imaging*, vol. 9, no. 3, p. 69, Mar. 2023.

[189] R. K. Senapati, R. Satvika, A. Anmandla, G. Ashesh Reddy, and C. Anil Kumar, *Image-To-Image Translation Using Pix2Pix GAN and Cycle GAN*. Springer Nature Singapore, 2024, pp. 573–586.

[190] D. W. Prabowo, N. A. Setiawan, J. Debayle, and H. A. Nugroho, "Multi-representation convolutional neural network to recognize human emotion," in *2023 8th International Conference on Information Technology and Digital Applications (ICITDA)*. IEEE, Nov. 2023.

[191] ——, "Enhancing eeg-based emotion recognition using asymmetric windowing recurrence plots," *IEEE Access*, vol. 12, pp. 85 969–85 982, 2024.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[192] Y. Roy, H. Banville, I. Albuquerque, A. Gramfort, T. H. Falk, and J. Faubert, "Deep learning-based electroencephalography analysis: a systematic review," *Journal of Neural Engineering*, vol. 16, no. 5, p. 51001, aug 2019.

[193] Y. Luo, L.-Z. Zhu, Z.-Y. Wan, and B.-L. Lu, "Data augmentation for enhancing EEG-based emotion recognition with deep generative models," *Journal of Neural Engineering*, vol. 17, no. 5, p. 056021, oct 2020.

[194] C. Shorten and T. M. Khoshgoftaar, "A survey on image data augmentation for deep learning," *Journal of Big Data*, vol. 6, no. 1, Jul. 2019.

[195] M. Oquab, L. Bottou, I. Laptev, and J. Sivic, "Learning and transferring mid-level image representations using convolutional neural networks," in *2014 IEEE Conference on Computer Vision and Pattern Recognition*. IEEE, Jun. 2014.

[196] J. Yosinski, J. Clune, Y. Bengio, and H. Lipson, "How transferable are features in deep neural networks?" *Advances in Neural Information Processing Systems 27, pages 3320-3328. Dec. 2014*, Nov. 2014.

[197] M. Hall and G. Holmes, "Benchmarking attribute selection techniques for discrete class data mining," *IEEE Transactions on Knowledge and Data Engineering*, vol. 15, no. 6, pp. 1437–1447, nov 2003.

[198] K. Thyng, C. Greene, R. Hetland, H. Zimmerle, and S. DiMarco, "True colors of oceanography: Guidelines for effective and accurate colormap selection," *Oceanography*, vol. 29, no. 3, pp. 9–13, Sep. 2016.

[199] V. Mikheev, R. Skukies, and B. V. Ehinger, "The art of brainwaves: A survey on event-related potential visualization practices," *Aperture Neuro*, vol. 4, Apr. 2024.

[200] T. Kattenborn, J. Leitloff, F. Schiefer, and S. Hinz, "Review on convolutional neural networks (cnn) in vegetation remote sensing," *ISPRS Journal of Photogrammetry and Remote Sensing*, vol. 173, pp. 24–49, Mar. 2021.

[201] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, "Improved Techniques for Training GANs," in *Proceedings of the 30th International Conference on Neural Information Processing Systems*. Barcelona, Spain: Curran Associates Inc., 2016, pp. 2234–2242.

[202] M. Heusel, H. Ramsauer, T. Unterthiner, B. Nessler, and S. Hochreiter, "GANs Trained by a Two Time-Scale Update Rule Converge to a Local Nash Equilibrium," in *Proceedings of the 31st International Conference on Neural Information Processing Systems*. California: Curran Associates Inc., jun 2017, pp. 6629–6640.

[203] Z. Wang, A. C. Bovik, H. R. Sheikh, and E. P. Simoncelli, "Image quality assessment: From error visibility to structural similarity," *IEEE Transactions on Image Processing*, vol. 13, no. 4, pp. 600–612, 2004.

UNIVERSITAS
GADJAH MADA
Multi-Representation and Asymmetric Windowing Recurrence Plot Input Formulations To Enhance EEG-Based Emotion Recognition
Dwi Wahyu Prabowo, Prof. Ir. Hanung Adi Nugroho, S.T., M.E., Ph.D., IPM.; Ir. Noor Akhmad Setiawan, S.T., M.T., P
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[204] J. Faouzi and H. Janati, "pyts: A python package for time series classification," *Journal of Machine Learning Research*, vol. 21, no. 46, pp. 1–6, 2020. [Online]. Available: http://jmlr.org/papers/v21/19-763.html

[205] Y. Song, Q. Zheng, B. Liu, and X. Gao, "EEG conformer: Convolutional transformer for EEG decoding and visualization," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 31, pp. 710–719, 2023.

[206] Emotiv, "Emotiv - brain data measuring hardware and software solutions," accessed: 2024-08-15. [Online]. Available: https://www.emotiv.com/