

DAFTAR PUSTAKA

- Alves, I.S., Coutinho, A.M.N., Vieira, A.P.F., Rocha, B.P., Passos, U.L., Gonçalves, V.T., Silva, P.D.S., *et al.* (2022), "Imaging Aspects of the Hippocampus", *RadioGraphics*, Radiological Society of North America Inc., Vol. 42 No. 3, pp. 822–840, doi: 10.1148/rg.210153.
- Anderson, N.D. (2019), "State of the science on mild cognitive impairment (MCI)", *CNS Spectrums*, Cambridge University Press, Vol. 24 No. 1, pp. 78–87, doi: 10.1017/S1092852918001347.
- Apostolova, L.G., Dutton, R.A., Dinov, I.D., Hayashi, K.M., Toga, A.W., Cummings, J.L. and Thompson, P.M. (2006), "Conversion of Mild Cognitive Impairment to Alzheimer Disease Predicted by Hippocampal Atrophy Maps", *Archives of Neurology*, Vol. 63 No. 5, p. 693, doi: 10.1001/archneur.63.5.693.
- Arruda, F., Rosselli, M., Greig, M.T., Loewenstein, D.A., Lang, M., Torres, V.L., Vélez-Urbe, I., *et al.* (2021), "The Association Between Functional Assessment and Structural Brain Biomarkers in an Ethnically Diverse Sample With Normal Cognition, Mild Cognitive Impairment, or Dementia", *Archives of Clinical Neuropsychology*, Oxford University Press, Vol. 36 No. 1, pp. 51–61, doi: 10.1093/arclin/acia065.
- Budson, A.E. and Solomon, P.R. (2012), "New diagnostic criteria for Alzheimer's disease and mild cognitive impairment for the practical neurologist", *Practical Neurology*, Vol. 12 No. 2, pp. 88–96, doi: 10.1136/practneurol-2011-000145.
- Dahlan, M.S. (2014), *Metode MSD (Multiaksial Sopiudin Dahlan): Pintu Gerbang Memahami Statistik, Metodologi, Dan Epidemiologi*, Sagung Seto, Jakarta.
- Dhikav, V., Duraisamy, S., Anand, K. and Garga, U. (2016), "Hippocampal volumes among older Indian adults: Comparison with Alzheimer's disease and mild cognitive impairment", *Annals of Indian Academy of Neurology*, Medknow Publications, Vol. 19 No. 2, p. 195, doi: 10.4103/0972-2327.176863.
- Du, A.T., Schuff, N., Amend, D., Laakso, M.P., Hsu, Y.Y., Jagust, W.J., Yaffe, K., *et al.* (2001), "Magnetic resonance imaging of the entorhinal cortex and hippocampus in mild cognitive impairment and Alzheimer's disease", *Journal of Neurology, Neurosurgery & Psychiatry*, Vol. 71 No. 4, pp. 441–447, doi: 10.1136/jnnp.71.4.441.
- Embong, M.F., Yaacob, R., Shafie Abdullah, M., Helmy Abdul Karim, A., Kausar Ghazali, A. and Jalaluddin, S. (2013), "MR Volumetry of Hippocampus in Normal Adult Malay of Age 50 Years Old and Above", *Malays J Med Sci*, Vol. 20 No. 4, pp. 25–31.
- Esrael, S.M.A.M., Hamed, A.M.M., Khedr, E.M. and Soliman, R.K. (2021), "Application of diffusion tensor imaging in Alzheimer's disease: quantification of white matter microstructural changes", *Egyptian Journal of Radiology and Nuclear Medicine*, Springer Science and Business Media Deutschland GmbH, Vol. 52 No. 1, doi: 10.1186/s43055-021-00460-x.
- Ezzati, A., Katz, M.J., Zammit, A.R., Lipton, M.L., Zimmerman, M.E., Sliwinski, M.J. and Lipton, R.B. (2016), "Differential association of left and right hippocampal volumes with verbal episodic and spatial memory in older adults", *Neuropsychologia*, Vol. 93, pp. 380–385, doi: 10.1016/j.neuropsychologia.2016.08.016.
- Faul, F., Erdfelder, E., Buchner, A. and Lang, A.-G. (2009), "Statistical power analyses using G*Power 3.1: Tests for correlation and regression analyses", *Behavior Research Methods*, Vol. 41 No. 4, pp. 1149–1160, doi: 10.3758/BRM.41.4.1149.

- Fischl, B., Stevens, A.A., Rajendran, N., Yeo, B.T.T., Greve, D.N., Van Leemput, K., Polimeni, J.R., *et al.* (2009), "Predicting the location of entorhinal cortex from MRI", *NeuroImage*, Vol. 47 No. 1, pp. 8–17, doi: 10.1016/j.neuroimage.2009.04.033.
- Fountain-Zaragoza, S., Horn, O., Thorn, K.E., Kraal, A.Z. and Benitez, A. (2023), "Validity of Normative Volumetric Estimates from Open Access Software in Amnesic Mild Cognitive Impairment", *The Journal of Prevention of Alzheimer's Disease*, Serdi-Editions, Vol. 10 No. 2, pp. 236–243, doi: 10.14283/jpad.2023.19.
- Ganguli, M., Fu, B., Snitz, B.E., Hughes, T.F. and Chang, C.-C.H. (2013), "Mild cognitive impairment", *Neurology*, Vol. 80 No. 23, pp. 2112–2120, doi: 10.1212/WNL.0b013e318295d776.
- Graff-Radford, J. and Kantarci, K. (2013), "Magnetic resonance spectroscopy in alzheimer's disease", *Neuropsychiatric Disease and Treatment*, Dove Medical Press Ltd, Vol. 9, pp. 687–696, doi: 10.2147/NDT.S35440.
- Hallgren, K.A. (2012), "Computing Inter-Rater Reliability for Observational Data: An Overview and Tutorial A Primer on IRR", *Tutor Quant Methods Psychol*, Vol. 8 No. 1, pp. 23–34, doi: 10.20982%2Ftqmp.08.1.p023.
- Igarashi, K.M. (2023), "Entorhinal cortex dysfunction in Alzheimer's disease", *Trends in Neurosciences*, Elsevier Ltd, Vol. 46 No. 2, pp. 124–136, doi: 10.1016/j.tins.2022.11.006.
- Jack, C.R., Petersen, R.C., Xu, Y.C., O'Brien, P.C., Smith, G.E., Ivnik, R.J., Boeve, B.F., *et al.* (1999), "Prediction of AD with MRI-based hippocampal volume in mild cognitive impairment", *Neurology*, Vol. 52 No. 7, pp. 1397–1397, doi: 10.1212/WNL.52.7.1397.
- Karimani, F., Asgari Taei, A., Abolghasemi-Dehaghani, M.-R., Safari, M.-S. and Dargahi, L. (2024), "Impairment of entorhinal cortex network activity in Alzheimer's disease", *Frontiers in Aging Neuroscience*, Vol. 16, doi: 10.3389/fnagi.2024.1402573.
- Khan, U.A., Liu, L., Provenzano, F.A., Berman, D.E., Profaci, C.P., Sloan, R., Mayeux, R., *et al.* (2014), "Molecular drivers and cortical spread of lateral entorhinal cortex dysfunction in preclinical Alzheimer's disease", *Nature Neuroscience*, Vol. 17 No. 2, pp. 304–311, doi: 10.1038/nn.3606.
- Larson, E.B. (2019), "Risk factors for cognitive decline and dementia", *UpToDate*, 1 November, available at: <https://www.uptodate.com/contents/risk-factors-for-cognitive-decline-and-dementia> (accessed 8 May 2024).
- Li, J.-Q., Tan, L., Wang, H.-F., Tan, M.-S., Tan, L., Xu, W., Zhao, Q.-F., *et al.* (2016), "Risk factors for predicting progression from mild cognitive impairment to Alzheimer's disease: a systematic review and meta-analysis of cohort studies", *Journal of Neurology, Neurosurgery & Psychiatry*, BMJ Publishing Group, Vol. 87 No. 5, pp. 476–484, doi: 10.1136/jnnp-2014-310095.
- Li, Q., Wang, J., Liu, J., Wang, Y. and Li, K. (2021), "Magnetic Resonance Imaging Measurement of Entorhinal Cortex in the Diagnosis and Differential Diagnosis of Mild Cognitive Impairment and Alzheimer's Disease", *Brain Sciences*, MDPI, Vol. 11 No. 9, p. 1129, doi: 10.3390/brainsci11091129.
- Li, X., Feng, X., Sun, X., Hou, N., Han, F. and Liu, Y. (2022), "Global, regional, and national burden of Alzheimer's disease and other dementias, 1990–2019", *Frontiers in Aging Neuroscience*, Vol. 14, doi: 10.3389/fnagi.2022.937486.
- Long, S., Benoist, C. and Weidner, W. (2023), *World Alzheimer Report 2023: Reducing Dementia Risk: Never Too Early, Never Too Late*, Alzheimer's Disease International, London.

- Manjón, J. V. and Coupé, P. (2016), “volBrain: An Online MRI Brain Volumetry System”, *Frontiers in Neuroinformatics*, Frontiers Media S.A., Vol. 10, doi: 10.3389/fninf.2016.00030.
- Manjón, J. V., Romero, J.E., Vivo-Hernando, R., Rubio, G., Aparici, F., de la Iglesia-Vaya, M. and Coupé, P. (2022), “vol2Brain: A New Online Pipeline for Whole Brain MRI Analysis”, *Frontiers in Neuroinformatics*, Frontiers Media S.A., Vol. 16, doi: 10.3389/fninf.2022.862805.
- Manurung, L.A., Ferriastuti, W., Soeprijanto, B. and Sarastika, H.Y. (2021), “Hippocampal Volume and Entorhinal Cortex Thickness in Alzheimer’s Disease”, *Indian Journal of Forensic Medicine & Toxicology*, Vol. 16 No. 1, pp. 720–726, doi: 10.37506/ijfmt.v16i1.17577.
- Montgomery, W., Ueda, K., Jorgensen, M., Stathis, S., Cheng, Y. and Nakamura, T. (2017), “Epidemiology, associated burden, and current clinical practice for the diagnosis and management of Alzheimer’s disease in Japan”, *ClinicoEconomics and Outcomes Research*, Vol. Volume 10, pp. 13–28, doi: 10.2147/CEOR.S146788.
- Moore, M., Hu, Y., Woo, S., O’Hearn, D., Jordan, A.D., Dolcos, S. and Dolcos, F. (2014), “A Comprehensive Protocol for Manual Segmentation of the Medial Temporal Lobe Structures”, *Journal of Visualized Experiments*, No. 89, doi: 10.3791/50991.
- Nadel, L. and Hardt, O. (2011), “Update on Memory Systems and Processes”, *Neuropsychopharmacology*, Vol. 36 No. 1, pp. 251–273, doi: 10.1038/npp.2010.169.
- Niu, H., Álvarez-Álvarez, I., Guillén-Grima, F. and Aguinaga-Ontoso, I. (2017), “Prevalencia e incidencia de la enfermedad de Alzheimer en Europa: metaanálisis”, *Neurología*, Vol. 32 No. 8, pp. 523–532, doi: 10.1016/j.nrl.2016.02.016.
- Park, H.Y., Suh, C.H., Heo, H., Shim, W.H. and Kim, S.J. (2022), “Diagnostic performance of hippocampal volumetry in Alzheimer’s disease or mild cognitive impairment: a meta-analysis”, *European Radiology*, Springer Science and Business Media Deutschland GmbH, Vol. 32 No. 10, pp. 6979–6991, doi: 10.1007/s00330-022-08838-9.
- Pennanen, C., Kivipelto, M., Tuomainen, S., Hartikainen, P., Hänninen, T., Laakso, M.P., Hallikainen, M., *et al.* (2004), “Hippocampus and entorhinal cortex in mild cognitive impairment and early AD”, *Neurobiology of Aging*, Vol. 25 No. 3, pp. 303–310, doi: 10.1016/S0197-4580(03)00084-8.
- Pérez Palmer, N., Trejo Ortega, B. and Joshi, P. (2022), “Cognitive Impairment in Older Adults”, *Psychiatric Clinics of North America*, W.B. Saunders, Vol. 45 No. 4, pp. 639–661, doi: 10.1016/j.psc.2022.07.010.
- Petersen, R.C. (2004), “Mild cognitive impairment as a diagnostic entity”, *Journal of Internal Medicine*, Vol. 256 No. 3, pp. 183–194, doi: 10.1111/j.1365-2796.2004.01388.x.
- Rajagopal, S.K., Beltz, A.M., Hampstead, B.M. and Polk, T.A. (2024), “Estimating individual trajectories of structural and cognitive decline in mild cognitive impairment for early prediction of progression to dementia of the Alzheimer’s type”, *Scientific Reports*, Nature Research, Vol. 14 No. 1, p. 12906, doi: 10.1038/s41598-024-63301-7.
- Rhodijs-Meester, H.F.M., Benedictus, M.R., Wattjes, M.P., Barkhof, F., Scheltens, P., Muller, M. and van der Flier, W.M. (2017), “MRI Visual Ratings of Brain Atrophy and White Matter Hyperintensities across the Spectrum of Cognitive Decline Are Differently Affected by Age and Diagnosis”, *Frontiers in Aging Neuroscience*, Vol. 9, doi: 10.3389/fnagi.2017.00117.

- Schultz, H., Sommer, T. and Peters, J. (2015), "The Role of the Human Entorhinal Cortex in a Representational Account of Memory", *Frontiers in Human Neuroscience*, Frontiers Media S. A, Vol. 9 No. NOVEMBER, doi: 10.3389/fnhum.2015.00628.
- Shen, Q., Loewenstein, D.A., Potter, E., Zhao, W., Appel, J., Greig, M.T., Raj, A., *et al.* (2011), "Volumetric and visual rating of magnetic resonance imaging scans in the diagnosis of amnesic mild cognitive impairment and Alzheimer's disease", *Alzheimer's & Dementia*, Vol. 7 No. 4, doi: 10.1016/j.jalz.2010.07.002.
- Tahami Monfared, A.A., Byrnes, M.J., White, L.A. and Zhang, Q. (2022), "Alzheimer's Disease: Epidemiology and Clinical Progression", *Neurology and Therapy*, Vol. 11 No. 2, pp. 553–569, doi: 10.1007/s40120-022-00338-8.
- Tapiola, T., Pennanen, C., Tapiola, M., Tervo, S., Kivipelto, M., Hänninen, T., Pihlajamäki, M., *et al.* (2008), "MRI of hippocampus and entorhinal cortex in mild cognitive impairment: A follow-up study", *Neurobiology of Aging*, Vol. 29 No. 1, pp. 31–38, doi: 10.1016/j.neurobiolaging.2006.09.007.
- Vidyanti, A.N., Hardhantyo, M., Wiratama, B.S., Prodjohardjono, A. and Hu, C.-J. (2020), "Obesity Is Less Frequently Associated with Cognitive Impairment in Elderly Individuals: A Cross-Sectional Study in Yogyakarta, Indonesia", *Nutrients*, Vol. 12 No. 2, p. 367, doi: 10.3390/nu12020367.
- Wang, Y., Hao, L., Zhang, Y., Zuo, C. and Wang, D. (2019), "Entorhinal cortex volume, thickness, surface area and curvature trajectories over the adult lifespan", *Psychiatry Research: Neuroimaging*, Vol. 292, pp. 47–53, doi: 10.1016/j.psychresns.2019.09.002.
- WHO. (2021), "Dementia", *WHO*, 27 January, available at: <https://www.who.int/news-room/facts-in-pictures/detail/dementia> (accessed 16 July 2024).
- Williamson, J., Yabluchanskiy, A., Mukli, P., Wu, D.H., Sonntag, W., Ciro, C. and Yang, Y. (2022), "Sex differences in brain functional connectivity of hippocampus in mild cognitive impairment", *Frontiers in Aging Neuroscience*, Vol. 14, doi: 10.3389/fnagi.2022.959394.
- Wisse, L.E.M., Biessels, G.J., Heringa, S.M., Kuijf, H.J., Koek, D. (H.) L., Luijten, P.R. and Geerlings, M.I. (2014), "Hippocampal subfield volumes at 7T in early Alzheimer's disease and normal aging", *Neurobiology of Aging*, Elsevier Inc., Vol. 35 No. 9, pp. 2039–2045, doi: 10.1016/j.neurobiolaging.2014.02.021.
- Xu, Y., Jack, C.R., O'Brien, P.C., Kokmen, E., Smith, G.E., Ivnik, R.J., Boeve, B.F., *et al.* (2000), "Usefulness of MRI measures of entorhinal cortex versus hippocampus in AD", *Neurology*, Vol. 54 No. 9, pp. 1760–1767, doi: 10.1212/WNL.54.9.1760.
- Yagi, S. and Galea, L.A.M. (2019), "Sex differences in hippocampal cognition and neurogenesis", *Neuropsychopharmacology*, Vol. 44 No. 1, pp. 200–213, doi: 10.1038/s41386-018-0208-4.
- Zhou, M., Zhang, F., Zhao, L., Qian, J. and Dong, C. (2016), "Entorhinal cortex: a good biomarker of mild cognitive impairment and mild Alzheimer's disease", *Reviews in the Neurosciences*, Vol. 27 No. 2, pp. 185–195, doi: 10.1515/revneuro-2015-0019.