

## DAFTAR PUSTAKA

- Abidi, N. (2018). Chemical Properties of Cotton Fiber and Chemical Modification. In *Cotton Fiber: Physics, Chemistry and Biology* (pp. 95–115). Springer International Publishing. [https://doi.org/10.1007/978-3-030-00871-0\\_5](https://doi.org/10.1007/978-3-030-00871-0_5)
- Agilent. (2024). *Headspace Sampling Fundamentals*. <https://www.agilent.com/en/product/gas-chromatography/gc-sample-preparation-introduction/what-is-headspace>.
- Agilent Technologies. (2022, October). *Agilent EI GC/MS Instrument Helium to Hydrogen Carrier Gas Conversion User Guide*. <https://www.agilent.com/cs/library/usermanuals/public/user-guide-coverting-ei-gcms-instruments-5994-2312en-agilent.pdf>.
- Alves Soares, T., Owsienko, D., Haertl, T., & Loos, H. M. (2023). Recovery rates of selected body odor substances in different textiles applying various work-up and storage conditions measured by gas chromatography-mass spectrometry. *Analytica Chimica Acta*, 1252. <https://doi.org/10.1016/j.aca.2023.341067>
- Anandakumar, P., Kamaraj, S., & Vanitha, M. K. (2021). D-limonene: A multifunctional compound with potent therapeutic effects. *Journal of Food Biochemistry*, 45(1). <https://doi.org/10.1111/jfbc.13566>
- Ashour, M., Wink, M., & Gershenzon, J. (2010). Biochemistry of Terpenoids: Monoterpenes, Sesquiterpenes and Diterpenes. In *Biochemistry of Plant Secondary Metabolism* (Vol. 40, pp. 258–303). Wiley-Blackwell. <https://doi.org/10.1002/9781444320503.ch5>
- Brianza, G., Benjamin, J., Cornelio, P., Maggioni, E., & Obrist, M. (2022). QuintEssence: A Probe Study to Explore the Power of Smell on Emotions, Memories, and Body Image in Daily Life. *ACM Transactions on Computer-Human Interaction*, 29(6), 1–33. <https://doi.org/10.1145/3526950>
- Burgeon, C., Markey, A., Debliquy, M., Lahem, D., Rodriguez, J., Ly, A., & Fauconnier, M.-L. (2021). Comprehensive SPME-GC-MS Analysis of VOC Profiles Obtained Following High-Temperature Heating of Pork Back Fat with Varying Boar Taint Intensities. *Foods*, 10(6), 1311. <https://doi.org/10.3390/foods10061311>
- Burzynski-Chang, E. A., Ryona, I., Reisch, B. I., Gonda, I., Foolad, M. R., Giovannoni, J. J., & Sacks, G. L. (2018). HS-SPME-GC-MS analyses of volatiles in plant populations-quantitating compound × individual matrix effects. *Molecules*, 23(10). <https://doi.org/10.3390/molecules23102436>
- Chisvert, A., López-Noguerol, M., & Salvador, A. (2018). Perfumes ☆. In *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering*. Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.14037-5>
- Croijmans, I., Beetsma, D., Aarts, H., Gortemaker, I., & Smeets, M. (2021). The role of fragrance and self-esteem in perception of body odors and impressions of others. *PLOS ONE*, 16(11), e0258773. <https://doi.org/10.1371/journal.pone.0258773>
- Cuchet, A., Anchisi, A., Schiets, F., Clément, Y., Lantéri, P., Bonnefoy, C., Jame, P., Carénini, E., & Casabianca, H. (2021). Determination of enantiomeric and

- stable isotope ratio fingerprints of active secondary metabolites in neroli (*Citrus aurantium* L.) essential oils for authentication by multidimensional gas chromatography and GC-C/P-IRMS. *Journal of Chromatography B*, 1185, 123003. <https://doi.org/10.1016/j.jchromb.2021.123003>
- Cuchet, A., Jame, P., Anchisi, A., Schiets, F., Carénini, E., & Casabianca, H. (2024). Authentication of Tonka beans extracts (*Dipteryx odorata*) using LC-UV/MS, GC-MS and multi element (<sup>13</sup>C, <sup>2</sup>H and <sup>18</sup>O) bulk specific isotope analysis. *Industrial Crops and Products*, 209, 118038. <https://doi.org/10.1016/j.indcrop.2024.118038>
- Delińska, K., Yavir, K., & Kloskowski, A. (2022). Head-Space SPME for the Analysis of Organophosphorus Insecticides by Novel Silica IL-Based Fibers in Real Samples. *Molecules*, 27(15), 4688. <https://doi.org/10.3390/molecules27154688>
- Deng, H., He, R., Huang, R., Pang, C., Ma, Y., Xia, H., Liang, D., Liao, L., Xiong, B., Wang, X., Zhang, M., Ao, X., Yu, B., Han, D., & Wang, Z. (2022). Optimization of a static headspace GC-MS method and its application in metabolic fingerprinting of the leaf volatiles of 42 citrus cultivars. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.1050289>
- Du, L., Wang, F.-X., Yang, J.-L., Shen, Z.-Y., Zhao, W.-G., Zou, F.-Y., Zhu, H.-F., & Xu, S.-H. (2020). Effect of fabric parameters on fragrance retention. *Industria Textila*, 71(06), 550–556. <https://doi.org/10.35530/T.071.05.1729>
- Elzinga, M., Zamudio, J., van Boven kaarsmaker, S., van de Pol, T., Klok, J., & ter Heijne, A. (2022). A simple method for routine measurement of organosulfur compounds in complex liquid and gaseous matrices. *Journal of Chromatography A*, 1677, 463276. <https://doi.org/10.1016/j.chroma.2022.463276>
- Emwas, A. H. M., Al-Talla, Z. A., Yang, Y., & Kharbatia, N. M. (2015). Gas chromatography–mass spectrometry of biofluids and extracts. *Methods in Molecular Biology*, 1277, 91–112. [https://doi.org/10.1007/978-1-4939-2377-9\\_8](https://doi.org/10.1007/978-1-4939-2377-9_8)
- Falaki, F. (2019). Sample Preparation Techniques for Gas Chromatography. In *Gas Chromatography - Derivatization, Sample Preparation, Application*. IntechOpen. <https://doi.org/10.5772/intechopen.84259>
- Fotsing Yannick Stephane, F., & Kezetas Jean Jules, B. (2020). Terpenoids as Important Bioactive Constituents of Essential Oils. In *Essential Oils - Bioactive Compounds, New Perspectives and Applications*. IntechOpen. <https://doi.org/10.5772/intechopen.91426>
- Furey, A., Moriarty, M., Bane, V., Kinsella, B., & Lehane, M. (2013). Ion suppression; A critical review on causes, evaluation, prevention and applications. *Talanta*, 115, 104–122. <https://doi.org/10.1016/j.talanta.2013.03.048>
- Gherghel, S., Morgan, R. M., Arrebola-Liébanas, J. F., Blackman, C. S., Garrido-Frenich, A., & Parkin, I. P. (2020). Persistence of transferred fragrance on fabrics for forensic reconstruction applications. *Science & Justice*, 60(1), 53–62. <https://doi.org/10.1016/j.scijus.2019.09.002>

- Gherghel, S., Morgan, R. M., Arrebola-Liébanas, J. F., Blackman, C. S., & Parkin, I. P. (2019). Fragrance transfer between fabrics for forensic reconstruction applications. *Science and Justice*, 59(3), 256–267. <https://doi.org/10.1016/j.scijus.2019.02.002>
- Gherghel, S., Morgan, R. M., Arrebola-Liébanas, J., Romero-González, R., Blackman, C. S., Garrido-Frenich, A., & Parkin, I. P. (2018). Development of a HS-SPME/GC–MS method for the analysis of volatile organic compounds from fabrics for forensic reconstruction applications. *Forensic Science International*, 290, 207–218. <https://doi.org/10.1016/j.forsciint.2018.07.015>
- Gherghel, S., Morgan, R. M., Blackman, C. S., Karu, K., & Parkin, I. P. (2016). Analysis of transferred fragrance and its forensic implications. *Science & Justice*, 56(6), 413–420. <https://doi.org/10.1016/j.scijus.2016.08.004>
- González-Mas, M. C., Rambla, J. L., López-Gresa, M. P., Blázquez, M. A., & Granell, A. (2019). Volatile Compounds in Citrus Essential Oils: A Comprehensive Review. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.00012>
- Gould, O., Nguyen, N., & Honeychurch, K. C. (2023). New Applications of Gas Chromatography and Gas Chromatography-Mass Spectrometry for Novel Sample Matrices in the Forensic Sciences: A Literature Review. In *Chemosensors* (Vol. 11, Issue 10). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/chemosensors11100527>
- Haule, L. v., & Nambela, L. (2022). Sustainable application of nanomaterial for finishing of textile material. In *Green Nanomaterials for Industrial Applications* (pp. 177–206). Elsevier. <https://doi.org/10.1016/B978-0-12-823296-5.00011-3>
- Herz, R. S. (2011). Perfume. In J. Gottfried (Ed.), *Neurobiology of Sensation and Reward*. CRC Press/Taylor & Francis.
- Herz, R. S., Larsson, M., Trujillo, R., Casola, M. C., Ahmed, F. K., Lipe, S., & Brashear, M. E. (2022). A three-factor benefits framework for understanding consumer preference for scented household products: psychological interactions and implications for future development. *Cognitive Research: Principles and Implications*, 7(1), 28. <https://doi.org/10.1186/s41235-022-00378-6>
- Hidayah, S. N., Suma, A. A. T. S., & Lukitaningsih, E. (2024). Volatilomics Profiling of Counterfeit Perfume by Gas Chromatography Hyphenated to Mass Spectrometry and Fourier-Transformed Infrared Spectroscopy. *Indones.J.Chem.*, 1–12.
- Ishikawa, M., Warita, Y., Takahisa, E., & Ohkubo, Y. (2010). Human–Environment Interactions (1): Flavor and Fragrance. In *Comprehensive Natural Products II* (Vol. 4, pp. 595–629). Elsevier. <https://doi.org/10.1016/B978-008045382-8.00107-6>
- Jirovetz, L., Buchbauer, G., Schweiger, T., Denkova, Z., Slavchev, A., Stoyanova, A., Schmidt, E., & Geissler, M. (2007). Chemical Composition, Olfactory Evaluation and Antimicrobial Activities of *Jasminum grandiflorum* L. Absolute from India. *Natural Product Communications*, 2(4), 407–412.

- Katuri, G. P., Fan, X., Kosarac, I., Siddique, S., & Kubwabo, C. (2021). Synthetic Musk Compounds in Human Biological Matrices: Analytical Methods and Occurrence—A Review. *Journal of AOAC INTERNATIONAL*, 104(2), 368–383. <https://doi.org/10.1093/jaoacint/qsaa154>
- Keay, P. (2017). “Notes” of Essential oils, Blends and Perfumes. <https://Birchhillhappenings.Com/NotesNTM2015.Htm>.
- Kubica, D., Bal, K., Kaczmarczyk, M., & Kaszuba, A. (2018). Determination of volatile organic compounds in materials from polystyrene intended for contact with food: comparison of HS-GS/MS and SPME-GC/MS techniques. *Rocz Panstw Zakl Hig*, 69(3), 235–242.
- Kutty, N. N., & Mitra, A. (2019). Profiling of volatile and non-volatile metabolites in *Polianthes tuberosa* L. flowers reveals intraspecific variation among cultivars. *Phytochemistry*, 162, 10–20. <https://doi.org/10.1016/j.phytochem.2019.02.006>
- Lancioni, C., Castells, C., Candal, R., & Tascon, M. (2022). Headspace solid-phase microextraction: Fundamentals and recent advances. *Advances in Sample Preparation*, 3. <https://doi.org/10.1016/j.sampre.2022.100035>
- Louw, S. (2021). Recent trends in the chromatographic analysis of volatile flavor and fragrance compounds: Annual review 2020. *Analytical Science Advances*, 2(3–4), 157–170. <https://doi.org/10.1002/ansa.202000158>
- Lu, W.-Y., Lin, W.-C., Huang, A.-C., & Shu, C.-M. (2022). Determination of the ambience duration of lavender essential oil with three perfume fixatives using the thermokinetics approach. *Journal of Thermal Analysis and Calorimetry*, 147(13), 7551–7561. <https://doi.org/10.1007/s10973-021-11029-1>
- Masyita, A., Mustika Sari, R., Dwi Astuti, A., Yasir, B., Rahma Rumata, N., Emran, T. bin, Nainu, F., & Simal-Gandara, J. (2022). Terpenes and terpenoids as main bioactive compounds of essential oils, their roles in human health and potential application as natural food preservatives. *Food Chemistry: X*, 13, 100217. <https://doi.org/10.1016/j.fochx.2022.100217>
- Mazzoni, D., Oakley, A., & Mitchell, G. (2020, January). *Fragrances and perfumes*. DermNet.
- McCann, S., Rana, H., Handzo, B., & Snow, N. H. (2020). Go With the Flow: Thinking About Carrier Gas Flow in GC. *LCGC North America*, 38(3).
- Miastkowska, M., & Lasoń, E. (2020). Water-based nanoparfumes. In *Nanocosmetics* (pp. 173–183). Elsevier. <https://doi.org/10.1016/B978-0-12-822286-7.00007-3>
- Miyazawa, N., Nakanishi, A., Tomita, N., Ohkubo, Y., Maeda, T., & Fujita, A. (2009). Novel Key Aroma Components of Galbanum Oil. *Journal of Agricultural and Food Chemistry*, 57(4), 1433–1439. <https://doi.org/10.1021/jf803157j>
- Najafabadi, A. S., Naghavi, M. R., Farahmand, H., Abbasi, A., & Yazdanfar, N. (2017). Chemical Composition of the Essential Oil from Oleo-gum-resin and Different Organs of *Ferula gummosa*. *Journal of Essential Oil Bearing Plants*, 20(1), 282–288. <https://doi.org/10.1080/0972060X.2016.1263582>



- Narula, A. P. S. (2019). Fragrance and Attraction. In *Sex, Smoke, and Spirits: The Role of Chemistry* (Vol. 1321, pp. 1–16). <https://doi.org/10.1021/bk-2019-1321.ch001>
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 10947, 3-Methylcyclopentadecanone. Retrieved September 12, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/3-Methylcyclopentadecanone>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 323, Coumarin. Retrieved September 12, 2024 from <https://pubchem.ncbi.nlm.nih.gov/compound/Coumarin>.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 1183, Vanillin. Retrieved September 12, 2024 dari <https://pubchem.ncbi.nlm.nih.gov/compound/Vanillin>.
- Ng, F., Thong, A., Basri, N., Wu, W., Chew, W., & Dharmawan, J. (2022). Profiling of Aroma-Active Compounds in Ylang-Ylang Essential Oils by Aroma Extract Dilution Analysis (AEDA) and Chemometric Methods. *Journal of Agricultural and Food Chemistry*, 70(1), 260–266. <https://doi.org/10.1021/acs.jafc.1c05492>
- Nichols, L. (2022). Overview of GC. In *Organic Chemistry Lab Techniques*.
- Obendorf, S. K., Liu, H., Leonard, M. J., Young, T. J., & Incorvia, M. J. (2006). Effects of aroma chemical vapor pressure and fiber morphology on the retention of aroma chemicals on cotton and poly(ethylene terephthalate) fabrics. *Journal of Applied Polymer Science*, 99(4), 1720–1723. <https://doi.org/10.1002/app.22676>
- Patkin, A. J. (2017). *Introduction Comparison of Syringe and SPME Headspace Methods for GC/MS Analysis of Foods Gas Chromatography/ Mass Spectrometry*.
- Pojmanová, P., Ladislavová, N., Škeříková, V., Kania, P., & Urban, Š. (2020). Human scent samples for chemical analysis. *Chemical Papers*, 74(5), 1383–1393. <https://doi.org/10.1007/s11696-019-00989-2>
- Prada, P., Curran, A., & Furton, K. (2014). Characteristic Human Scent Compounds Trapped on Natural and Synthetic Fabrics as analyzed by SPME-GC/MS. *Journal of Forensic Science & Criminology*, 1(1). <https://doi.org/10.15744/2348-9804.1.s101>
- Rakthaworn, P., Dilokkunanant, U., Sukatta, U., & Vajrodaya, S. (2009). Extraction Methods for Tuberose Oil and Their Chemical Components. *Kasetsart Journal*, 43(5), 204–211.
- Rodrigues, A. E., Nogueira, I., & Faria, R. P. v. (2021). Perfume and Flavor Engineering: A Chemical Engineering Perspective. *Molecules*, 26(11), 3095. <https://doi.org/10.3390/molecules26113095>
- Rosenthal, K., Lindley, M. R., Turner, M. A., Ratcliffe, E., & Hunsicker, E. (2024). Current data processing methods and reporting standards for untargeted analysis of volatile organic compounds using direct mass spectrometry: a systematic review. *Metabolomics*, 20(2). <https://doi.org/10.1007/s11306-024-02104-3>

- Sadgrove, N., Padilla-González, G., & Phumthum, M. (2022). Fundamental Chemistry of Essential Oils and Volatile Organic Compounds, Methods of Analysis and Authentication. *Plants*, 11(6), 789. <https://doi.org/10.3390/plants11060789>
- Scandurra, C., Mezzalana, S., Cutillo, S., Zapparella, R., Statti, G., Maldonado, N. M., Locci, M., & Bochicchio, V. (2022). The Effectiveness of Neroli Essential Oil in Relieving Anxiety and Perceived Pain in Women during Labor: A Randomized Controlled Trial. *Healthcare*, 10(2), 366. <https://doi.org/10.3390/healthcare10020366>
- Sharmeen, J., Mahomoodally, F., Zengin, G., & Maggi, F. (2021). Essential Oils as Natural Sources of Fragrance Compounds for Cosmetics and Cosmeceuticals. *Molecules*, 26(3), 666. <https://doi.org/10.3390/molecules26030666>
- Shimadzu. (2021). *Shimadzu's Fundamental Guide to: Gas Chromatography Mass Spectrometry (GCMS)*. Shimadzu Corporation. <https://www.shimadzu.com/an/literature/gcms/ico220013.html>
- Shui, M., Feng, T., Tong, Y., Zhuang, H., Lo, C., Sun, H., Chen, L., & Song, S. (2019). Characterization of Key Aroma Compounds and Construction of Flavor Base Module of Chinese Sweet Oranges. *Molecules*, 24(13), 2384. <https://doi.org/10.3390/molecules24132384>
- Siddiqui, T., Khan, M. U., Sharma, V., & Gupta, K. (2024). Terpenoids in essential oils: Chemistry, classification, and potential impact on human health and industry. *Phytomedicine Plus*, 4(2), 100549. <https://doi.org/10.1016/j.phyplu.2024.100549>
- Silveira, G. de O., Loddi, S., de Oliveira, C. D. R., Zucoloto, A. D., Fruchtengarten, L. V. G., & Yonamine, M. (2017). Headspace solid-phase microextraction and gas chromatography-mass spectrometry for determination of cannabinoids in human breast milk. *Forensic Toxicology*, 35(1), 125–132. <https://doi.org/10.1007/s11419-016-0346-5>
- Sowndhararajan, K., & Kim, S. (2016). Influence of fragrances on human psychophysiological activity: With special reference to human electroencephalographic response. In *Scientia Pharmaceutica* (Vol. 84, Issue 4, pp. 724–751). MDPI AG. <https://doi.org/10.3390/scipharm84040724>
- Spence, C. (2021). The scent of attraction and the smell of success: crossmodal influences on person perception. In *Cognitive Research: Principles and Implications* (Vol. 6, Issue 1). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1186/s41235-021-00311-3>
- Starowicz, M. (2021). Analysis of Volatiles in Food Products. *Separations*, 8(9), 157. <https://doi.org/10.3390/separations8090157>
- Stein, S. E. (1999). An integrated method for spectrum extraction and compound identification from gas chromatography/mass spectrometry data. *Journal of the American Society for Mass Spectrometry*, 10(8), 770–781. [https://doi.org/10.1016/S1044-0305\(99\)00047-1](https://doi.org/10.1016/S1044-0305(99)00047-1)

- Syariana, A., & Puziah, H. (2014). Rapid Determination of Residual Ethanol in Perfumery Products Using Headspace Gas Chromatography-Mass Spectrometry. *Middle-East Journal of Scientific Research*, 22(3), 432–437.
- Tipler, A. (2014). *An Introduction to Headspace Sampling In Gas Chromatography Fundamentals and Theory*. [https://resources.perkinelmer.com/corporate/pdfs/downloads/gde\\_intro\\_to\\_headspace.pdf](https://resources.perkinelmer.com/corporate/pdfs/downloads/gde_intro_to_headspace.pdf)
- Turner, D. (2022, June). *GC-MS Principle, Instrument and Analyses and GC-MS/MS*. <https://www.technologynetworks.com/analysis/articles/gc-ms-principle-instrument-and-analyses-and-gc-msms-362513>.
- Vasiliauskaite, V., & Evans, T. S. (2019). Social success of perfumes. *PLOS ONE*, 14(7), e0218664. <https://doi.org/10.1371/journal.pone.0218664>
- Virgiliou, C., Zisi, C., Kontogiannopoulos, K. N., Nakas, A., Iakovakis, A., Varsamis, V., Gika, H. G., & Assimopoulou, A. N. (2021). Headspace gas chromatography-mass spectrometry in the analysis of lavender's essential oil: Optimization by response surface methodology. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1179. <https://doi.org/10.1016/j.jchromb.2021.122852>
- Wakoli, J., Anjum, A., Sajed, T., Oler, E., Wang, F., Gautam, V., LeVatte, M., & Wishart, D. S. (2024). GCMS-ID: a webserver for identifying compounds from gas chromatography mass spectrometry experiments. *Nucleic Acids Research*, 52(W1), W381–W389. <https://doi.org/10.1093/nar/gkae425>
- Wijit, N., Prasitwattanaseree, S., Mahatheeranont, S., Wolschann, P., Jiranusornkul, S., & Nimmanpipug, P. (2017). Estimation of Retention Time in GC/MS of Volatile Metabolites in Fragrant Rice Using Principle Components of Molecular Descriptors. *Analytical Sciences*, 33(11), 1211–1217. <https://doi.org/10.2116/analsci.33.1211>
- Williams, C., & Buica, A. (2020). Comparison of an offline SPE–GC–MS and online HS–SPME–GC–MS method for the analysis of volatile terpenoids in wine. *Molecules*, 25(3). <https://doi.org/10.3390/molecules25030657>
- Xu, M.-L., Gao, Y., Wang, X., Han, X. X., & Zhao, B. (2021). Comprehensive Strategy for Sample Preparation for the Analysis of Food Contaminants and Residues by GC–MS/MS: A Review of Recent Research Trends. *Foods*, 10(10), 2473. <https://doi.org/10.3390/foods10102473>
- Xu, X., Fillos, J., Ramalingam, K., & Rosenthal, A. (2012). Quantitative analysis of methanol in wastewater by GC-MS with direct injection or headspace SPME sample introduction. *Analytical Methods*, 4(11), 3688. <https://doi.org/10.1039/c2ay25452b>
- Yang, S., Tian, H., Sun, B., Liu, Y., Hao, Y., & Lv, Y. (2016). One-pot synthesis of (–)-Ambrox. *Scientific Reports*, 6(1), 32650. <https://doi.org/10.1038/srep32650>
- Yeh, C.-H., Chen, K.-Y., Chou, C.-Y., Liao, H.-Y., & Chen, H.-C. (2021). New Insights on Volatile Components of Vanilla planifolia Cultivated in Taiwan. *Molecules*, 26(12), 3608. <https://doi.org/10.3390/molecules26123608>

- Yeh, C.-H., Chou, C.-Y., Wu, C.-S., Chu, L.-P., Huang, W.-J., & Chen, H.-C. (2022). Effects of Different Extraction Methods on Vanilla Aroma. *Molecules*, 27(14), 4593. <https://doi.org/10.3390/molecules27144593>
- Yu, C. (2015). Natural Textile Fibres: Vegetable Fibres. In *Textiles and Fashion: Materials, Design and Technology* (pp. 29–56). Elsevier Inc. <https://doi.org/10.1016/B978-1-84569-931-4.00002-7>
- Yu, D. xin, Zhang, X., Guo, S., Yan, H., Wang, J. mei, Zhou, J. qi, Yang, J., & Duan, J. A. (2022). Headspace GC/MS and fast GC e-nose combined with chemometric analysis to identify the varieties and geographical origins of ginger (*Zingiber officinale* Roscoe). *Food Chemistry*, 396. <https://doi.org/10.1016/j.foodchem.2022.133672>
- Yun, J., Cui, C., Zhang, S., Zhu, J., Peng, C., Cai, H., Yang, X., & Hou, R. (2021). Use of headspace GC/MS combined with chemometric analysis to identify the geographic origins of black tea. *Food Chemistry*, 360, 130033. <https://doi.org/10.1016/j.foodchem.2021.130033>
- Zhang, W., & Liang, X. (2019). Headspace Gas Chromatography-Mass Spectrometry for Volatile Components Analysis in *Ipomoea Cairica* (L.) Sweet Leaves: Natural Deep Eutectic Solvents as Green Extraction and Dilution Matrix. *Foods (Basel, Switzerland)*, 8(6). <https://doi.org/10.3390/foods8060205>
- Zhang, Y., Xiong, Y., An, H., Li, J., Li, Q., Huang, J., & Liu, Z. (2022). Analysis of Volatile Components of Jasmine and Jasmine Tea during Scenting Process. *Molecules*, 27(2), 479. <https://doi.org/10.3390/molecules27020479>